


**TYPICAL SECTION
EAST VINE DRIVE
(FOUR-LANE ARTERIAL)
STA. 76+55.00 - STA. 100+65.36**



* BETWEEN STATION 76+55.00 AND STATION 78+00.00 THE UTILITY EASEMENT ON THE SOUTH SIDE OF VINE DRIVE IS 20' WIDE

SURFACING NOTES:

1. THE SURFACING SECTION COMES FROM THE "PRELIMINARY SUBGRADE INVESTIGATION AND PAVEMENT DESIGN" REPORT FOR EAST VINE DRIVE REALIGNMENT, PRODUCED BY CTL THOMPSON, DATED JUNE 19, 2007.
2. THE SURFACING SECTION IS ONLY PRELIMINARY, A FINAL PAVEMENT DESIGN WILL NEED TO BE DONE PRIOR TO FINAL CONSTRUCTION PLANS.
3. THE PRELIMINARY SURFACING SECTION FOR INTERSECTIONS IS: 9.5" PORTLAND CEMENT CONCRETE AND FLY ASH STABILIZED SUBGRADE.

GENERAL NOTES

1. All materials, workmanship, and construction of public improvements shall meet or exceed the standards and specifications set forth in the Larimer County Urban Area Street Standards and applicable state and federal regulations. Where there is conflict between these plans and the specifications, or any applicable standards, the most restrictive standard shall apply. All work shall be inspected and approved by the Local Entity.
2. All references to any published standard shall refer to the latest revision of said standard, unless specifically stated otherwise.
3. The engineer who has prepared these plans, by execution and/or seal hereof, does hereby affirm responsibility to the Local Entity, as beneficiary of said engineer's work, for any errors and omissions contained in these plans, and approval of these plans by the Local Entity Engineer shall not relieve the engineer who has prepared these plans of all such responsibility. Further, to the extent permitted by law, the engineer hereby agrees to hold harmless and indemnify the Local Entity, and its officers and employees, from and against all liabilities, claims, and demands which may arise from any errors and omissions contained in these plans.
4. The type, size, location and number of all known underground utilities are approximate when shown on the drawings. It shall be the responsibility of the Contractor to verify the existence and location of all underground utilities along the route of the work before commencing new construction. The Contractor shall be responsible for unknown underground utilities.
5. The Engineer shall contact the Utility Notification Center of Colorado (UNCC) at 1-800-922-1987, at least 2 working days prior to beginning excavation or grading, to have all registered utility locations marked. Other unregistered utility entities (i.e. ditch/irrigation company) are to be located by contacting the respective representative. Utility service laterals are also to be located prior to beginning excavation or grading. It shall be the responsibility of the Contractor to relocate all existing utilities that conflict with the proposed improvements shown on these plans.
6. All stationing is based on centerline of roadways unless otherwise noted.
7. Refer to the North East College Corridor Outfall plans, produced by Ayres Associates, for all storm sewer improvements shown on this plan set.

Engineers/Scientists/Surveyors
AYRES ASSOCIATES
 200 W. Lincoln Ave. Suite 22
 Fort Collins, CO 80501
 OFFICE: (970) 834-0988
 FAX: (970) 834-2550

**TYPICAL SECTION
AND GENERAL NOTES**

**CITY OF FORT COLLINS
EAST VINE DRIVE RELOCATION**

Revisions	Date

Project No.:	32-0950.12
Drawn By:	DMH
Checked By:	DMH
Approved By:	AMF
Date:	FEB 2009

PROJECT NO. 32-0950.12
 DRAWING NO. T1
 SHEET 2 OF 10