

Safety Data Sheet

Date of issue: 05/03/2017 Supersedes: 04/24/2015 Version: 1.1

SECTION 1: Identification

Identification

Product form : Mixtures

Trade name : Agua Perm-X UL 30-30

Synonyms 100209041, EPA Reg. No.: 89459-76, Prentox Perm-X UL 30-30

Recommended use and restrictions on use

Recommended use : Pesticide.

Restrictions on use Keep out of reach of children, Avoid contact with eyes and clothing, Do NOT take internally,

Use only outdoors or in a well-ventilated area, Certified Applicators or persons under their

direct supervision and only for those uses covered by the Certified Applicator's certification.

Supplier

Central Garden & Pet Company 1501 E. Woodfield Road, Suite 200W Schaumburg, IL 60173 - United States

1.4. **Emergency telephone number**

Emergency number : 1-800-248-7763

1-800-424-9300 - CHEMTREC

1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation Category 2A

Skin sensitization, Category 1 Aspiration hazard Category 1

Carcinogenicity Category 2

Acute toxicity (oral) Category 4

Acute toxicity (inhalation) Category 4

Specific target organ toxicity (single exposure) Category 1

Causes serious eye irritation

May cause an allergic skin reaction

May be fatal if swallowed and enters airways Suspected of causing cancer

Harmful if swallowed

Harmful if inhaled

Causes damage to organs

GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS07

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) Harmful if swallowed or if inhaled

May be fatal if swallowed and enters airways

May cause an allergic skin reaction Causes serious eye irritation Suspected of causing cancer Causes damage to organs

Precautionary statements (GHS-US) Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe dust/fume/gas/mist/vapors/spray Avoid breathing dust/fume/gas/mist/vapors/spray Wash hands, forearms and face thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

If swallowed: Immediately call poison center or doctor

05/03/2017 EN (English US) Page 1

Safety Data Sheet

If on skin: Wash with plenty of water

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing If exposed: Call a poison center/doctor

If exposed or concerned: Get medical advice/attention

Call poison center or doctor if you feel unwell

Rinse mouth

Do NOT induce vomiting

If skin irritation or rash occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention

Wash contaminated clothing before reuse

Store locked up

Dispose of contents/container to in accordance with local/regional/national/international

regulations

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification

: This product is extremely toxic to fish and aquatic vertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. . Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Permethrin	(CAS-No.) 52645-53-1	30
Piperonyl butoxide	(CAS-No.) 51-03-6	30
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8	14
Naphthalene	(CAS-No.) 91-20-3	0.1
Other ingredients	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

First-aid measures after ingestion

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison

center or a doctor if you feel unwell. Call a POISON CENTER or doctor/physician if you feel

unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Wash skin with plenty of water. Take off

contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Do NOT induce vomiting. Call a physician immediately. Do NOT induce vomiting unless

directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Harmful if inhaled. Permethrin effects the nervous system.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Irritation to eyes.

Symptoms/effects after ingestion : Risk of lung edema. Harmful if swallowed. Permethrin effects the nervous system.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

05/03/2017 EN (English US) 2/8

Safety Data Sheet

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not allow fire fighting water to escape into waterways or sewers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with

skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do NOT wash away into sewer. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in

container for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear personal

protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in

a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands

after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep only in original container.

Keep container tightly closed.

Incompatible products : Oxidizing agent. Strong acids. Strong bases

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphthalene (91-20-3)		
ACGIH	ACGIH TWA (ppm)	10 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	50 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	50 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	75 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants

below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

05/03/2017 EN (English US) 3/8

Safety Data Sheet

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

See product label for specific use PPE instructions.

Materials for protective clothing:

It is recommended for handlers to wear appropriate clothing to prevent skin contact including long sleeves, long pants, socks and shoes.

Hand protection:

Wear chemical resistant gloves. Barrier laminate, nitrile rubber, neoprene rubber or Viton are recommended.

Eye protection:

Chemical goggles or face shield.

Respiratory protection:

In case of inadequate ventilation, avoid breathing vapors or mist, wear a NIOSH approved chemical cartridge respirator with organic vapor cartridges and a pesticide pre-filter







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear amber liquid.

Color : amber
Odor : Solvent.

Odor threshold : No data available

pH : 6.25 25 °C (1% aq solution)

Melting point: Not applicableFreezing point: No data availableBoiling point: No data available

Flash point : > 231 °F (> 110.5556° C)

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 1.01 g/mL 8.47 lb/gal Solubility : No data available Log Pow No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties : Not explosive

9.2. Other information

Oxidizing properties

No additional information available

05/03/2017 EN (English US) 4/8

: Not applicable

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Aqua Perm-X UL 30-30	
ATE (Oral)	1335 mg/kg
ATE (Dust/Mist)	3.46 mg/l/4h
рH	6.25 25 °C (1% aq solution)

Permethrin (52645-53-1)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.65 mg/l/4h

Piperonyl butoxide (51-03-6)		
LD50 oral rat	4300 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5 mg/l/4h	

Distillates (petroleum), hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	5 mg/l/4h	

1 - 1	-	
Naphthalene (91-20-3)		
LD50 oral rat	490 - 2600 mg/kg	
LD50 dermal rabbit	> 2000	
LD50 dermal	> 2000 mg/kg	
IARC group	2B - Possibly Carcinogenic to Humans	
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen list?	Yes	

GHS-US Properties	Classification
Acute toxicity	Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cells mutagen	Not classified
Carcinogenicity	Suspected of causing cancer.
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	Causes damage to organs.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

05/03/2017 EN (English US) 5/8

Safety Data Sheet

Potential health effects

Inhalation

Acute : Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea,

salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Skin

Acute : May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.

Eye

Acute : Causes serious eye irritation.

Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause

chemical pneumonitis or pulmonary edema, Harmful if swallowed, Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Mutagenicity : Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests, Piperonyl butoxide was not

mutagenic in a battery of tests.

Carcinogenicity : Permethrin is not classified as carcinogen by NTP, IARC and OSHA, Piperonyl butoxide is not classified as

carcinogen by NTP, IARC and OSHA, Naphthalene is listed as a suspected human carcinogen by NTP and IARC.

SECTION 12: Ecological information

12.1. Toxicity

Permethrin (52645-53-1)		
LC50 Acute fish 1	0.00079 mg/l Exposure time: 96h - Blue gill	
LC50 Acute fish 2	0.0022 mg/l Exposure time: 96h - Atlantic silverside	
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)	
NOEC Chronic fish 1	0.0003 mg/l Fathead minnow	
NOEC Chronic fish 2	0.00083 mg/l Sheepshead minnow	
NOEC Chronic crustacea 1	0.000039 mg/l Daphnia magna	
NOEC Chronic crustacea 2	0.000011 mg/l Mysid shrimp	
Piperonyl butoxide (51-03-6)		

Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)

Naphthalene (91-20-3)	
LC50 Acute fish 1	5.74 - 6.44 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Acute fish 2	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Acute fish 3	0.91 - 2.82 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	2.16 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Daphnia 2	1.96 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Permethrin (52645-53-1)		
Log Pow	6.5	
Piperonyl butoxide (51-03-6)		
Log Kow	4.75	
Naphthalene (91-20-3)		
BCF fish 1	30 - 430	
Log Pow	3.6	
Log Kow	3.3	

05/03/2017 EN (English US) 6/8

Safety Data Sheet

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Aqua Perm-X UL 30-30					
Ecological Fate	This product is extremely toxic to aquatic organisms, including fish and invertebrates. This				
ĭ	product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.				

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
IMDG	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, liquid, n.o.s. (Permethrin)	9	III	Marine pollutant
IATA	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, liquid, n.o.s. (Permethrin)	9	III	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

FIFRA Hazard Statement

Animals

FIFRA Hazards to Humans and Domestic

Permethrin (52645-53-1)				
Listed on SARA Section 313 (Specific toxic chemical listings)				
SARA Section 313 - Emission Reporting	1 %			
Piperonyl butoxide (51-03-6)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)				
SARA Section 313 - Emission Reporting	1 %			
Distillates (petroleum), hydrotreated light (64742-47-8)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory				
Naphthalene (91-20-3)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)				
CERCLA RQ	100 lb			
SARA Section 313 - Emission Reporting	0.1 %			
FIFRA Labelling				
EPA Registration Number	89459-76			
This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.				
FIFRA Signal Word Caution				

05/03/2017 EN (English US) 7/8

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Harmful if absorbed through skin. Avoid contactwith skin, eyes, or clothing. Wear long sleeved shirt, long pants, shoes, socks, andchemical-resistant gloves

frequently repeated skin contact may causeallergic reactions in some individuals.

(barrier laminate, nitrile rubber, neoprene rubber, or viton, Selection Category E). Prolonged or

Aqua Perm-X UL 30-30 Safety Data Sheet

FIFRA First Aid	IF SWALLOWED: Immediately call a poison control center or doctor.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate. May pose an aspiration pneumonia hazard.
FIFRA Environmental Hazards	This pesticide is extremely toxic to fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes orestuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters. Bee Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift on blooming crops or weeds while bees are actively visiting the treatment areas, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

15.2. US State regulations

Naphthalene (91-20-3)								
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)				
Yes	No	No	No	5.8 μg/day				

SECTION 16: Other information

Date of issue : 03 May 2017 : 24 April 2015 Supersedes

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.

05/03/2017 EN (English US) 8/8