






Adult Trap Data - Detail

| Trap # | Date | Species | Count | Percent |
|--------------|------------|-----------------------|----------|---------|
| FC-001 LIGHT | Larimer | Magic Carpet | | |
| | 06/19/2014 | Operational but empty | 0 | 0 % EBO |
| | | Trap Total | 0 | |




| Trap # | Date | Species | Count | Percent |
|--------------|-------------------|----------------------|-------|----------------------|
| FC-004 LIGHT | Larimer | Bighorn Drive | | |
| | 06/16/2014 | Trap malfunction | 0 | 0 % Reset 06/17/2014 |
| | 06/17/2014 | Aedes (Oc.) dorsalis | 1 | 8 % |
| | 06/17/2014 | Aedes vexans | 6 | 50 % |
| | 06/17/2014 | Culex tarsalis | 5 | 42 % |
| | Trap Total | 12 | | |



| Trap # | Date | Species | Count | Percent |
|--------------|-------------------|------------------------|-------|---------|
| FC-006 LIGHT | Larimer | North Linden | | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 16 | 12 % |
| | 06/16/2014 | Aedes (Oc.) increpitus | 2 | 2 % |
| | 06/16/2014 | Aedes (Oc.) melanimon | 4 | 3 % |
| | 06/16/2014 | Aedes vexans | 103 | 79 % |
| | 06/16/2014 | Culex tarsalis | 5 | 4 % |
| | Trap Total | 130 | | |



| Trap # | Date | Species | Count | Percent |
|--------------|-------------------|------------------------|-------|---------|
| FC-011 LIGHT | Larimer | Golden Currant | | |
| | 06/18/2014 | Aedes (Oc.) dorsalis | 6 | 7 % |
| | 06/18/2014 | Aedes (Oc.) increpitus | 2 | 2 % |
| | 06/18/2014 | Aedes (Oc.) melanimon | 1 | 1 % |
| | 06/18/2014 | Aedes vexans | 72 | 84 % |
| | 06/18/2014 | Culex tarsalis | 1 | 1 % |
| | 06/18/2014 | Culiseta inornata | 4 | 5 % |
| | Trap Total | 86 | | |





| Trap # | Date | Species | Count | Percent |
|--------------|------------|------------------------------------|-------|---------|
| FC-014 LIGHT | Larimer | Fort Collins Vistors Center | | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 29 | 37 % |
| | 06/16/2014 | Aedes (Oc.) melanimon | 1 | 1 % |
| | 06/16/2014 | Aedes vexans | 33 | 42 % |




Adult Trap Data - Detail



| Trap # | Date | Species | Count | Percent |
|--------|------------|-------------------|-----------|---------|
| | 06/16/2014 | Culex spp | 1 | 1 % |
| | 06/16/2014 | Culex tarsalis | 14 | 18 % |
| | | Trap Total | 78 | |





| FC-015 | LIGHT | Larimer | Stuart and Dorset | | |
|--------|-------|------------|------------------------|-----------|------|
| | | 06/18/2014 | Aedes (Oc.) increpitus | 1 | 10 % |
| | | 06/18/2014 | Aedes (Oc.) melanimon | 1 | 10 % |
| | | 06/18/2014 | Aedes vexans | 5 | 50 % |
| | | 06/18/2014 | Culex pipiens | 1 | 10 % |
| | | 06/18/2014 | Culiseta inornata | 2 | 20 % |
| | | | Trap Total | 10 | |



| FC-019 | LIGHT | Larimer | Edora Park | | |
|--------|-------|------------|-------------------|----------|------|
| | | 06/16/2014 | Aedes vexans | 2 | 50 % |
| | | 06/16/2014 | Culex pipiens | 1 | 25 % |
| | | 06/16/2014 | Culex tarsalis | 1 | 25 % |
| | | | Trap Total | 4 | |



| FC-023 | LIGHT | Larimer | Boltz | | |
|--------|-------|------------|-------------------|-----------|------|
| | | 06/17/2014 | Aedes vexans | 23 | 96 % |
| | | 06/17/2014 | Culex tarsalis | 1 | 4 % |
| | | | Trap Total | 24 | |







| FC-027 | LIGHT | Larimer | San Luis | | |
|--------|-------|------------|------------------------|----|------|
| | | 06/17/2014 | Aedes (Oc.) dorsalis | 3 | 4 % |
| | | 06/17/2014 | Aedes (Oc.) melanimon | 1 | 1 % |
| | | 06/17/2014 | Aedes vexans | 61 | 86 % |
| | | 06/17/2014 | Aedes/Ochlerotatus spp | 1 | 1 % |
| | | 06/17/2014 | Culex pipiens | 1 | 1 % |
| | | 06/17/2014 | Culex spp | 1 | 1 % |
| | | 06/17/2014 | Culex tarsalis | 1 | 1 % |
| | | 06/17/2014 | Culiseta inornata | 2 | 3 % |



| Trap # | Date | Species | Count | Percent |
|---|---------------|-------------------------|-----------------------|---------|
| Trap Total | | | 71 | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | |
| FC-029 | LIGHT | Larimer | Bens Park | |
| | 06/19/2014 | Aedes (Oc.) dorsalis | 2 | 25 % |
| | 06/19/2014 | Aedes (Oc.) melanimon | 1 | 12 % |
| | 06/19/2014 | Aedes vexans | 3 | 38 % |
| | 06/19/2014 | Culex tarsalis | 1 | 12 % |
| | 06/19/2014 | Culiseta inornata | 1 | 12 % |
| Trap Total | | | 8 | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | |
| FC-029g | GRAVID | Larimer | Bens Park | |
| | 06/19/2014 | Operational but empty | 0 | 0 % EBO |
| Trap Total | | | 0 | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | |
| FC-031 | LIGHT | Larimer | Willow Springs | |
| | 06/17/2014 | Aedes (Oc.) dorsalis | 4 | 18 % |
| | 06/17/2014 | Aedes (Oc.) melanimon | 2 | 9 % |
| | 06/17/2014 | Aedes vexans | 13 | 59 % |
| | 06/17/2014 | Culex tarsalis | 2 | 9 % |
| | 06/17/2014 | Culiseta inornata | 1 | 5 % |
| Trap Total | | | 22 | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | |
| FC-034 | LIGHT | Larimer | Country Club | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 10 | 5 % |
| | 06/16/2014 | Aedes (Oc.) increpitus | 9 | 5 % |
| | 06/16/2014 | Aedes (Oc.) melanimon | 8 | 4 % |
| | 06/16/2014 | Aedes (Oc.) trivittatus | 1 | 1 % |
| | 06/16/2014 | Aedes vexans | 157 | 81 % |
| | 06/16/2014 | Culex tarsalis | 10 | 5 % |



Adult Trap Data - Detail

| Trap # | Date | Species | Count | Percent | |
|-------------------|--------------|-------------------------|--|---------|---|
| Trap Total | | | 195 | |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| FC-036 | LIGHT | Larimer | Hemlock | | |
| | 06/16/2014 | Aedes (Oc.) campestris | 2 | 0 % | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 2 | 0 % | |
| | 06/16/2014 | Aedes (Oc.) increpitus | 15 | 2 % | |
| | 06/16/2014 | Aedes (Oc.) melanimon | 128 | 14 % | |
| | 06/16/2014 | Aedes (Oc.) trivittatus | 2 | 0 % | |
| | 06/16/2014 | Aedes vexans | 727 | 81 % | |
| | 06/16/2014 | Culex pipiens | 5 | 1 % | |
| | 06/16/2014 | Culex tarsalis | 13 | 1 % | |
| | 06/16/2014 | Culiseta inornata | 4 | 0 % | |
| Trap Total | | | 898 | |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| FC-037 | LIGHT | Larimer | Chelsea Ridge | | |
| | 06/19/2014 | Aedes vexans | 9 | 90 % | |
| | 06/19/2014 | Culiseta inornata | 1 | 10 % | |
| Trap Total | | | 10 | |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| FC-038 | LIGHT | Larimer | Lochside Lane | | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 18 | 17 % | |
| | 06/16/2014 | Aedes (Oc.) nigromaculi | 2 | 2 % | |
| | 06/16/2014 | Aedes vexans | 84 | 78 % | |
| | 06/16/2014 | Culex tarsalis | 2 | 2 % | |
| | 06/16/2014 | Culiseta inornata | 2 | 2 % | |
| Trap Total | | | 108 | |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| FC-039 | LIGHT | Larimer | Fossil Creek South (Greenstone) | | |
| | 06/17/2014 | Aedes (Oc.) campestris | 1 | 2 % | |
| | 06/17/2014 | Aedes (Oc.) dorsalis | 26 | 41 % | |
| | 06/17/2014 | Aedes (Oc.) melanimon | 10 | 16 % | |
| | 06/17/2014 | Aedes vexans | 12 | 19 % | |




Adult Trap Data - Detail

| Trap # | Date | Species | Count | Percent |
|-------------------|------------|-------------------|-----------|---------|
| | 06/17/2014 | Culex tarsalis | 12 | 19 % |
| | 06/17/2014 | Culiseta inornata | 3 | 5 % |
| Trap Total | | | 64 | |




- Aedes-Oc
- Anopheles
- Culex
- Culiseta
- Other

| FC-040 | LIGHT | Larimer | Redwood | | |
|-------------------|-------|------------|-----------------------|---|------|
| | | 06/16/2014 | Aedes (Oc.) dorsalis | 5 | 42 % |
| | | 06/16/2014 | Aedes (Oc.) melanimon | 1 | 8 % |
| | | 06/16/2014 | Aedes vexans | 6 | 50 % |
| Trap Total | | | 12 | | |



- Aedes-Oc
- Anopheles
- Culex
- Culiseta
- Other

| FC-040g | GRAVID | Larimer | Redwood | | |
|-------------------|--------|------------|---------------|---|------|
| | | 06/16/2014 | Culex pipiens | 1 | 50 % |
| | | 06/16/2014 | Culex spp | 1 | 50 % |
| Trap Total | | | 2 | | |




- Aedes-Oc
- Anopheles
- Culex
- Culiseta
- Other

| FC-041 | LIGHT | Larimer | Fishback | | |
|-------------------|-------|------------|-----------------------|----|------|
| | | 06/18/2014 | Aedes (Oc.) melanimon | 2 | 7 % |
| | | 06/18/2014 | Aedes vexans | 24 | 86 % |
| | | 06/18/2014 | Culex tarsalis | 2 | 7 % |
| Trap Total | | | 28 | | |



- Aedes-Oc
- Anopheles
- Culex
- Culiseta
- Other

| FC-046 | LIGHT | Larimer | 725 Westshore Court | | |
|-------------------|-------|------------|---------------------|----|-------|
| | | 06/17/2014 | Aedes vexans | 10 | 100 % |
| Trap Total | | | 10 | | |








- Aedes-Oc
- Anopheles
- Culex
- Culiseta
- Other

| FC-047 | LIGHT | Larimer | Keenland & Twin Oak | | |
|--------|-------|------------|---------------------|---|-------|
| | | 06/17/2014 | Culex pipiens | 1 | 100 % |



Adult Trap Data - Detail


| Trap # | Date | Species | Count | Percent | |
|-------------------|-------------------|-----------------------|--------------------------------|---------|---|
| Trap Total | | | 1 | |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| FC-049 | LIGHT | Larimer | Casa Grande and Downing | | |
| | 06/18/2014 | Aedes vexans | 5 | 56 % |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/18/2014 | Culex pipiens | 3 | 33 % | |
| | 06/18/2014 | Culiseta inornata | 1 | 11 % | |
| | Trap Total | | 9 | | |
| FC-050 | LIGHT | Larimer | Golden Meadows Ditch | | |
| | 06/17/2014 | Aedes vexans | 29 | 76 % |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/17/2014 | Culex pipiens | 1 | 3 % | |
| | 06/17/2014 | Culex tarsalis | 7 | 18 % | |
| | 06/17/2014 | Culiseta inornata | 1 | 3 % | |
| | Trap Total | | 38 | | |
| FC-052 | LIGHT | Larimer | 603 Gilgalad Way | | |
| | 06/18/2014 | Aedes (Oc.) melanimon | 10 | 4 % |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/18/2014 | Aedes vexans | 227 | 93 % | |
| | 06/18/2014 | Culex pipiens | 1 | 0 % | |
| | 06/18/2014 | Culex tarsalis | 1 | 0 % | |
| | 06/18/2014 | Culiseta inornata | 4 | 2 % | |
| | Trap Total | | 243 | | |
| FC-053 | LIGHT | Larimer | Egret and Rookery | | |
| | 06/16/2014 | Aedes (Oc.) dorsalis | 3 | 13 % |  <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/16/2014 | Aedes vexans | 13 | 57 % | |
| | 06/16/2014 | Culex tarsalis | 7 | 30 % | |
| | Trap Total | | 23 | | |



| Trap # | Date | Species | Count | Percent |
|--------|-------|---|------------------------|------------|
| FC-054 | LIGHT | Larimer 737 Parliament Court | | |
| | | 06/19/2014 | Aedes (Oc.) dorsalis | 3 27 % |
| | | 06/19/2014 | Aedes vexans | 5 45 % |
| | | 06/19/2014 | Culiseta inornata | 3 27 % |
| | | Trap Total | | 11 |
| | | | | |
| FC-057 | LIGHT | Larimer Registry Ridge- End of Ranger Dr | | |
| | | 06/19/2014 | Aedes (Oc.) campestris | 1 20 % |
| | | 06/19/2014 | Aedes (Oc.) dorsalis | 4 80 % |
| | | Trap Total | | 5 |
| | | | | |
| FC-058 | LIGHT | Larimer Spring Creek Trail @ Michener Dr | | |
| | | 06/18/2014 | Aedes (Oc.) increpitus | 127 77 % |
| | | 06/18/2014 | Aedes vexans | 36 22 % |
| | | 06/18/2014 | Culiseta inornata | 2 1 % |
| | | Trap Total | | 165 |
| | | | | |
| FC-059 | LIGHT | Larimer Springwood and Lockwood | | |
| | | 06/17/2014 | Aedes (Oc.) dorsalis | 1 1 % |
| | | 06/17/2014 | Aedes vexans | 113 97 % |
| | | 06/17/2014 | Culex tarsalis | 1 1 % |
| | | 06/17/2014 | Culiseta inornata | 1 1 % |
| | | Trap Total | | 116 |
| | | | | |
| FC-060 | LIGHT | Larimer 808 Pondersosa | | |
| | | 06/18/2014 | Aedes vexans | 4 100 % |
| | | Trap Total | | 4 |
| | | | | |





| Trap # | Date | Species | Count | Percent | |
|-------------------|-------|---|-------------------------|------------------------|-------|
| FC-061 | LIGHT | Larimer Holley Environ. Plant Research Ctr | | | |
| | | 06/18/2014 | Aedes (Oc.) increpitus | 2 1 % | |
| | | 06/18/2014 | Aedes (Oc.) melanimon | 6 4 % | |
| | | 06/18/2014 | Aedes (Oc.) nigromaculi | 4 3 % | |
| | | 06/18/2014 | Aedes vexans | 143 90 % | |
| | | 06/18/2014 | Culex tarsalis | 2 1 % | |
| | | 06/18/2014 | Culiseta inornata | 2 1 % | |
| Trap Total | | | 159 | | |
| FC-062 | LIGHT | Larimer Waters Edge at Blue Mesa | | | |
| | | 06/19/2014 | Aedes vexans | 2 100 % | |
| Trap Total | | | 2 | | |
| FC-063 | LIGHT | Larimer Red Fox Meadows FCNA | | | |
| | | 06/18/2014 | Aedes (Oc.) melanimon | 1 0 % | |
| | | 06/18/2014 | Aedes vexans | 391 99 % | |
| | | 06/18/2014 | Culex pipiens | 1 0 % | |
| | | 06/18/2014 | Culiseta inornata | 3 1 % | |
| Trap Total | | | 396 | | |
| FC-064 | LIGHT | Larimer West Chase @ Kechter Farm | | | |
| | | 06/17/2014 | Aedes (Oc.) dorsalis | 19 7 % | |
| | | 06/17/2014 | Aedes (Oc.) increpitus | 1 0 % | |
| | | 06/17/2014 | Aedes (Oc.) melanimon | 43 16 % | |
| | | 06/17/2014 | Aedes vexans | 156 57 % | |
| | | 06/17/2014 | Culex tarsalis | 51 19 % | |
| | | 06/17/2014 | Culiseta inornata | 5 2 % | |
| Trap Total | | | 275 | | |
| FC-066 | LIGHT | Larimer Prospect Ponds @ Drake Water | | | |
| | | 06/16/2014 | Aedes (Oc.) dorsalis | 12 5 % | |
| | | | 06/16/2014 | Aedes (Oc.) increpitus | 6 2 % |








| Trap # | Date | Species | Count | Percent |
|--------|------------|-----------------------|------------|---------|
| | 06/16/2014 | Aedes (Oc.) melanimon | 7 | 3 % |
| | 06/16/2014 | Aedes vexans | 222 | 88 % |
| | 06/16/2014 | Culex pipiens | 1 | 0 % |
| | 06/16/2014 | Culex tarsalis | 5 | 2 % |
| | | Trap Total | 253 | |




| FC-066g GRAVID | Larimer | Prospect Ponds @ Drake Water | | |
|----------------|------------|------------------------------|----------|-------|
| | 06/16/2014 | Culex pipiens | 2 | 100 % |
| | | Trap Total | 2 | |




| FC-067 LIGHT | Larimer | Poudre River Drive at bike trail | | |
|--------------|------------|----------------------------------|------------|------|
| | 06/16/2014 | Aedes (Oc.) increpitus | 1 | 1 % |
| | 06/16/2014 | Aedes (Oc.) melanimon | 2 | 1 % |
| | 06/16/2014 | Aedes (Oc.) trivittatus | 1 | 1 % |
| | 06/16/2014 | Aedes vexans | 149 | 83 % |
| | 06/16/2014 | Culex pipiens | 11 | 6 % |
| | 06/16/2014 | Culex tarsalis | 15 | 8 % |
| | | Trap Total | 179 | |



| FC-068 LIGHT | Larimer | 502 Crest Drive | | |
|--------------|------------|-----------------------|----------|---------|
| | 06/19/2014 | Operational but empty | 0 | 0 % EBO |
| | | Trap Total | 0 | |



| FC-069 LIGHT | Larimer | Linden Lake Rd | | |
|--------------|------------|-----------------------|-----------|------|
| | 06/16/2014 | Aedes (Oc.) dorsalis | 2 | 5 % |
| | 06/16/2014 | Aedes (Oc.) melanimon | 1 | 2 % |
| | 06/16/2014 | Aedes vexans | 40 | 91 % |
| | 06/16/2014 | Culex tarsalis | 1 | 2 % |
| | | Trap Total | 44 | |





| Trap # | Date | Species | Count | Percent | | |
|---|-------|-----------|-----------------------------|-------------------------|----------|---------|
| FC-071 | LIGHT | Larimer | Silvergate Road | | | |
| | | | 06/19/2014 | Operational but empty | 0 | 0 % EBO |
| | | | Trap Total | | 0 | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | | | |
| FC-072 | LIGHT | Larimer | 422 Lake Drive Alley | | | |
| | | | 06/16/2014 | Aedes vexans | 10 | 83 % |
| | | | 06/16/2014 | Culex tarsalis | 2 | 17 % |
| Trap Total | | 12 | | | | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | | | |
| FC-073 | LIGHT | Larimer | 118 Grant | | | |
| | | | 06/18/2014 | Aedes (Oc.) increpitus | 1 | 2 % |
| | | | 06/18/2014 | Aedes (Oc.) trivittatus | 2 | 5 % |
| | | | 06/18/2014 | Aedes vexans | 33 | 82 % |
| | | | 06/18/2014 | Culex tarsalis | 4 | 10 % |
| Trap Total | | 40 | | | | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | | | |
| FC-074 | LIGHT | Larimer | Rockcreek | | | |
| | | | 06/17/2014 | Aedes (Oc.) dorsalis | 17 | 74 % |
| | | | 06/17/2014 | Aedes (Oc.) nigromaculi | 2 | 9 % |
| | | | 06/17/2014 | Culex tarsalis | 4 | 17 % |
| Trap Total | | 23 | | | | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | | | |
| FC-075 | LIGHT | Larimer | North Sage Creek | | | |
| | | | 06/17/2014 | Aedes (Oc.) dorsalis | 1 | 4 % |
| | | | 06/17/2014 | Aedes vexans | 19 | 76 % |
| | | | 06/17/2014 | Culex tarsalis | 3 | 12 % |
| | | | 06/17/2014 | Culiseta inornata | 2 | 8 % |
| Trap Total | | 25 | | | | |
| <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other | | | | | | |



Adult Trap Data - Detail

| Trap # | Date | Species | Count | Percent | | |
|-----------------------|----------------|------------------------------------|-----------|---------|--|---|
| FC-075g GRAVID | Larimer | North Sage Creek Gravid | | | | |
| | 06/17/2014 | Culex pipiens | 1 | 100 % | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | | Trap Total | 1 | | | |
| FC-088g GRAVID | Larimer | English Ranch Park | | | | |
| | 06/17/2014 | Culex pipiens | 9 | 75 % | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/17/2014 | Culex spp | 3 | 25 % | | |
| | | Trap Total | 12 | | | |
| FC-089g GRAVID | Larimer | Kunz Ct and Brook Dr | | | | |
| | 06/19/2014 | Operational but empty | 0 | 0 % EBO | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | | Trap Total | 0 | | | |
| FC-090g GRAVID | Larimer | Mountain Grandview Cemetery | | | | |
| | 06/18/2014 | Operational but empty | 0 | 0 % ebo | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | 06/18/2014 | Operational but empty | 0 | 0 % EBO | | |
| | | Trap Total | 0 | | | |
| FC-091g GRAVID | Larimer | PVH | | | | |
| | 06/16/2014 | Culex pipiens | 2 | 100 % | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | | Trap Total | 2 | | | |
| FC-092g GRAVID | Larimer | Udall Natural Area | | | | |
| | 06/16/2014 | Aedes (Oc.) trivittatus | 1 | 100 % | | <ul style="list-style-type: none"> ■ Aedes-Oc ■ Anopheles ■ Culex ■ Culiseta ■ Other |
| | | Trap Total | 1 | | | |




| Trap # | Date | Species | Count | Percent |
|-------------------|------------|-------------------------|----------|---------|
| FC-093 | Larimer | Lopez Elementary School | | |
| | 06/19/2014 | Aedes vexans | 5 | 62 % |
| | 06/19/2014 | Culex pipiens | 1 | 12 % |
| | 06/19/2014 | Culiseta inornata | 2 | 25 % |
| Trap Total | | | 8 | |



- Aedes-OC
- Anopheles
- Culex
- Culiseta
- Other

Grand Total **3,821**



- Aedes-OC
- Anopheles
- Culex
- Culiseta
- Other

| TOTAL | % |
|-------|------|
| 3,553 | 93 % |
| 0 | 0 % |
| 222 | 6 % |
| 46 | 1 % |
| 0 | 0 % |