



Colina Mariposa Natural Area

Updated December 5, 2017

FERNS AND FERN ALLIES

None Documented

GYMNOSPERMS

None Documented

ANGIOSPERMS

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|----------------------|------------------|---------|
| Family - Agavaceae | | | |
| <i>Yucca glauca</i> | Yucca | N | YUGL |
| Family - Anacardiaceae | | | |
| <i>Rhus trilobata var. trilobata</i> | skunkbrush | N | RHTRT |
| Family - Apiaceae | | | |
| <i>Harbouria trachypleura</i> | whisk-broom parsley | N | HATR |
| Family - Apocynaceae | | | |
| <i>Apocynum cannabinum</i> | Indianhemp | N | APCA |
| Family - Asclepiadaceae | | | |
| <i>Asclepias engelmanniana</i> | Engelmann's milkweed | N | ASEN |
| <i>Asclepias pumila</i> | plains milkweed | N | ASPU |
| <i>Asclepias speciosa</i> | showy milkweed | N | ASSP |
| <i>Asclepias viridiflora</i> | green milkweed | N | ASVI |
| Family - Asteraceae | | | |
| <i>Ambrosia psilostachya</i> | Cuman ragweed | N | AMPS |
| <i>Artemisia campestris var. pacifica</i> | field sagewort | N | ARCAP3 |
| <i>Artemisia dracunculus</i> | wild tarragon | N | ARDR4 |
| <i>Artemisia filifolia</i> | sand sagebrush | N | ARFI2 |
| <i>Artemisia frigida</i> | fringed sage | N | ARFR4 |
| <i>Artemisia ludoviciana</i> | cudweed sagewort | N | ARLU |
| <i>Carduus nutans</i> | musk thistle | E | CANU4 |
| <i>Centaurea diffusa</i> | diffuse knapweed | E | CEDI3 |
| <i>Chrysothamnus viscidiflorus</i> | yellow rabbitbrush | N | CHVI8 |
| <i>Cirsium arvense</i> | Canada thistle | E | CIAR4 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|-------------------------------------|-------------------------|------------------|---------|
| Family - Asteraceae | | | |
| <i>Cirsium ochrocentrum</i> | yellow spine thistle | N | CIOC2 |
| <i>Cirsium undulatum</i> | wavy-leaf thistle | N | CIUN |
| <i>Conyza canadensis</i> | horseweed | E | COCA5 |
| <i>Cyclachaena xanthiifolia</i> | marshelder | N | CYXA2 |
| <i>Dyssodia papposa</i> | fetid marigold | N | DYPA |
| <i>Ericameria nauseosa</i> | rubber rabbitbrush | N | ERNA10 |
| <i>Grindelia squarrosa</i> | curlycup gumweed | N | GRSQ |
| <i>Gutierrezia sarothrae</i> | broom snakeweed | N | GUSA2 |
| <i>Helianthus annuus</i> | annual sunflower | N | HEAN3 |
| <i>Helianthus nuttallii</i> | Nuttall's sunflower | N | HENU |
| <i>Helianthus petiolaris</i> | sunflower | N | HEPE |
| <i>Helianthus pumilus</i> | prairie sunflower | N | HEPU3 |
| <i>Heterotheca villosa</i> | hairy goldenaster | N | HEVI4 |
| <i>Iva axillaris</i> | povertyweed | N | IVAX |
| <i>Lactuca serriola</i> | prickly lettuce | E | LASE |
| <i>Liatris punctata</i> | dotted gayfeather | N | LIPU |
| <i>Lygodesmia juncea</i> | skeletonweed | N | LYJU |
| <i>Machaeranthera pinnatifida</i> | lacy tansyaster | N | MAPI |
| <i>Machaeranthera tanacetifolia</i> | tansyleaf tansyaster | N | MATA2 |
| <i>Matricaria discoidea</i> | pineapple weed | E | MADI6 |
| <i>Packera tridenticulata</i> | threetooth ragwort | N | PATR7 |
| <i>Ratibida columnifera</i> | prairie coneflower | N | RACO3 |
| <i>Senecio spartioides</i> | broomlike ragwort | N | SESP3 |
| <i>Solidago missouriensis</i> | prairie goldenrod | N | SOMI2 |
| <i>Sonchus oleraceus</i> | common sowthistle | E | SOOL |
| <i>Symphotrichum ericoides</i> | white aster | N | SYER |
| <i>Symphotrichum falcatum</i> | white prairie aster | N | SYFA |
| <i>Taraxacum officinale</i> | dandelion | E | TAOF |
| <i>Thelesperma filifolium</i> | stiff greenthread | N | THFI |
| <i>Thelesperma megapotamicum</i> | Hopi tea greenthread | N | THME |
| <i>Townsendia grandiflora</i> | largeflower daisy | N | TOGR |
| <i>Tragopogon dubius</i> | yellow salsify | E | TRDU |
| Family - Brassicaceae | | | |
| <i>Descurainia sophia</i> | flixweed | E | DESO2 |
| <i>Draba reptans</i> | Whitlow wort | N | DRRE2 |
| Family - Cactaceae | | | |
| <i>Coryphantha missouriensis</i> | Missouri nipple cactus | N | COMI5 |
| <i>Opuntia macrorhiza</i> | twistspine prickly pear | N | OPMA2 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|----------------------------|------------------|---------|
| Family - Cactaceae | | | |
| <i>Opuntia polyacantha</i> | prickly pear cactus | N | OPPO |
| Family - Capparaceae | | | |
| <i>Polanisia dodecandra</i> ssp. <i>trachysperma</i> | clammyweed | N | PODOT |
| Family - Caryophyllaceae | | | |
| <i>Paronychia jamesii</i> | James' nailwort | N | PAJA |
| <i>Spergularia maritima</i> | sand spurry | E | SPMA10 |
| Family - Chenopodiaceae | | | |
| <i>Atriplex subspicata</i> | saline saltbush | N | ATSU2 |
| <i>Chenopodium album</i> | lambsquarters | E | CHAL7 |
| <i>Halogeton glomeratus</i> | halogeton | E | HAGL |
| <i>Kochia scoparia</i> | kochia | E | KOSC |
| <i>Krascheninnikovia lanata</i> | winterfat | N | KRLA2 |
| <i>Salsola tragus</i> | Russian-thistle | E | SATR12 |
| <i>Suaeda calceoliformis</i> | Pursh seepweed | N | SUCA2 |
| Family - Commelinaceae | | | |
| <i>Tradescantia occidentalis</i> | spiderwort | N | TROC |
| Family - Convolvulaceae | | | |
| <i>Convolvulus arvensis</i> | field bindweed | E | COAR4 |
| <i>Evolvulus nuttallianus</i> | shaggy dwarf morning glory | N | EVNU |
| Family - Cyperaceae | | | |
| <i>Bolboschoenus maritimus</i> ssp. <i>paludosus</i> | alkali bulrush | N | BOMAP4 |
| <i>Carex pellita</i> | woolly sedge | N | CAPE42 |
| <i>Carex praegracilis</i> | clustered sedge | N | CAPR5 |
| <i>Carex</i> sp. | dryland sedge | N | |
| <i>Eleocharis palustris</i> | spike-rush | N | ELPA3 |
| <i>Schoenoplectus pungens</i> | common threesquare | N | SCPU10 |
| <i>Schoenoplectus</i> sp. | bullrush | N | |
| Family - Elaeagnaceae | | | |
| <i>Elaeagnus angustifolia</i> | Russian olive | E | ELAN |
| Family - Euphorbiaceae | | | |
| <i>Chamaesyce maculata</i> | spotted sandmat | E | CHMA15 |
| <i>Euphorbia brachycera</i> | horned spurge | N | EUBR |
| <i>Euphorbia esula</i> | leafy spurge | E | EUES |
| <i>Euphorbia marginata</i> | snow on the mountain | N | EUMA8 |
| Family - Fabaceae | | | |
| <i>Astragalus bisulcatus</i> | two-grooved milkvetch | N | ASBI2 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|-----------------------------|------------------|---------|
| Family - Fabaceae | | | |
| <i>Astragalus tridactylus</i> | foothill milkvetch | N | ASTR7 |
| <i>Dalea candida var. oligophylla</i> | white prairie clover | N | DACAO |
| <i>Dalea purpurea</i> | purple prairie clover | N | DAPU5 |
| <i>Glycyrrhiza lepidota</i> | wild licorice | N | GLLE3 |
| <i>Medicago sativa</i> | alfalfa | E | MESA |
| <i>Melilotus albus</i> | white sweet clover | E | MEAL2 |
| <i>Melilotus officinalis</i> | yellow sweet clover | E | MEOF |
| <i>Psoraleidum tenuiflorum</i> | slimflower scurfpea | N | PSTE5 |
| <i>Sophora nuttalliana</i> | silky sophora | N | SONU |
| <i>Thermopsis divaricarpa</i> | golden banner | N | THDI4 |
| <i>Vicia americana</i> | American vetch | N | VIAM |
| Family - Juncaceae | | | |
| <i>Juncus arcticus ssp. littoralis</i> | arctic rush | N | JUARL |
| Family - Juncaginaceae | | | |
| <i>Triglochin maritima</i> | seaside arrowgrass | N | TRMA20 |
| Family - Lamiaceae | | | |
| <i>Monarda pectinata</i> | pony beebalm | N | MOPE |
| <i>Scutellaria brittonii</i> | skullcap | N | SCBR3 |
| Family - Liliaceae | | | |
| <i>Allium cernuum</i> | nodding onion | N | ALCE2 |
| <i>Allium textile</i> | wild onion | N | ALTE |
| <i>Asparagus officinalis</i> | asparagus | E | ASOF |
| <i>Leucocrinum montanum</i> | sand lily | N | LEMO4 |
| <i>Zigadenus paniculatus</i> | meadow deathcamas | N | ZIPA2 |
| Family - Linaceae | | | |
| <i>Linum lewisii</i> | blue flax | N | LILE3 |
| <i>Linum perenne</i> | blue flax | E | LIPE2 |
| <i>Linum pratense</i> | meadow flax | N | LIPR |
| Family - Loasaceae | | | |
| <i>Mentzelia decapetala</i> | ten petal mentzelia | N | MEDE2 |
| <i>Mentzelia nuda</i> | bractless blazingstar | N | MENU |
| Family - Malvaceae | | | |
| <i>Sphaeralcea coccinea</i> | scarlet globemallow | N | SPCO |
| Family - Nyctaginaceae | | | |
| <i>Abronia fragrans</i> | snowball sand verbena | N | ABFR2 |
| Family - Onagraceae | | | |
| <i>Epilobium hirsutum</i> | hairy willow-herb | E | EPHI |
| <i>Oenothera coronopifolia</i> | crown-leaf evening primrose | N | OECO2 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|----------------------------------|---------------------------|------------------|---------|
| Family - Onagraceae | | | |
| <i>Oenothera curtiflora</i> | velvetweed | N | OECU2 |
| <i>Oenothera howardii</i> | Howard's evening primrose | N | OEHO2 |
| <i>Oenothera suffrutescens</i> | scarlet gaura | N | OESU3 |
| Family - Orobanchaceae | | | |
| <i>Orobanche fasciculata</i> | clustered broomrape | N | ORFA |
| <i>Orobanche ludoviciana</i> | Louisiana broomrape | N | ORLU |
| Family - Papaveraceae | | | |
| <i>Argemone hispida</i> | rough pricklypoppy | N | ARHI4 |
| <i>Argemone polyanthemus</i> | prickly poppy | N | ARPO2 |
| Family - Plantaginaceae | | | |
| <i>Plantago patagonica</i> | woolly plantain | N | PLPA2 |
| Family - Poaceae | | | |
| <i>Achnatherum hymenoides</i> | Indian ricegrass | N | ACHY |
| <i>Agropyron cristatum</i> | crested wheatgrass | E | AGCR |
| <i>Aristida purpurea</i> | purple threeawn | N | ARPU9 |
| <i>Avena fatua</i> | wild oat | E | AVFA |
| <i>Bouteloua curtipendula</i> | sideoats grama | N | BOCU |
| <i>Bouteloua gracilis</i> | blue grama | N | BOGR2 |
| <i>Bromus inermis</i> | smooth brome | E | BRIN2 |
| <i>Bromus japonicus</i> | field brome | E | BRJA |
| <i>Bromus tectorum</i> | cheatgrass | E | BRTE |
| <i>Buchloë dactyloides</i> | buffalograss | N | BUDA |
| <i>Distichlis spicata</i> | inland saltgrass | N | DISP |
| <i>Elymus canadensis</i> | Canada wildrye | N | ELCA4 |
| <i>Elymus elymoides</i> | bottlebrush squirreltail | N | ELEL5 |
| <i>Hesperostipa comata</i> | needle-n-thread | N | HECO26 |
| <i>Hordeum jubatum</i> | foxtail barley | N | HOJU |
| <i>Leymus ambiguus</i> | Colorado wildrye | N | LEAM |
| <i>Leymus cinereus</i> | Great Basin wildrye | N | LECI4 |
| <i>Nassella viridula</i> | green needlegrass | N | NAVI4 |
| <i>Panicum capillare</i> | witchgrass | N | PACA6 |
| <i>Panicum virgatum</i> | switchgrass | N | PAVI2 |
| <i>Pascopyrum smithii</i> | western wheatgrass | N | PASM |
| <i>Phalaris arundinacea</i> | reed canarygrass | N/E | PHAR3 |
| <i>Phleum pratense</i> | timothy | E | PHPR3 |
| <i>Poa pratensis</i> | Kentucky bluegrass | E | POPR |
| <i>Polypogon monspeliensis</i> | rabbitfoot grass | E | POMO5 |
| <i>Schedonnardus paniculatus</i> | tumblegrass | N | SCPA |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|-------------------------|------------------|---------|
| Family - Poaceae | | | |
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | little bluestem | N | SCSCS |
| <i>Secale cereale</i> | cereal rye | E | SECE |
| <i>Setaria italica</i> | foxtail millet | E | SEIT |
| <i>Setaria pumila</i> ssp. <i>pumila</i> | yellow foxtail | E | SEPUP2 |
| <i>Sporobolus airoides</i> | alkali sacaton | N | SPAI |
| <i>Sporobolus compositus</i> | composite dropseed | N | SPCO16 |
| <i>Sporobolus cryptandrus</i> | sand dropseed | N | SPCR |
| <i>Thinopyrum intermedium</i> | intermediate wheatgrass | E | THIN6 |
| Family - Polygonaceae | | | |
| <i>Eriogonum alatum</i> | winged eriogonum | N | ERAL4 |
| <i>Eriogonum effusum</i> | spreading buckwheat | N | EREF |
| <i>Eriogonum umbellatum</i> | sulphur flower | N | ERUM |
| <i>Persicaria lapathifolia</i> | curlytop knotweed | E | PELA22 |
| <i>Rumex crispus</i> | curly dock | E | RUCR |
| <i>Rumex fueginus</i> | golden dock | N | RUFU3 |
| Family - Ranunculaceae | | | |
| <i>Clematis ligusticifolia</i> | western virgin's bower | N | CLLI2 |
| <i>Thalictrum dasycarpum</i> | purple meadowrue | N | THDA |
| Family - Rosaceae | | | |
| <i>Cercocarpus montanus</i> | Mountain mahogany | N | CEMO2 |
| <i>Rosa woodsii</i> | Wood's rose | N | ROWO |
| Family - Salicaceae | | | |
| <i>Salix exigua</i> | coyote willow | N | SAEX |
| Family - Santalaceae | | | |
| <i>Comandra umbellata</i> ssp. <i>pallida</i> | pale bastard toadflax | N | COUMP |
| Family - Scrophulariaceae | | | |
| <i>Penstemon angustifolius</i> | broadbeard beardtongue | N | PEAN4 |
| <i>Penstemon secundiflorus</i> | sidebells penstemon | N | PESE11 |
| <i>Verbascum thapsus</i> | common mullein | E | VETH |
| Family - Solanaceae | | | |
| <i>Physalis virginiana</i> | Virginia groundcherry | N | PHVI5 |
| Family - Typhaceae | | | |
| <i>Typha angustifolia</i> | narrowleaf cattail | N | TYAN |
| <i>Typha latifolia</i> | broad-leaved cattail | N | TYLA |
| Family - Ulmaceae | | | |
| <i>Celtis reticulata</i> | netleaf hackberry | N | CERE2 |
| <i>Ulmus pumila</i> | Siberian elm | E | ULPU |

| Species Name | Common Name | Native or Exotic | Symbol* |
|-----------------------------|-------------------|------------------|---------|
| Family - Verbenaceae | | | |
| <i>Verbena bracteata</i> | big bract verbena | E | VEBR |
| Family - Violaceae | | | |
| <i>Viola nuttallii</i> | Nuttall's viola | N | VINU2 |

Compiled from surveys by Crystal Strouse (2008-current) and observations by researchers, volunteers and Natural Areas Staff.

*Nomenclature follows USDA, NRCS. 2017. The PLANTS Database (<http://plants.usda.gov>, 12 December 2017). National Plant Data Team, Greensboro, NC 27401-4901 USA. **and/or** Ackerfield, J. 2015. Flora of Colorado. Colorado State University. Botanical Research Institute of Texas Press.



naturally yours