



Maxwell Natural Area

Plant list last updated September 20, 2018

FERNS AND FERN ALLIES

| Species Name | Common Name | Native or Exotic | Symbol* |
|--------------|-------------|------------------|---------|
|--------------|-------------|------------------|---------|

GYMNOSPERMS

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|------------------------|------------------|---------|
| Family - Cupressaceae | | | |
| <i>Juniperus scopulorum</i> | Rocky Mountain juniper | N | JUSC2 |
| Family - Pinaceae | | | |
| <i>Pinus ponderosa</i> var. <i>scopulorum</i> | ponderosa pine | N | PIPOS |

ANGIOSPERMS

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|-------------------|------------------|---------|
| Family - Agavaceae | | | |
| <i>Yucca glauca</i> | yucca | N | YUGL |
| Family - Anacardiaceae | | | |
| <i>Rhus trilobata</i> var. <i>trilobata</i> | skunkbrush | N | RHTRT |
| <i>Toxicodendron rydbergii</i> | poison ivy | N | TORY |
| Family - Apiaceae | | | |
| <i>Lomatium orientale</i> | salt & pepper | N | LOOR |
| <i>Musineon divaricatum</i> | leafy wildparsley | N | MUDI |
| Family - Apocynaceae | | | |
| <i>Apocynum androsaemifolium</i> | speading dogbane | N | APAN2 |
| <i>Apocynum cannabinum</i> | Indianhemp | N | APCA |
| <i>Asclepias pumila</i> | plains milkweed | N | ASPU |
| <i>Asclepias speciosa</i> | showy milkweed | N | ASSP |
| <i>Asclepias viridiflora</i> | green milkweed | N | ASVI |
| Family - Asteraceae | | | |
| <i>Achillea millefolium</i> | western yarrow | N | ACMI2 |
| <i>Ambrosia psilostachya</i> | Cuman ragweed | N | AMPS |
| <i>Antennaria rosea</i> | rosy pussytoes | N | ANRO2 |
| <i>Arctium minus</i> | burdock | E | ARMI2 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|---------------------------|------------------|---------|
| Family - Asteraceae | | | |
| <i>Artemisia campestris</i> var. <i>pacifica</i> | field sagewort | N | ARCAP3 |
| <i>Artemisia dracunculus</i> | wild tarragon | N | ARDR4 |
| <i>Artemisia filifolia</i> | sand sagebrush | N | ARFI2 |
| <i>Artemisia frigida</i> | prairie sagewort | N | ARFR4 |
| <i>Artemisia ludoviciana</i> | cudweed sagewort | N | ARLU |
| <i>Brickellia eupatorioides</i> | false boneset | N | BREU |
| <i>Brickellia grandiflora</i> | tasselflower brickellbush | N | BRGR |
| <i>Carduus nutans</i> | musk thistle | E | CANU4 |
| <i>Chrysothamnus viscidiflorus</i> | yellow rabbitbrush | N | CHVI8 |
| <i>Cirsium arvense</i> | Canada thistle | E | CIAR4 |
| <i>Cirsium canescens</i> | prairie thistle | N | CICA11 |
| <i>Cirsium ochrocentrum</i> | yellow spine thistle | N | CIOC2 |
| <i>Cirsium undulatum</i> | wavy-leaf thistle | N | CIUN |
| <i>Cirsium vulgare</i> | bull thistle | E | CIVU |
| <i>Conyza canadensis</i> | horseweed | E | COCA5 |
| <i>Dyssodia papposa</i> | fetid marigold | N | DYPA |
| <i>Ericameria nauseosa</i> | rubber rabbitbrush | N | ERNA10 |
| <i>Erigeron divergens</i> | spreading fleabane | N | ERDI4 |
| <i>Erigeron flagellaris</i> | fanleaf fleabane | N | ERFL |
| <i>Gaillardia aristata</i> | Indian blanketflower | N | GAAR |
| <i>Grindelia squarrosa</i> | curlycup gumweed | N | GRSQ |
| <i>Gutierrezia sarothrae</i> | broom snakeweed | N | GUSA2 |
| <i>Helianthus annuus</i> | annual sunflower | N | HEAN3 |
| <i>Helianthus pumilus</i> | prairie sunflower | N | HEPU3 |
| <i>Heterotheca villosa</i> | hairy goldenaster | N | HEVI4 |
| <i>Hymenopappus filifolius</i> | fineleaf hymenopappus | N | HYFI |
| <i>Iva axillaris</i> | povertyweed | N | IVAX |
| <i>Lactuca serriola</i> | prickly lettuce | E | LASE |
| <i>Liatris punctata</i> | dotted gayfeather | N | LIPU |
| <i>Lygodesmia juncea</i> | skeletonweed | N | LYJU |
| <i>Machaeranthera pinnatifida</i> | lacy tansyaster | N | MAPI |
| <i>Microseris nutans</i> | nodding microseris | N | MINU |
| <i>Nothocalais cuspidata</i> | wavy-leaf false dandelion | N | NOCU |
| <i>Picradeniopsis oppositifolia</i> | opposite leaf bahia | N | PIOP |
| <i>Ratibida columnifera</i> | prairie coneflower | N | RACO3 |
| <i>Scorzonera laciniata</i> | false salsify | E | SCLA6 |
| <i>Senecio integerrimus</i> | lambstongue ragwort | N | SEIN2 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|-------------------------|------------------|---------|
| Family - Asteraceae | | | |
| <i>Senecio spartioides</i> | broomlike ragwort | N | SESP3 |
| <i>Solidago canadensis</i> | Canada goldenrod | N | SOCA6 |
| <i>Solidago missouriensis</i> | prairie goldenrod | N | SOMI2 |
| <i>Solidago mollis</i> | velvety goldenrod | N | SOMO |
| <i>Solidago rigida</i> var. <i>humilis</i> | stiff goldenrod | N | OLRIH |
| <i>Solidago velutina</i> | threenerve goldenrod | N | SOVE6 |
| <i>Symphotrichum ericoides</i> | white aster | N | SYER |
| <i>Symphotrichum falcatum</i> | white prairie aster | N | SYFA |
| <i>Symphotrichum porteri</i> | smooth white aster | N | SYPO4 |
| <i>Taraxacum officinale</i> | dandelion | E | TAOF |
| <i>Thelesperma megapotamicum</i> | Hopi tea greenthread | N | THME |
| <i>Townsendia exscapa</i> | stemless Townsend daisy | N | TOEX2 |
| <i>Townsendia grandiflora</i> | largeflower daisy | N | TOGR |
| <i>Tragopogon dubius</i> | yellow salsify | E | TRDU |
| <i>Xanthium strumarium</i> | cocklebur | E | XAST |
| Family - Boraginaceae | | | |
| <i>Cynoglossum officinale</i> | houndstongue | E | CYOF |
| <i>Lappula occidentalis</i> | flatspine stickseed | E | LAOC3 |
| <i>Lithospermum incisium</i> | narrow-leaf puccoon | N | LIIN2 |
| <i>Mertensia lanceolata</i> | prairie bluebells | N | MELA3 |
| <i>Onosmodium bejariense</i> var. <i>occidentale</i> | western marbleseed | N | ONBEO |
| Family - Brassicaceae | | | |
| <i>Alyssum simplex</i> | alyssum | E | ALSI8 |
| <i>Arabis pycnocarpa</i> var. <i>pycnocarpa</i> | hairy rockcress | N | ARHIP |
| <i>Chorispora tenella</i> | blue mustard | E | CHTE2 |
| <i>Erysimum asperum</i> | western wallflower | N | ERAS2 |
| <i>Noccaea fendleri</i> ssp. <i>glauca</i> | alpine pennycress | N | NOFEG |
| <i>Sisymbrium altissimum</i> | tumble mustard | E | SIAL2 |
| Family - Cactaceae | | | |
| <i>Coryphantha missouriensis</i> | Missouri nipple cactus | N | COMI5 |
| <i>Echinocereus viridiflorus</i> | hedgehog cactus | N | ECVI2 |
| <i>Opuntia macrorhiza</i> | twistspine prickly pear | N | OPMA2 |
| <i>Opuntia phaeacantha</i> | tulip prickly pear | N | OPPH |
| <i>Opuntia polyacantha</i> | prickly pear cactus | N | OPPO |
| | | | |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|-------------------------------|------------------|---------|
| Family - Campanulaceae | | | |
| <i>Campanula rotundifolia</i> | harebell | N | CARO2 |
| <i>Triodanis leptocarpa</i> | slimpod Venus' lookingglass | N | TRLE3 |
| <i>Triodanis perfoliata</i> | clasping Venus' looking-glass | N | TRPE4 |
| Family - Caprifoliaceae | | | |
| <i>Symphoricarpos albus</i> | common snowberry | N | SYAL |
| Family - Caryophyllaceae | | | |
| <i>Cerastium arvense ssp. strictum</i> | field chickweed | N | CEARS2 |
| <i>Paronychia jamesii</i> | James' nailwort | N | PAJA |
| Family - Chenopodiaceae | | | |
| <i>Atriplex canescens</i> | fourwing saltbush | N | ATCA2 |
| <i>Kochia scoparia</i> | kochia | E | KOSC |
| <i>Salsola tragus</i> | Russian-thistle | E | SATR12 |
| Family - Commelinaceae | | | |
| <i>Tradescantia occidentalis</i> | spiderwort | N | TROC |
| Family - Convolvulaceae | | | |
| <i>Convolvulus arvensis</i> | field bindweed | E | COAR4 |
| <i>Evolvulus nuttallianus</i> | shaggy dwarf morning glory | N | EVNU |
| Family - Crassulaceae | | | |
| <i>Sedum lanceolatum</i> | stonecrop | N | SELAL |
| Family - Cyperaceae | | | |
| <i>Carex brevior</i> | shortbeak sedge | N | CABR10 |
| <i>Carex inops ssp. heliophila</i> | sun sedge | N | CAINH2 |
| <i>Carex nebrascensis</i> | Nebraska sedge | N | CANE2 |
| <i>Carex petasata</i> | Liddon sedge | N | CAPE7 |
| <i>Carex praegracilis</i> | clustered sedge | N | CAPR5 |
| <i>Eleocharis acicularis</i> | needle spikerush | N | ELAC |
| <i>Eleocharis palustris</i> | spike-rush | N | ELPA3 |
| Family - Elaeagnaceae | | | |
| <i>Elaeagnus angustifolia</i> | Russian olive | E | ELAN |
| Family - Euphorbiaceae | | | |
| <i>Euphorbia brachycera</i> | horned spurge | N | EUBR |
| <i>Euphorbia esula</i> | leafy spurge | E | EUES |
| <i>Euphorbia exstipulata</i> | square-seed spurge | N | EUEX4 |
| <i>Euphorbia marginata</i> | snow on the mountain | N | EUMA8 |
| <i>Tragia ramosa</i> | branched noseburn | N | TRRA5 |
| Family - Fabaceae | | | |
| <i>Amorpha fruticosa</i> | leadplant | N | AMFR |

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|----------------------------|------------------|---------|
| Family - Fabaceae | | | |
| <i>Astragalus agrestis</i> | purple milkvetch | N | ASAG2 |
| <i>Astragalus bisulcatus</i> | two-grooved milkvetch | N | ASBI2 |
| <i>Astragalus crassicaarpus</i> | ground plum | N | ASCR2 |
| <i>Astragalus drummondii</i> | Drummond's milkvetch | N | ASDR3 |
| <i>Astragalus flexuosus</i> | flexile milkvetch | N | ASFL2 |
| <i>Astragalus missouriensis</i> | Missouri milkvetch | N | ASMI10 |
| <i>Dalea candida</i> var. <i>oligophylla</i> | white prairie clover | N | DACAO |
| <i>Dalea purpurea</i> | purple prairie clover | N | DAPU5 |
| <i>Glycyrrhiza lepidota</i> | wild licorice | N | GLLE3 |
| <i>Lupinus argenteus</i> | common lupine | N | LUAR3 |
| <i>Medicago lupulina</i> | black medic | E | MELU |
| <i>Medicago sativa</i> | alfalfa | E | MESA |
| <i>Melilotus albus</i> | white sweet clover | E | MEAL2 |
| <i>Melilotus officinalis</i> | yellow sweet clover | E | MEOF |
| <i>Oxytropis lambertii</i> | locoweed | N | OXLA3 |
| <i>Oxytropis sericea</i> var. <i>sericea</i> | white locoweed | N | OXSES |
| <i>Psoraleidum tenuiflorum</i> | slimflower scurfpea | N | PSTE5 |
| <i>Thermopsis rhombifolia</i> | prairie golden banner | N | THRH |
| <i>Vicia americana</i> | American vetch | N | VIAM |
| Family - Fumariaceae | | | |
| <i>Corydalis aurea</i> | golden corydalis | N | COAU2 |
| Family - Geraniaceae | | | |
| <i>Erodium cicutarium</i> | storksbill | E | ERCI6 |
| <i>Geranium caespitosum</i> | common wild geranium | N | GECA3 |
| <i>Geranium viscosissimum</i> var. <i>incisum</i> | sticky purple geranium | N | GEVII |
| Family - Grossulariaceae | | | |
| <i>Ribes aureum</i> var. <i>aureum</i> | golden currant | N | RIAUA |
| <i>Ribes cereum</i> | wax currant | N | RICE |
| Family - Iridaceae | | | |
| <i>Sisyrinchium angustifolium</i> | narrowleaf blue-eyed grass | N | SIAN3 |
| <i>Sisyrinchium montanum</i> var. <i>montanum</i> | blue-eyed grass | N | SIMOM |
| Family - Juncaceae | | | |
| <i>Juncus arcticus</i> ssp. <i>littoralis</i> | arctic rush | N | JUARL |
| <i>Juncus interior</i> | inland rush | N | JUIN2 |
| <i>Juncus longistylis</i> | longstyle rush | N | JULO |
| | | | |

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|---------------------------|------------------|---------|
| Family - Lamiaceae | | | |
| <i>Marrubium vulgare</i> | common horehound | E | MAVU |
| <i>Monarda pectinata</i> | pony beesbalm | N | MOPE |
| <i>Scutellaria brittonii</i> | skullcap | N | SCBR3 |
| Family - Liliaceae | | | |
| <i>Allium textile</i> | wild onion | N | ALTE |
| <i>Calochortus gunnisonii</i> | mariposa lily | N | CAGU |
| <i>Leucocrinum montanum</i> | sand lily | N | LEMO4 |
| <i>Zigadenus paniculatus</i> | meadow deathcamas | N | ZIPA2 |
| Family - Linaceae | | | |
| <i>Linum lewisii</i> | blue flax | N | LILE3 |
| Family - Malvaceae | | | |
| <i>Sphaeralcea coccinea</i> | scarlet globemallow | N | SPCO |
| Family - Nyctaginaceae | | | |
| <i>Mirabilis linearis</i> | narrow leaf four o' clock | N | MILI3 |
| Family - Oleaceae | | | |
| <i>Fraxinus pennsylvanica</i> | green ash | E | FRPE |
| Family - Onagraceae | | | |
| <i>Epilobium ciliatum</i> | northern willow-herb | N | EPCI |
| <i>Oenothera curtiflora</i> | velvetweed | N | OECU2 |
| <i>Oenothera suffrutescens</i> | scarlet gaura | N | OESU3 |
| <i>Oenothera villosa</i> ssp. <i>strigosa</i> | hairy evening primrose | N | OEVIS |
| Family - Orobanchaceae | | | |
| <i>Orobanche fasciculata</i> | clustered broomrape | N | ORFA |
| <i>Orobanche uniflora</i> | oneflowered broomrape | N | ORUN |
| Family - Oxalidaceae | | | |
| <i>Oxalis dillenii</i> | slender yellow woodsorrel | N | OXDI2 |
| Family - Papaveraceae | | | |
| <i>Argemone hispida</i> | rough pricklypoppy | N | ARHI4 |
| <i>Argemone polyanthemos</i> | prickly poppy | N | ARPO2 |
| Family - Plantaginaceae | | | |
| <i>Plantago major</i> | common plantain | E | PLMA2 |
| <i>Plantago patagonica</i> | woolly plantain | N | PLPA2 |
| Family - Poaceae | | | |
| <i>Achnatherum hymenoides</i> | Indian ricegrass | N | ACHY |
| <i>Achnatherum nelsonii</i> | Columbia needlegrass | N | ACNE9 |
| <i>Achnatherum robustum</i> | sleepygrass | N | ACRO7 |
| <i>Aegilops cylindrica</i> | jointed goatgrass | E | AECY |

| Species Name | Common Name | Native or Exotic | Symbol* |
|---|--------------------------|------------------|---------|
| Family - Poaceae | | | |
| <i>Agropyron cristatum</i> | crested wheatgrass | E | AGCR |
| <i>Andropogon gerardii</i> | big bluestem | N | ANGE |
| <i>Aristida basiramea</i> | forked threeawn | N | ARBA2 |
| <i>Aristida purpurea</i> | purple threeawn | N | ARPU9 |
| <i>Aristida purpurea</i> var. <i>longiseta</i> | Fendler threeawn | N | ARPUL |
| <i>Bouteloua curtipendula</i> | sideoats grama | N | BOCU |
| <i>Bouteloua gracilis</i> | blue grama | N | BOGR2 |
| <i>Bromus inermis</i> | smooth brome | E | BRIN2 |
| <i>Bromus japonicus</i> | field brome | E | BRJA |
| <i>Bromus tectorum</i> | cheatgrass | E | BRTE |
| <i>Buchloë dactyloides</i> | buffalograss | N | BUDA |
| <i>Cenchrus longispinus</i> | mat sandbur | N | CELO3 |
| <i>Dactylis glomerata</i> | orchardgrass | E | DAGL |
| <i>Dichanthelium oligosanthes</i> var. <i>scribnerianum</i> | Scribner's rosette grass | N | DIOLS |
| <i>Distichlis spicata</i> | inland saltgrass | N | DISP |
| <i>Elymus canadensis</i> | Canada wildrye | N | ELCA4 |
| <i>Elymus elymoides</i> | bottlebrush squirreltail | N | ELEL5 |
| <i>Elymus trachycaulus</i> | slender wheatgrass | N | ELTR7 |
| <i>Hesperostipa comata</i> | needle-n-thread | N | HECO26 |
| <i>Hesperostipa neomexicana</i> | New Mexico feathergrass | N | HENE5 |
| <i>Hesperostipa spartea</i> | porcupinegrass | N | HESP11 |
| <i>Hordeum jubatum</i> | foxtail barley | N | HOJU |
| <i>Koeleria macrantha</i> | prairie Junegrass | N | KOMA |
| <i>Lycurus phleoides</i> | common wolfstail | N | LYPH |
| <i>Muhlenbergia asperifolia</i> | scratchgrass | N | MUAS |
| <i>Nassella viridula</i> | green needlegrass | N | NAVI4 |
| <i>Panicum virgatum</i> | switchgrass | N | PAVI2 |
| <i>Pascopyrum smithii</i> | western wheatgrass | N | PASM |
| <i>Phalaris arundinacea</i> | reed canarygrass | N/E | PHAR3 |
| <i>Poa compressa</i> | Canada bluegrass | E | POCO |
| <i>Poa fendleriana</i> ssp. <i>longiligula</i> | muttongrass | N | POFEL |
| <i>Poa palustris</i> | fowl bluegrass | N | POPA2 |
| <i>Poa pratensis</i> | Kentucky bluegrass | E | POPR |
| <i>Poa secunda</i> ssp. <i>juncifolia</i> | Sandberg bluegrass | N | POSEJ |
| <i>Poa secunda</i> ssp. <i>secunda</i> | Sandberg bluegrass | N | POSES6 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|------------------------|------------------|---------|
| Family - Poaceae | | | |
| <i>Pseudoroegneria spicata</i> | bluebunch wheatgrass | N | PSSP6 |
| <i>Schedonnardus paniculatus</i> | tumblegrass | N | SCPA |
| <i>Schizachyrium scoparium</i> var. <i>scoparium</i> | little bluestem | N | SCSCS |
| <i>Sporobolus airoides</i> | alkali sacaton | N | SPAI |
| <i>Sporobolus compositus</i> | composite dropseed | N | SPCO16 |
| <i>Vulpia octoflora</i> | sixweeks fescue | N | VUOC |
| Family - Polemoniaceae | | | |
| <i>Collomia linearis</i> | tiny trumpet | N | COLI2 |
| <i>Ipomopsis spicata</i> | spiked ipomopsis | N | IPSP |
| Family - Polygonaceae | | | |
| <i>Eriogonum alatum</i> | winged eriogonum | N | ERAL4 |
| <i>Eriogonum umbellatum</i> | sulphur flower | N | ERUM |
| <i>Persicaria amphibia</i> | longroot smartweed | N | PEAM8 |
| <i>Polygonum aviculare</i> | prostrate knotweed | E | POAV |
| <i>Polygonum douglasii</i> | Douglas' knotweed | N | PODO4 |
| <i>Rumex crispus</i> | curly dock | E | RUCR |
| Family - Portulacaceae | | | |
| <i>Claytonia lanceolata</i> | lanceleaf springbeauty | N | CLLA2 |
| Family - Ranunculaceae | | | |
| <i>Anemone patens</i> ssp. <i>multifida</i> | pasque flower | N | ANPAM |
| <i>Clematis ligusticifolia</i> | western virgin's bower | N | CLLI2 |
| <i>Delphinium carolinianum</i> ssp. <i>virescens</i> | Carolina larkspur | N | DECAV2 |
| <i>Delphinium geyeri</i> | larkspur | N | DEGE2 |
| <i>Delphinium nuttallianum</i> | two lobe larkspur | N | DENU2 |
| Family - Rosaceae | | | |
| <i>Amelanchier alnifolia</i> | Saskatoon serviceberry | N | AMAL2 |
| <i>Cercocarpus montanus</i> | Mountain mahogany | N | CEMO2 |
| <i>Crataegus succulenta</i> | fleshy hawthorn | N | CRSU5 |
| <i>Physocarpus monogynus</i> | mountain ninebark | N | PHMO4 |
| <i>Potentilla fissa</i> | bigflower cinquefoil | N | POFI3 |
| <i>Prunus americana</i> | wild plum | N | PRAM |
| <i>Prunus pumila</i> var. <i>besseyi</i> | sandcherry | N | PRPUB |
| <i>Prunus virginiana</i> var. <i>melanocarpa</i> | chokecherry | N | PRVIM |
| <i>Purshia tridentata</i> | antelope bitterbrush | N | PUTR2 |
| <i>Rosa acicularis</i> ssp. <i>sayi</i> | prickly rose | N | ROACS |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--|-----------------------|------------------|---------|
| Family - Rosaceae | | | |
| <i>Rosa arkansana</i> | wild rose | N | ROAR3 |
| <i>Rosa woodsii</i> | Wood's rose | N | ROWO |
| <i>Rubus deliciosus</i> | Boulder raspberry | N | RUDE |
| Family - Rubiaceae | | | |
| <i>Galium aparine</i> | stickywilly | E | GAAP2 |
| Family - Salicaceae | | | |
| <i>Populus x acuminata</i> | lanceleaf cottonwood | N | POAC5 |
| <i>Populus angustifolia</i> | narrowleaf cottonwood | N | POAN3 |
| <i>Populus deltoides</i> ssp. <i>monilifera</i> | plains cottonwood | N | PODEM |
| <i>Salix amygdaloides</i> | peach-leaf willow | N | SAAM2 |
| <i>Salix exigua</i> | coyote willow | N | SAEX |
| Family - Santalaceae | | | |
| <i>Comandra umbellata</i> ssp. <i>pallida</i> | pale bastard toadflax | N | COUMP |
| Family - Saxifragaceae | | | |
| <i>Heuchera parvifolia</i> | littleleaf alumroot | N | HEPA11 |
| Family - Scrophulariaceae | | | |
| <i>Castilleja sessiliflora</i> | prairie paintbrush | N | CASE5 |
| <i>Linaria canadensis</i> var. <i>texana</i> | blue toadflax | N | LICAT2 |
| <i>Linaria dalmatica</i> | Dalmatian toadflax | E | LIDA |
| <i>Penstemon virens</i> | Front Range penstemon | N | PEVI3 |
| <i>Verbascum thapsus</i> | common mullein | E | VETH |
| Family - Solanaceae | | | |
| <i>Physalis hederifolia</i> var. <i>comata</i> | ivy leaf groundcherry | N | PHHEC |
| <i>Physalis heterophylla</i> | clammy groundcherry | N | PHHE5 |
| <i>Physalis virginiana</i> | Virginia groundcherry | N | PHVI5 |
| <i>Quincula lobata</i> | Chinese lantern | N | QULO2 |
| <i>Solanum rostratum</i> | buffalobur | E | SORO |
| Family - Typhaceae | | | |
| <i>Typha angustifolia</i> | narrowleaf cattail | N | TYAN |
| <i>Typha latifolia</i> | broad-leaved cattail | N | TYLA |
| Family - Ulmaceae | | | |
| <i>Ulmus pumila</i> | Siberian elm | E | ULPU |
| Family - Verbenaceae | | | |
| <i>Glandularia bipinnatifida</i> | Dakota mock vervain | N | GLBI2 |
| <i>Phyla cuneifolia</i> | fogfruit | N | PHCU3 |

| Species Name | Common Name | Native or Exotic | Symbol* |
|--------------------------------|-------------------|------------------|---------|
| Family - Verbenaceae | | | |
| <i>Verbena bracteata</i> | big bract verbena | E | VEBR |
| Family - Violaceae | | | |
| <i>Hybanthus verticillatus</i> | babyslippers | N | HYVE |
| <i>Viola nuttallii</i> | Nuttall's viola | N | VINU2 |
| Family - Vitaceae | | | |
| <i>Vitis riparia</i> | riverbank grape | N | VIRI |
| Family - Zygophyllaceae | | | |
| <i>Tribulus terrestris</i> | puncture vine | E | TRTE |

Compiled from surveys by Crystal Strouse (2010-current) and observations by researchers, volunteers and Natural Areas Staff.

*Nomenclature follows USDA, NRCS. 2017. The PLANTS Database (<http://plants.usda.gov>, 12 December 2017). National Plant Data Team, Greensboro, NC 27401-4901 USA. **and/or** Ackerfield, J. 2015. Flora of Colorado. Colorado State University. Botanical Research Institute of Texas Press.



naturally yours