What's so special about Soapstone Prairie?



Soapstone Prairie is special because:

Location


- Size
- Unique Topography
- Diverse Ecosystems
- Preservation of History
- Archaeology
- Geology
- Scenery

- Meteorology
- Rare Plants and Animals
- Natural Landscape
- Recreational Opportunities
- Living History
- Research Opportunities
- Cultural History

LOCATION

25 miles north of Fort Collins on County Road 15 (becoming Rawhide Flats Road).
On the Border of Wyoming.
In the heart of the Laramie Foothills: Mountains to Plains Project (55,000 acres) of an undeveloped corridor.

Laramie Foothills Mountains to Plains Project



Laramie Foothills: Mountains to Plains Project







~19,000

 acres (32 sq. miles)
 ~50% total acreage of all natural areas!

UNIQUE TOPOGRAPHY

Foothills
Plains
Cheyenne Ridge
1000+ ft. topographic relief
6080 -7201 ft.



PAST LAND USE



Sheep late 1800's-1965 Warren Livestock



NATIONALGEOGRAPHIC.COM

© 2004 National Geographic Society. All rights reserved.

Soapstone Grazing Assoc. 1965-2004



Diverse Ecosystems

 Shortgrass prairie & grasslands
 Foothills shrublands
 Wetlands and Riparian Areas













Camelops





Giant Sloth







Grassland Animals – critical overwintering grounds for pronghorn









Swift Fox

Vulpes velox



Stewardship

How can you help protect our newest natural area?

- Don't bring your dog!
- Stay on the trails, respect wildlife closure areas.
- Feed your horse weed free hay or grain 3 days before going to any natural area.
- Don't pick any plants or remove artifacts.
- Leave no trace.



Mountain Plover





















A few things to watch out for..








Lindenmeier Valley








"Soapstone"



You see Leonard, this is the Brule Formation of the White River Group...Eocene Hell Pigs K. Johnson DMNS







Archeotherium "Eocene Hell Pig"





| EC | DN | ERA | PERIOD | | EPOCH | | Ma |
|-------------|-------------|-----------|--|-----------|---|-------------|----------|
| | | | - | | Holocene | 8-18-18-17- | 0.01 |
| | | | Quaterna | iry | Pleistocene | Late | 0.01 |
| | | | | - | and the second | Early | - 1.8 - |
| | | | | | Pliocene | Late | - 3.6 - |
| | | U | | e | - notenie | Early | - 5.3 - |
| | | 5 | | 5 | and the second se | Late | -11.2 - |
| | | Ň | | Neogene | Miocene | Middle | -16.4 - |
| | | Cenozoic | | ŭ | | Early | -33.7 |
| | | | 100 C 100 C | 2 | Oligocene | Late | -28.5 - |
| | | U | Tertiary | | ongocene | Early | -33.7 - |
| | | 1.15 | | 2 | ALCO PROVIDE A | Late | -41.3 - |
| | | | | Paleogene | Eocene | Middle | -49.0 - |
| | oic | | | | | Early | -54.8 |
| | | | | 1 | Paleocene | Late | -61.0 - |
| 1.525 | | | | | and the second se | Early | -65.0 - |
| Ľ. | | <u>.</u> | Cretaceous | | Late | | - 99.0 - |
| C | | | cretaceo | uə | Early | | - 144 - |
| NO | | Mesozoic | | | Late | | - 159 - |
| - 5 | | 5 | Jurassic Triassic | | Middle | | - 180 - |
| Phanerozoic | 2 | Ś | | | Early | | 206 |
| | 5 | -le | | | Late | | 227 - |
| | | 2 | | | Middle | | - 242 - |
| | | | | | Early | | 242 |
| | | | Permian | | Late | | 256 |
| | | | | | Early | | - 290 - |
| | | | Pennsylvanian | | | | - 323 - |
| | | | Mississippian | | | | - 354 - |
| | | | Devonian | | Late | | - 370 - |
| | | Paleozoic | | | Middle | | - 391 - |
| | | 2 | | | earty | | - 417 - |
| | | ö | Silurian | | Late | | - 423 - |
| | | e | | | Early | | - 443 - |
| | | a | Ordovician | | Late | | 458 - |
| | | - | | | Middle | | |
| | | | | | Early | | 470 - |
| | | | | | D | | - 500 - |
| | | | Cambria | n | C | | - 512 - |
| | | | | | B | | - 520 - |
| _ | - | | | _ | A | | - 543 - |
| | i, | Late | | | | | |
| = | Proterozoic | Middle | | | | | - 900 - |
| ria | ter | | | | | | -1600 - |
| đ | 2 | Early | | | | | |
| Precambrian | | Late | | | | | -2500 - |
| re | Archean | Mide | A REAL PROPERTY OF A REAL PROPER | | | | -3000 - |
| • | 5 | a contra | or realized | | | | -3400 - |
| | | Earl | | | | | 3800? |

Rare Plants and Animals

- Colorado Butterfly Plant the most endangered plant in the state of Colorado!
- Rocky Mt. Blazing Star only 11 pops in CO.
- Colorado Blue Butterfly globally imperiled.
- Mountain mahogany shrub communities some only known from CO & WY front range!
- Variety of rare animals! Raptors, mammals, bats, birds, rodents, reptiles, (fish).

Colorado Butterfly Plant

Gaura neomexicana ssp. coloradensis Federally Listed Threatened Species



Rocky Mountain Blazing Star

Liatris ligulistylis Rare – only 11 populations in CO






Mountain Mahogany Communities




Fruits and Flowers






Green Gentian- 20-60 years to produce a flower stalk!!!















So what can I do?

- Places for a picnic.
- Trail heads for hiking and biking.
- Photographic opportunities.
- Over 100 guided hikes, bikes, equestrian rides, accessible programs, night programs!



Learn something!



Take a hike, buddy!



Ride a bike!



Bring your horse (south parking lot)



Enjoy the view!



Big Hole Overlook -photo by Bill Spencer



Enjoy "the breeze"...



Listen to some music!




Or not so wild...



Ranching 21st Century!





Because Soapstone is remote...



For Your Safety:

- Bring food, water, sunscreen and a 1st aid kit.
 Bring your cell phone (service is spotty).
 Stay on the trails.
 Keep small children close.
 Be observant of your surroundings.
 Watch the weather storms often bring lightening and hail.
- Don't wear sandals or flip flops.

Land Management Challenges

- Natural Resource protection.
- Cultural Resource
 Protection
- Grazing leases.
- Rare plant/animal conservation.
- Weeds.









Summary

Soapstone is special for MANY reasons!
Rare landscape with rare plant and animal species.
Cultural history – world class!
A big landscape to get away!
A place worth protecting!
AND AS WE LIKE TO SAY...

Soapstone Prairie: It will blow you away!

