

ORDINANCE NO. 194, 2025
OF THE COUNCIL OF THE CITY OF FORT COLLINS
AUTHORIZING THE CONVEYANCE OF A PERMANENT
DRAINAGE EASEMENT ON MAGPIE MEANDER NATURAL
AREA AND SOFT GOLD PARK AND A TEMPORARY
CONSTRUCTION EASEMENT ON SOFT GOLD PARK TO
WILLOX DEVELOPMENT PARTNERS, LLC

A. The 32-acre Magpie Meander Natural Area and 17.5-acre Soft Gold Park are located west of College Avenue between Willox Lane and Hickory Street.

B. The Willox Farm project is a proposed residential development located immediately north of Soft Gold Park and Magpie Meander Natural Area (the "Project"). Willox Development Partners, LLC ("WDC") is developing the Project.

C. WDC submitted the Development Plan for the Project in May 2022. The Planning and Zoning Commission approved the Development Plan on March 21, 2024, and it is currently in the final stages of Final Development Plan approval. The Project will include 62 single family residential units, a trail that will connect Willox Lane to Soft Gold Park, and improvements to West Willox Lane.

D. The Project requires a drainage easement across both Soft Gold Park and Magpie Meander Natural Area for stormwater conveyance and outfall into a remnant oxbow of the Poudre River (the "Drainage Easement") and a temporary construction easement across Soft Gold Park for the installation of an electric line to serve the Project and replacement and construction of trails (the "TCE").

E. The State of Colorado is engaged in a formal rulemaking process pursuant to HB24-1379 to develop a regulatory process governing dredge and fill activities. WDC's work conducted under the Drainage Easement may be considered state-regulated dredge and fill activity, but it is currently unknown whether those regulations will impact the Project. The State rulemaking is expected to be completed by December 31, 2025.

F. The form of the Drainage Easement with its terms and conditions is shown in Exhibit A, attached hereto and incorporated herein by this reference. The area of the Drainage Easement is described in Exhibit B to the Drainage Easement. Execution of the Drainage Easement by the City is contingent upon WDC or its successor complying with all applicable Federal, State, and local regulations, including, if applicable, any State of Colorado regulations governing dredge and fill activities relating to the Drainage Easement.

G. The City determined the fair market value of the Drainage Easement is \$5,249. WDC will pay the City the fair market value for the Drainage Easement, plus a \$5,000 easement application fee and \$3,985 for environmental mitigation. The application fee and mitigation fee will be paid to the Natural Areas Department to support administrative costs and land conservation efforts. The Drainage Easement fee will be

split between the Parks Department (53%) and Natural Areas (47%) for their respective portions of land encumbered by the Drainage Easement.

H. The form of the TCE with its terms and conditions is shown in Exhibit B, attached hereto and incorporated herein by this reference. The area of the TCE is described in Exhibit B to the TCE.

I. The City has determined the fair market value of the TCE is \$4,850. WDC will pay the City the fair market value for the TCE, plus \$9,075 for the permanent electric line alignment and \$14,075 for appraiser and City staff costs. The Parks Department will receive the entirety of costs and fees for the TCE and alignment.

J. Section 23-111(a) of the City Code authorizes the City Council to sell, convey, or otherwise dispose of any interests in real property owned by the City, provided the City Council first finds, by ordinance, that such sale or other disposition is in the best interests of the City.

In light of the foregoing recitals, which the Council hereby makes and adopts as determinations and findings, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF FORT COLLINS as follows:

Section 1. The City Council finds that granting the Drainage Easement and the TCE on the terms and conditions described herein is in the best interests of the City.

Section 2. The City Council hereby authorizes the City Manager to execute the Drainage Easement substantially in the form attached hereto as Exhibit A with such modifications or additional terms and conditions as the City Manager, in consultation with the City Attorney, determines are necessary or appropriate to protect the interests of the City or effectuate the purposes of this Ordinance. The City Manager's execution of the Drainage Easement shall be contingent upon the City Manager's determination that Willox Development Partners, LLC or its successor has complied with all applicable Federal, State, and local regulations, including, if applicable, the State of Colorado's regulations governing dredge and fill activities relating to the Drainage Easement.

Section 3. The City Council hereby authorizes the Mayor to execute the TCE substantially in the form attached hereto as Exhibit B with such modifications or additional terms and conditions as the City Manager, in consultation with the City Attorney, determines are necessary or appropriate to protect the interests of the City or effectuate the purposes of this Ordinance.

Introduced, considered favorably on first reading on November 18, 2025, and approved on second reading for final passage on December 2, 2025.

Mayor

ATTEST:

City Clerk

Effective Date: December 12, 2025

Approving Attorney: Ted Hewitt

Exhibits: Exhibit A – Easement with Terms and Conditions
 Exhibit B – Temporary Construction Easement

EASEMENT WITH TERMS AND CONDITIONS

Soft Gold Park and Magpie Meander Natural Area

Grantor: City of Fort Collins, Colorado, a municipal corporation
Grantor Signing Authority and Title: City Manager
Grantor Mailing Address: P.O. Box 580, Fort Collins, Colorado 80522
Grantor Phone Number/Email: 970-416-2245 / wflowers@fcgov.com

Grantee: Willox Development Partners, LLC
Grantee Signing Authority and Title: James Righeimer, Manager
Grantee Mailing Address: 4040 MacArthur Blvd., Ste. 250, Newport Beach, CA 92660
Grantee Phone Number/Email: (714) 404-7867 / jim@rfcomsites.com

Easement Appurtenant to Grantee's Property? ☒ **Y** ☐ **N:** If yes, see **Exhibit C**.

Effective Date: _____

Easement Improvements: 30' x 350' Stormwater outfall channel and 16'-long underground outlet pipeline, as shown in the Plans (also referred to herein as "Improvements")

Consideration: \$5,249.00 easement fee and \$3,985.00 mitigation fee = \$9,234.00

Special Restoration Requirements? ☒ **Y** ☐ **N:** If yes, see **Exhibit D**.

Exhibits [check all that apply]:

- ☒ Exhibit A – Grantor's Property (number of pages): One (1)
- ☒ Exhibit B – Easement Area (number of pages):
- ☒ Exhibit C – Grantee's Property (number of pages): One (1)
- ☒ Exhibit D – Special Restoration Requirements (number of pages): Three (3)
- ☒ Exhibit D-1– General Resource Protection Standards (number of pages): Nine (9)
- ☒ Exhibit E– Plans (number of pages): One (1)

All checked exhibits are attached and incorporated into this Deed by reference.

This **EASEMENT WITH TERMS AND CONDITIONS** (the "Deed") is made and entered into on the Effective Date by and between Grantor and Grantee.

1. Grantor's Property. Grantor is the owner of that certain parcel of real property located in Larimer County, Colorado, which is legally described on **Exhibit A** (the "Property" or "Grantor's Property").

2. Grant of Easement – Consideration. For and in consideration of the covenants and agreements herein set forth, the sum of the Consideration and other good and valuable consideration, the receipt and adequacy of which Grantor acknowledges, Grantor grants, sells, and conveys to Grantee, its successors and assigns, a perpetual, non-exclusive easement (the "Easement") on, over, under, and across the Property as described more fully on **Exhibit B**, (the "Easement Area"), for the benefit of Grantee's Property described more fully on **Exhibit C**, if

applicable, subject to the conditions and restrictions set forth below. The Easement includes the right of ingress and egress to the Easement Area, and the right to install, maintain, and use gates in all fences that cross the Easement Area now or in the future.

3. Purpose and Use of Easement. Grantee may use the Easement to install, access, operate, maintain, repair, reconstruct, relocate, improve, enlarge, replace, inspect, and remove, at any time and from time to time, the Easement Improvements, and for the temporary storage and staging of materials and equipment. Grantor further grants to Grantee:

- The right of ingress to and egress from the Easement Area over and across Grantor's Property by means of any roads and lanes thereon, or as otherwise agreed in writing by Grantor;
- The right to mark the location of the Easement Area by suitable markers set in the ground; and
- The right to install temporary fencing and gates for security and safety purposes during construction activities.

After initial installation of the Improvements, if Grantee wishes to relocate or replace the Improvements with any other number or type of similar improvements, either in the original location or at any alternate location or locations within the Easement Area, such improvements must be consistent with the intended purposes of the Easement, and Grantee must give Grantor advance notice of any change in the type, number or location of improvements and cannot proceed until Grantor has provided its written consent, which shall not be unreasonably withheld or delayed.

The parties agree that the Easement Improvements are accurately described in the Plans which have been approved and accepted by each of the parties. The Plans, being the complete plan set for the Easement Improvements, are the Exhibit E to this Conveyance, but, for purposes of recordation and execution, only the cover page is attached hereto.

4. Grantor's Rights in Easement Area.

- A. Grantor reserves the right to use the Easement Area for purposes that will not interfere with Grantee's full enjoyment of the rights granted herein, including but not limited to Grantor's right to operate or allow others to operate utility improvements within the Easement Areas.
- B. Grantor may plant or maintain permanent trees, shrubs or other plant material in the Easement Area provided that no such plantings may be planted directly over the Grantee's Improvements. Grantor may install or utilize signs or paths over the Easement Area, and may pave, surface in some other manner, or otherwise improve the Easement Area as Grantor desires. Additionally, Grantor may install permanent buildings or structures over the Easement Area; however, Grantor agrees to remove such structures at its expense if reasonably required for Grantee's access to the Easement Area, and to assume all risk, repair, and maintenance if any damage occurs to these permanent buildings and/or structures as a result of Grantee's reasonable use of or activities over or within the Easement Area.

5. Grantee's Obligations Regarding Easement Areas.

- A. All activities by the Grantee on the Easement Area, including access across Grantor's Property, must be carried out in a manner and on a schedule reasonably expected to minimize disturbance to the natural features of said property, any improvements thereon, and the Grantor's intended purposes therefore. Access shall be limited to the reasonable means necessary to provide access to the Easement Area, and Grantee shall, to the extent reasonably practicable, use existing streets, roads, or other similar facilities, including any Grantee owned property interests adjoining the Easement Area, to avoid any unnecessary disruption of Grantor's use and possession of the Property. Access does not permit Grantee to use, occupy, or traverse any portion of the Property not included within the Easement Area by means of any heavy machinery, equipment, or vehicles, provided that Grantee may seek to acquire a temporary construction easement from Grantor to allow the same.
- B. Grantee must maintain its Improvements in an entirely secure, safe and sanitary condition, and repair the Improvements as necessary to ensure the Improvements do not cause injury or damage to persons or property.
- C. Grantee shall notify Grantor a minimum of one business day prior to performing any construction, maintenance, repair, or other work on or within the Easement Area and shall in advance of any non-emergency work submit a construction plan and schedule to Grantor for approval, which approval shall not be unreasonably delayed or withheld. Grantee may seek to acquire a temporary construction easement from Grantor if working on Grantor's Property outside of the Easement Area. Notwithstanding these notification requirements, in cases of emergency repair, Grantee shall notify Grantor of the emergency and provide related construction plans and schedules as soon as reasonably practicable.
- D. In the event damage occurs from Grantee's use of or activities over or within the Easement Area or on Grantor's Property, including but not limited to the installation, maintenance, or operation of the Improvements within the Easement Area, Grantee agrees to make such repairs or take such other action as may be necessary to restore the Easement Area and Grantor's Property to a condition comparable to their condition prior to Grantee's activities in the Easement Area, including but not limited to the reseeded and replanting of any disturbed areas in a manner reasonably satisfactory to the Grantor, and the provision of ongoing maintenance of any seeded or planted areas, correction of any subsidence, and restoration of any other improvements or conditions impacted by Grantee's activities, until such time as any such repair and restoration is fully established and stabilized. If applicable, Grantee shall comply with the special restoration requirements on **Exhibit D**.

6. Maintenance of the Easement Area.

- A. Grantor will maintain the surface of the Easement Area (except for the Easement

Improvements) in a sanitary condition in compliance with any applicable weed, nuisance or other legal requirements; however, Grantor is not responsible for any conditions directly caused by Grantee's use and occupancy of the Easement Area.

- B. Grantor will not deposit, or permit, or allow to be deposited, earth, rubbish, debris, or any other substance or material, whether combustible or noncombustible, on the Easement Area.

7. As-Built Drawings. Grantee will provide Grantor with as-built drawings accurately depicting the location and nature of the Improvements constructed within the Easement Area no later than thirty (30) days following completion of the Improvements, and no later than thirty (30) days following a change in the type, number or location of the Improvements, as described in Section 3.

8. Representations of Grantor. Grantor makes no representations or warranties as to lawful ownership of Grantor's Property.

9. Recordation. Grantee will record this Deed in the records of the Larimer County Clerk and Recorder and furnish evidence of such recording to Grantor. This Deed will not be valid until it is recorded. If this Deed has not been recorded with the Larimer County Clerk and Recorder within ninety (90) days of the Effective Date, then this Deed will be null and void and have no force and effect whatsoever, and the parties will be relieved of any remaining obligations hereunder as of the date of such termination.

10. Abandonment. Should Grantee fail to construct the Improvements within five (5) years from the date of this Deed, or should Grantee permanently discontinue maintaining and using the Improvements within the Easement Area for a period of five (5) years, this shall constitute an abandonment of the Easement, the Improvements and Grantee's rights under this Deed, and the Easement shall automatically terminate, and Grantee shall, at its own sole cost and expense, remove all Improvements from the Easement Area, provided that Grantee shall consult with Grantor in advance of any such removal, and Grantor shall be entitled to require Grantee to leave some or all such Improvements in place. If Grantee removes the Improvements from the Easement Area, Grantee shall carry out such removal consistent with the requirements set forth in Section 5 and restore the Easement Area, at its sole cost and expense, to a condition comparable to its condition just prior to Grantee's removal activities. Grantee shall then execute and record a termination or quitclaim to Grantor of the Easement.

11. Indemnity and Insurance.

- A. Grantee agrees to release and, unless Grantee is a governmental entity, indemnify Grantor, its officers, agents, employees, representatives, successors and assigns from and against all claims that may accrue to Grantee for personal injury, death or property damage resulting from or arising out of Grantee's use of the Easement Area or other activities on Grantor's Property. To the extent permitted by law, and without waiving any of the provision so the Colorado Governmental Immunity Act, Grantee assumes responsibility, as between Grantor and Grantee,

for any liability to third parties arising out of Grantee's use of the Easement Area or other activities on Grantor's Property, including but not limited to the construction, installation, operation, repair, and maintenance of improvements within the Easement Area, and for any actions or omissions by Grantee in violation of this Deed.

- B. Grantee shall procure, pay for, and keep in full force and effect during the term of this Deed a comprehensive policy of general liability insurance covering the Improvements and insuring Grantee in an amount not less than One Million dollars (\$1,000,000.00) covering bodily injury, including death to persons, personal injury, and property damage liability arising out of a single occurrence. Such coverage must include, without limitation, the insured's liability for property damage, bodily injuries, and death of persons in connection with Grantee's activities in the Easement Area or on Grantor's Property, the operation, maintenance, or use of the Improvements (including acts or omissions of Grantee or of its officers, employees, or agents), and protection against liability for non-owned and hired automobiles. Such coverage must also include coverage for such other risks as are customarily required by private institutional mortgage lenders with regard to property similar in construction, location, and use as the Improvements. All policies of insurance required hereunder must name Grantor as an additional insured and shall contain a provision that the policy or policies cannot be canceled or materially altered either by the insured or the insurance company until fifteen (15) days' prior written notice thereof is given to Grantor. Upon issuance or renewal of any such insurance policy, Grantee shall furnish a certificate of insurance to Grantor. In the event Grantee fails or neglects to maintain, or require its contractor to procure and maintain, as applicable, the insurance required by this paragraph, then Grantor shall have the right, upon giving Grantee reasonable notice of its election to do so, to take out and maintain such insurance at the expense of Grantee, and in such event the cost of such insurance shall be paid for by Grantee promptly upon receipt of an invoice covering such charges.

12. Notices. Any notice or other communication relating to this Deed must be in writing and shall be deemed given (i) when delivered personally, or (ii) on the first business day which is three (3) days following mailing by certified mail, electronic mail, return receipt requested and postage prepaid, or (iii) the next business day after sending by a nationally recognized overnight delivery service, and addressed to the party at its respective address on the first page of this Deed.

13. Default, Remedies and Litigation Expenses. If a party to this Deed is in default in performance of its respective obligations hereunder, the other party has the right to an action for specific performance or damages or both. Prior to proceeding with any such action, the party not in default must first send written notice to the defaulting party specifying the default and affording such party a reasonable period to cure the default. In the event a party defaults in any of its covenants or obligations and the party not in default commences and substantially prevails in any legal or equitable action against the defaulting party, the defaulting party expressly agrees to pay all reasonable expenses of the litigation, including a reasonable sum for attorneys' fees or similar

costs of legal representation.

14. Assignment. Grantee may not assign its rights under this Deed without the prior written consent of Grantor.

15. Additional Terms and Conditions. Whenever used herein, the singular number includes the plural, the plural the singular, and the use of any gender is applicable to all genders. All the covenants herein contained are binding upon and inure to the benefit of the parties hereto, their personal representatives, successors, and assigns. This Deed is to be construed and enforced according to the laws of Colorado, and venue in any proceeding related to this Deed shall be in Larimer County, Colorado. If any term of this Deed is determined by any court to be unenforceable, the other terms of this Deed shall nonetheless remain in full force and effect; provided, however, that if the severance of any such provision materially alters the rights or obligations of the parties, the parties shall engage in good faith negotiations in order to adopt mutually agreeable amendments to this Deed as may be necessary to restore the parties as closely as possible to the initially agreed upon relative rights and obligations.

16. Authority. Each person executing this Deed represents and warrants that he or she is duly authorized to execute this Deed in his or her individual or representative capacity as indicated.

IN WITNESS WHEREOF, Grantee has hereunder set its hand and seal the day and year written below; and Grantor has caused this Deed to be executed by its City Manager attested to by its City Clerk, and its corporate seal to be hereunto affixed, all pursuant to Ordinance No. _____ 2025, passed on final reading by the City Council of the City of Fort Collins on the _____ day of _____, 2025.

[Signatures on following pages]

GRANTOR:

THE CITY OF FORT COLLINS, COLORADO
a municipal corporation

Date

City Manager

ATTEST:

City Clerk

(Printed name)

APPROVED AS TO FORM:

Assistant City Attorney

(Printed name)

ACCEPTED BY GRANTEE:

Willox Development Partners, LLC

Date

James Righeimer, Manager

EXHIBIT A

Legal Description of the Property

24.3129 acres, more or less, located in the North Half (N/2) of Section 2, Township 7 North, Range 69 West, 6th P.M., Larimer County, Colorado, being more particularly described as Lot 1 of Lakewood Estates Mobile Home Park, City of Fort Collins, County of Larimer, State of Colorado, which was conveyed by Mike G. Ligeros to The City of Fort Collins, Colorado, by Warranty Deed dated February 28, 1995, recorded at Reception No. 19950012453, Office of the Clerk and Recorder, Larimer County, Colorado.

Also known as 500 Hickory St., Fort Collins, CO 80524; Parcel Number: 9702205901




EXHIBIT B

Legal Description and Depiction of the Easement Area

DESCRIPTION

A parcel of land being a portion of Lot 1, Lakewood Estates Mobile Home Park, recorded as Book 1638, Page 616 of the Records of Larimer County and situate within the North Half of Section 2, Township 7 North, Range 69 West of the 6th P.M., City of Fort Collins, County of Larimer, State of Colorado, being more particularly described as follows:

Considering the North line of the Southeast Quarter of the Northwest Quarter of Section 2 as bearing North 89° 19' 45" West with the Center-East-Northwest 1/64th corner being a 3 1/4" aluminum cap on #6 rebar stamped LS 38106 and the Center-North 1/16th corner being a 2 1/2" aluminum cap on #6 rebar and with all bearings contained herein relative thereto:

BEGINNING at the Center-East-Northwest 1/64th corner of Section 2, said point being the Northwest corner of Lot 1, Lakewood Estates Mobile Home Park;

THENCE along the North line of the Southeast Quarter of the Northwest Quarter of Section 2, also being the North line of Lot 1, Lakewood Estates Mobile Home Park, South 89° 19' 45" East a distance of 40.00 feet;

THENCE departing said North line, South 00° 59' 22" West a distance of 10.00 feet;

THENCE North 89° 19' 45" West, a distance of 10.00 feet;

THENCE South 00° 59' 22" West, a distance of 340.00 feet;

THENCE North 89° 19' 30" West, a distance of 30.00 feet to the West line of Lot 1, Lakewood Estates Mobile Home Park;

THENCE along said West line, North 00° 59' 22" East, a distance of 350.00 feet to the POINT OF BEGINNING.

The above-described parcel of land contains 10,600 square feet or 0.243 acres, more or less (±).

May be subject to easements, rights-of-way, covenants and restrictions of record.

Exhibit attached hereto and made a part hereof.

SURVEYOR'S CERTIFICATE

I, Robert C. Tessely, a Colorado Registered Professional Land Surveyor, do hereby certify that this property description was prepared under my personal supervision and checking, that it is true and correct to the best of my knowledge, information and belief and is in accordance with applicable standards of practice. This is not a guaranty or warranty, either expressed or implied. {4 CCR 730-1}



Robert C. Tessely
Colorado Professional Land Surveyor No. 38470
For and on behalf of EPS Group, Inc.

EPS GROUP, INC.
301 North Howes Street, Suite 100
Fort Collins, Colorado 80521
(970) 221-4158

Sheet 1 Of 2 Sheets	 ©2021, 4158 epsgroupinc.com ARIZONA COLORADO	PROJECT: 987-012 DATE: 10/06/25 DRAWN BY: L. SMITH	CLIENT: CAPRI COLORADO HOLDINGS SECTION-TWP-RGE: SEC 2-TWP 7 RGE 69 REVIEW BY: R. TESSELY	THIS DOES NOT CONSTITUTE A MONUMENTED LAND SURVEY. EXHIBITS OR ILLUSTRATIONS ARE PROVIDED TO AID IN VISUALIZATION AND INTERPRETATION OF THE WRITTEN DESCRIPTION. THE WRITTEN DESCRIPTION CONTROLS AND SUPERCEDES ANY EXHIBITS OR ILLUSTRATIONS ATTACHED HERETO.
------------------------------	--	---	--	---

S:\Survey Jobs\987-012\Drawings\Exhibits\987-012 EXHIBIT 2.dwg

EXHIBIT B continued
Legal Description and Depiction of the Easement Area




Exhibit C**Legal Description and Depiction of Grantee's Property**

A tract of land situate in the Northeast $\frac{1}{4}$ of the Northwest $\frac{1}{4}$ of Section 2, Township 7 North, Range 69 West of the 6th P.M., which considering the North line of the Northeast $\frac{1}{4}$ of said Northwest $\frac{1}{4}$ as bearing N 89 degrees 58'09" E and with all bearings contained within relative thereto, is contained within the boundary lines which begin at a point on the East line of the Northeast $\frac{1}{4}$ of said Northwest $\frac{1}{4}$ which bears S 00 degrees 04'08" E 320.80 feet from the North $\frac{1}{4}$ corner of said Section 2, an run thence along said East line, S 00 degrees 04'08" E 964.74 feet to the center-North $\frac{1}{16}$ corner of said Section 2; thence along the South line of the Northeast $\frac{1}{4}$ of said Northwest $\frac{1}{4}$, S 89 degrees 53'50" W 662.52 feet; thence departing said South line, N 00 degrees 05'34" W 592.81 feet; thence S 89 degrees 53'50" W 100.00 feet; thence N 00 degrees 05'34" W 370.00 feet; thence N 89 degrees 53'50" E, 100.00 feet; thence N 00 degrees 05'34" W 323.56 feet to a point on the North line of the Northeast $\frac{1}{4}$ of said Northwest $\frac{1}{4}$; thence along said North line, N 89 degrees 58'09" E 482.05 feet; thence departing said North line, S 00 degrees 04'08" E 320.80 feet; thence N 89 degrees 58'09" E 181.00 feet to the Point of Beginning,
County of Larimer,
State of Colorado




Exhibit D

Special Restoration/Mitigation and Monitoring Requirements

All Grantee's activities on the Easement Areas, and any access across the Property, must be carried out in a manner and on a schedule reasonably expected to minimize disturbance to the natural features of the Property and the Grantor's use thereof. If damage results from the maintenance, operation or presence of the Facilities, or Grantee's activities on the Easement Areas or elsewhere on the Property, Grantee will make such repairs or take such other action as may be necessary to restore the Property to a condition reasonably comparable to its prior condition, including without limitation the provision of ongoing maintenance of any seeded or planted areas, correction of any subsidence, and restoration of any other improvements or conditions impacted by Grantee's activities, until such time as any such repair and restoration is fully established and stabilized. Such restoration shall be completed in accordance with the Grantor's then-current specifications for comparable work on City of Fort Collins natural areas. For the purpose of the initial installation of the Facilities, Grantee agrees to rely on the Grantor's applicable Resource Protection Standards (RPS) to specify current standards for activities undertaken in City of Fort Collins Natural Areas, a copy of which is attached as **Exhibit "D-1"** and incorporated herein by reference. The parties acknowledge that sensitive vegetation, habitat or other natural conditions may require special effort by Grantee to protect, restore, or replace in the event they are disturbed by Grantee's activities.

Following final grading and initial seeding of the Easement Areas after initial reconstruction of the Facilities, Grantee must seek the issuance of a Certificate of Conditional Acceptance from the Grantor. Upon such issuance, the Grantor will assume responsibility for ongoing vegetation management, including weed control, mowing, and reseeded, as needed, in areas disturbed by said reconstruction and seeded in accordance with RPS and the provisions of this Agreement. The current one-time charge for the Grantor to assume and perform said vegetation management for initial installation of the Improvements is \$3,985.00 per acre of disturbance. The Grantor may from time to time, at its sole discretion, revise this estimated cost to reflect then current estimates for vegetation management costs, and such updated estimate will be the applicable charge for vegetation management in connection with future disturbance of the Easement Area, if any. In accordance with this requirement, Grantee will compensate the Grantor in the amount of \$3,985.00, due upon the Grantor's issuance of a Certificate of Conditional Acceptance for the final grading and initial seeding. This one-time vegetation management cost is in addition to the consideration stated above for the conveyance of the Easements.

Grantee will from time to time consult with the Grantor to ascertain applicable standards for identification of wildlife species and wildlife habitat on the Property, and, except for emergencies shall conform its maintenance and other activities on the Easement Areas to the then current City of Fort Collins standards for identification and protection of the same. Grantee is responsible for obtaining from the Grantor's Natural Areas Department any permits required by the City Code for wildlife monitoring activities.

Exhibit D continued

Special Restoration/Mitigation and Monitoring Requirements

Willox Farm – Tufted Loosestrife Monitoring Plan

Goals

1. To assess baseline conditions of waterflow, water quality, and tufted loosestrife (TL – *Lysimachia thyrsiflora*) population and habitat preferences prior to development.
2. To monitor changes to waterflow, water quality, and monitor TL population changes post-construction.

Questions

Determine Baseline Conditions

1. What is typical waterflow and water quality in Magpie Meander pre-construction?
2. What is TL's distribution and abundance pre-construction?
3. What is TL's relationship to resource conditions, including water quality, water level, and distance to water during the summer season?

Monitoring Post-construction Changes

1. Does the waterflow and water quality in Magpie Meander post-construction significantly differ from pre-construction conditions?
2. Is the TL population diminished in distribution and/or abundance in the three years post construction within the provided polygons representing TL occurrence (hereafter, "TL occurrence polygons")? If so, to what extent is the TL population diminished?
3. Has the prevalence/distribution of *Typha angustifolia*, *Typha latifolia*, *Phalaris arundinacea*, and *Cirsium arvense* increased in the three years post construction within TL occurrence polygons? If so, to what extent has the prevalence/distribution of *Typha angustifolia*, *Typha latifolia*, *Phalaris arundinacea*, and *Cirsium arvense* increased?

Methods

TL Population Assessment

- Pre-construction: Between 15 July – 31 August, record the location of each individual TL plant within TL occurrence polygons. If only a single individual plant is observed, document as a point. If two or more individuals are observed within 1 meter or each other (or otherwise visibly forming a patch or cluster), document as a polygon and provide a count of individuals within that polygon. Record the number of TL individuals which are flowering.
- Post-construction: For three years following construction, annually document TL populations as directed immediately above in the Pre-construction TL Population Assessment description. Assess the mean annual percent change in TL polygon size or number of individuals between pre-construction data and each year of post-construction data.

Establishing Habitat Preferences

- Pre-construction: Measure distance to water (for individuals/polygons rooted in soil) or depth of water (for individuals/polygons located in standing water). For polygons, measure and report range of water depth at 10 locations within each polygon or range of distances to water for individuals within a polygon.
- Develop polygons representing occurrence of *Typha angustifolia*, *Typha latifolia*, *Phalaris arundinacea*, and *Cirsium arvense* within the TL occurrence polygons. If only a single individual

plant is observed, document as a point. If two or more individuals are observed within one meter of each other (or otherwise visibly forming a patch or cluster), document as a polygon and provide a count of individuals within that polygon.

- Post-construction: For each of three years post-construction, record each individual of *Typha angustifolia*, *Typha latifolia*, *Phalaris arundinacea*, and *Cirsium arvense* within the provided polygons representing TL occurrence. If only a single individual plant is observed, document as a point. If two or more individuals are observed within one meter of each other (or otherwise visibly forming a patch or cluster), document as a polygon and provide a count of individuals within that polygon. Document troublesome species as described directly above during the pre-construction phase of the project. Assess whether polygon size or number of individuals of *Typha angustifolia*, *Typha latifolia*, *Phalaris arundinacea*, and *Cirsium arvense* has changed in the three years post-construction.

Water Quality

- Pre-construction: Measure salinity, CaCO₃, pH, alkalinity, nitrogen and phosphorus three times at each of the three provided water sampling locations, between 15 July – 31 August and when water is present in the outfall. If possible, conduct monitoring within 24 hours of a large rain event. Please associate the sampling location with each water sample taken and processed.
- Post-construction: Each year for three years post-construction, measure salinity, CaCO₃, pH, alkalinity, nitrogen and phosphorus three times at each of the three provided water sampling locations, between 15 July – 31 August and when water is present in the outfall. Assess mean changes in salinity, CaCO₃, pH, alkalinity, nitrogen and phosphorus between the pre-construction data and the three years post-construction for each water sampling location.
- Retain a qualified environmental professional (approved by the City) to perform the monitoring and lab analysis.

Water Level

- Pre- and Post-Construction: Install staff (depth) gauge and benchmark, at the water sampling location within the TL occurrence polygon. Record water depth a minimum of 3 times annually between 31 March – 31 August, within 24 hours of rain event.
- Assess changes in mean water depth between pre-construction values and each of the three years post-construction.
- If a ≥ 50 -year flood event occurs during the three years post-construction, the Contractor shall, within one week, determine the high-water mark (e.g., through debris lines, sediment deposits, or gauge data) and, where possible, estimate the duration of elevated flows to assess potential impacts to TL habitat. In addition, the Contractor shall assess and document evidence of soil scouring or surface erosion, particularly signs of bare or exposed mineral soil, sediment displacement, or uprooted vegetation within TL occurrence polygons.

Exhibit D continued**Special Restoration/Mitigation and Monitoring Requirements****Wilcox Farm – Tufted Loosestrife Monitoring Plan****Timeline**

Year	Stage	Parameter/Task			
		Population/ Recruitment	Habitat	Water Quality	Water Level
1 – 2026 Baseline	Pre-con	Mid-Summer (15 July – 31 August)	Mid-Summer (15 July – 31 August)	3x (15 July – 31 August)	Install benchmark and staff gauge/Collect 3 measurements when water is present (31 March – 31 August)
2 – 2027	Post-con	Mid-Summer (15 July – 31 August)	Mid-Summer (15 July – 31 August)	3x (15 July – 31 August)	Collect 3 measurements when water is present (31 March – 31 August)
3 – 2028	Post-con	Mid-Summer (15 July – 31 August)	Mid-Summer (15 July – 31 August)	3x (15 July – 31 August)	Collect 3 measurements when water is present (31 March – 31 August)
4 – 2029	Post-con	Mid-Summer (15 July – 31 August)	Mid-Summer (15 July – 31 August)	3x (15 July – 31 August)	Collect 3 measurements when water is present (31 March – 31 August)

Party responsible for data collection

Wilcox Farms

Reporting requirements

Provide annual report to the City by December 31st each year.

Exhibit D-1

General Resource Protection Standards

Updated March 2020

Introduction

This document lists the various resource protection standards that may be required as conditions of granting an easement, license to enter, or right-of-way (collectively referred to in this document as “easements”) on City Natural Areas and other conserved lands, in order to protect or restore natural resource values. These measures are consistent with the requirements in the City Land Use Code for Ecological Characterization Studies and for Resource Protection associated with development projects. The measures will be evaluated for each easement request and applied as needed, depending on the site location, characteristics of the site, and on the nature of the easement.

The applicable resource protection standards will be specifically included in the terms of the easement agreement. They must also be included as notes on the approved construction plans for the easement request. The easement holder (“Grantee”) must provide these standards to all contractors who will be doing work for the Grantee within the easement area. The City may also attach some or all of these requirements as an addendum to the Grantee’s Development Agreement, if applicable.

These resource protection standards are current as of March 2020. They may be updated from time to time by the Natural Areas Department based on new information about the resources of the City’s natural areas or on new information about best management practices. Applicants must contact the Natural Resources Department for a current list of standards.

The Grantee is responsible for completing, or requiring all its contractors and sub-contractors to complete, each of the following conditions that the City determines is applicable to the Grantee’s project:

Plans and Permits

Prior to starting any construction on the Project:

1. Submit final plans to the City and ensure that they have been approved and signed on behalf of the City. Confirm that all permanent and temporary easements have been approved by City Council and that the easement documents have been signed by both parties and recorded at the County Clerk’s Office. Plans must include: 1’-2’ contours; property lines with adjoining property ownership shown; all wetlands; streams; ditches; riparian areas; prairie dog colonies; raptor nests and raptor nests buffer zones; all existing and proposed man-made structures; all existing utilities; all needed easements for access, construction staging areas, and construction (limits of disturbance); construction plans and profiles; restoration plans; and general notes stating all construction and restoration requirements.
2. Obtain a City Excavation Permit.
3. Perform field investigations and surveys to determine the presence and location of sensitive plants or animal species and geological or archeological features.
4. Develop an erosion control plan. This plan must comply with the City’s *Storm Drainage Design Criteria and Construction Standards*. Ensure that the erosion control plan has been approved and signed by the City.
5. Contact the Corps of Engineers to obtain a 404 permit and/or clearance of the project. Submit two

EXHIBIT A TO ORDINANCE NO. 194, 2025

copies of the permit, or the letter of clearance from the Corps, to the City.

6. Conduct a Preble's meadow jumping mouse survey according to U.S. Fish and Wildlife Service guidelines. Submit two copies of the report and letter of clearance from the U.S. Fish and Wildlife Service to the City.
7. Conduct a Ute ladies' tresses orchid survey according to U.S. Fish and Wildlife Service guidelines. Submit two copies of the report and letter of clearance from the U.S. Fish and Wildlife Service to the City.

Construction Coordination and Project Acceptance

8. Arrange for the City's designated representative to attend the pre-construction meeting to meet the contractors, discuss the importance of the resource protection requirements, discuss and approve the construction schedule and establish lines of communication to be used during construction.
9. Maintain ongoing communication with the City's representative during construction to communicate progress, changes in schedule, problems, and periodic inspections.
10. Once the project has been completed, arrange for the City's representative to inspect the project site to verify that the project was completed, and the site restored according to the applicable plans and agreements. Once the City accepts the restoration work, the City will generally take over the vegetation maintenance, per the specific terms of the easement agreement.
11. Provide the City with Drawings of Record within sixty (60) days after the completion of the improvements.

Wildlife

12. Raptors: Survey the site to determine if any of the following species are present and check with the City for information on possible nesting, feeding or roosting sites.
 - a. All construction falling within raptor nest buffer zones will adhere to construction requirements for these zones.
 - b. If the site is used as a winter-feeding area by large birds of prey, construction cannot take place from October 15 through March 15 to avoid disturbing feeding eagles and large hawks, unless otherwise directed by the City.
 - c. If a bald eagle and/or ferruginous hawk winter night roost is located near the proposed easement, construction cannot take place from October 15 through March 15 to avoid disturbing night-roosting eagles and/or hawks.
 - d. If a Swainson's hawk nest is located near the proposed easement, construction cannot take place from April 1 through July 15 to avoid disrupting the nesting cycle of the hawk.
 - e. If a red-tailed hawk nest is located near the proposed easement, construction cannot take place from March 1 through July 15 to avoid disrupting the nesting cycle of the hawk.

EXHIBIT A TO ORDINANCE NO. 194, 2025

- f. If burrowing owls are nesting within 330 feet of the limits of development, construction cannot take place from April 1 through August 1 to avoid disrupting the nesting cycle of the owls.
- 13. If construction will be taking place in or through an area that contains or may contain prairie dogs, either relocate the prairie dogs or fumigate the burrows immediately prior to any grading. Relocation of Prairie dogs between February 1 and August 1 is not permitted. Burrowing owl survey required prior to fumigation. Proof of prairie dog eradication required prior to grading.
- 14. Perform the wildlife surveys described below, notify the City of the survey results and obtain approval of construction schedule prior to starting construction. These surveys may be done several months prior to construction, but if done more than 30 days prior to construction they must be performed again within 30 days prior to the start of construction to verify results.
 - a. The site may contain den sites for red foxes. Conduct surveys to determine if any foxes are denning within 100 feet of the limits of development. If foxes are found to be denning within 100 feet, then construction cannot take place during the normal denning and pup-rearing season (February 1 through October 1).
 - b. The site may contain den sites for coyotes. Conduct surveys to determine if any coyotes are denning within 300 feet of the limits of development. If coyotes are found to be denning within 300 feet, then construction cannot take place during the normal denning and pup-rearing season (February 1 through October 1).
 - c. The site may contain den sites for badgers. Conduct surveys to determine if any badgers are denning within 300 feet of the limits of development. If badgers are found to be denning within 300 feet, then construction cannot take place during the normal denning and young-rearing season (January 1 through August 1).

Plants

- 15. The site may contain plant species listed as rare in Colorado. If a rare plant is discovered prior to or during construction activities, notify the City. The City may, in its discretion, require the Grantee to remove all such plants within the limits of disturbance prior to construction, keep plants alive and replant after construction is completed, or the City may salvage existing plants and shrubs for transplanting to other sites.
- 16. The site may contain native shrubs and/or trees that may be within the limits of development. Any native shrubs/trees removed to allow construction or damaged during construction must be replaced or mitigated as approved by city staff and detailed in the mitigation plan.

Structures

- 17. Remove, store, protect and replace any man-made structures (e.g., kiosks, raptor perch poles, prairie dog barriers and fencing) within the limits of disturbance.
- 18. Repair any damage to concrete bike trails, fences, parking lots, or any other improvements caused directly or indirectly by the construction. Repair/replace improvements immediately to

EXHIBIT A TO ORDINANCE NO. 194, 2025

current City standards, including matching the color of the concrete.

Field Demarcation

19. Install orange construction fencing to mark the easement limits (limits of disturbance) on the site. Do not begin any construction activities until the City's representative has approved the fence location.
20. Post temporary signs informing the public that this is the Grantee's project and indicating the purpose of the project and the Grantee's phone number. Signs must be posted at the locations designated by the City.

Erosion Control

21. Have erosion control measures in place and approved by a City representative prior to any construction.
22. Obtain erosion control and de-watering permits as necessary.

Grading/Construction

23. Required documentation that equipment has been washed/disinfected prior to arriving on site to prevent the spread of noxious species.
24. For areas with native vegetation, strip topsoil in all areas of excavation to a depth of 8 inches and stockpile separately. Wetland and upland soils must be stockpiled separately from each other. Place the topsoil in an 8-inch layer on top of the subsoil in the corresponding zone immediately following the completion of construction.
25. For areas with non-native vegetation, strip the top 2 inches of topsoil from the entire construction easement area and remove the topsoil from the site to remove the non-native vegetation seed source. Then strip 8 inches of topsoil from the area to be excavated and stockpile separately. Wetland and upland soils must be stockpiled separately from each other. Place the topsoil in an 8-inch layer on top of the subsoil in the corresponding zone immediately following the completion of construction.
26. Maintain a safe work area and protect the safety and welfare of Grantee's employees, contractors or subcontractors, and the general public, including without limitation providing barricades and safety fences around excavations and drop-offs left open at the end of a workday. Safety precautions must be in compliance with all applicable laws, rules and regulations.
27. Compact backfill in trenches to 95% Standard Proctor Density. Test the compacted soils at 100' intervals horizontally and 2' intervals vertically within the area of excavation to ensure that this requirement has been met. Submit to the City all laboratory Proctor density results, and a copy of all field compaction tests. After compaction to final subgrade (8" below finished grade), the top 6 inches of subsoil must be ripped (no more than 20" between intervals), and the previously stripped and stockpiled topsoil materials spread evenly over the excavated areas. Soils in backfilled, compacted, topsoil trenches must match the grade of the surrounding undisturbed areas.

EXHIBIT A TO ORDINANCE NO. 194, 2025

28. Set all manhole covers, valve lids, vaults, etc. below or flush with the finished topsoil surface. If any improvements are approved for construction above the final grade, they must be painted with a color approved by the City.
29. Remove the upper sections of all existing manholes to be abandoned and fill the holes with soil. This soil must be compacted to 95% Standard Proctor Density to prevent settlement.
30. Remove the upper sections of all existing manholes to be retained, but that are not flush with the finished topsoil surface and rebuild to be flush with the topsoil surface.
31. Bring to grade (match surrounding topography) all settled and eroded areas along the existing pipeline, if any, to be abandoned during construction of the new pipeline. Repair any settlement that occurs over the existing pipeline or new pipelines after completion and acceptance of the project by the City. Any necessary repairs must be conducted in a manner and at a time directed by the City. Repaired areas must be restored as per restoration requirements outlined in this document or in the easement agreement.
32. Areas within the limits of disturbance that have been driven over, compacted or rutted by equipment must be scarified to a depth of 8" (not to exceed 10" between intervals), and regraded to original grade and contours.
33. Meet with the City's representative to discuss and get approval of the final grading and the seeding/mulching process prior to reseed. Seed all disturbed and topsoiled areas with a seed mix of native species specified by the City. The seed must be drilled into the soil an appropriate depth for the species in the mix and existing conditions, using a range drill (not a Brillion). Immediately following seeding, roll the seeded areas with a sheep's foot roller to lightly compact and imprint the soil. This removes air voids, provides better seed-soil contact and provides indentions in the soil that will capture moisture. All seeded areas must then be hydromulched in accordance with the City's *Storm Drainage Design Criteria and Construction Standards*. Following final grading and initial seeding of the Construction Easement Area and acceptance by the City, the City will be responsible for ongoing restoration management, including weed control, mowing, and reseed, as needed, in areas disturbed and seeded in accordance with this paragraph. The cost for the City to perform restoration management over the next five to ten years is calculated to be three thousand nine hundred eighty-five dollars (\$3,985.00) per acre of disturbance, or \$3,985 for disturbed areas less than 1-acre, based on grassland/shrubland cover types. Restoration management fees will be determined on a case-by-case basis for other cover types.

Any requirements listed above that are not completed in a timely manner may be corrected by the City at the Grantee's expense. The City will bill the Grantee for the cost of the correction plus management costs.

Standards and Guidelines for Restoration
Updated March 2020

PART 1 – GENERAL

1.1 DESCRIPTION

This section covers the requirements for the revegetation of utility easements on City Natural Areas and Open Lands. This includes but is not necessarily limited to upland and wetland soil stockpiling, preparation, and placement, soil amendments, seeding, mulching, sediment and erosion control fabrics, watering and initial care, and final inspection and acceptance by the City. This section addresses all areas disturbed during the work shown or indicated in the executed utility easement documents and approved project plans.

1.2 PROJECT MONITORING

The recipient of the utility easement (Grantee) shall notify the Natural Areas Department (NAD) at least three (3) working days prior to the commencement of any work. NAD will monitor the progress of the work throughout. NAD will also, at its discretion, collect samples during construction of seed, soil additives, water, or any other materials it deems necessary to ensure specifications are met.

1.3 SUBMITTALS

General - The Grantee shall be required to submit statements of guarantee and/or certifications from vendors who supply seed, mulches, tackifiers, and any soil amendments or other materials utilized on the project. These submittals are detailed in Part 2 – Materials.

Required Soils Testing – The Grantee shall, if requested by NAD, sample project soils and submit them for analysis to a qualified soil testing laboratory prior to the start of any seeding operations. As least one soil sample per project soil type must be collected. The location of soil samples shall be jointly determined by the Grantee and NAD. Soil Samples shall be analyzed for the following minimum parameters:

1. pH
2. % Organic Matter
3. Texture (actual % sand, silt, clay, not an estimate)
4. CEC (Contaminants of Emerging Concern)
5. Nitrate, Phosphorous, Potassium, Zinc, Iron, Copper, and Manganese (results in ppm)

The laboratory shall be informed of the species proposed to be planted and the general nature of the project. Based on this information, the laboratory shall provide written recommendations for soil amendments. This report shall be submitted to NAD, where it will be reviewed and approved or modified prior to any soil preparation or seeding.

1.4 GRANTEE'S SITE RESPONSIBILITIES

It shall be the responsibility of the Grantee to locate and protect all utilities, structures, roadways, parking areas, fences, survey markers, existing vegetation (e.g. trees), etc. on all work sites. Any damage caused by the Grantee or their subcontractors shall be immediately repaired or corrected by the Grantee at no expense to the City of Fort Collins.

1.5 CLEANING

All work sites shall be kept clean and free from all debris. At the conclusion of work, the Grantee shall remove and haul from the site all excess materials, debris, and equipment. Any damage

(e.g. damaged fencing, damaged road surfaces, excessive tire furrows, mud tracked onto pavement, etc.) resulting from the Grantee's activities shall be repaired by the Grantee to the satisfaction of NAD at no expense to the City of Fort Collins.

1.6 INSPECTION; ACCEPTANCE

Initial inspection – The Grantee shall give the NAD three (3) working days written notice prior to the beginning of any revegetation work. The Grantee and NAD will inspect the site and verify that all utility work has been completed in accordance with specifications, including but not limited to backfill and compaction, final site grading, replacement of topsoil, removal of all construction materials, and site cleanup. When this has been verified, NAD will notify the Grantee in writing that revegetation work may begin.

Conditional Acceptance - When work has been completed on the project or on any portion or phase of the project designated in the documents and plans, the Grantee and NAD shall inspect the site together and determine whether or not the work is complete and has been done in accordance with easement documents and specifications. If mutual agreement cannot be reached on these issues, the determinations made by NAD shall be final. Deficiencies in the work, if any, shall be noted and a checklist of these deficiencies given to the Grantee by NAD. The Grantee shall immediately correct any deficiencies listed on the checklist. When all checklist items are completed to the satisfaction of NAD, NAD shall issue a Certificate of Conditional Acceptance.

Final Inspection & Final Approval- The Grantee shall pay the City of Fort Collins Natural Area Department a lump sum of \$3,985 per acre disturbed, or \$3,985 for disturbances less than 1-acre, prior to signing and recording the easement. Once the initial restoration is completed the Grantee is issued a conditional letter of acceptance as defined above, the City will assume maintenance responsibility for the revegetated area. This acceptance **DOES NOT** relieve the Grantee from the warranty of the work as defined below in the **Warranty** paragraph.

Warranty - The Grantee shall warrant all seeded areas against defective materials and workmanship for two growing seasons from the date of Conditional Acceptance. At any time during the warranty period, NAD may order any samples collected at the time of seeding to be tested for purity, weed content, species present, etc. The Grantee shall be responsible for the cost of these tests. The Grantee shall rework and reseed (in accordance with the provisions in the original project specifications) any areas that are dead, diseased, contain too many weedy species, or in the opinion of NAD are in an unhealthy condition as a result of defective materials or workmanship, at no cost to the City. Any and all reseeding or other remedial measures required shall be completed within ten days of notification by NAD.

PART 2. MATERIALS

2.1 GENERAL

All materials used shall be new and without flaws or defects of any type and shall be the best of their class and kind. All materials furnished shall be free of noxious weeds as defined in Article III, Section 20-41 of the Code of the City of Fort Collins, including but not limited to Russian Knapweed, Canada Thistle, Field Bindweed, Johnsongrass, Leafy Spurge, and Kochia. Any materials which have become wet, moldy, or otherwise damaged in transit or in storage will not be used.

All materials shall be furnished in original manufacturers shipping bags or containers and remain in these bags or containers until they are used. All materials shall be stored in a manner which will prevent contact with precipitation, surface water, or any other contaminating substance.

2.2 SEED

The seed mix will be specified by NAD. All seed shall be mixed by a wholesale seed supplier in the proportions determined by NAD in order to obtain the application rate specified by NAD. All seed shall conform to all current State and Federal regulations and will be subject to the testing provisions of the Association of Official Seed Analysis. All seed and seed mixes shall be furnished in bags or containers clearly labeled to show the name and address of the supplier, the common, scientific, and variety name(s) of the seed(s), the lot number, point of origin, net weight, percent of weed content, and the guaranteed percentage of purity and germination.

These labels shall be submitted to NAD for approval prior to seeding. The Grantee shall furnish to NAD a signed statement certifying that the seed furnished is from a lot that has been tested by a recognized laboratory for seed testing within six months prior to the date of delivery.

2.3 FERTILIZER

Fertilizers are not permitted.

2.4 MULCH

General - The type of mulching material to be used shall be designated by NAD.

Hay or Straw Mulch - All hay or straw mulch shall be grass hay or straw. At least seventy-five (75%) percent of the mulch by weight shall be ten (10") inches or more in length. Mulch shall not contain any noxious weed, must, mold, cake, or decay. All mulch must be certified, copies of certification to be submitted to NAD for approval prior to transport to the construction site.

Native Grass Hay Mulch – At least seventy-five (75%) of the mulch by weight shall be ten (10") inches or more in length. Native grass hay mulch shall be certified, copies of the certification to be submitted to NAD for approval prior to transport to the construction site.

Hydraulic Mulch - Hydromulch material shall consist of at least ninety (90%) percent virgin wood cellulose fiber and be free of any substance or factor which might inhibit germination or growth of grass seed. The wood cellulose fibers shall have the property of becoming evenly dispersed and suspended when agitated in water. Hydraulic mulch shall be clean and shall not contain the seeds of noxious weeds or unspecified grasses. It shall be dyed a color to allow visual metering of its application. When sprayed uniformly on the surface of the soil, the fibers shall form a blotter-like ground cover which readily absorbs water and allows infiltration to the underlying soil. Weight specifications for hydraulic mulch from suppliers and for all applications shall refer only to air dry weight of the fiber, a standard equivalent to ten (10%) percent moisture. The hydraulic mulch material shall be supplied in packages having a gross weight not in excess of one hundred (100 lbs.) pounds and shall be marked by the manufacturer to show the air-dry weight content.

The Grantee shall obtain and submit to the project manager certifications from suppliers of hydraulic mulch that laboratory and field testing of their product has been accomplished, and that it meets all the foregoing requirements pertaining to wood cellulose fiber mulch.

2.5 ORGANIC TACKIFIER/BINDER

Tackifier, if needed for hydro mulching operations, shall be approved by NAD prior to its use. Tackifier shall be an approved commercial grade product (such as "M-Binder" from Ecology Controls, P.O. Box 1275, Carpinteria, CA 93013) suitable for use with virgin wood cellulose fiber mulch. Any tackifier

shall be a non-toxic, non-corrosive, all organic powder which forms a resilient, re-wetable membrane when combined with wood fiber mulches and water. Tackifier materials shall be furnished in original manufacturer's bags or containers clearly labeled to show the name and address of the supplier, and the material chemical contents. Labels and certificates shall be submitted to NAD

2.6 EROSION CONTROL NETTING, BLANKETS, MATS, FABRICS

Erosion control blankets, mats, or other commercial products for stabilizing land disturbed areas may be required in certain areas. If so, the type, manufacturer, and installation method for these products will be specified by NAD.

2.7 WATER

All water used on projects under this Contract shall be free of any substances harmful to plant germination and growth, or to the environment in general. The Grantee shall be responsible for furnishing and applying water which meets these requirements. NAD may, at the Grantee's expense, submit samples of water used on any project for laboratory analysis (of a reasonable number and kind) to ensure the quality of the water.

EXHIBIT B TO ORDINANCE NO. 194, 2025

DocuSign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

TEMPORARY CONSTRUCTION EASEMENT (City Property-Development Review)

Grantor: City of Fort Collins, Colorado, a municipal corporation
Grantor Signing Authority and Title: Jenni Arndt, Mayor
Grantor Mailing Address: C/O Real Estate Services, P.O. Box 580, Fort Collins, CO 80522
Grantor Phone Number/Email: (970) 221-6211 / RealEstateServices@fcgov.com

Grantee: Willox Development Partners, LLC, a Colorado limited liability company
Grantee Signing Authority and Title: James Righeimer, Manager
Grantee Mailing Address: 1510 Larimer Ridge Pkwy, Timnath, CO 80547
Grantee Phone Number/Email: 970-532-5891 / kristin@tbgroup.us

Project: Utilities and other Infrastructure Improvements to be installed by Grantee pursuant to the approved plans (the “Plans”) and specifications set forth in the Final Development Plan FDP240005 and associated documents, including any amendments thereto

Effective Date: Upon Grantor’s issuance of a Development Construction Permit for the Project, but no later than twelve (12) months after the date of mutual execution of this TCE

Expiration Date: One (1) year after the Effective Date, subject to the extension and revival permissions provided herein

Consideration: \$28,000, being \$9,075 (Alignment) + \$4,850 (TCE) + \$14,075 (Expenses)

Exhibit A – Larger Parcel Description: 1 page
Exhibit B – TCE Area Legal Description: 3 pages
Exhibit B – TCE Area Depiction: 3 pages

This **TEMPORARY CONSTRUCTION EASEMENT** (the “TCE”) is made and entered into by and between Grantor and Grantee on the dates written below, and the above referenced Exhibits A through C are attached hereto and made a part of this TCE.

1. Grantor’s Property. Grantor is the owner of that certain parcel of real property located in Larimer County, Colorado, which is legally described on **Exhibit A** (the “Larger Parcel”).
2. Grant of Easement. For and in consideration of the covenants and agreements herein set forth, the sum of the Consideration, and other good and valuable consideration, the receipt and adequacy of which Grantor acknowledges, Grantor grants, sells, and conveys to Grantee, its agents, contractors, successors, and assigns, a temporary construction easement (the “Easement”) on, over, under, and across that certain portion of the Larger Parcel described more fully on **Exhibit B** and depicted on **Exhibit C** (the “TCE Area”), subject to the conditions and restrictions set forth below.

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

3. Purpose and Use of Easement.

A. During the term of this TCE, Grantee may use the TCE Area for the following temporary activities related to the Project:

- Construction activities;
- Marking the location of the TCE Area by suitable markers set in the ground;
- Storage and staging of materials and equipment;
- Fencing and gates for security and safety purposes;
- Ingress and egress to the construction site;
- The right to use existing gates in all fences which now cross or shall hereafter cross the TCE Area; and
- Restoration activities in accordance with this TCE.

B. Grantee's use of the Easement is subject to the following:

- Grantee may only access the TCE Area from any adjoining public right of way or other legal access point, and Grantee has no right of ingress and egress across any portion of the Larger Parcel not included in the TCE Area;
- If Grantor's main access to the Larger Parcel is located within the TCE Area, Grantee must allow for Grantor's reasonable access to the Larger Parcel;
- All activities by Grantee on the TCE Area must be carried out in a manner and on a schedule reasonably expected to minimize disturbance to the natural features of said property and Grantor's intended purposes and uses therefor;
- Grantee shall protect all trees located on the Larger Parcel from any damage by Grantee's construction activities, except as otherwise authorized in the Plans;
- Trees that need to be replaced due to construction related activities are to be born solely by Grantee and per assigned mitigation values as determined by City Forester, as provided for in the Plans.
- Grantee shall restore the TCE Area in accordance with Section 6 below and in accordance with the Plans;
- Any damage to Parks' irrigation infrastructure shall be repaired or replaced by Grantee at no cost to the City at the direction of the Grantor's Parks Department.
- Grantee shall have no right to install, maintain, or use new gates in any fences, unless it obtains the prior written consent of Grantor;
- Grantee shall provide Grantor notice of the date it intends to commence construction operations for the Project, insofar as said operations pertain to the TCE Area, at least seven (7) calendar days prior to such date, and Grantee shall coordinate such work in the TCE Area with Grantor;
- All activities by Grantee within the TCE Area must be carried out in a secure and sanitary manner and to prevent injury or damage to persons or property;
- Grantee shall provide Grantor notice of any accident, emergency, or other dangerous or hazardous occurrence within one calendar day of such occurrence and Grantee must make best efforts to correct or mitigate any such occurrence as soon as practicably possible; and

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

- Grantee shall not be permitted to enter any portion of any building located within the TCE Area without obtaining the prior written consent of Grantor.

4. Grantor's Rights in the TCE Area. Grantor reserves the right to use the TCE Area for any purposes that will not interfere with Grantee's full enjoyment of the rights granted herein, including but not limited to the following:

- To operate or allow others to operate utility improvements within the TCE Area;
- To grant to third parties the right to use the TCE Area;
- To plant and maintain trees, shrubs, or other landscaping; and
- To install and/or utilize other improvements.

5. Maintenance of the TCE Area. During the term of this TCE, the Grantee will maintain the surface of the TCE Area, specifically limited to any conditions directly caused by Grantee's use and occupancy of the TCE Area or conditions reasonably within Grantee's control. Grantee will not deposit, or permit, or allow to be deposited any hazardous or combustible substance or material within the TCE Area.

6. Restoration of TCE Area.

- A. Prior to the Expiration Date, Grantee, in accordance with the requirements of this Section 6 and the requirements of the Plans, will make such repairs or take such other action as may be necessary to restore the TCE Area to a condition comparable to its condition as of the Effective Date (the "Construction Repairs"), including but not limited to the reseeding and replanting of any disturbed areas, correction of any subsidence, and restoration of any other improvements or conditions impacted by Grantee's activities.
- B. The parties acknowledge that the infrastructure improvements set forth in the Plans shall be considered part of the Construction Repairs and are authorized alterations to the Larger Parcel.
- C. The Grantee agrees to provide to Grantor a two-year maintenance guarantee and a two-year repair guarantee covering the design, construction, and maintenance of the Construction Repairs (the "Construction Guarantees"). The Construction Guarantees shall commence upon the date of the City's final approval and acceptance of the Construction Repairs, which shall be in writing (the "Final Approval"). Subject to the foregoing, the ownership of the Construction Repairs shall pass to Grantor upon Final Approval.
- D. If the Grantee is required by Grantor to perform work pursuant to the Restoration Guarantees after the automatic expiration of this TCE (the "Additional Work"), the terms and provisions of this TCE shall govern, and this TCE shall be revived for the limited purpose of Grantee's completion of the Additional Work. Any rights granted under this Paragraph 6(D) shall automatically expire upon Final Approval.

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

- E. The parties agree that the Plans may contain more specific details regarding the Construction Repairs, and that the Plans shall control in the event of a conflict between this TCE and the Plans, insofar as they pertain to the specific requirements of Grantee.

7. Term.

- A. This TCE will commence on the Effective Date and will automatically terminate thirty (30) days after final completion of the Project, but in no event later than the Expiration Date. However, Grantee may unilaterally terminate this TCE prior to the Expiration Date by providing written notice to Grantor.
- B. Grantee shall have the unilateral option to extend the Expiration Date of this TCE for an additional twelve (12) months (the “Extended Expiration Date”), by providing Grantor written notice thereof and consideration therefore at least fifteen (15) days prior to the Expiration Date. The consideration due and payable for this extension of the Expiration Date shall be four thousand eight hundred fifty dollars (\$4,850).
- C. Other than the potential extension under Section 6(D) or the potential extension up to the Extended Expiration Date under Section 7(B), no additional extension of this TCE term shall be effective unless an amendment hereto is executed by both parties.

8. No Recordation. The parties agree that this TCE shall not be recorded by either party.

9. Authority. Each person executing this TCE represents and warrants that he or she is duly authorized to execute this TCE in his or her individual or representative capacity as indicated.

10. Representations of Grantor. Grantor makes no representations or warranties as to the lawful ownership of the Larger Parcel, and Grantee assumes responsibility for all due diligence related to this transaction.

11. Indemnity and Insurance.

- A. Grantee agrees to release and, unless Grantee is a governmental entity, indemnify Grantor, its officers, agents, employees, representatives, successors, and assigns from and against all claims that may accrue to Grantee for personal injury, death, or property damage resulting from or arising out of the Grantee’s use of the TCE Area or other activities on the Larger Parcel. To the extent permitted by law, and without waiving any of the provision so the Colorado Governmental Immunity Act, Grantee assumes responsibility, as between Grantor and Grantee, for any liability to third parties arising out of Grantee’s use of the Easement Area or other activities on Grantor’s Larger Parcel, including but not limited to the construction, installation, operation, repair, and maintenance of improvements within the Easement Area, and for any actions or omissions by Grantee in violation of this Conveyance.
- B. Grantee shall procure, pay for, and keep in full force and effect during the term of the TCE a comprehensive policy of general liability insurance insuring Grantee in an

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

amount not less than One Million Dollars (\$1,000,000.00) covering bodily injury, including death to persons, personal injury, and property damage liability arising out of a single occurrence. Such coverage must include, without limitation, the insured's liability for property damage, bodily injuries, and death of persons in connection with Grantee's activities in the TCE Area or on Grantor's property (including acts or omissions of Grantee or of its officers, employees, or agents), and protection against liability for non-owned and hired automobiles.

- C. All policies of insurance required hereunder must name Grantor as an additional insured and shall contain a provision that the policy or policies cannot be canceled or materially altered either by the insured or the insurance company until fifteen (15) days' prior written notice thereof is given to Grantor. Upon issuance or renewal of any such insurance policy, Grantee shall furnish a certificate of insurance to Grantor.
- D. In the event Grantee fails or neglects to maintain, or require its contractor to procure and maintain, as applicable, the insurance required by this paragraph, then Grantor shall have the right, upon giving the Grantee reasonable notice of its election to do so, to take out and maintain such insurance at the expense of the Grantee, and in such event the cost of such insurance shall be paid for by the Grantee promptly upon receipt of an invoice covering such charges.

12. Notice.

- A. Any notice or other communication relating to this TCE must be in writing and shall be deemed given upon actual receipt at the physical or electronic mailing addresses set forth above, which may be amended by providing written notice to the other party.
- B. Grantee shall provide written notice to Grantor at least fifteen (15) days prior to the commencement of any construction operations in the TCE Area, including any Additional Work to be performed pursuant to this TCE.

13. Default, Remedies and Litigation Expenses. If a party to this TCE is in default in performance of its respective obligations hereunder, the other party has the right to an action for specific performance and/or damages. Prior to proceeding with any such action, the party not in default must first send written notice to the defaulting party specifying the default and affording such party a reasonable period to cure the default.

14. Assignment. The Grantee may not assign its rights under this TCE without the prior written consent of the acting Director of the Parks Department of the City of Fort Collins, Colorado. Assignment of this TCE shall not relieve the Grantee of its obligations under this TCE, and the Grantee shall remain jointly and severally liable for the Grantee's performance required by this TCE.

15. Additional Terms and Conditions. Whenever used herein, the singular number includes the plural, the plural the singular, and the use of any gender is applicable to all genders. All of the covenants herein contained are binding upon and inure to the benefit of the parties hereto, their agents, contractors, successors, and assigns. The parties agree that this TCE is to be construed and

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

enforced according to the laws of Colorado, and venue for any proceeding relating to the subject matter of this TCE shall be in Larimer County, Colorado. If any term of this TCE is determined by any court to be unenforceable, the other terms of this TCE shall nonetheless remain in full force and effect; provided, however, that if the severance of any such provision materially alters the rights or obligations of the parties, the parties shall engage in good faith negotiations in order to adopt mutually agreeable amendments to this TCE as may be necessary to restore the parties as closely as possible to the initially agreed upon relative rights and obligations.

16. Final Agreement. This TCE represents the entire understanding and agreement between the parties with respect to the subject matter hereof and supersedes and replaces all previous oral and written representations, understandings, and agreements between the parties pertaining to the subject matter of this TCE.

IN WITNESS WHEREOF, the parties have set their hands and seals on the date(s) written below, but this TCE shall be effective as of the Effective Date, subject to the final passage of an Ordinance by the City Council of the City of Fort Collins, Colorado.

[Signatures on the following page(s)]

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

GRANTOR:

City of Fort Collins, Colorado

Date: _____

By: _____
Jeni Arndt, Mayor

ATTEST:

(Print Name, Title)


APPROVED AS TO FORM:

Assistant City Attorney

(Print Name, Title)

GRANTEE:

Wilcox Development Partners, LLC

By:  _____
James Righheimer, Manager

Date: 11/4/2025 _____

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

Exhibit A Larger Parcel Description (Page 1 of 1)

Larger Parcel Description:

24.3129 acres, more or less, located in the N/2 of Section 2, T7N, R69W, 6th PM, Larimer County, Colorado, being more particularly described as Lot 1 of Lakewood Estates Mobile Home Park, recorded at Book 1638, Page 616, Clerk and Recorder's Records, Larimer County, Colorado.

Location Address:

520 Hickory St
Fort Collins, CO 80524

Assessor Parcel Number:

9702205901

Map:




EXHIBIT B TO ORDINANCE NO. 194, 2025

DocuSign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

Exhibit B TCE Area Legal Description (Page 1 of 3)

DESCRIPTION

A parcel of land being a portion of Lot 1, Lakewood Estates Mobile Home Park, recorded as Book 1638, Page 616 of the Records of Larimer County and situate within the North Half of Section 2, Township 7 North, Range 69 of the 6th P.M., City of Fort Collins, County of Larimer, State of Colorado, being more particularly described as follows;

Considering the north line of the Southeast Quarter of the Northwest Quarter of Section 2 as bearing North 89° 19' 45" West with the Center-East-Northwest 1/64th corner being a 3 1/4" aluminum cap on #6 rebar stamped LS 38106 and the Center-North 1/16th corner being a 2 1/2" aluminum cap on #6 rebar and with all bearings contained herein relative thereto:

BEGINNING at the Center-North 1/16th corner of Section 2, said point being on the north line of Lot 1, Lakewood Estates Mobile Home Park, said point being **POINT OF BEGINNING 1**;
THENCE South 08° 09' 29" East, a distance of 7.89 feet;
THENCE along the arc of a curve to the right, a distance of 69.02 feet, said curve has a radius of 261.42 feet, a delta of 15° 07' 36" and is subtended by a chord bearing South 87° 39' 55" East, a distance of 68.82 feet;
THENCE along the arc of a curve to the right, a distance of 55.04 feet, said curve has a radius of 60.44 feet, a delta of 52° 10' 09" and is subtended by a chord bearing South 54° 01' 02" East, a distance of 53.15 feet;
THENCE North 33° 29' 42" East, a distance of 11.62 feet;
THENCE South 56° 30' 18" East, a distance of 18.25 feet;
THENCE South 33° 29' 42" West, a distance of 15.98 feet;
THENCE along the arc of a curve to the left, a distance of 48.66 feet, said curve has a radius of 131.84 feet, a delta of 21° 08' 41" and is subtended by a chord bearing South 37° 47' 26" West, a distance of 48.38 feet;
THENCE along the arc of a curve to the left, a distance of 128.40 feet, said curve has a radius of 149.73 feet, a delta of 49° 07' 50" and is subtended by a chord bearing South 02° 39' 11" West, a distance of 124.50 feet;
THENCE along the arc of a curve to the right, a distance of 134.59 feet, said curve has a radius of 217.00 feet, a delta of 35° 32' 16" and is subtended by a chord bearing South 04° 08' 36" East, a distance of 132.45 feet;
THENCE South 13° 37' 32" West, a distance of 54.99 feet; THENCE South 02° 01' 55" East, a distance of 41.58 feet;
THENCE North 89° 56' 58" East, a distance of 54.85 feet; THENCE South 00° 03' 02" East, a distance of 827.80 feet;
THENCE North 90° 00' 00" East, a distance of 10.82 feet; THENCE South 01° 01' 23" West, a distance of 16.75 feet;
THENCE North 89° 20' 01" West, a distance of 30.51 feet;
THENCE North 00° 03' 02" West, a distance of 824.17 feet;
THENCE South 89° 56' 58" West, a distance of 45.96 feet;
THENCE along the arc of a curve to the left, a distance of 90.58 feet, said curve has a radius of 439.00 feet, a delta of 11° 49' 20" and is subtended by a chord bearing South 01° 04' 15" East, a distance of 90.42 feet;
THENCE South 81° 53' 29" West, a distance of 20.00 feet;
THENCE along the arc of a curve to the right, a distance of 9.13 feet, said curve has a radius of 459.00 feet, a delta of 01° 08' 23" and is subtended by a chord bearing North 06° 27' 40" West, a distance of 9.13 feet;
THENCE along the arc of a curve to the right, a distance of 49.56 feet, said curve has a radius of 45.00 feet, a delta of 63° 06' 20" and is subtended by a chord bearing North 02° 57' 02" West, a distance of 47.10 feet;
THENCE along the arc of a curve to the right, a distance of 101.28 feet, said curve has a radius of 459.00 feet, a delta of 12° 38' 34" and is subtended by a chord bearing North 06° 18' 41" East, a distance of 101.08 feet;
THENCE North 02° 01' 55" West, a distance of 186.65 feet;
THENCE North 21° 09' 10" West, a distance of 10.00 feet;
THENCE along the arc of a curve to the left, a distance of 35.01 feet, said curve has a radius of 60.32 feet, a delta of 33° 15' 11" and is subtended by a chord bearing North 66° 21' 52" West, a distance of 34.52 feet;
THENCE along the arc of a curve to the left, a distance of 25.32 feet, said curve has a radius of 102.46 feet, a delta of 14° 09' 22" and is subtended by a chord bearing South 89° 21' 32" West, a distance of 25.25 feet;
THENCE along the arc of a curve to the left, a distance of 60.89 feet, said curve has a radius of 209.50 feet, a delta of 16° 39' 15" and is subtended by a chord bearing South 67° 52' 55" West, a distance of 60.68 feet;
THENCE South 60° 33' 30" West, a distance of 39.01 feet;
THENCE along the arc of a curve to the right, a distance of 38.73 feet, said curve has a radius of 116.00 feet, a delta of 19° 07' 41" and is subtended by a chord bearing South 70° 07' 21" West, a distance of 38.55 feet;
THENCE South 79° 41' 11" West, a distance of 74.53 feet;
THENCE along the arc of a curve to the left, a distance of 74.47 feet, said curve has a radius of 219.52 feet, a delta of 19° 26' 14" and is subtended by a chord bearing South 69° 00' 48" West, a distance of 74.12 feet;
THENCE along the arc of a curve to the left, a distance of 28.45 feet, said curve has a radius of 213.14 feet, a delta of 07° 38' 54" and is subtended by a chord bearing South 57° 14' 16" West, a distance of 28.43 feet;
THENCE along the arc of a curve to the left, a distance of 58.84 feet, said curve has a radius of 235.49 feet, a delta of 14° 19' 00" and is subtended by a chord bearing South 46° 15' 20" West, a distance of 58.69 feet;
THENCE along the arc of a curve to the left, a distance of 38.13 feet, said curve has a radius of 287.63 feet, a delta of 07° 35' 46" and is subtended by a chord bearing South 35° 17' 57" West, a distance of 38.10 feet;
THENCE along the arc of a curve to the left, a distance of 49.27 feet, said curve has a radius of 129.56 feet, a delta of 21° 47' 23" and is subtended by a chord bearing South 20° 36' 23" West, a distance of 48.97 feet;

Sheet

1

Of 6
Sheets



PROJECT:
987-012

DATE:
11/04/25

DRAWN BY:
L. SMITH

CLIENT:
CAPRI COLORADO LLC

SECTION-TWP-RGE:
S2-T7N-R69W

REVIEW BY:
R. TESSELY

THIS EXHIBIT IS NOT A
MONUMENTED LAND SURVEY.
IT IS MEANT TO AID IN THE
VISUALIZATION OF THE
ACCOMPANYING WRITTEN
DESCRIPTION. THE WRITTEN
DESCRIPTION SUPERCEDES THE
EXHIBIT DRAWING.

EXHIBIT B TO ORDINANCE NO. 194, 2025

DocuSign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

DESCRIPTION

THENCE along the arc of a curve to the left, a distance of 44.65 feet, said curve has a radius of 396.50 feet, a delta of 06° 27' 05" and is subtended by a chord bearing South 06° 29' 09" West, a distance of 44.62 feet;
THENCE along the arc of a curve to the left, a distance of 51.62 feet, said curve has a radius of 122.99 feet, a delta of 24° 02' 46" and is subtended by a chord bearing South 08° 45' 47" East, a distance of 51.24 feet;
THENCE along the arc of a curve to the left, a distance of 21.21 feet, said curve has a radius of 203.96 feet, a delta of 05° 57' 33" and is subtended by a chord bearing South 23° 45' 56" East, a distance of 21.20 feet;
THENCE along the arc of a curve to the left, a distance of 46.01 feet, said curve has a radius of 426.27 feet, a delta of 06° 11' 04" and is subtended by a chord bearing South 29° 50' 15" East, a distance of 45.99 feet;
THENCE along the arc of a curve to the left, a distance of 42.92 feet, said curve has a radius of 1077.98 feet, a delta of 02° 16' 52" and is subtended by a chord bearing South 34° 04' 13" East, a distance of 42.92 feet;
THENCE along the arc of a curve to the right, a distance of 64.14 feet, said curve has a radius of 352.57 feet, a delta of 10° 25' 26" and is subtended by a chord bearing South 29° 59' 56" East, a distance of 64.06 feet;
THENCE along the arc of a curve to the right, a distance of 54.17 feet, said curve has a radius of 193.40 feet, a delta of 16° 02' 58" and is subtended by a chord bearing South 16° 45' 44" East, a distance of 54.00 feet;
THENCE along the arc of a curve to the right, a distance of 70.90 feet, said curve has a radius of 514.64 feet, a delta of 07° 53' 35" and is subtended by a chord bearing South 04° 47' 27" East, a distance of 70.84 feet;
THENCE South 00° 50' 40" East, a distance of 55.68 feet;
THENCE South 02° 16' 34" West, a distance of 13.37 feet;
THENCE South 80° 53' 27" West, a distance of 16.10 feet;
THENCE North 13° 14' 26" West, a distance of 15.54 feet;
THENCE North 00° 50' 40" West, a distance of 56.17 feet;
THENCE along the arc of a curve to the left, a distance of 68.14 feet, said curve has a radius of 494.64 feet, a delta of 07° 53' 35" and is subtended by a chord bearing North 04° 47' 27" West, a distance of 68.09 feet;
THENCE along the arc of a curve to the left, a distance of 48.57 feet, said curve has a radius of 173.40 feet, a delta of 16° 02' 58" and is subtended by a chord bearing North 16° 45' 44" West, a distance of 48.41 feet;
THENCE along the arc of a curve to the left, a distance of 60.51 feet, said curve has a radius of 332.57 feet, a delta of 10° 25' 26" and is subtended by a chord bearing North 29° 59' 56" West, a distance of 60.42 feet;
THENCE along the arc of a curve to the right, a distance of 43.72 feet, said curve has a radius of 1097.98 feet, a delta of 02° 16' 52" and is subtended by a chord bearing North 34° 04' 13" West, a distance of 43.71 feet;
THENCE along the arc of a curve to the right, a distance of 48.17 feet, said curve has a radius of 446.27 feet, a delta of 06° 11' 04" and is subtended by a chord bearing North 29° 50' 15" West, a distance of 48.15 feet;
THENCE along the arc of a curve to the right, a distance of 23.29 feet, said curve has a radius of 223.96 feet, a delta of 05° 57' 33" and is subtended by a chord bearing North 23° 45' 56" West, a distance of 23.28 feet;
THENCE along the arc of a curve to the right, a distance of 60.01 feet, said curve has a radius of 142.99 feet, a delta of 24° 02' 46" and is subtended by a chord bearing North 08° 45' 47" West, a distance of 59.57 feet;
THENCE along the arc of a curve to the right, a distance of 46.90 feet, said curve has a radius of 416.50 feet, a delta of 06° 27' 05" and is subtended by a chord bearing North 06° 29' 09" East, a distance of 46.87 feet;
THENCE along the arc of a curve to the right, a distance of 56.88 feet, said curve has a radius of 149.56 feet, a delta of 21° 47' 23" and is subtended by a chord bearing North 20° 36' 23" East, a distance of 56.53 feet;
THENCE along the arc of a curve to the right, a distance of 40.78 feet, said curve has a radius of 307.63 feet, a delta of 07° 35' 46" and is subtended by a chord bearing North 35° 17' 57" East, a distance of 40.75 feet;
THENCE along the arc of a curve to the right, a distance of 63.84 feet, said curve has a radius of 255.49 feet, a delta of 14° 19' 00" and is subtended by a chord bearing North 46° 15' 20" East, a distance of 63.67 feet;
THENCE along the arc of a curve to the right, a distance of 30.69 feet, said curve has a radius of 232.34 feet, a delta of 07° 34' 07" and is subtended by a chord bearing North 57° 11' 29" East, a distance of 30.67 feet;
THENCE along the arc of a curve to the right, a distance of 81.17 feet, said curve has a radius of 239.52 feet, a delta of 19° 25' 03" and is subtended by a chord bearing North 69° 02' 53" East, a distance of 80.79 feet;
THENCE North 79° 41' 08" East, a distance of 74.76 feet;
THENCE along the arc of a curve to the left, a distance of 32.05 feet, said curve has a radius of 96.00 feet, a delta of 19° 07' 41" and is subtended by a chord bearing North 70° 07' 21" East, a distance of 31.90 feet;
THENCE North 60° 33' 36" East, a distance of 38.77 feet;
THENCE along the arc of a curve to the right, a distance of 39.11 feet, said curve has a radius of 229.50 feet, a delta of 09° 45' 48" and is subtended by a chord bearing North 64° 27' 50" East, a distance of 39.06 feet;
THENCE North 71° 30' 54" East, a distance of 44.43 feet;
THENCE along the arc of a curve to the left, a distance of 28.98 feet, said curve has a radius of 95.00 feet, a delta of 17° 28' 51" and is subtended by a chord bearing North 61° 12' 36" East, a distance of 28.87 feet;
THENCE North 21° 09' 10" West, a distance of 133.48 feet to Point A;
THENCE along the arc of a curve to the right, a distance of 26.43 feet, said curve has a radius of 404.10 feet, a delta of 03° 44' 52" and is subtended by a chord bearing South 89° 07' 57" West, a distance of 26.43 feet;
THENCE along the arc of a curve to the right, a distance of 62.35 feet, said curve has a radius of 173.45 feet, a delta of 20° 35' 49" and is subtended by a chord bearing North 78° 41' 42" West, a distance of 62.02 feet;

Sheet

2

Of 6

Sheets



PROJECT:

987-012

DATE:

11/04/25

DRAWN BY:

L. SMITH

CLIENT:

CAPRI COLORADO LLC

SECTION-TWP-RGE:

S2-T7N-R69W

REVIEW BY:

R. TESSELY

THIS EXHIBIT IS NOT A
MONUMENTED LAND SURVEY.
IT IS MEANT TO AID IN THE
VISUALIZATION OF THE
ACCOMPANYING WRITTEN
DESCRIPTION. THE WRITTEN
DESCRIPTION SUPERCEDES THE
EXHIBIT DRAWING.

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

DESCRIPTION

THENCE along the arc of a curve to the left, a distance of 37.69 feet, said curve has a radius of 307.89 feet, a delta of 07° 00' 53" and is subtended by a chord bearing North 71° 54' 14" West, a distance of 37.67 feet;
THENCE along the arc of a curve to the right, a distance of 5.58 feet, said curve has a radius of 30.20 feet, a delta of 10° 35' 41" and is subtended by a chord bearing North 70° 04' 44" West, a distance of 5.58 feet;
THENCE North 89° 19' 45" West, a distance of 477.55 feet;
THENCE South 00° 59' 22" West, a distance of 5.00 feet;
THENCE North 89° 19' 45" West, a distance of 10.00 feet;
THENCE South 00° 59' 22" West, a distance of 15.17 feet;
THENCE North 89° 00' 38" West, a distance of 30.00 feet;
THENCE North 00° 59' 21" East, a distance of 25.00 feet to the Center-East-Northwest 1/64th corner;
THENCE South 89° 19' 45" East, along the north line of said Lot 1, a distance of 567.36 feet;
THENCE along the arc of a curve to the left, a distance of 53.57 feet, said curve has a radius of 153.53 feet, a delta of 19° 59' 33" and is subtended by a chord bearing South 78° 59' 32" East, a distance of 53.30 feet;
THENCE along the arc of a curve to the left, a distance of 19.16 feet, said curve has a radius of 384.10 feet, a delta of 02° 51' 31" and is subtended by a chord bearing North 89° 34' 38" East, a distance of 19.16 feet;
THENCE North 08° 09' 29" West, a distance of 9.31 feet to said north line of Lot 1;
THENCE South 89° 19' 45" East, a distance of 20.24 feet, along said North line, to **POINT OF BEGINNING 1**, containing 69,429 square feet or 1.60 acres, more or less;

LESS: EXCEPTED AREA

COMMENCING at aforementioned Point A;

THENCE North 86° 00' 02" East, a distance of 20.93 feet to **POINT OF BEGINNING 2**;
THENCE along the arc of a curve to the right, a distance of 62.42 feet, said curve has a radius of 241.42 feet, a delta of 14° 48' 46" and is subtended by a chord bearing South 86° 24' 35" East, a distance of 62.24 feet;
THENCE along the arc of a curve to the right, a distance of 48.95 feet, said curve has a radius of 25.00 feet, a delta of 112° 10' 59" and is subtended by a chord bearing South 22° 54' 42" East, a distance of 41.50 feet;
THENCE along the arc of a curve to the left, a distance of 43.22 feet, said curve has a radius of 169.73 feet, a delta of 14° 35' 19" and is subtended by a chord bearing South 25° 53' 08" West, a distance of 43.10 feet;
THENCE along the arc of a curve to the right, a distance of 34.41 feet, said curve has a radius of 95.00 feet, a delta of 20° 45' 05" and is subtended by a chord bearing South 28° 58' 01" West, a distance of 34.22 feet;
THENCE North 21° 09' 10" West, a distance of 118.84 feet to **POINT OF BEGINNING 2**, containing 5,032 square feet or 0.12 acres, more or less;

Net Area contains 64,397 square feet or 1.48 acres, more or less;

May be subject to easements, rights-of-way, covenants and restrictions of record.

Exhibit attached hereto and made a part hereof.

SURVEYOR'S CERTIFICATE

I, Robert C. Tessely, a Colorado Professional Land Surveyor, do hereby certify that this property description was prepared under my personal supervision and checking, that it is true and correct to the best of my knowledge, information and belief and is in accordance with applicable standards of practice. This is not a guaranty or warranty, either expressed or implied. {4 CCR 730-1}.



Robert C. Tessely
Colorado Professional Land Surveyor No. 38470
For and on behalf of EPS Group, Inc.

Sheet
3
Of 6
Sheets




PROJECT: 987-012	CLIENT: CAPRI COLORADO LLC
DATE: 11/04/25	SECTION-TWP-RGE: S2-T7N-R69W
DRAWN BY: L. SMITH	REVIEW BY: R. TESSELY

THIS EXHIBIT IS NOT A
MONUMENTED LAND SURVEY.
IT IS MEANT TO AID IN THE
VISUALIZATION OF THE
ACCOMPANYING WRITTEN
DESCRIPTION. THE WRITTEN
DESCRIPTION SUPERCEDES THE
EXHIBIT DRAWING.

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

Exhibit C TCE Area Depiction (Page 1 of 3)




Sheet 4 Of 6 Sheets	 970.221.4158 epsgruoinc.com ARIZONA COLORADO	PROJECT: 987-012 DATE: 11/04/25 DRAWN BY: L. SMITH	CLIENT: CAPRI COLORADO LLC SECTION-TWP-RGE: S2-T7N-R69W REVIEW BY: R. TESSELY	THIS EXHIBIT IS NOT A MONUMENTED LAND SURVEY. IT IS MEANT TO AID IN THE VISUALIZATION OF THE ACCOMPANYING WRITTEN DESCRIPTION. THE WRITTEN DESCRIPTION SUPERCEDES THE EXHIBIT DRAWING.
---	---	---	--	---

EXHIBIT B TO ORDINANCE NO. 194, 2025

Docusign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

EXHIBIT

SEE SHEET 4



EAST LINE OF THE
SE $\frac{1}{4}$ OF THE NW $\frac{1}{4}$
SECTION 2-7-69

LOT 1
LAKEWOOD ESTATES
MOBILE HOME PARK



NORTH

0' 80'
(IN U.S. SURVEY FEET)
1 inch = 80 feet

20.0'

N00°03'01"L9/ 824.17'

S00°03'02"E 827.80'

L8

L9

L10

SOUTH LINE OF THE
NORTH $\frac{1}{2}$ SECTION 2-7-69

LEGEND

- EXHIBIT BOUNDARY LINE
- PROPERTY LINE
- SECTION LINE



Robert C. Tessely
Colorado Professional Land Surveyor No. 38470
For and on behalf of EPS Group, Inc.

Sheet
5

Of 6
Sheets



PROJECT:
987-012

DATE:
11/04/25

DRAWN BY:
L. SMITH

CLIENT:
CAPRI COLORADO LLC

SECTION-TWP-RGE:
S2-T7N-R69W

REVIEW BY:
R. TESSELY

THIS EXHIBIT IS NOT A
MONUMENTED LAND SURVEY.
IT IS MEANT TO AID IN THE
VISUALIZATION OF THE
ACCOMPANYING WRITTEN
DESCRIPTION. THE WRITTEN
DESCRIPTION SUPERCEDES THE
EXHIBIT DRAWING.

EXHIBIT B TO ORDINANCE NO. 194, 2025

DocuSign Envelope ID: 2A1D22A7-926C-4AF4-865F-C73F08A77538

EXHIBIT

CURVE TABLE

CURVE	LENGTH	RADIUS	DELTA	BEARING	CHORD
C1	69.02'	261.42'	15°07'36"	S87°39'55"E	68.82'
C2	55.04'	60.44'	52°10'09"	S54°01'02"E	53.15'
C3	48.66'	131.84'	21°08'41"	S37°47'26"W	48.38'
C4	128.40'	149.73'	49°07'50"	S02°39'11"W	124.50'
C5	134.59'	217.00'	35°32'16"	S04°08'36"E	132.45'
C6	90.58'	439.00'	11°49'20"	N01°04'15"W	90.42'
C7	9.13'	459.00'	1°08'23"	N06°27'40"W	9.13'
C8	49.56'	45.00'	63°06'20"	N02°57'02"W	47.10'
C9	101.28'	459.00'	12°38'34"	N06°18'41"E	101.08'
C10	35.01'	60.32'	33°15'11"	N66°21'52"W	34.52'
C11	25.32'	102.46'	14°09'22"	S89°21'32"W	25.25'
C12	60.89'	209.50'	16°39'15"	S67°52'55"W	60.68'
C13	38.73'	116.00'	19°07'41"	S70°07'21"W	38.55'
C14	74.47'	219.52'	19°26'14"	S69°00'48"W	74.12'
C15	28.45'	213.14'	7°38'54"	S57°14'16"W	28.43'
C16	58.84'	235.49'	14°19'00"	S46°15'20"W	58.69'
C17	38.13'	287.63'	7°35'46"	S35°17'57"W	38.10'
C18	49.27'	129.56'	21°47'23"	S20°36'23"W	48.97'
C19	44.65'	396.50'	6°27'05"	S06°29'09"W	44.62'
C20	51.62'	122.99'	24°02'46"	S08°45'47"E	51.24'
C21	21.21'	203.96'	5°57'33"	S23°45'56"E	21.20'
C22	46.01'	426.27'	6°11'04"	S29°50'15"E	45.99'
C23	42.92'	1077.98'	2°16'52"	S34°04'13"E	42.92'
C24	64.14'	352.57'	10°25'26"	S29°59'56"E	64.06'
C25	54.17'	193.40'	16°02'58"	S16°45'44"E	54.00'
C26	70.90'	514.64'	7°53'35"	S04°47'27"E	70.84'

CURVE TABLE

CURVE	LENGTH	RADIUS	DELTA	BEARING	CHORD
C27	68.14'	494.64'	7°53'35"	N04°47'27"W	68.09'
C28	48.57'	173.40'	16°02'58"	N16°45'44"W	48.41'
C29	60.51'	332.57'	10°25'26"	N29°59'56"W	60.42'
C30	43.72'	1097.98'	2°16'52"	N34°04'13"W	43.71'
C31	48.17'	446.27'	6°11'04"	N29°50'15"W	48.15'
C32	23.29'	223.96'	5°57'33"	N23°45'56"W	23.28'
C33	60.01'	142.99'	24°02'46"	N08°45'47"W	59.57'
C34	46.90'	416.50'	6°27'05"	N06°29'09"E	46.87'
C35	56.88'	149.56'	21°47'23"	N20°36'23"E	56.53'
C36	40.78'	307.63'	7°35'46"	N35°17'57"E	40.75'
C37	63.84'	255.49'	14°19'00"	N46°15'20"E	63.67'
C38	30.69'	232.34'	7°34'07"	N57°11'29"E	30.67'
C39	81.17'	239.52'	19°25'03"	N69°02'53"E	80.79'
C40	32.05'	96.00'	19°07'41"	N70°07'21"E	31.90'
C41	39.11'	229.50'	9°45'48"	N64°27'50"E	39.06'
C42	28.98'	95.00'	17°28'51"	N61°12'36"E	28.87'
C43	26.43'	404.10'	3°44'52"	S89°07'57"W	26.43'
C44	62.35'	173.45'	20°35'49"	N78°41'42"W	62.02'
C45	37.69'	307.89'	7°00'53"	N71°54'14"W	37.67'
C46	5.58'	30.20'	10°35'41"	N70°04'44"W	5.58'
C47	53.57'	153.53'	19°59'33"	S78°59'32"E	53.30'
C48	19.16'	384.10'	2°51'31"	N89°34'38"E	19.16'
C49	62.42'	241.42'	14°48'46"	S86°24'35"E	62.24'
C50	48.95'	25.00'	112°10'59"	S22°54'42"E	41.50'
C51	43.22'	169.73'	14°35'19"	S25°53'08"W	43.10'
C52	34.41'	95.00'	20°45'05"	S28°58'01"W	34.22'

LINE TABLE

LINE	LENGTH	BEARING
L1	7.89'	S08° 09' 29"E
L2	11.62'	N33° 29' 42"E
L3	18.25'	S56° 30' 18"E
L4	15.98'	S33° 29' 42"W
L5	54.99'	S13° 37' 32"W
L6	41.58'	S02° 01' 55"E
L7	54.85'	N89° 56' 58"E
L8	10.82'	N90° 00' 00"W
L9	824.17'	N00° 03' 02"W
L10	30.51'	N89° 20' 01"W
L11	45.96'	S89° 56' 58"W
L12	20.00'	S81° 53' 29"W
L13	10.00'	N21° 09' 10"W
L14	39.01'	S60° 33' 30"W
L15	55.68'	S00° 50' 40"E

LINE TABLE

LINE	LENGTH	BEARING
L16	13.37'	S02° 16' 34"W
L17	16.10'	S80° 53' 27"W
L18	15.54'	N13° 14' 26"W
L19	56.17'	N00° 50' 40"W
L20	38.77'	N60° 33' 36"E
L21	44.43'	N71° 30' 54"E
L22	133.48'	N21° 09' 10"W
L23	5.00'	S00° 59' 22"W
L24	10.00'	N89° 19' 45"W
L25	15.17'	S00° 59' 22"W
L26	30.00'	N89° 00' 38"W
L27	25.00'	N00° 59' 21"E
L28	9.31'	N08° 09' 29"W
L29	20.24'	S89° 19' 45"E



Robert C. Tessely
Colorado Professional Land Surveyor No. 38470
For and on behalf of EPS Group, Inc.

Sheet

6

Of 6
SheetsPROJECT:
987-012DATE:
11/04/25DRAWN BY:
L. SMITHCLIENT:
CAPRI COLORADO LLCSECTION-TWP-RGE:
S2-T7N-R69WREVIEW BY:
R. TESSELY

THIS EXHIBIT IS NOT A
MONUMENTED LAND SURVEY.
IT IS MEANT TO AID IN THE
VISUALIZATION OF THE
ACCOMPANYING WRITTEN
DESCRIPTION. THE WRITTEN
DESCRIPTION SUPERCEDES THE
EXHIBIT DRAWING.