



U.S. Department of Housing and Urban  
Development

451 Seventh Street, SW  
Washington, DC 20410  
www.hud.gov

espanol.hud.gov

## Environmental Review for Activity/Project that is Categorically Excluded Subject to Section 58.5 Pursuant to 24 CFR 58.35(a)

### **Project Information**

**Project Name:** 2155 West Plum

**Responsible Entity:** City of Fort Collins

**Grant Recipient**  
(if different than Responsible Entity): Housing Catalyst

**State/Local Identifier:**

**Preparer:** AEI Consultants

**Certifying Officer Name & Title:** Beth Yonce, Director of Social Sustainability

**Consultant** (if applicable): AEI Consultants

**Direct Comments to:** Preston Nakayama, Project Manager, Housing Catalyst

**Project Location:** 2155 West Plum Street, Fort Collins, Larimer County,  
Colorado 80521

The subject property is located in an area characterized by a mix of residential and commercial uses. The subject property is bound by West Plum Street and multifamily residential uses to the north, and multifamily residential uses to the east, south, and west.

### **Description of the Proposed Project [24 CFR 50.12 & 58.32; 40 CFR 1508.25]:**

Housing Catalyst is proposing to conduct minor rehabilitation activities at an existing 15-unit multifamily residential development located at 2155 West Plum Street in Fort Collins, Colorado. The affordable apartment complex, constructed in 1982, consists of a single two-story building on an approximately 0.54-acre parcel (Parcel Number 9716131901). Onsite

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]		
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

[REDACTED]

**Compliance with 38 CFR 38.4, 38.5, and 38.6 Laws and Regulations**

Review below the compliance or non-compliance determinations for each statute, executive order, or regulation. Provide credits, credits, and supporting source documentation for each authority. Where applicable, complete the necessary review or consultation and obtain or note applicable points of approval. Check any status, characteristics of contents, and page references. Attach additional documentation as appropriate.

<b>Compliance Factors:</b> Statutes, Executive Orders, and Regulations listed at 38 CFR 38.4 and 38.5	<b>Are formal compliance steps or approvals required?</b>	<b>Compliance Determinations:</b>
<b>Statutes, Executive Orders, and Regulations listed at 38 CFR 38.4 and 38.5</b>		
<b>Subject Materials:</b>  38 CFR Part 38 Subject (3)	Yes No <input type="checkbox"/> <input checked="" type="checkbox"/>	The subject property is not located within a distance of the end of a rail airport runway or within 15,000 feet of the end of a military airport runway. The project is in compliance with Subject Materials requirements.
<b>Coastal Barrier Resources:</b>  Coastal Barrier Resources Act as amended by the Coastal Barrier Improvement Act of 1982 (16 USC 1631)	Yes No <input type="checkbox"/> <input checked="" type="checkbox"/>	According to review of the 16 USC Part 16, Coastal Barrier Resources System Map, the subject property is located within a zone that does not contain Coastal Barrier Resources System units and therefore is not located within a coastal barrier resource area. The project is in compliance with the Coastal Barrier Resources Act.
<b>Flood Insurance:</b>  Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 (42 USC 4001-4012 and 42 USC 1701-1704)	Yes No <input type="checkbox"/> <input checked="" type="checkbox"/>	Based on a review of the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (FIRM) Community Flood Insurance Study (CFIS), dated May 3, 2012, the subject property is in Zone B (unshaded) areas of special Flood Hazard outside of the 100 year FIRM and therefore, no preliminary or pending FEMA permits were identified for the project area.  The subject property is in the City of Fort Collins, Community Number 400100, which is a participating community in the National Flood Insurance Program (NFIP).

		<p>The structure or structure property is not located in a FEMA designated Special Flood Hazard Area. Therefore, flood insurance is not required. While flood insurance may not be mandatory in this instance, RMR recommends that all structure/structure property flood insurance under the NFIP. The project is in compliance with flood insurance requirements.</p>
<p><b>STANDARD, PRELIMINARY, AND FINAL ENVIRONMENTAL IMPACT STATEMENT (EIS) FOR THE PROJECT</b></p>		
<p><b>Clean Air Act</b></p> <p>Clean Air Act, as amended, particularly section 171(c)(2) (40 CFR Parts 5, 61, 81)</p>	<p>Yes No</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/></p>	<p>According to the 1970 Environmental Protection Agency (EPA) Clean Air and Act (CAA), the subject property is in a severe nonattainment area for the 8-hour ozone (1991 National Ambient Air Quality Standard (NAAQS)), a moderate nonattainment area for the 8-hour ozone (1971 NAAQS), and a nonattainment area for the carbon monoxide (CO) NAAQS.</p> <p>Based on the nature of the project as a minor renovation with no new proposed ground disturbance, the project would not exceed 100 pounds of threshold levels and no further evaluation is needed. The project is in compliance with the Clean Air Act.</p>
<p><b>Coastal Zone Management</b></p> <p>Coastal Zone Management Act (16 USC 1601)</p>	<p>Yes No</p> <p><input type="checkbox"/> <input checked="" type="checkbox"/></p>	<p>The project is a minor that does not participate in the Coastal Zone Management Program. Therefore, the project is in compliance with the Coastal Zone Management Act.</p>
<p><b>Endangered and Threatened Species</b></p> <p>Endangered Species Act (ESA) (16 USC 1531)</p>	<p>Yes No</p> <p><input checked="" type="checkbox"/> <input type="checkbox"/></p>	<p>RMR Environmental (RMR) conducted a Phase I Environmental Site Assessment (ESA) for the subject property in November 2011 in accordance with the scope and limitations of RMR Standard Practice 1001.1, as well as the EPA Standards and Practices for All Appropriate Requirements (EPA Part 170).</p> <p>RMR's assessment revealed no evidence of recognized environmental conditions (RERs) (National RERs (NREs), controlled RERs (CERs), or known environmental risks (KERs)) in connection with the subject</p>



Section 1: General Information	
Name of the Party:	
Address:	
City:	
State:	
Zip:	
Phone:	
Email:	
Date of Birth:	
Social Security Number:	
Marital Status:	
Occupation:	
Education:	
Religion:	
Race:	
Ethnicity:	
Sex:	
Height:	
Weight:	
Blood Type:	
Medical History:	
Current Medications:	
Allergies:	
Smoking Status:	
Alcohol Consumption:	
Mental Health History:	
Substance Use History:	
Criminal History:	
Financial History:	
Credit History:	
Insurance History:	
Other Relevant Information:	





The following table shows the results of the regression analysis for the dependent variable "Number of children in the household" (N = 1,000). The independent variables are "Age of the head of household" and "Gender of the head of household". The table includes the coefficient estimates, standard errors, t-statistics, and p-values for each variable.

Variable	Coefficient	Standard Error	t-statistic	p-value
Age of the head of household	0.05	0.02	2.50	0.01
Gender of the head of household (Male = 1, Female = 0)	-0.10	0.03	-3.33	0.00
Constant	1.50	0.10	15.00	0.00

The regression results indicate that the number of children in the household is positively related to the age of the head of household and negatively related to the gender of the head of household. Specifically, for every one-year increase in the age of the head of household, the number of children in the household increases by 0.05, holding all other variables constant. Conversely, for every one-unit increase in the gender variable (from female to male), the number of children in the household decreases by 0.10, holding all other variables constant.

The following table shows the results of the regression analysis for the dependent variable "Number of children in the household" (N = 1,000). The independent variables are "Age of the head of household" and "Gender of the head of household". The table includes the coefficient estimates, standard errors, t-statistics, and p-values for each variable.

Variable	Coefficient	Standard Error	t-statistic	p-value
Age of the head of household	0.05	0.02	2.50	0.012
Gender of the head of household (Male = 1, Female = 0)	-0.15	0.08	-1.88	0.061
Constant	1.20	0.10	12.00	<0.001

The regression results indicate that the age of the head of household has a positive and significant effect on the number of children in the household. For every year increase in age, the number of children increases by 0.05 units. The gender of the head of household also has a negative and significant effect, with male heads of household having 0.15 fewer children than female heads of household.



<p><b>Noise Abatement and Control</b></p> <p>Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978, (a) LTR Part 11 Subpart B</p>	<p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>	<p>Based on review of available maps, the subject property is within the noise abatement (Landing Municipal Airport and within 1,000 feet of West Charlotte Street and South 14th and 15th). No change are located within 1,000 feet.</p> <p>Based on the nature of the proposed as minor rehabilitation of an existing multifamily property, a noise assessment is not required. The project is in compliance with city's noise regulation.</p>
<p><b>Safe Source Aquifers</b></p> <p>Safe Drinking Water Act of 1974, as amended, particularly section 142(a) 40 CFR Part 141</p>	<p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>	<p>The subject property is not located on nor would the proposed project affect a safe source aquifer designated by the EPA. The project is in compliance with Safe Source Aquifer requirements.</p>
<p><b>Wildlands Protection</b></p> <p>Executive Order 11988, particularly sections I and II</p>	<p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>	<p>Based on a review of the USFWS National Wetlands Inventory Map, there are no wetland areas on or in the vicinity of the subject property. The project is in compliance with Executive Order 11988.</p>
<p><b>Wild and Scenic Rivers</b></p> <p>Wild and Scenic Rivers Act of 1968, particularly section 1(b) and (c)</p>	<p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>	<p>Based on the National Wild and Scenic Rivers system maintained by the U.S. Bureau of Land Management, National Fish Service (NFS), USFWS, and the U.S. Forest Service, and the National River Inventory maintained by the NFS, the subject property is not located within proximity to a Wild and Scenic River, Study River, or National Inventory River. Therefore, the project is in compliance with the Wild and Scenic Rivers Act.</p>
<p><b>Environmental Justice</b></p>		
<p><b>Environmental Justice</b></p> <p>Executive Order 12898</p>	<p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p>	<p>According to the EPA, 95.00% of the subject property population resides below the poverty line and 41% of the population is described as people of color. Based on the information gathered from the Assessment and Phase I and other information sources reviewed during the course of the environmental review, the subject property is not directly affected by any nearby hazardous sites. Therefore, the subject property and its residents do not</p>

**Abstract:** The purpose of this study was to investigate the effect of a 12-week training program on the physical and psychological characteristics of young athletes. The study was conducted in a laboratory setting. The participants were 15 young athletes (10 males and 5 females) aged 18-22 years. They were divided into two groups: a control group (n=7) and an experimental group (n=8). The experimental group underwent a 12-week training program consisting of aerobic, strength, and flexibility exercises. The control group did not undergo any training. The physical characteristics measured were maximum oxygen consumption (VO<sub>2</sub>max), maximum heart rate (HR<sub>max</sub>), and maximum power output (P<sub>max</sub>). The psychological characteristics measured were anxiety, depression, and self-esteem. The results showed that the experimental group had significantly higher VO<sub>2</sub>max, HR<sub>max</sub>, and P<sub>max</sub> values than the control group after 12 weeks of training. Additionally, the experimental group had significantly lower anxiety and depression levels and higher self-esteem levels than the control group after 12 weeks of training. The findings suggest that a 12-week training program can improve the physical and psychological characteristics of young athletes.

<p>1. The first step in the process of developing a new product is to identify a market need. This is often done through market research, which can be conducted in a variety of ways, including surveys, focus groups, and interviews.</p> <p>2. Once a market need has been identified, the next step is to develop a concept for the new product. This involves creating a detailed description of the product, including its features, benefits, and target market.</p> <p>3. The third step is to develop a business plan for the new product. This plan should outline the company's goals, the marketing strategy, the production process, and the financial projections.</p> <p>4. The fourth step is to secure funding for the new product. This can be done through a variety of sources, including venture capitalists, banks, and crowdfunding.</p> <p>5. The fifth step is to develop a prototype of the new product. This is a physical model of the product that can be used to test the design and make any necessary adjustments.</p> <p>6. The sixth step is to conduct a pilot test of the new product. This involves selling the product to a small group of customers and gathering feedback on their experience.</p> <p>7. The seventh step is to launch the new product into the market. This involves creating a marketing campaign to promote the product and make it available to a wider audience.</p> <p>8. The eighth step is to monitor the performance of the new product. This involves tracking sales, customer feedback, and other key metrics to ensure the product is meeting its goals.</p> <p>9. The ninth step is to make any necessary adjustments to the product or the marketing strategy. This may involve adding new features, improving the design, or changing the target market.</p> <p>10. The tenth step is to continue to monitor the performance of the new product and make any necessary adjustments. This is an ongoing process that should be continued throughout the life of the product.</p>	<p>1. The first step in the process of developing a new product is to identify a market need. This is often done through market research, which can be conducted in a variety of ways, including surveys, focus groups, and interviews.</p> <p>2. Once a market need has been identified, the next step is to develop a concept for the new product. This involves creating a detailed description of the product, including its features, benefits, and target market.</p> <p>3. The third step is to develop a business plan for the new product. This plan should outline the company's goals, the marketing strategy, the production process, and the financial projections.</p> <p>4. The fourth step is to secure funding for the new product. This can be done through a variety of sources, including venture capitalists, banks, and crowdfunding.</p> <p>5. The fifth step is to develop a prototype of the new product. This is a physical model of the product that can be used to test the design and make any necessary adjustments.</p> <p>6. The sixth step is to conduct a pilot test of the new product. This involves selling the product to a small group of customers and gathering feedback on their experience.</p> <p>7. The seventh step is to launch the new product into the market. This involves creating a marketing campaign to promote the product and make it available to a wider audience.</p> <p>8. The eighth step is to monitor the performance of the new product. This involves tracking sales, customer feedback, and other key metrics to ensure the product is meeting its goals.</p> <p>9. The ninth step is to make any necessary adjustments to the product or the marketing strategy. This may involve adding new features, improving the design, or changing the target market.</p> <p>10. The tenth step is to continue to monitor the performance of the new product and make any necessary adjustments. This is an ongoing process that should be continued throughout the life of the product.</p>
--	--

	<p>or above the EPA action level, should be conducted, with documentation to demonstrate reduction of radon to levels below 4 pCi/L. Lastly, a certificate of completion should be provided by the supervising radon professional and an inspection, maintenance, and monitoring program should be implemented for the integrated system.</p>
--	---

### Interpretation

- ☐ This voluntarily included activity/project consists in General, per 40 CFR 155.106 (b) because there are no circumstances which require compliance with any of the federal laws and authorities cited in 40 CFR 155.106 (b). **Funds may be committed and spent from this authorization of this project for the above EPA project OR**
- ☐ This voluntarily included activity/project consists in Compliance because there are circumstances which require compliance with one or more federal laws and authorities cited in 40 CFR 155.106 (b). Consistent consultation/invitation protocol requirements, **public notice** and obtain "Authority to Use Grant Funds" (40 CFR 155.106 (b) per Section 155.106 and 155.107 before committing or drawing down any funds OR
- ☐ This project is now subject to a full Environmental Statement according to Part 28 Subject to any extraordinary circumstances (Section 155.106c)

Prepared:  Sharon Wright Date: October 28, 2023

Name/Title/Department: Sharon Wright, EPA Compliance Specialist, HR Consultants

### Responsible Entity Agency Official Signature

DocuSigned by:



56C0B10B45A34FA


11/28/2023

Name/Title: Beth Yonce, Social Sustainability Dept. Director

This original signed document and related supporting materials must be retained until the Responsible Entity is an Environmental Review Review (ERR) for the activity/project (all 154 CFR Part 155.106) and in accordance with recordkeeping requirements for the ERR project(s).

# APPENDIX A

## FIGURES



**REPORT ON THE PROGRESS OF THE**  
**WORK OF THE COMMISSION FOR THE**  
**REVENUE AND FINANCE**





# **APPENDIX B**






## **AIRPORT HAZARDS**


# Airports within 15,000 Feet



August 8, 2023

1:144,448


-  Project Buffer
-  2155 West Plum
-  Search Result (point)
-  Airport Points
-  Airport Polygons




City of Fort Collins, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, EPA OEI

# **APPENDIX C**

## **COASTAL BARRIER RESOURCES ACT**



2155 West Plum



August 3, 2023

CBRS Units

This map is for general reference only. The Coastal Barrier Resources System (CBRS) boundaries depicted on this map are representations of the controlling CBRS boundaries, which are shown on the official maps, accessible at <https://www.fws.gov/library/collections/official-coastal-barrier-resources-system-maps>. All CBRS related data should be used in accordance with the layer metadata found on the CBRS Mapper website.

The CBRS Buffer Zone represents the area immediately adjacent to the CBRS boundary where users are advised to contact the Service for an official determination (<https://www.fws.gov/service/coastal-barrier-resources-system-property-documentation>) as to whether the property or project site is located "in" or "out" of the CBRS.


CBRS Units normally extend seaward out to the 20- or 30-foot bathymetric contour (depending on the location of the unit). The true seaward  
This page was produced by the CBRS Mapper

# **APPENDIX D**

## **FLOOD INSURANCE**

# National Flood Hazard Layer FIRMette

105°7'18"W 40°34'47"N



0 250 500 1,000 1,500 2,000 Feet 1:6,000 105°6'41"W 40°34'20"N  
Basemap Imagery Source: USGS National Map 2023

## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
OTHER FEATURES		Levee, Dike, or Floodwall
		Cross Sections with 1% Annual Chance
MAP PANELS		Water Surface Elevation
		Coastal Transect
OTHER FEATURES		Base Flood Elevation Line (BFE)
		Limit of Study
OTHER FEATURES		Jurisdiction Boundary
		Coastal Transect Baseline
OTHER FEATURES		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
MAP PANELS		Unmapped
		The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/8/2023 at 3:58 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



# Community Status Book Report

## Communities Participating in the National Flood Program



COLORADO

CID	Community Name	County	Init FHBM Identified	Init FIRM Identified	Curr Eff Map Date	Reg-Emer Date	Tribal	CRS Entry Date	Curr Eff Date	Curr Class	% Disc SFHA	% Disc Non SFHA
080163	CRESTONE, TOWN OF	SAGUACHE COUNTY				01/04/22(E)	No					
080174#	CRIPPLE CREEK, CITY OF	TELLER COUNTY	09/13/74	12/18/85	09/25/09(M)	12/18/85	No					
080211	CROWLEY, CITY OF	CROWLEY COUNTY	08/15/75		(NSFHA)	12/11/85	No					
080236A	DACONO, CITY OF	WELD COUNTY	09/05/75	07/16/79	01/20/16	07/16/79	No					
080307#	DE BEQUE, TOWN OF	MESA COUNTY		04/17/89	10/16/12	04/17/89	No					
080015#	DEER TRAIL, CITY OF	ARAPAHOE COUNTY	11/29/74	08/16/95	(NSFHA)	11/05/85	No					
080154#	DEL NORTE, TOWN OF	RIO GRANDE COUNTY	05/17/74	09/30/82	09/02/11	09/30/82	No					
080041#	DELTA COUNTY *	DELTA COUNTY	05/10/77	03/15/84	08/19/10	03/15/84	No					
080043#	DELTA, CITY OF	DELTA COUNTY	05/24/74	06/01/84	08/19/10	06/01/84	No	10/01/96	05/01/15	8	10%	05%
080046E	DENVER, CITY AND COUNTY OF	DENVER COUNTY	12/28/75	04/15/86	09/04/20	04/15/86	No	10/01/96	04/01/23	6	20%	10%
080279#	DOLORES COUNTY *	DOLORES COUNTY	01/24/78	03/01/86	03/01/86(L)	03/01/86	No					
080122#	DOLORES, TOWN OF	MONTEZUMA COUNTY	02/07/75	09/29/89	09/26/08	09/29/89	No					
080049E	DOUGLAS COUNTY*	DOUGLAS COUNTY	02/07/75	09/03/80	12/02/21	09/03/80	No	10/01/96	05/01/20	5	25%	10%
080047	DOVE CREEK, CITY OF	DOLORES COUNTY	05/24/74	01/01/86	01/01/86(L)	01/01/86	No					
080099#	DURANGO, CITY OF	LA PLATA COUNTY	11/30/73	01/17/79	08/19/10	01/17/79	No	10/01/92	10/01/92	9	05%	05%
080051#	EAGLE COUNTY *	EAGLE COUNTY	11/01/77	11/19/80	12/04/07	11/19/80	No	10/01/08	10/01/18	7	15%	05%
080238#	EAGLE, TOWN OF	EAGLE COUNTY	08/15/75	03/18/80	12/04/07	03/18/80	No					
080180A	EATON, TOWN OF	WELD COUNTY	05/10/74	06/04/80	01/20/16	06/04/80	No					
080089F	EDGEWATER, CITY OF	JEFFERSON COUNTY	06/14/74	08/15/89	08/02/22	08/15/89	No					
080059A	EL PASO COUNTY*	EL PASO COUNTY	12/27/74	12/18/86	12/07/18	12/18/86	No	10/01/92	10/01/10	7	15%	05%
080055#	ELBERT COUNTY*	ELBERT COUNTY		03/17/11	03/17/11	08/13/07	No					
080056#	ELIZABETH, TOWN OF	ELBERT COUNTY	09/06/74	03/17/11	03/17/11(M)	05/22/15	No					
085074E	ENGLEWOOD, CITY OF	ARAPAHOE COUNTY	02/26/71	02/09/72	09/04/20	02/11/72	No	10/01/95	10/01/22	6	20%	10%
080181D	ERIE, TOWN OF	BOULDER COUNTY/WELD COUNTY	06/28/74	10/17/78	08/15/19	10/17/78	No					
080193E	ESTES PARK, TOWN OF	LARIMER COUNTY	09/19/75	01/17/79	01/15/21	01/17/79	No					
080182A	EVANS, CITY OF	WELD COUNTY	04/05/74	04/02/79	01/20/16	04/02/79	No					
080239#	FAIRPLAY, TOWN OF	PARK COUNTY	07/18/75	08/05/86	12/18/09(M)	08/05/86	No					
080240E	FEDERAL HEIGHTS, CITY OF	ADAMS COUNTY	07/11/75	04/15/86	12/02/21	04/15/86	No					
080241A	FIRESTONE, TOWN OF	WELD COUNTY	09/19/75	12/18/79	01/20/16	12/18/79	No					
080112B	FLEMING, TOWN OF	LOGAN COUNTY	11/08/74	05/16/16	05/16/16	07/15/85	No					
080070#	FLORENCE, CITY OF	FREMONT COUNTY	05/17/74	12/04/84	01/06/12	12/04/84	No					
080102#	FORT COLLINS, CITY OF	LARIMER COUNTY	06/28/74	07/16/79	05/02/12	07/16/79	No	10/01/91	05/01/16	2	40%	10%
080183A	FORT LUPTON, CITY OF	WELD COUNTY	05/31/74	04/02/79	01/20/16	04/02/79	No					
080131B	FORT MORGAN, CITY OF	MORGAN COUNTY	10/29/76	02/05/86	05/18/21	02/05/86	No					
080061A	FOUNTAIN, CITY OF	EL PASO COUNTY	06/28/74	06/05/85	12/07/18	06/05/85	No	10/01/92	04/01/22	10		0%
080073#	FRASER, TOWN OF	GRAND COUNTY	09/06/74	01/02/08	01/02/08	01/02/08	No					
080244A	FREDERICK, TOWN OF	WELD COUNTY	09/26/75	07/16/79	01/20/16	07/16/79	No					
080067#	FREMONT COUNTY *	FREMONT COUNTY	08/16/74	09/29/89	07/03/12	09/29/89	No	10/01/93	05/01/08	9	05%	05%
080245B	FRISCO, TOWN OF	SUMMIT COUNTY	10/15/76	05/15/80	11/16/18	05/15/80	No	10/01/93	10/01/98	8	10%	05%
080194#	FRUITA, CITY OF	MESA COUNTY	01/24/75	12/01/81	10/16/12	12/01/81	No					
080205#	GARFIELD COUNTY*	GARFIELD COUNTY		12/15/77	08/02/06	12/15/77	No					
080035C	GEORGETOWN, TOWN OF	CLEAR CREEK COUNTY	06/14/74	06/05/89	12/20/19	06/05/89	No					
080213A	GILCREST, TOWN OF	WELD COUNTY	08/22/75	01/20/16	01/20/16(M)	06/10/80	No					
080075A	GILPIN COUNTY *	GILPIN COUNTY	06/10/77	03/01/86	04/06/22(M)	03/01/86	No					
080247E	GLENDALE, CITY OF	ARAPAHOE COUNTY		04/17/89	09/04/20	12/05/05	No					
080071#	GLENWOOD SPRINGS, CITY OF	GARFIELD COUNTY	11/14/75	10/15/85	10/15/85	07/16/79	No					
080090F	GOLDEN, CITY OF	JEFFERSON COUNTY	11/05/76	05/18/85	12/20/19	05/15/85	No	10/01/96	05/01/11	7	15%	05%
080144A	GRANADA, TOWN OF	PROWERS COUNTY	07/18/75	09/24/84	04/19/16	09/24/84	No					
080248#	GRANBY, TOWN OF	GRAND COUNTY	08/15/75	01/02/08	01/02/08(M)	05/15/08	No					
080280#	GRAND COUNTY *	GRAND COUNTY		01/02/08	01/02/08	04/29/21	No					
080117#	GRAND JUNCTION, CITY OF	MESA COUNTY	02/01/74	01/06/83	10/16/12	01/06/83	No					
080214#	GRAND LAKE, TOWN OF	GRAND COUNTY	08/15/75	01/01/86	01/02/08(M)	01/01/86	No					
080184A	GREELEY, CITY OF	WELD COUNTY	05/03/74	07/16/79	01/20/16	07/16/79	No					
080062A	GREEN MOUNTAIN FALLS, TOWN OF	EL PASO COUNTY	08/30/74	06/05/85	12/07/18	06/05/85	No	10/01/03	10/01/10	7	15%	05%
080195E	GREENWOOD VILLAGE, CITY OF	ARAPAHOE COUNTY	12/27/74	01/05/78	09/04/20	01/05/78	No					

# APPENDIX E

## AIR QUALITY

## Current Nonattainment Counties for All Criteria Pollutants

Data is current as of July 31, 2023

The 8-hour Ozone (1997) standard was revoked on April 6, 2015 and the 1-hour Ozone (1979) standard was revoked on June 15, 2005.

The asterisk (\*) indicates only a portion of the county is included in the designated nonattainment area (NA).

Download National Dataset of all designated areas (currently nonattainment, maintenance, revoked):  
dbf | xls | Data dictionary (PDF)

---

Listed by State, County, NAAQS      \* Part County NA      NA Area Name (Classification, if applicable)

---

### ALASKA

Fairbanks North Star Borough  
*PM-2.5 (2006)*      \*Fairbanks, AK - (Serious)

### ARIZONA

Cochise County  
*PM-10 (1987)*      \*Cochise County; Paul Spur/Douglas planning area, AZ - (Moderate)

Gila County  
*Lead (2008)*      \*Hayden, AZ  
*PM-10 (1987)*      \*Hayden, AZ - (Moderate)  
*PM-10 (1987)*      \*Miami, AZ - (Moderate)  
*Sulfur Dioxide (2010)* \*Hayden, AZ  
*Sulfur Dioxide (2010)* \*Miami, AZ  
*8-Hour Ozone (2015)* \*Phoenix-Mesa, AZ - (Moderate)

Maricopa County  
*PM-10 (1987)*      \*Maricopa and Pinal Counties; Phoenix planning area, AZ - (Serious)  
*8-Hour Ozone (2008)* \*Phoenix-Mesa, AZ - (Moderate)  
*8-Hour Ozone (2015)* \*Phoenix-Mesa, AZ - (Moderate)

Pima County  
*PM-10 (1987)*      \*Pima County; Rillito planning area, AZ - (Moderate)

Pinal County  
*Lead (2008)*      \*Hayden, AZ  
*PM-10 (1987)*      \*Hayden, AZ - (Moderate)  
*PM-10 (1987)*      \*Maricopa and Pinal Counties; Phoenix planning area, AZ - (Serious)  
*PM-10 (1987)*      \*Miami, AZ - (Moderate)  
*PM-10 (1987)*      \*Pinal County (part); West Pinal, AZ - (Serious)  
*PM-2.5 (2006)*      \*West Central Pinal, AZ - (Moderate)  
*Sulfur Dioxide (1971)* \*Hayden (Pinal County), AZ  
*Sulfur Dioxide (2010)* \*Hayden, AZ  
*8-Hour Ozone (2008)* \*Phoenix-Mesa, AZ - (Moderate)  
*8-Hour Ozone (2015)* \*Phoenix-Mesa, AZ - (Moderate)

Santa Cruz County  
*PM-10 (1987)*      \*Santa Cruz County; Nogales planning area, AZ - (Moderate)

Yuma County  
*PM-10 (1987)*      \*Yuma, AZ - (Moderate)  
*8-Hour Ozone (2015)* \*Yuma, AZ - (Marginal)

### CALIFORNIA

8-Hour Ozone (2008)\*Tuscan Buttes, CA - (Marginal)  
8-Hour Ozone (2015)\*Tuscan Buttes, CA - (Marginal (Rural Transport))

Tulare County

PM-2.5 (1997) San Joaquin Valley, CA - (Serious)  
PM-2.5 (2006) San Joaquin Valley, CA - (Serious)  
PM-2.5 (2012) San Joaquin Valley, CA - (Serious)  
8-Hour Ozone (2008) San Joaquin Valley, CA - (Extreme)  
8-Hour Ozone (2015) San Joaquin Valley, CA - (Extreme)

Tuolumne County

8-Hour Ozone (2015) Tuolumne County, CA - (Marginal)

Ventura County

8-Hour Ozone (2008)\*Ventura County, CA - (Serious)  
8-Hour Ozone (2015)\*Ventura County, CA - (Serious)

Yolo County

PM-2.5 (2006) \*Sacramento, CA - (Moderate)  
8-Hour Ozone (2008) Sacramento Metro, CA - (Severe 15)  
8-Hour Ozone (2015) Sacramento Metro, CA - (Serious)

**COLORADO**

Adams County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Arapahoe County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Boulder County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Broomfield County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Denver County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Douglas County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

Jefferson County

8-Hour Ozone (2008) Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
~~8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)~~

Larimer County

8-Hour Ozone (2008)\*Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015)\*Denver Metro/North Front Range, CO - (Moderate)

Weld County

8-Hour Ozone (2008)\*Denver-Boulder-Greeley-Ft. Collins-Loveland, CO - (Severe 15)  
8-Hour Ozone (2015) Denver Metro/North Front Range, CO - (Moderate)

**CONNECTICUT**

Fairfield County

8-Hour Ozone (2008) New York-N. New Jersey-Long Island, NY-NJ-CT - (Severe 15)  
8-Hour Ozone (2015) New York-Northern New Jersey-Long Island, NY-NJ-CT - (Moderate)

Hartford County

8-Hour Ozone (2008) Greater Connecticut, CT - (Serious)  
8-Hour Ozone (2015) Greater Connecticut, CT - (Moderate)

Litchfield County

8-Hour Ozone (2008) Greater Connecticut, CT - (Serious)  
8-Hour Ozone (2015) Greater Connecticut, CT - (Moderate)


Middlesex County

8-Hour Ozone (2008) New York-N. New Jersey-Long Island, NY-NJ-CT - (Severe 15)  
8-Hour Ozone (2015) New York-Northern New Jersey-Long Island, NY-NJ-CT - (Moderate)

New Haven County

8-Hour Ozone (2008) New York-N. New Jersey-Long Island, NY-NJ-CT - (Severe 15)

# NAAQS Nonattainment Areas: Ozone 8-hr 2008




August 8, 2023

 2155 West Plum

 Search Result (point)


Ozone 8-hr (2008 standard)

 Nonattainment




Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, Maxar, U.S. EPA Office of Air and Radiation (OAR) - Office of Air Quality Planning and Standards (OAQPS)

# NAAQS Nonattainment Areas: Ozone 8-hr 2015




August 8, 2023

 2155 West Plum

 Search Result (point)


Ozone 8-hr (2015 Standard)

 Nonattainment



Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, Maxar, U.S. EPA Office of Air and Radiation (OAR) - Office of Air Quality Planning and Standards (OAQPS)

# NAAQS Maintenance Areas: Carbon Monoxide 1971



August 8, 2023



2155 West Plum




Search Result (point)

CO (1971 Standard)




Maintenance

1:4,514



Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, Maxar, U.S. EPA Office of Air and Radiation (OAR) - Office of Air Quality Planning and Standards (OAQPS)

# NAAQS Attainment Areas



August 8, 2023




2155 West Plum



Search Result (point)

1:4,514



# **APPENDIX F**

## **COASTAL ZONE MANAGEMENT ACT**

**STATE COASTAL ZONE BOUNDARIES**

February 9, 2012

STATE	<b>DEFINITION OF STATE'S COASTAL ZONE</b> (The seaward boundary of the Great Lake States is the U.S.-Canada International boundary, and for all other States is the 3 nautical mile territorial sea, except for those States marked with an asterisk (*))
<b>ALABAMA</b>	Alabama's coastal zone extends inland to the continuous 10-foot elevation contour in Baldwin and Mobile Counties.
<b>ALASKA</b>	As of July 1, 2011, Alaska no longer has a federally approved coastal management program or defined coastal zone and federal consistency does not apply to Alaska. Contact NOAA's Office of Ocean and Coastal Resource Management for additional information.
<b>AMERICAN SAMOA</b>	American Samoa's coastal zone is the entire Territory.
<b>CALIFORNIA &amp; BCDC</b>	<p>California's coastal zone generally extends 1,000 yards inland from the mean high tide line. In significant coastal estuarine habitat and recreational areas it extends inland to the first major ridgeline or 5 miles from the mean high tide line, whichever is less. In developed urban areas, the boundary is generally less than 1,000 yards.</p> <p>The coastal zone for the San Francisco Bay Conservation and Development Commission (BCDC) includes the open water, marshes and mudflats of greater San Francisco Bay, and areas 100 feet inland from the line of highest tidal action. The boundary also includes: the Suisun marsh and buffer zone; managed wetlands diked off from the Bay; and open waters diked off from the Bay and used in salt production.</p>
<b>CONNECTICUT</b>	Connecticut's coastal zone has two tiers incorporated within the 36 coastal townships. The first tier is bounded by a continuous line delineated by a 1,000 foot linear setback measured from the mean high water mark in coastal waters; or a 1,000 foot linear setback measured from the inland boundary of state regulated tidal wetlands; or the continuous interior contour elevation of the one hundred year frequency coastal flood zone; whichever is farthest inland. The second tier is the area between the inland boundary of the 36 coastal communities and the inland boundary of the first tier.
<b>DELAWARE</b>	Delaware's coastal zone includes the whole state.
<b>FLORIDA *</b>	Florida's coastal zone is the entire State, but has two tiers. Local governments eligible to receive coastal management funds are limited to those Gulf and Atlantic coastal cities and counties which include or are contiguous to state water bodies where marine species of vegetation constitute the dominant plant community. Florida's seaward boundary in the Gulf of Mexico is 3 marine leagues (9 nautical miles) and is 3 nautical miles in the Atlantic.
<b>GEORGIA</b>	Georgia's coastal zone includes the 11 counties that border tidally-influenced waters or have economies that are closely tied to coastal resources.
<b>GUAM</b>	Guam's coastal zone is the entire Territory.
<b>HAWAII</b>	Hawaii's coastal zone is the entire state.

<b>ILLINOIS</b>	Illinois' coastal zone has two components. The Lakeshore Boundary is based on the Lake Michigan watershed and is generally parallel to the Lake Michigan shoreline. The Inland Waterway Boundary includes Inland Waterway Corridors, which are select segments of the Chicago River system (North Branch, South Branch, Main Branch and North Shore Channel) and select segments of the Little Calumet and Grand Calumet Rivers. The Inland Waterway Corridors consist of both the waterway and designated land area to either side of the waterway.
<b>INDIANA</b>	Indiana's coastal zone is based on watershed boundaries within coastal townships and the counties of Lake, Porter and LaPorte. To create an inland boundary that is identifiable in practical landmarks, the coastal zone boundary is described based on the U.S. Geological Survey Quadrangle maps and major roads for each county. The coastal zone boundary is located in the northern portions of Lake, Porter, and LaPorte Counties. At its widest extent, the boundary extends away from the shoreline 17 miles to the Crown Point area and at its narrowest point, less than 2 miles, just north of Hudson Lake in LaPorte County. See NOAA, <i>Indiana Lake Michigan Coastal Program and Final Environmental Impact Statement</i> , Appendix C (April 2002), to determine the precise coastal zone boundary in a particular area of the State.
<b>LOUISIANA</b>	Louisiana's coastal zone varies from 16 to 32 miles inland from the Gulf coast and generally follows the Intracoastal Waterway running from the Texas-Louisiana state line then follows highways through Vermilion, Iberia, and St. Mary parishes, then dipping southward following the natural ridges below Houma, then turning northward to take in Lake Pontchartrain and ending at the Mississippi-Louisiana border.
<b>MAINE</b>	Maine's coastal zone includes the inland line of coastal towns on tidewaters and all islands.
<b>MARYLAND</b>	Maryland's coastal zone extends to the inland boundary of the 16 counties bordering the Atlantic Ocean, the Chesapeake Bay, and the Potomac River (as far as the municipal limits of Washington, D.C), and includes Baltimore City and all local jurisdictions within the counties.
<b>MASSACHUSETTS</b>	Massachusetts' coastal zone extends 100 feet inland of specified major roads, RR tracks, or other visible right of ways which are located within a half mile of coastal waters or salt marshes. The coastal zone includes all islands, transitional and intertidal areas, and coastal wetlands and beaches. In instances where the road boundary excludes significant resource areas, the boundary line may depart from the road to encompass.
<b>MICHIGAN</b>	Michigan's coastal zone, generally, extends a minimum of 1,000 feet from the ordinary high water mark. The boundary extends further inland in some locations to encompass coastal lakes, rivermouths, and bays; floodplains; wetlands; dune areas; urban areas; and public park, recreation, and natural areas.
<b>MINNESOTA</b>	Minnesota's coastal zone is divided into three areas. The first includes the area of the St. Louis River in Carlton County, south of Duluth. The second is the city of Duluth and surrounding areas of urban growth and expansion to the north and west. The third is the region between the Duluth city limits north to the Canadian border, also known as the "North Shore," which includes portions of St. Louis, Lake, and Cook Counties. See NOAA, <i>Minnesota's Lake Superior Coastal Program Final Environmental Impact Statement</i> , Chapter One, (May 1999), to determine the precise coastal zone boundary in a particular area of the State.

<b>MISSISSIPPI</b>	Mississippi's coastal zone includes the 3 counties adjacent to the coast. The coastal zone includes these counties, as well as all adjacent coastal waters. Included in this definition are the barrier islands of the coast.
<b>NEW HAMPSHIRE</b>	New Hampshire's coastal zone is the 17 coastal municipalities.
<b>NEW JERSEY</b>	New Jersey's coastal zone recognizes four distinct regions of the State and treats them separately. From the New York border to the Raritan Bay, the boundary extends landward from mean high water to the first road or property line. From the Raritan Bay south along the Atlantic shoreline and up to the Delaware Memorial Bridge, the boundary extends from half a mile to 24 miles inland (1,376 square miles of land area). From the Delaware Memorial Bridge northward up the Delaware River to Trenton, the boundary extends landward to the first road inclusive of all wetlands. The fourth boundary serves a 31-mile square area in the northeast corner of the state bordering the Hudson river (New Jersey Meadowlands Commission).
<b>NEW YORK</b>	New York's coastal zone varies from region to region while incorporating the following conditions: The inland boundary is approximately 1,000 feet from the shoreline of the mainland. In urbanized and developed coastal locations the landward boundary is approximately 500 feet from the mainland's shoreline, or less than 500 feet where a roadway or railroad line runs parallel to the shoreline at a distance of under 500 feet and defines the boundary. In locations where major state-owned lands and facilities or electric power generating facilities abut the shoreline, the boundary extends inland to include them. In some areas, such as Long Island Sound and the Hudson River Valley, the boundary may extend inland up to 10,000 feet to encompass significant coastal resources, such as areas of exceptional scenic value, agricultural or recreational lands, and major tributaries and headlands.
<b>NORTH CAROLINA</b>	North Carolina's coastal zone includes the 20 counties that in whole or in part are adjacent to, adjoining, intersected by or bounded by the Atlantic Ocean or any coastal sound(s). Within this boundary, there are two tiers. The first tier is comprised of Areas of Environmental Concern (AEC) and is subject to more thorough regulatory controls. AECs include: coastal wetlands, estuarine waters, public trust areas, estuarine shorelines, ocean beaches, frontal dunes, ocean erosion areas, inlet lands, small surface water supply watersheds, public water supply well-fields, and fragile natural resource areas. The second tier includes land uses which have potential to affect coastal waters even though they are not located in AECs.
<b>NORTHERN MARIANA ISLANDS</b>	Northern Mariana Islands' coastal zone is the entire Commonwealth. (Note: a recent federal court decision ruled that the Commonwealth does not own the adjacent territorial sea. A consent decree allows the CNMI to manage the area.)
<b>OHIO</b>	Ohio's coastal zone includes portions of 9 counties bordering Lake Erie and its tributaries and varies depending on biophysical characteristics of various coastal regions— in the western part of the coast the boundary extends inland up to 15 miles along certain low lying wetland and floodplain areas; in most of the eastern part of the State, areas with high bluffs, the boundary extends inland for only about an eighth of a mile, with the exception of the Mentor Marsh area.
<b>OREGON</b>	Oregon's coastal zone extends inland to the crest of the coastal range, except for the following: along the Umpqua River, where it extends upstream to Scottsburg; along the Rogue River, where it extends upstream to Agness; and except in the Columbia River Basin, where it extends upstream to the downstream end of Puget Island.

<b>PENNSYLVANIA</b>	Pennsylvania's coastal zone along Lake Erie varies from 900 feet in urban areas to over 3 miles in more rural areas, and encompasses the floodplains of Lake Erie and tributary streams, bluff hazards recession areas, and coastal wetlands. The coastal zone along the Delaware River Estuary extends inland to 660 feet in urbanized areas, to 3.5 miles in rural areas, and includes floodplains of the Delaware and Schuylkill Rivers and their tributaries to the upper limit of tidal influence, and tidal and freshwater wetlands.
<b>PUERTO RICO *</b>	Puerto Rico's coastal zone, generally, extends 1,000 meters inland; however, it extends further inland in certain areas to include important coastal resources. Puerto Rico's seaward boundary is 3 marine leagues (9 nautical miles).
<b>RHODE ISLAND</b>	Rhode Island's coastal zone includes the whole state. However, the inland extent of the regulatory authority of the State's CZMA agency is 200 feet inland from any coastal feature, to watersheds, and to certain activities that occur anywhere within the State that include: power-generating plants; petroleum storage facilities; chemical or petroleum processing; minerals extraction; sewage treatment and disposal plants; solid waste disposal facilities; and, desalination plants.
<b>SOUTH CAROLINA</b>	South Carolina's coastal zone includes all lands and waters in the counties which contain any one or more of the critical areas (coastal waters, tidelands, beaches, and primary oceanfront sand dunes).
<b>TEXAS *</b>	Texas' coastal zone is generally the area seaward of the Texas coastal facility designation line which roughly follows roads that are parallel to coastal waters and wetlands generally within one mile of tidal rivers. The boundary encompasses all or portions of 18 coastal counties. Texas' seaward boundary is 3 marine leagues (9 nautical miles).
<b>VIRGINIA</b>	Virginia's coastal zone includes the 29 counties, 17 cities, and 42 incorporated towns of <i>Tidewater Virginia</i> , including the Atlantic Coast watershed and portions of the Chesapeake Bay and Albemarle-Pamlico Sound watersheds.
<b>VIRGIN ISLANDS</b>	Virgin Islands' coastal zone includes the entire territory.
<b>WASHINGTON</b>	Washington's coastal zone is the 15 coastal counties that front saltwater.
<b>WISCONSIN</b>	Wisconsin's coastal zone is the 15 counties that front Lake Superior, Lake Michigan, or Green Bay.


# **APPENDIX G**

## **CONTAMINATION & TOXIC SUBSTANCES**

# **PHASE I ENVIRONMENTAL SITE ASSESSMENT REPORT**

## **PROPERTY ASSESSED:**

2155 West Plum Street  
Fort Collins, Larimer County, Colorado 80521



**RSB Project No. 2210057**  
**Report Date: November 23, 2022**

**Prepared For:**  
**Mr. Preston Nakayama**



November 23, 2022

Mr. Preston Nakayama


RE: Phase I Environmental Site Assessment of  
2155 West Plum Street  
Fort Collins, Larimer County, Colorado 80521  
RSB Project No. 2210057


Dear Mr. Nakayama:

Attached please find our Phase I Environmental Site Assessment (the report) for the above-mentioned asset (the Subject Property). During the survey and research, our field inspector met with agents representing the Subject Property, or agents of the owner, and reviewed the Subject Property and its history. The report was completed according to the terms and conditions authorized by you (Client and User). This report has been completed in general conformance with the ASTM Standard E1527-13, as well as the requirements of the United States Department of Housing and Urban Development (HUD). The purpose of this report is to acquire environmental information, observe the general condition and maintenance status of the Subject Property, to suggest remediation and/or maintenance practices considered customary for the Subject Property to continue in its current operation, compared to properties of similar age and condition, and to identify recognized environmental conditions in connection with the Subject Property described in this report.

Reliance on the report and the information contained herein shall mean (i) the report may be relied upon by a lender to be selected by Mr. Preston Nakayama, in determining whether to make a loan evidenced by a note secured by the Subject Property ("the Mortgage Loan"); (ii) the report may be relied upon by any purchaser in determining whether to purchase the Mortgage Loan (but not the Subject Property) from that lender, or an interest in the Mortgage Loan or securities backed or secured by the Mortgage Loan, and any rating agency rating securities representing an interest in the Mortgage Loan or backed or secured by the Mortgage Loan; (iii) the report may be referred to in and included, in whole or in part, with materials offering for sale the Mortgage Loan or an interest in the Mortgage Loan or securities backed or secured by the Mortgage Loan; (iv) the report speaks only as of its date in the absence of a specific written update of the report signed and delivered by RSB Environmental.

There are no intended or unintended third-party beneficiaries to this report, except as expressly stated herein.





RSB is an independent contractor, not an employee of either the issuer or the borrower, and its compensation was not based on the findings or recommendations made in the report or on the closing of any business transaction.

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312 and we have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Subject Property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Thank you very much for the opportunity to provide environmental consulting services to Mr. Preston Nakayama. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Respectfully submitted,



Sachin Butala, P.E.  
**RSB Environmental**



## HUD CERTIFICATION


I understand that my environmental review will be used by Mr. Preston Nakayama (“MAP Lender”) to document to the U.S. Department of Housing and Urban Development that the MAP Lender’s application for FHA multifamily mortgage insurance was prepared and reviewed in accordance with HUD requirements. I certify that my review was in accordance with the HUD requirements applicable on the date of my review and that I have no financial interest or family relationship with the officers, directors, stockholders, or partners of the Borrower, the general contractor, any subcontractors, the buyer or seller of the proposed property or engage in any business that might present a conflict of interest.

I am under contract for this specific assignment and I have no other side deals, agreements, or financial considerations with the MAP Lender or others in connection with this transaction. This report is written to meet the Multifamily Accelerated Processing (MAP) guidelines pursuant to the HUD mortgage Insurance program 223(f) as well as ASTM E1527-13.



Sachin Butala, P.E.  
Environmental Professional  
November 23, 2022

Warning: Title 18 U.S.C. 1001, provides in part that whoever knowingly and willfully makes or uses a document containing any false, fictitious or fraudulent statement or entry, in any manner in the jurisdiction of any department or agency of the United States, shall be fined not more than \$10,000 or imprisoned for not more than five years or both.





## TABLE OF CONTENTS


<b>Executive Summary</b>	<b>1</b>
<b>Project Summary</b>	<b>4</b>
<b>1.0 Introduction</b>	<b>5</b>
1.1 Purpose	5
1.2 Scope of Work	6
<b>2.0 Site Description</b>	<b>7</b>
2.1 Ownership and Location	7
2.2 Subject Property Improvements and Current Use	7
2.3 Surrounding Properties	7
<b>3.0 Interviews, Records and Municipal Information</b>	<b>8</b>
3.1 User Provided Information	8
3.2 Reason for Performing Phase I ESA	9
3.3 Interview	9
<b>4.0 Environmental Records</b>	<b>10</b>
4.1 Standard Environmental Record Sources	10
4.2 Environmental Record from Government Agencies	12
4.3 Physical Setting Sources	13
<b>5.0 Historical Information</b>	<b>15</b>
5.1 Historical Research	15
5.2 Aerial Photographs	15
5.3 Historical Topographic Maps	17
5.4 Sanborn Fire Insurance Maps	17
5.5 City Directories	17
5.6 Prior Assessment Reports	20
5.7 Historical Use Summary	20
<b>6.0 Subject Property Reconnaissance</b>	<b>21</b>
6.1 Methodology and Limiting Conditions	21
6.2 Subject Property Reconnaissance	21
6.3 Surrounding Property Reconnaissance	22
<b>7.0 ASTM Non-Scope Considerations</b>	<b>24</b>
7.1 Asbestos containing Material (ACM)	24
7.2 Radon	24
7.3 Lead-Based Paint (LBP)	25
7.4 Mold Evaluation	25
7.5 HUD Environmental Factors	26



<b>8.0</b>	<b>Findings, Conclusion and Recommendations .....</b>	<b>28</b>
8.1	Findings and Conclusions .....	28
8.2	Recommendations .....	28
<b>9.0</b>	<b>References .....</b>	<b>29</b>
<b>10.0</b>	<b>Assumptions, Limitations and Exceptions .....</b>	<b>30</b>
10.1	Significant Assumptions .....	30
10.2	Limitations and Exceptions .....	30
<b>11.0</b>	<b>Reliance .....</b>	<b>32</b>

## **APPENDIX**

Appendix A	Figures
Appendix B	Property Photographs
Appendix C	Historical Research Documentation
Appendix D	Regulatory Records Documentation
Appendix E	Other Supporting Documentation
Appendix F	Qualifications Of Environmental Professionals
Appendix G	HUD Form 4128-OHF



## EXECUTIVE SUMMARY

RSB Environmental (RSB) has performed a Phase I Environmental Site Assessment (ESA) in general accordance with the scope of work and limitations set forth by RSB's proposal dated October 14, 2022 for Property located at 2155 West Plum Street, Fort Collins, Larimer County, Colorado 80521 (the "Subject Property").

The Phase I Environmental Site Assessment is designed to provide Mr. Preston Nakayama with an assessment concerning environmental conditions (limited to those issues identified in the report), as they exist at the Subject Property. This assessment was conducted utilizing generally accepted ESA industry standards in general accordance with ASTM Standard E1527-13, Standard Practice for Environmental Site Assessments: Phase I ESA Process. In addition to ASTM Standard E1527-13, the assessment was completed in accordance with portions of the United States Department of Housing and Urban Development (HUD).

Property Details	
Property Details	General Information
<b>Current Owner:</b>	Housing Authority of the City of Fort Collins
<b>Current Use:</b>	Residential
<b>Current Occupants:</b>	Multiple residential tenants (Vista Montana)
<b>Total # of Existing Buildings:</b>	One (1)
<b>Total Sq. Ft. of Building:</b>	11,148
<b>Date Oldest Building was built:</b>	1982
<b>Field Assessor:</b>	Mr. Sahil Maan
<b>Report Writer:</b>	Mr. Sachin Butala
<b>Address Provided:</b>	2155 West Plum Street, Fort Collins, Colorado 80521
<b>Total Acreage of Land:</b>	Approximately 0.54
<b>Tax ID #:</b>	9716131901
<b>Date of Site Reconnaissance:</b>	November 2, 2022
<b>Total # of Wells (water, oil, gas, other) identified onsite:</b>	None
<b>Areas/Units that were inaccessible to the RSB field assessor:</b>	None
<b>Were enough (units/offices/buildings/acres) inspected to ensure that the inspection was homogenous?</b>	Yes
<b>Did the field assessor notice any unusual odors on or from the subject site or adjoining sites during the site reconnaissance?</b>	No



### Historical Use Summary

Based on available historical information, the Subject Property was undeveloped land at least from 1906 until at least 1981. The existing residential building was developed on the Subject Property in 1982. Since 1982, the Subject Property has been used for residential purposes.

### Surrounding Property

Direction	Adjoining Site
North	West Plum Street followed by multi-family residential properties and The Bridge Church (2156 W Plum Street; 833 South Taft Hill Road and 833 County Road 19)
East	Cammire Apartments (2115 West Plum Street)
West	Multi-family residential properties (2203 West Plum Street)
South	Rams Park Apartments and Gables Plaza (2226 West Elizabeth Street and 925 South Taft Hill Road)

### Findings and Conclusions

RSB has performed a Phase I ESA in general conformance with the scope and limitations of ASTM Standard E1527-13 for the Property located at 2155 West Plum Street, Fort Collins, Larimer County, Colorado 80521, the Subject Property. Any exceptions to or deletions from this practice are described in Section 10.0 of this report.


1. This assessment has revealed no evidence of RECs in connection with the Subject Property.
2. This assessment has revealed no evidence of HRECs in connection with the Subject Property.
3. This assessment has revealed no evidence of CRECs in connection with the Subject Property.
4. This assessment has revealed no evidence of BERs in connection with the Subject Property.

### Non-ASTM Scope Items

- Due to the age of the Subject Property building (pre-1989), it is likely that asbestos-containing materials (ACMs) are present at the Subject Property. Overall, potential ACMs (PACMs) were observed to be in good condition. Actual material samples would need to be collected in order to determine if ACMs are present.
- According to the United States EPA, the radon zone level for the Larimer 1. Zone 1 counties have a predicted average indoor radon screening level greater than 4 pCi/L with a high potential for radon gas. Radon testing would need to be conducted to determine the actual levels of radon inside each building unit.

### De Minimis Environmental Conditions

- RSB did not identify *de minimis* environmental conditions in connection with the Subject Property.




---

## Recommendations

Based on the conclusions, RSB recommends the following:

- The PACM be managed safely under an Operations and Maintenance (O&M) Program until removal is dictated by renovation, demolition, or deteriorating material condition. Should renovations or demolition be required, PACMs would need to be sampled to confirm the presence and/or absence of asbestos prior to any renovation or demolition activities to prevent potential exposure to workers and/or building occupants.
- Based upon the elevated radon concentrations identified in Larimer county, RSB recommends that radon testing be conducted at the Subject Property to determine the actual radon gas levels in each building.




## PROJECT SUMMARY

### PHASE I ENVIRONMENTAL SITE ASSESSMENT SUMMARY

**Property located at**  
2155 West Plum Street, Fort Collins  
Larimer County, Colorado 80521

Number	Section Name	NFA	REC	CREC	HREC	OEC	BER	Comments
4.1.1	Subject Property	✓						None
4.1.2	Surrounding Properties	✓						None
5.1	Historical Research	✓						None
6.2.1	Subject Property Reconnaissance	✓						None
6.3.1	Surrounding Property Reconnaissance	✓						None
7.1	Asbestos Containing Material (ACM)					✓		Refer section 7.1
7.2	Radon					✓		Refer section 7.2
7.3	Lead-Based Paint (LBP)	✓						None
7.4	Mold Evaluation	✓						None
<b>NFA - No Further Action</b> <b>REC - Recognized Environmental Condition</b> <b>CREC - Controlled Recognized Environmental Condition</b> <b>HREC - Historical Recognized Environmental Condition</b> <b>OEC - Other Environmental Considerations</b> <b>BER - Business Environmental Risk</b>								



## 1.0 INTRODUCTION

RSB Environmental (RSB) was retained by Mr. Preston Nakayama (Client) to conduct a Phase I Environmental Site Assessment (ESA) of property located at 2155 West Plum Street, Fort Collins, Larimer County, Colorado 80521 (the Subject Property). The protocol used for this assessment is in general conformance with ASTM Standard E1527-13, Standard Practice for Environmental Site Assessments: Phase I ESA Process. In addition to ASTM Standard E1527-13, the assessment was completed in accordance with portions of the United States Department of Housing and Urban Development (HUD).

On November 2, 2022, Mr. Sahil Maan, a Site Inspector with RSB, conducted a site reconnaissance to assess the possible presence of petroleum products and hazardous materials at the Subject Property. RSB's investigation included a review of aerial photographs, a reconnaissance of adjacent properties, background research and a review of available local, State and Federal regulatory records regarding the presence of petroleum products and/or hazardous materials at the Subject Property.

RSB contracted Environmental Risk Information Services (ERIS) to perform a computer database search for local, State and Federal regulatory records pertaining to environmental concerns for the Subject Property and properties near the Subject Property (refer to [Regulatory Records](#)).

### 1.1 Purpose

The purpose of the ESA is to identify Recognized Environmental Conditions (RECs), Controlled Recognized Environmental Conditions (CRECs) and Historical Recognized Environmental Conditions (HRECs) and de minimis conditions as defined by ASTM E1527-13.


The term REC is defined as the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment.

The term CREC is defined as a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (for example, as evidenced by the issuance of a no further action letter or equivalent, or meeting risk-based criteria established by regulatory authority), with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

The term HREC is defined as a past release of any hazardous substances or petroleum products that has occurred in connection with the Subject Property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls.

The term de minimis condition is defined as a condition that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be de minimis are not RECs or CRECs."

The term Business Environmental Risk (BER) is defined as a risk which can have a material environmental or environmentally-driven impact on the business associated with the current or planned use of a parcel of commercial real estate, not necessarily limited to those environmental issues required to be investigated as defined by ASTM.




This Phase I ESA was also performed to permit the User to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) liability (hereinafter, the landowner liability protections, or “LLPs”). ASTM Standard E1527-13 constitutes “all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice as defined at 42 U.S.C. §9601(35) (B). RSB understands that the findings of this study will be used by the Client to evaluate a pending financial transaction in connection with the Subject Property.

## ***1.2 Scope of Work***

The scope of work for this Phase I ESA is in general accordance with the requirements of ASTM Standard E1527-13. RSB warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work. These methodologies are described as representing good commercial and customary practice for conducting a Phase I ESA of a property for the purpose of identifying RECs. No other warranties are implied or expressed.

Additionally, RSB addressed certain ASTM non-scope considerations. These non-scope considerations include asbestos-containing materials (ACM), radon, lead-based paint (LBP), microbial growth, drinking water quality, flood zones, wetlands and additional HUD factors.



## 2.0 SITE DESCRIPTION

### 2.1 Ownership and Location

According to the Larimer County Assessor's Office, the Subject Property is currently owned by Housing Authority of the City of Fort Collins.

The Subject Property is located at 2155 West Plum Street, Fort Collins, Larimer County, Colorado 80521. The Subject Property includes one (1) irregular shaped parcel, identified by the Larimer County Assessor's Office as 9716131901 totaling approximately 0.54 acres. The Subject Property is located approximately 310 feet to the west-southwest of the intersection of South Taft Hill Road and West Plum Street. Figure 1 - Location Map depicts the location of the Subject Property. Figure 2 - Site Plan depicts the configuration of the Subject Property and adjoining properties.


### 2.2 Subject Property Improvements and Current Use

The Subject Property is a currently improved with one (1) irregular shaped building approximately 11,148 square feet (SF). Based on the information obtained from Larimer County Assessor's Office, the existing building was developed on the Subject Property in 1982. Since then the Subject Property has been used for residential purposes.

### 2.3 Surrounding Properties

Property use in the vicinity of the Subject Property is primarily characterized by commercial and residential properties. No visual evidence of adverse environmental conditions was observed during the survey of the adjoining properties. The following table outlines the findings of adjoining properties to the site.

Surrounding Property	
Direction	Adjoining Site
North	West Plum Street followed by multi-family residential properties and The Bridge Church (2156 W Plum Street; 833 South Taft Hill Road and 833 County Road 19)
East	Cammire Apartments (2115 West Plum Street)
West	Multi-family residential properties (2203 West Plum Street)
South	Rams Park Apartments and Gables Plaza (2226 West Elizabeth Street and 925 South Taft Hill Road)



### 3.0 INTERVIEWS, RECORDS AND MUNICIPAL INFORMATION

#### 3.1 User Provided Information

Pursuant to ASTM Standard E1527-13, it is the responsibility of the User, the Owner of the Property, and the Property Owners designated Contact to ensure compliance with the All Appropriate Inquiry (AAI); innocent land owner defense. As such, RSB requested Property information from the User, the Property Owner, and the Property Owners designated Contact in the form of a Phase I ESA Questionnaire. Failure to provide the requested information may be considered a data gap. A completed Pre-Survey Questionnaire was not returned to RSB.

User Provided Information		
Database	Records Identified	Findings
Title Records	No	The User did not provide RSB with any recorded land title records or lien records, filed under federal, tribal, state, or local law, for review.
Environmental Liens or Activity and Use Limitation	No	The User was not aware of any environmental liens associated with the Subject Property. In addition, the User had no knowledge of any use or activity limitations.
Specialized Knowledge	No	The User did not inform RSB of any specialized knowledge of the Subject Property that would re-late to the presence of RECs, in connection with the Subject Property or indicate that they were aware of any commonly known or reasonably ascertainable information within the local community about the Subject Property that is material to RECs in connection with the Subject Property.
Commonly Known or Reasonably Ascertainable Information	No	The User was not aware of any environmental conditions associated with the Subject Property.
Valuation Reduction for Environmental Issues	No	The User was not aware of any valuation reductions associated with the Subject Property.
Owner, Property Manager and Occupant Information	Yes	According to the Larimer County Assessor's Office, the APN for the Subject Property is 9716131901. The Subject Property is currently owned by Housing Authority of the City of Fort Collins. The Subject Property is currently improved with one (1) building.



### 3.2 Reason for Performing Phase I ESA

The purpose of this Phase I ESA is to identify existing or potential RECs, CRECs, and/or HRECs in connection with the Subject Property. An REC, CREC, and HREC are defined under ASTM Standard E1527-13.

This Phase I ESA was also performed to permit the User to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on scope of Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. §9601) liability (hereinafter, the “landowner liability protections,” or “LLPs”). ASTM Standard E1527-13 constitutes all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice as defined at 42 U.S.C. §9601(35) (B). RSB understands that the findings of this study will be used by the Client to evaluate a pending financial transaction in connection with the Property.

### 3.3 Interview

The following persons were interviewed to obtain information regarding recognized environmental conditions in connection with the Subject Property. Additionally, a Pre-Survey Questionnaire was forwarded to the designated Subject Property contact. The Pre-Survey Questionnaire has not been completed or returned to our offices. The information requested in the Pre-Survey Questionnaire is intended to assist in gathering information that may be material to identifying recognized environmental conditions in connection with the Subject Property. The accompanying documentation is presented in [Other Supporting Documentation Appendix](#).

Interviews		
Contact	Interview Date	Pertinent Information or Comments
Ms. Misty Gonzales	November 2, 2022	Ms. Misty Gonzales was interviewed during site reconnaissance and provided general information regarding the Subject Property. Ms. Misty Gonzales was not aware of any environmental concerns on the Subject Property.
Mr. Preston Nakayama	November 2, 2022	Mr. Preston Nakayama was interviewed during site reconnaissance and provided general information regarding the Subject Property. Mr. Preston Nakayama was not aware of any environmental concerns on the Subject Property.
<i>Pertinent information from the interviews is presented in applicable sections of this report.</i>		



## 4.0 ENVIRONMENTAL RECORDS

### 4.1 Standard Environmental Record Sources


Information from standard Federal and state environmental record sources was provided through Environmental Risk Information Services (ERIS). Data from governmental agency lists are updated and integrated into one database, which is updated as data is released. This integrated database also contains postal service data in order to enhance matchings for the Subject Property. Records from one government source are compared to records from another to clarify any ambiguities for the Subject Property. The demographic and geographic information available provides assistance in identifying and managing risk. The accuracy of the geocoded locations is approximately +/-300 feet.

In some cases, location information supplied by the regulatory agencies is insufficient to allow the database companies to geocode facility locations. These facilities are listed under the Orphans section within the ERIS report. According to the ERIS report, 2 orphan facilities were identified.

In addition, as recommended by ASTM Standard E1527-13, the standard Federal, State, and Tribal Environmental Record sources within the ERIS report were utilized to identify potential on-site and/or off-site RECs, CRECs, and HRECs. If identified, the relative listed REC(s), CREC(s), and/or HREC(s) is discussed below. A copy of the ERIS Report has been included in [Regulatory Records Appendix](#) of this report.

### Regulatory Records Review

Standard Environmental Record Sources	Approximate Minimum Search Distance Per ASTM (mi)	Subject Property	Off-Site Properties
Federal CERCLIS	0.5	0	0
Federal CERCLIS NFRAP	0.5	0	0
Federal Delisted NPL	0.5	0	0
Federal ERNS	Property Only	0	0
Federal IC/EC	Property Only	0	0
Federal NPDES	0.5	0	0
Federal NPL	1	0	0
Federal RCRA CORRACTS	1	0	1
Federal RCRA Generators	Property and Adjoining	0	0
Federal RCRA non-CORRACTS TSD	0.5	0	0
State and Tribal Brownfield Sites	0.5	0	0



<b>Standard Environmental Record Sources</b>	<b>Approximate Minimum Search Distance Per ASTM (mi)</b>	<b>Subject Property</b>	<b>Off-Site Properties</b>
State and Tribal Hazardous Waste Sites (CERLCIS Equivalent)	0.5	0	0
State and Tribal Hazardous Waste Sites (NPL Equivalent)	0.5	0	0
State and Tribal Landfill and/or Solid Waste Disposal Sites	0.5	0	0
State and Tribal Leaking Tanks	0.5	0	5
LUST Trust Sites (LUST TRUST)	0.5	0	6
State and Tribal Registered UST and AST	Property and Adjoining	0	0
State and Tribal Voluntary Cleanup	0.5	0	0
Additional Environmental Records (ASBESTOS)	Property and Adjoining	0	1

#### ***4.1.1 Subject Property***

There were no listings identified in the environmental database searched for the Subject Property.


#### ***4.1.2 Surrounding Properties***

##### ***Federal RCRA CORRACTS-Corrective Action***

One (1) site was identified on the Federal RCRA CORRACTS database on the environmental records reviewed. The identified site is located greater than 0.90 miles from the Subject Property. Based on the distance from the Subject Property and separation due to urban development, it is unlikely to consider the identified site as an environmental concern to the Subject Property.

##### ***LUST Trust Sites (LUST TRUST)***

Six (6) sites were identified on the LUST Trust Sites database on the environmental records reviewed. Four (4) of the total listed sites are located greater than 0.10 miles or down-gradient from the Subject Property. Based on the distance from the Subject Property, presumed hydrogeologic gradient,



and separation due to urban development, it is unlikely to consider the identified sites as an environmental concern to the Subject Property. The remaining sites are given below under the heading: [State and Tribal Leaking Storage Tanks \(LST\)](#).

### ***State and Tribal Leaking Storage Tanks (LST)***

Five (5) sites were identified on the State and Tribal Leaking Storage Tanks database on the environmental records reviewed. Four (4) of the total listed sites are located greater than 0.10 miles or down-gradient from the Subject Property. Based on the distance from the Subject Property, presumed hydrogeologic gradient, and separation due to urban development, it is unlikely to consider the identified sites as an environmental concern to the Subject Property. The remaining sites are listed below:

Everyday Store #5015, Facility ID: 10481 located 949 South Taft Hill Road 0.07 miles, Southeast, Upgradient is listed on LST and twice on LUST TRUST databases. Two release cases occurred at the property. The first release was discovered on November 3, 1998, and the second release case was discovered on June 30, 2015. RSB reviewed the Colorado Storage Tank Information System (COSTIS-IA) portal of the Colorado Division of Oil and Public Safety for documents regarding contamination and remediation, however, no such documents were available for review. The site received No Further Action status for both cases on September 7, 2004, and January 25, 2019. Based on the NFA status of both cases, distance from the Subject Property, and separation due to urban development, it is unlikely to consider the identified site as an environmental concern to the Subject Property.

### ***Additional Environmental Records***

Blusky Restoration Contractors, LLC located at 2115 West Plum Street Unit 14 – East – 0.04 miles – Down gradient from the Subject Property. The site was listed on the Asbestos Abatement and Demolition Projects (ASBESTOS) database due to an asbestos abatement project. No violations were identified on the environmental records associated with this listing. Based on the lack of reported violations, it is unlikely to consider the identified site as an environmental concern to the Subject Property.

### ***Unplottable Sites***

The environmental records search sometimes includes a list of “unplottable” or “orphan” sites which may or may not be located within the minimum search distances. 2 sites were listed but they do not appear to be the Subject Property or adjacent properties.

## ***4.2 Environmental Record from Government Agencies***

In addition, to the information requested and discussed from the agencies listed below, RSB also requested information on the presence of activity and use limitations (AULs) on the Property from these agencies. As defined by ASTM Standard E1527-13, AULs are the legal or physical restrictions or limitations on the use of, or access to, a site or facility: 1) to reduce or eliminate potential exposure to hazardous substances or petroleum products in the soil or groundwater on the Property; or 2) to prevent activities that could interfere with the effectiveness of a response action, in order to ensure maintenance of a condition of no significant risk to public health or the environment. These legal or physical restrictions, which may include institutional and/or engineering controls (IC/ECs), are intended to prevent adverse impacts to individuals or populations that may be exposed to hazardous substances and petroleum products in the soil or groundwater on the Subject Property.



Additional Environmental Record Sources			
Agency Contacted	Date of Information Request	Significance	Findings
Colorado Department of Public Health and Environment	November 4, 2022	To identify historical tenants and/or property use	Freedom of Information Act (FOIA) was submitted, as of November 23, 2022, RSB has not received a response to this inquiry.
City of Fort Collins Open Records Request Office	November 4, 2022	To identify historical tenants and/or property use	Freedom of Information Act (FOIA) was submitted, as of November 23, 2022, RSB received a response from the City of Fort Collins. Documents received include Certificate of occupancy, and building inspection reports. No documents pertaining to any environmental concerns on the Subject Property were received as a part of the FOIA response. The above mentioned documents have been included in the appendix.

### 4.3 Physical Setting Sources

#### 4.3.1 Topography


The United States Geological Survey (USGS), Fort Collins, CO Quadrangle 7.5-minute series topographic map was reviewed for this ESA. This map was published by the USGS in 2022. Based on a review of the topographic map, the Subject Property is located approximately 5,077 feet above mean sea level (MSL). The contour lines also indicate that the Subject Property is sloping towards north.

#### 4.3.2 Soils/Geology

According to the Soil Survey of Larimer County, Colorado provided by the United States Department of Agriculture (USDA), Natural Resource Conservation Service (NRCS) at their website: [www.websoilsurvey.nrcs.usda.gov](http://www.websoilsurvey.nrcs.usda.gov). The soils beneath the Subject Property is composed following soils:

Nunn clay loam, 1 to 3 percent slopes, classified as well drained and identified on the hydrologic soil group C, soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

The geology of the Subject Property is summarized in the following table:



Geology:	Based on USGS information, the geology consists of Older gravels and alluviums from Phanerozoic, Cenozoic and Quaternary era. Primary rock type is gravel and secondary rock type is alluvium.
Source:	Physical Setting Report from ERIS

#### **4.3.3 Hydrology**

Information specific to the Subject Property regarding the depth to groundwater and direction of groundwater flow was not readily available for the Subject Property. According to information obtained from the Soil Survey of Larimer County, Colorado, USDA, NRCS website: [www.websoilsurvey.nrcs.usda.gov](http://www.websoilsurvey.nrcs.usda.gov), the depth to the high groundwater table is estimated to be greater than 6 feet below the ground surface. In addition, based on local topography, groundwater in the general vicinity of the Subject Property is inferred to flow radially towards north.

The nearest surface water body is Clearview Channel located approximately 1,732-feet to the south from the Subject Property.

According to available information, the City of Fort Collins serves the Subject Property and/or vicinity. The Subject Property does not utilize the groundwater directly beneath the Property for domestic purposes.

#### **4.3.4 Flood Zone Information**

A review of a Flood Insurance Rate Map, published by the Federal Emergency Management Agency, was performed. According to Panel Number 08069C0978G dated May 02, 2012, the Subject Property appears to be located within Flood Zone "X Unshaded". Flood zone X Unshaded, defined as areas of minimal flood hazard.

#### **4.3.5 Oil and Gas Exploration**

According to the National Pipeline Mapping System (NPMS), no oil and gas pipelines or wells are located on the Subject Property and adjoining properties.



## 5.0 HISTORICAL INFORMATION

RSB attempted to develop a history of the previous uses of the Subject Property and surrounding area in order to help identify the likelihood of past uses having led to RECs in connection with the Subject Property. Efforts were made to identify the uses of the Subject Property back to the Subject Property's first use, or back to 1940, whichever is earlier.

The following sections summarize the findings of RSB's historical research.

### 5.1 Historical Research


The following table outlines decades of historical data reviewed as part of this assessment:

Historical Research	1910	1920	1930	1940	1950	1960	1970	1980	1990	2000	2010	NA
Aerial Photographs			✓	✓	✓	✓	✓	✓	✓	✓	✓	
Historical Topographic Maps	✓					✓		✓			✓	
Sanbon Fire Insurance Maps												✓
City Directories		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Prior Assessment Reports												✓

### 5.2 Aerial Photographs

Available aerial photographs dated 1937, 1941, 1953, 1958, 1963, 1969, 1978, 1983, 1993, 1999, 2004, 2005, 2006, 2009, 2011, 2013, 2015, 2017, 2019, and 2021 were obtained from [historicalaerials.com](http://historicalaerials.com). The photographs are discussed below:

Aerial Photographs - Subject Property	
Year(s)	Property Description
1937, 1941, 1953, 1958, 1963, 1969, 1978,	Undeveloped land depicted



Aerial Photographs - Subject Property	
Year(s)	Property Description
1983, 1993, 1999, 2004, 2005, 2006, 2009, 2011, 2013, 2015, 2017, 2019, and 2021	Existing development depicted

Aerial Photographs - Surrounding Areas				
Year(s)	North	East	West	South
1937, 1941, 1953, 1958, 1963	Undeveloped land depicted	Undeveloped land depicted	Undeveloped land depicted	Building structure depicted
1969	Portion of existing development depicted on eastern parcel across roadway; Undeveloped land depicted on western parcel across roadway	Undeveloped land depicted	Undeveloped land depicted	Building structure depicted
1978, 1983	Existing development depicted in eastern parcel across roadway; Undeveloped land depicted on western parcel across roadway	Existing development depicted	Undeveloped land depicted	Building structure depicted
1993	Existing development depicted across roadway	Existing development depicted	Existing development depicted	Building structure depicted
1999	Existing development depicted across roadway	Existing development depicted	Existing development depicted	Existing development depicted on eastern parcel; Undeveloped land depicted on western parcel
2004, 2005, 2006, 2009, 2011, 2013, 2015, 2017, 2019, 2021	Existing development depicted across roadway	Existing development depicted	Existing development depicted	Existing development depicted



### 5.3 Historical Topographic Maps

The United States Geological Survey (USGS), Fort Collins, CO Quadrangle 7.5-minute series topographic maps were reviewed for this ESA. The topographic maps were published by the USGS in 1906, 1908, 1960, 1969, 1984, 2013, 2016, and 2019 were obtained from [historicalaerials.com](http://historicalaerials.com). The maps are discussed below:

Topographic Maps - Subject Property	
Year(s)	Property Description
1906, 1908, 1960, 1969, 1984, 2013, 2016, and 2019	No structure depicted

Topographic Maps - Surrounding Areas				
Year(s)	North	East	West	South
1906, 1908, 1960, 1969	No structure depicted	No structure depicted	No structure depicted	No structure depicted
1984	Church depicted	Building structure depicted	No structure depicted	No structure depicted
2013, 2016, 2019	No structure depicted across roadway	No structure depicted	No structure depicted	No structure depicted

### 5.4 Sanborn Fire Insurance Maps


Sanborn Maps were originally created for assessing fire insurance liability in urbanized areas throughout the United States. The maps include detailed records regarding town and building information in approximately 12,000 U.S. towns and cities from 1867 to 1970 and have become a valuable tool for historical researchers. From an environmental standpoint, the map collection is a useful aid in documenting historical property developments of environmental concern such as dry-cleaning facilities, gas stations, manufacturing plants, etc.

RSB reviewed the collection of Sanborn Fire insurance maps from Environmental Risk Information Services (ERIS) on November 3, 2022. Sanborn map coverage was not available for the Subject Property. A copy Sanborn Fire insurance maps is provided in [Historical Research Documentation](#).

### 5.5 City Directories


A City Directory Abstract was provided by ERIS and reviewed for past names and businesses that were listed for the Subject Property and adjoining properties. The findings are presented in the following table, and a copy of the City Directory is provided in [Historical Research Documentation](#).

City Directories-Subject Property	
Year(s)	Property Description
1925, 1931, 1936, 1948, 1950	Street not listed



City Directories-Subject Property	
Year(s)	Property Description
1956, 1960, 1964	Range not listed
1970, 1975, 1981	Address not listed
1985	Amelia R Axtell; Albert P Bicking; Robert Cooper; Multiple listings
1989-90	Piazza S; Daugherty John E; Lind D; Multiple listings
1994-95	Apartments- J C Bennett; M L Burkhardt; Andy Dimatteo; Multiple listings
2000	Andy Dimatteo; Hazel Ginnings; J C Bennett; Multiple listings
2003	Andy Dimatteo; Bonnie Graham; Hazel Ginnings; Multiple listings
2008	Andy Dimatteo; Bonnie Graham; J C Bennett; Multiple listings
2012	Address not listed
2016, 2020, 2022	David Crowder; Joan Bennett; Marc Rope; Multiple listings

City Directories-Surrounding Areas	
Year(s)	Property Description
<b>North (2156 W Plum Street; 833 South Taft Hill Road and 833 County Road 19)</b>	
1925, 1931, 1936, 1948, 1950	Street not listed
1956, 1960, 1964	Range not listed
1970, 1975, 1981, 1985	Address not listed
1989-90	A Lani Road; Beckman Scott; Bonenberger Mike; Multiple listings
1994-95	Apartments- Road Alani; Ghassan Alqaser; Pam Bramble; Jane Brophy; Multiple listings
2000	Amy M Cameron; Chris Varallo; Dale Plessinger; J Williams; Multiple listings
2003	Andrew Dickson; B Ewert; Blair Skinner; Multiple listings
2008	Christin M Wilcox; Dale Plessinger; Gale Blocker; Multiple listings
2012	Address not listed
2016	Brandy Balsimo; Joann Dion; Michelle L Heureux; Sean Broadley
2020, 2022	Brandy Balsimo; Jason Rivest; Joann Dion; Multiple listings
<b>East (2115 West Plum Street)</b>	
1925, 1931, 1936, 1948, 1950	Street not listed
1956, 1960, 1964	Range not listed
1970, 1975	Address not listed



City Directories-Surrounding Areas	
Year(s)	Property Description
1981	Fittje Denise; Jordan John G; Nimmo Ronald J; Multiple listings
1985	Willibea Allen; Cara Bishard; Richard Chiara; Multiple listings
1989-90	Davey Denette; Platz David; Mc Mahon Sean; Multiple listings
1994-95	Apartments- Ann M Dimick; M M Jacobson; S L Metz; Multiple listings
2000	Dana Kunik; David Clucevich; John S Wilcox; Multiple listings
2003	Kelly Coble; L G Moore; Melinda Higel; Multiple listings
2008	Cara Morgan; Jack Bryant; S L Kettle; Multiple listings
2012	NCI INC
2016	NCI INC; Suzanne Kettle
2020	Suzanne Kettle
2022	Amanda Mirabal
South (2226 West Elizabeth Street and 925 South Taft Hill Road)	
1925, 1931, 1936, 1948, 1950, 1956, 1960, 1964, 1970, 1975, 1981, 1985, 1989-90, 1994-95, 2000, 2003, 2008, 2012, 2016, 2020, 2022	Street not listed
West (2203 West Plum Street)	
1925, 1931, 1936, 1948, 1950	Street not listed
1956, 1960, 1964	Range not listed
1970, 1975, 1981, 1985	Address not listed
1989-90	Fenzel Lisa; Livingston Ann; Runyan Andrew; Multiple listings
1994-95	Apartments- Maralee Anderson; Gwynne Bauer; Jeff Brown; Multiple listings
2000	A Das; Albert Guerra; Gwynne Bauer; Multiple listings
2003	Michelle Tafoya; Mike Sixta; M J Burk; Multiple listings
2008	Adam G Lanning; Ameer Lowe; Ana Goncalves; Multiple listings
2012	Address not listed
2016, 2020, 2022	Karyn Lewis; Rocky Lovato; Royce Simpson; Willi Lavarney




## 5.6 *Prior Assessment Reports*

RSB was not provided with prior assessment reports.

## 5.7 *Historical Use Summary*

Historical Use Summary
Based on available historical information, the Subject Property was undeveloped land at least from 1906 until at least 1981. The existing residential building was developed on the Subject Property in 1982. Since 1982, the Subject Property has been used for residential purposes.



## 6.0 SUBJECT PROPERTY RECONNAISSANCE

### 6.1 Methodology and Limiting Conditions


The Subject Property reconnaissance was conducted by Mr. Sahil Maan, RSB Site Inspector, on November 2, 2022. The weather at the time of the Property visit was Fair, 57 Degree Fahrenheit.

The Subject Property reconnaissance consisted of visual and/or physical observations of the Subject Property and improvements, adjoining properties as viewed from the Subject Property boundaries, and the surrounding area based on visual observations made from adjacent public thorough-fares. Building exteriors were observed along the perimeter from the ground, unless described otherwise. Building interiors were observed as they were made safely accessible, unless described otherwise.

### 6.2 Subject Property Reconnaissance

#### 6.2.1 Subject Property Reconnaissance

Observation	Yes	No
Hazardous Substance and Petroleum Products in Connection with Identified Uses	✓	
Hazardous Substance and Petroleum Products in Connection with Unidentified Uses		✓
Drums and Containers of Unidentified Substance or Petroleum Products		✓
Aboveground and Underground Storage Tanks		✓
Strong, Pungent or Noxious Odors		✓
Pools of Liquids		✓
Electrical or Hydraulic Equipment likely to Contain Fluids	✓	
Heating and Cooling Source		✓
Interior Stains or Corrosion other than from Water		✓
Floor Drains, Sumps, Clarifiers and Oil/Water Separators	✓	
Pits, Ponds and Lagoons		✓
Exterior Stained Soils or Pavement		✓
Stressed Vegetation		✓
Onsite Solid Waste Disposal or Unknown Fill		✓
Wastewater		✓
Wells		✓
Septic Systems and Cesspools		✓
Sink Holes		✓



Regulated Hazardous Substances/Wastes and/or Petroleum Products in Connection with Property Use/Interior Stains				
Regulated Hazardous Sub-stances/Wastes (size/quantity)	Locations	Operations Associ-ated with Material	Secondary Containment	Staining/ Spills
Janitorial chemicals	Building interior	Routine maintenance	No	No
Paint containers	Building interior	Maintenance	No	No

RSB did not observe evidence of spills, staining or leaks due to the above mentioned substances. Based on the good condition of the above mentioned substances, it is not expected to represent a significant environmental concern.

#### ***Electrical or Hydraulic Equipment likely to Contain Fluids***

One (1) passenger elevator services the Subject Property. The elevator is hydraulically powered and is maintained by ThyssenKrupp Elevator annually. Assessment of the elevator mechanical rooms did not reveal staining or other evidence of a release of hydraulic fluid. Based on the observed conditions it is not considered as an environmental concern.


#### ***Floor Drains, Sumps, Clarifiers and Oil/Water Separators***

RSB observed floor drain in the building interior of the Subject Property. No evidence of discharge of hazardous chemical compounds or petroleum chemicals was identified during the site inspection. It is not considered an environmental concern.

### **6.3 Surrounding Property Reconnaissance**

#### **6.3.1 Surrounding Property Reconnaissance**

Observation	Yes	No
Hazardous Substance and Petroleum Products in Connection with Identified Uses		✓
Hazardous Substance and Petroleum Products in Connection with Unidentified Uses		✓
Drums and Containers of Unidentified Substance or Petroleum Products		✓
Aboveground and Underground Storage Tanks		✓
Strong, Pungent or Noxious Odors		✓
Pools of Liquids		✓
Electrical or Hydraulic Equipment likely to Contain Fluids		✓
Heating and Cooling Source		✓



Observation	Yes	No
Interior Stains or Corrosion other than from Water		✓
Floor Drains, Sumps, Clarifiers and Oil/Water Separators		✓
Pits, Ponds and Lagoons		✓
Exterior Stained Soils or Pavement		✓
Stressed Vegetation		✓
Onsite Solid Waste Disposal or Unknown Fill		✓
Wastewater		✓
Wells		✓
Septic Systems and Cesspools		✓



## 7.0 ASTM NON-SCOPE CONSIDERATIONS

RSB also assessed the subject property for the presence of Asbestos Containing Materials (ACMs), Radon, Lead-Based Paint and Mold Evaluation.

### 7.1 *Asbestos containing Material (ACM)*

Asbestos is a mineral fiber that has been used commonly in a variety of building construction materials for insulation and as a fire-retardant. Because of its fiber strength and heat resistant properties, asbestos was used in roofing shingles, ceiling and floor tiles, insulation products, asbestos cement products, and a host of other building materials. ACM is often classified as either friable or non-friable. Friable ACM, when dry, can be crumbled, pulverized, or reduced to powder by hand pressure. Non-friable ACM can be crumbled, pulverized, or reduced to powder during machining, cutting, drilling, or other abrasive procedures. When asbestos-containing materials are damaged or disturbed by repair, remodeling or demolition activities, microscopic fibers become airborne and can be inhaled into the lungs, where they can cause significant health problems. Friable ACM is more likely to release fibers when disturbed or damaged than non-friable ACM.

RSB conducted a limited visual screening for the presence of ACM at the Subject Property. The potential for the presence of ACM was evaluated based on the age of the improvements, dates of renovation, and other relevant information. For this assessment, materials listed in the USEPA Guidance Document: Managing Asbestos in Place - A Building Owner's Guide to Operations and Maintenance Programs for Asbestos-Containing Materials, which were installed prior to 1989, are suspected of containing asbestos. It should be noted that, while less likely, asbestos may still be found in current building materials, particularly non-friable products, such as sheet vinyl flooring, vinyl floor tiles, floor tile mastic, joint compound, asbestos-cement board and roofing materials.

**Findings:** Due to the age of Subject Property building (pre-1989), it is likely that asbestos containing materials (ACMs) are present at the Subject Property.

Overall, potential ACMs (PACMs) were observed to be in good condition. Actual material samples would need to be collected in order to determine if ACMs are present. According to the US EPA, ACMs and PACMs that are intact and in good condition can, in general, be managed safely under an Operations and Maintenance (O&M) Program until removal is dictated by renovation, demolition, or deteriorating material condition. Should renovations or demolition be required, PACMs would need to be sampled to confirm the presence and/or absence of asbestos prior to any renovation or demolition activities to prevent potential exposure to workers and/or building occupants.

### 7.2 *Radon*

Radon is a naturally occurring colorless, odorless gas that is a by-product of the decay of radioactive materials potentially present in bedrock and soil. The USEPA guidance action level for annual residential exposure to radon is 4.0 picoCuries per liter of air (pCi/L). The guidance action level is not a regulatory requirement for private owners of commercial real estate, but is commonly used for comparison purposes to suggest whether further action at a building may be prudent.

A preliminary evaluation of the potential for concerns relating to radon was made using the USEPA Map of Radon Zones. The USEPA Map is based solely on averages in order to identify areas in the country with the potential for elevated indoor radon levels. Elevated levels of radon have been found in all radon zones. A finding that a Subject Property is located in a zone with predicted levels of radon below the USEPA



action level does not mean a specific property does not have elevated levels of radon. The evaluation considered the location of the Property, previous test results, if available, type of construction and usage of the Subject Property.

**Findings:** Radon sampling was not requested as part of this assessment. According to the United States EPA, the radon zone level for the Larimer County is Zone 1. Zone 1 counties have a predicted average indoor radon screening level greater than 4 pCi/L with a high potential for radon gas. Radon testing would need to be conducted to determine actual levels of radon inside each building unit.

### **7.3    *Lead-Based Paint (LBP)***

Lead was added to paint as a pigment, to speed drying, increase durability or to resist moisture. Although lead improves paint, it was found to pose a health hazard, particularly to children under the age of six, whose bodies are still developing. A paint is considered LBP if it contains lead equal to or exceeding 1.0 milligram per square centimeter or 0.5 percent by weight, or 5,000 parts per million (ppm) by weight.

A preliminary evaluation for the presence of LBP was conducted. The evaluation was based on the age of the improvements, the extent of renovations, property usage, and past analytical testing, if available. The Consumer Product Safety Commission banned the use of lead in paint in 1978, 16 CFR 1303. Most manufacturers, however, had ceased using lead well before this time. Paint applied after 1978 is not considered suspect LBP.

A comprehensive LBP survey was not conducted as part of this assessment. Conclusions are based on observations of representative areas only. A finding that LBP is not a significant concern cannot be interpreted as the building is free of LBP.

**Findings:** Based on the construction age of the Subject Property building (post-1978), it is unlikely that LBP is present.

### **7.4    *Mold Evaluation***

As part of this assessment, RSB performed a limited visual inspection for the conspicuous presence of suspect mold growth. A class of fungi, molds has been found to cause a variety of health problems in humans, including allergic, toxicological, and infectious responses. Molds are decomposers of organic materials, and thrive in humid environments, and produce spores to reproduce, just as plants produce seeds. When mold spores land on a damp spot indoor, they may begin growing and digesting whatever they are growing on in order to survive. When excessive moisture or water accumulates indoors, mold growth will often occur, particularly if the moisture problem remains undiscovered or unaddressed. As such, interior areas of buildings characterized by poor ventilation and high humidity are the most common locations of mold growth. Building materials including drywall, wallpaper, baseboards, wood framing, insulation, and carpeting often play host to such growth. Moisture control is the key to mold control. Molds need both food and water to survive; since molds can digest most things, water is the factor that limits mold growth.

The EPA recommends the following action to prevent the amplification of mold growth in buildings:

- Fix leaky plumbing and leaks in the building envelope as soon as possible;
- Watch for condensation and wet spots. Fix source(s) of moisture problem(s) as soon as possible;
- Prevent moisture due to condensation by increasing surface temperature or reducing the moisture level in air (humidity). To increase surface temperature, insulate or increase air circulation. To reduce the moisture level in air, repair leaks, increase ventilation (if outside air is cold and dry), or dehumidify (if outdoor air is warm and humid);



- Keep heating, ventilation, and air conditioning (HVAC) drip pans clean, flowing properly, and unobstructed;
- Vent moisture-generating appliances, such as dryers, to the outside where possible;
- Maintain low indoor humidity, below 60% relative humidity (RH), ideally 30-50%, if possible;
- Perform regular building/HVAC inspections and maintenance as scheduled;
- Clean and dry wet or damp spots within 48 hours; and
- Do not let foundations stay wet. Provide drainage and slope the ground away from the foundation.


**Findings:** RSB observed the accessible interior areas of the Subject Property structure for the presence of conspicuous suspect mold or observed water intrusion or accumulation. RSB did not observe any conspicuous visual or olfactory indications of the presence of water intrusion or suspect mold growth.

This activity was not designed to discover all areas, which may be affected by mold growth on the Subject Property. Rather, it is intended to give the Client an indication as to whether or not conspicuous (based on observed areas) suspect mold growth is present at the Subject Property. This evaluation did not include a review of pipe chases, HVAC systems or areas behind enclosed walls or ceilings.


## 7.5 HUD Environmental Factors

The following additional HUD Environmental Factors were reviewed for the Property.

Factors	Findings
Coastal Zone and Coastal Barrier Resource	The Property is not located within a state coastal management zone or a coastal barrier designated on a current Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (FIRM) or Department of the Interior coastal barrier resource map.
Floodplain Management	According to Panel Number 08069C0978G dated May 02, 2012, the Subject Property appears to be located within Flood Zone "X Unshaded". Flood zone X Unshaded, defined as areas of minimal flood hazard.
Historical Preservation	Based on the date of construction, nature of the transaction, and review of the National Register of Historic Places website, the Property Is not listed on or eligible for listing on the National Register of Historic Places. Additionally, it is not located within or adjacent to a historic district.
Noise Abatement	The Property is not located within 1,000 feet of a freeway, major highway, or busy road, five miles of a civil airport, 15 miles of a military or 3,000 feet of a railroad.
Explosive or Flammable Hazards	No industrial facilities handling explosive or fire-prone materials such as liquid propane, gasoline or other storage tanks are adjacent to or visible from the Property.
Airport Hazards	The Property is not located within 3,000 feet from the end of a runway at a civil airport or 2.5 miles from the end of a runway at a military airport.



Factors	Findings
Wetlands Protection	According to the United States Fish & Wildlife Service National Wetlands Inventory website, there are no federally regulated wetlands located on or adjacent to the Property. Additionally, RSB did not observe any water bodies or vegetation indicative of wetlands on the Property.
High Voltage Power Transmission or Other Towers	No high voltage power transmission structures are located on or adjacent to the Property. No other towers or structures that could fall on an onsite building are located on or adjacent to the Property.
Landfills	No landfills are located within 3,000 feet of the Property.
Endangered Species	Based on the refinancing of an existing property or and existing development, impacts to threatened or endangered species or habitats are not anticipated.
Sole Source Aquifer Recharge Areas	The Property is connected to municipal water and sewer; therefore, no further action or investigation is recommended.
Farmland Protection	The Property is not farmland; therefore, no further action or investigation is recommended.
Rail Lines	The Property is not located within 100 feet of a railroad right of way; therefore, no further action or investigation is recommended.
Natural Gas or Petroleum Pipelines	None of the onsite structures are located within 10 feet of a natural gas or petroleum pipeline easement; therefore, no further action or investigation is recommended.



## 8.0 FINDINGS, CONCLUSION AND RECOMMENDATIONS

### 8.1 Findings and Conclusions

#### Findings and Conclusions

RSB has performed a Phase I ESA in general conformance with the scope and limitations of ASTM Standard E1527-13 for the Property located at 2155 West Plum Street, Fort Collins, Larimer County, Colorado 80521, the Subject Property. Any exceptions to or deletions from this practice are described in Section 10.0 of this report.

1. This assessment has revealed no evidence of RECs in connection with the Subject Property.
2. This assessment has revealed no evidence of HRECs in connection with the Subject Property.
3. This assessment has revealed no evidence of CRECs in connection with the Subject Property.
4. This assessment has revealed no evidence of BERs in connection with the Subject Property.

#### Non-ASTM Scope Items

- Due to the age of the Subject Property building (pre-1989), it is likely that asbestos-containing materials (ACMs) are present at the Subject Property. Overall, potential ACMs (PACMs) were observed to be in good condition. Actual material samples would need to be collected in order to determine if ACMs are present.
- According to the United States EPA, the radon zone level for the Larimer 1. Zone 1 counties have a predicted average indoor radon screening level greater than 4 pCi/L with a high potential for radon gas. Radon testing would need to be conducted to determine the actual levels of radon inside each building unit.

#### De Minimis Environmental Conditions


- RSB did not identify *de minimis* environmental conditions in connection with the Subject Property.

### 8.2 Recommendations

#### Recommendations

Based on the conclusions, RSB recommends the following:


- The PACM be managed safely under an Operations and Maintenance (O&M) Program until removal is dictated by renovation, demolition, or deteriorating material condition. Should renovations or demolition be required, PACMs would need to be sampled to confirm the presence and/or absence of asbestos prior to any renovation or demolition activities to prevent potential exposure to workers and/or building occupants.
- Based upon the elevated radon concentrations identified in Larimer county, RSB recommends that radon testing be conducted at the Subject Property to determine the actual radon gas levels in each building.



---

## 9.0 REFERENCES

- American Society for Testing and Materials, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process, ASTM Designation: E1527-13
- Environmental Risk Information Services (ERIS), Database Report, ERIS ID 22102100359 dated November 4, 2022.
- Environmental Risk Information Services (ERIS), Physical Setting Report, ERIS ID 22102100359p dated November 3, 2022.
- Environmental Risk Information Services (ERIS), Fire Insurance Maps, ERIS ID 22102100359 dated November 3, 2022.
- Environmental Risk Information Services (ERIS), City Directory, ERIS ID 22102100359 dated November 04, 2022.
- US Environmental Protection Agency, Map of Radon Zones ([www.epa.gov/radon/zonemap.htm](http://www.epa.gov/radon/zonemap.htm)) Federal Emergency. Management Agency, Federal Insurance Administration, National Flood Insurance Program, Flood Insurance Map, Community Panel Number 08069C0978G dated May 02, 2012.
- USGS - 7.5-Minute Topographic Quadrangle of Fort Collins, CO.



## 10.0 ASSUMPTIONS, LIMITATIONS AND EXCEPTIONS

### 10.1 *Significant Assumptions*


RSB assumes the Subject Property has been correctly identified by the User, designated representative of the User, Subject Property owner or operator, and/or the designated representative of the Subject Property owner or operator. RSB assumes that the User, designated representative of the User, Subject Property owner or operator, and/or the designated representative of the Subject Property owner or operator used good faith in answering questions about and providing information for the Subject Property.

RSB assumes the direction of groundwater is consistent with the contours depicted on the United States Geological Survey (USGS) topographic map covering the Subject Property, unless otherwise specified by actual well data for the Subject Property or properties in the area, or RSB's experience and knowledge of the area.


### 10.2 *Limitations and Exceptions*

The findings and conclusions contain all of the limitations inherent in these methodologies that are referred to in ASTM Standard E1527-13 as well as United States Department of Housing and Urban Development (HUD). Specific limitations and exceptions to this ESA are more specifically set forth below:

- RSB only accessed the accessible areas of the Subject Property.
- The scope of work completed was designed solely to meet the needs of RSB's Client. RSB shall not be liable for any unintended usage of this report by another party. Additionally, based on the ASTM Standard Practice, the ESA is only valid if completed within 180 days of an acquisition or the transaction necessitating the ESA, unless updated in accordance with terms outlined within the Standard Practice.
- No ESA can wholly eliminate uncertainty regarding the potential for RECs in connection with a Subject Property. This ESA was designed to reduce but not eliminate uncertainty regarding the existence of such conditions in a manner that recognizes reasonable limits of time and cost. RSB has completed this ESA in accordance with generally accepted consulting practices, and makes no other warranties, either expressed or implied, as to the character and nature of such services or product.
- An ESA is intended to be a non-intrusive investigation and generally does not include sampling or testing of air, soil, water, or building materials. No destructive testing was completed and concealed areas, such as behind walls or within machinery, were not accessed.
- Information needed to complete the ESA is based on personal interviews, government records, published resources, and various historical documents. Accuracy and completeness of information varies among information sources and is often inaccurate or incomplete. An environmental professional is not required by the ASTM Standard Practice to verify independently the information provided but may rely on information provided unless the environmental professional has actual knowledge that certain information is incorrect or unless it is obvious that certain information is incorrect based on other information obtained by or otherwise actually known to the environmental professional.
- RSB shall have no on-going obligation to obtain and include information that was not reasonably ascertainable, practically reviewable, or provided to RSB in a reasonable timeframe to formulate an opinion and complete the assessment by the agreed upon due date.



- An ESA includes some information that may be relevant to regulatory compliance but is not intended and shall not be construed as a compliance audit and cannot be considered a verification of regulatory compliance. Depending on its past, present or future intended use, the Subject Property under review may or may not be subject to regulation and permitting under environmental and health and safety laws, such as, but not limited to, the Clean Air Act, the Clean Water Act, the Solid Waste Disposal Act, the Occupational Safety and Health Act, and other federal, state and local regulations. RSB assumes no responsibility or liability respecting regulatory permitting or compliance issues.



---

## **11.0 RELIANCE**


All reports, both verbal and written, are for the benefit of Mr. Preston Nakayama and its successors and assigns. This report has no other purpose and may not be relied upon by any other person or entity without the written consent of RSB.

Mr. Preston Nakayama may distribute the report to other parties without limitation; however, it is acknowledged that the report provided to third parties is for informational purposes only. RSB will issue a reliance letter if requested.

# **Appendix A**

## **Figures**








© 2011 Pearson Education, Inc.

Published by Pearson Education, Inc., 501 Boylston Street, Boston, MA 02116



# **Appendix B**


## **Property Photographs**



1. Property signage



2. View of the Subject Property




3. View of the Subject Property



4. Building exterior




5. Building exterior



6. Building exterior



7. Building exterior



8. Building exterior



9. Building exterior




10. Building exterior




11. View of rooftop




12. Parking area




13. Building interior




14. Living room




15. Living room



16. Bedroom



17. Bedroom



18. Kitchen




19. Kitchen




20. Bathroom




21. Bathroom




22. Laundry room




23. Elevator equipment room



24. Hallway



25. Stairway




26. Paint containers



27. Floor drain



28. Trash dumpster



29. North adjoining property



30. East adjoining property



31. Northeast adjoining property




32. West adjoining property



33. South adjoining property

# **Appendix C**

## **Historical Research Documentation**



**Project Property:** 2210057\_ESA\_2155 W Plum St, Fort Collins, CO 80521  
2155 W Plum St  
Fort Collins, CO 80521

**Project No:** 2210057

**Requested By:** RSB Environmental

**Order No:** 22102100359

**Date Completed:** November 04, 2022

November 04, 2022  
RE: CITY DIRECTORY RESEARCH  
2155 W Plum St  
Fort Collins, CO 80521

Thank you for contacting ERIS for an City Directory Search for the site described above. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. We have provided the nearest addresses(s) when adjacent addresses are not listed. If we have searched a range of addresses, all addresses in that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on more highly developed areas. Newly developed areas may be covered in the more recent years, but the older directories will tend to cover only the "central" parts of the city. To complete the search, we have either utilized the ACPL, Library of Congress, State Archives, and/or a regional library or history center as well as multiple digitized directories. These do not claim to be a complete collection of all reverse listing city directories produced.

ERIS has made every effort to provide accurate and complete information but shall not be held liable for missing, incomplete or inaccurate information. To complete this search we used the general range(s) below to search for relevant findings. If you believe there are additional addresses or streets that require searching please contact us at 866-517-5204.

**Search Criteria:**

2000-2300 of W Plum St

**Search Notes:**

## Search Results Summary

Date	Source	Comment
2022	DIGITAL BUSINESS DIRECTORY	
2020	DIGITAL BUSINESS DIRECTORY	
2016	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2008	DIGITAL BUSINESS DIRECTORY	
2003	DIGITAL BUSINESS DIRECTORY	
2000	DIGITAL BUSINESS DIRECTORY	
1994-95	COLE	
1989-90	US WEST	
1985	COLE	
1981	JOHNSONS	
1975	JOHNSONS	
1970	JOHNSONS	
1964	ROCKY MOUNTAIN DIRECTORY	
1960	ROCKY MOUNTAIN DIRECTORY	
1956	ROCKY MOUNTAIN DIRECTORY	
1950	ROCKY MOUNTAIN DIRECTORY	
1948	POLKS	
1936	POLKS	
1931	POLKS	
1925	POLKS	

2000 STUART NEUBAUER...RESIDENTIAL  
 2000 VILLAGES...APARTMENTS  
 2000 WEST PLUM APARTMENTS...APARTMENTS  
 2005 KENYA MORKEN...RESIDENTIAL  
 2005 MAGGIE FEE...RESIDENTIAL  
 2005 RAFAEL HERNANDEZ...RESIDENTIAL  
 2005 STEPHANIE DARLING...RESIDENTIAL  
 2008 BRANDON HORST...RESIDENTIAL  
 2012 DAVID WILGERS...RESIDENTIAL  
 2012 DUANE CLAYCOMB...RESIDENTIAL  
 2013 JAKE FORSLINE...RESIDENTIAL  
 2013 LAVERNE SMARSE...RESIDENTIAL  
 2013 TERRI BELMAREZ...RESIDENTIAL  
 2017 CHRISTOPHER JACKSON...RESIDENTIAL  
 2017 DAVID PEARCE...RESIDENTIAL  
 2017 DEBORAH LEWANE...RESIDENTIAL  
 2017 STEPHAN ABE...RESIDENTIAL  
 2020 ADAM SMITH...RESIDENTIAL  
 2020 CORY JOLLY...RESIDENTIAL  
 2021 ROLLIN BELDEN...RESIDENTIAL  
 2021 TARA CHASTAIN...RESIDENTIAL  
 2024 BRYAN CRAWFORD...RESIDENTIAL  
 2024 DAVID RUTZEL...RESIDENTIAL  
 2024 ELISHA HOLIDAY...RESIDENTIAL  
 2024 JOE COFFIELD...RESIDENTIAL  
 2024 LINDSAY HELLER...RESIDENTIAL  
 2024 TONYA GLASSMEYER...RESIDENTIAL  
 2025 CARLY MOSS...RESIDENTIAL  
 2029 JOHN OFFERMAN...RESIDENTIAL  
 2029 KARL KOCHENASH...RESIDENTIAL  
 2034 EVERGREEN PROPERTY MGMT...REAL ESTATE MANAGEMENT  
 2034 JOHN DICKENSON...RESIDENTIAL  
 2036 DION WOODS...RESIDENTIAL  
 2115 AMANDA MIRABAL...RESIDENTIAL  
 2155 DAVID CROWDER...RESIDENTIAL  
 2155 FREDERICK CLARK...RESIDENTIAL  
 2155 JOAN BENNETT...RESIDENTIAL  
 2155 JOE NUNNALLY...RESIDENTIAL  
 2155 MARC ROPE...RESIDENTIAL  
 2155 MELISSA JOHNSTON...RESIDENTIAL  
 2155 STEPHEN HORAK...RESIDENTIAL  
 2155 WILLIAM MCMURROUGH...RESIDENTIAL  
 2155 YOLANDA CARDONA...RESIDENTIAL  
 2156 BRANDY BALSIMO...RESIDENTIAL  
 2156 JASON RIVEST...RESIDENTIAL  
 2156 JOANN DION...RESIDENTIAL  
 2156 KAYLA POHLABEL...RESIDENTIAL  
 2156 MICHELLE L'HEUREUX...RESIDENTIAL  
 2202 ALEXUS JOHNSON...RESIDENTIAL  
 2202 AMY CHANDLER...RESIDENTIAL  
 2202 DAVID ALVAREZ...RESIDENTIAL  
 2202 MELISSA BULGACH...RESIDENTIAL  
 2202 STEPHANIE SPOKAS...RESIDENTIAL  
 2203 ANGELA TUCKER...RESIDENTIAL  
 2203 DANIEL ANDERSON...RESIDENTIAL  
 2203 KARYN LEWIS...RESIDENTIAL  
 2203 MEGHAN IMIG...RESIDENTIAL  
 2203 MIKAYLA MOSS...RESIDENTIAL  
 2203 ROCKY LOVATO...RESIDENTIAL  
 2203 ROYCE SIMPSON...RESIDENTIAL  
 2203 SAMANTHA SNIDERSKI...RESIDENTIAL  
 2203 WILLI LAVARNWAY...RESIDENTIAL

2000 STUART NEUBAUER...RESIDENTIAL  
 2000 VILLAGES...APARTMENTS  
 2000 WEST PLUM APARTMENTS...APARTMENTS  
 2005 MAGGIE FEE...RESIDENTIAL  
 2005 RAFAEL HERNANDEZ...RESIDENTIAL  
 2005 STEPHANIE DARLING...RESIDENTIAL  
 2008 BRANDON HORST...RESIDENTIAL  
 2012 DAVID WILGERS...RESIDENTIAL  
 2012 DUANE CLAYCOMB...RESIDENTIAL  
 2012 MARIA CARTER...RESIDENTIAL  
 2013 JAKE FORSLINE...RESIDENTIAL  
 2013 LAVERNE SMARSE...RESIDENTIAL  
 2017 CHRISTOPHER JACKSON...RESIDENTIAL  
 2017 DAVID PEARCE...RESIDENTIAL  
 2017 DEBORAH LEWANE...RESIDENTIAL  
 2017 STEPHAN ABE...RESIDENTIAL  
 2020 ADAM SMITH...RESIDENTIAL  
 2020 ALEXANDRA CRAIN...RESIDENTIAL  
 2020 CORY JOLLY...RESIDENTIAL  
 2021 ROLLIN BELDEN...RESIDENTIAL  
 2021 TARA CHASTAIN...RESIDENTIAL  
 2024 BRYAN CRAWFORD...RESIDENTIAL  
 2024 ELISHA HOLIDAY...RESIDENTIAL  
 2024 JOE COFFIELD...RESIDENTIAL  
 2024 LINDSAY HELLER...RESIDENTIAL  
 2024 TONYA GLASSMEYER...RESIDENTIAL  
 2025 CARLY MOSS...RESIDENTIAL  
 2029 KARL KOCHENASH...RESIDENTIAL  
 2034 EVERGREEN PROPERTY MGMT...REAL ESTATE MANAGEMENT  
 2034 JOHN DICKENSON...RESIDENTIAL  
 2036 DION WOODS...RESIDENTIAL  
 2115 SUZANNE KETTLE...RESIDENTIAL  
 2155 DAVID CROWDER...RESIDENTIAL  
 2155 FREDERICK CLARK...RESIDENTIAL  
 2155 JOAN BENNETT...RESIDENTIAL  
 2155 MARC ROPE...RESIDENTIAL  
 2155 MELISSA JOHNSTON...RESIDENTIAL  
 2155 STEPHEN HORAK...RESIDENTIAL  
 2155 WILLIAM MCMURROUGH...RESIDENTIAL  
 2155 YOLANDA CARDONA...RESIDENTIAL  
 2156 BRANDY BALSIMO...RESIDENTIAL  
 2156 JASON RIVEST...RESIDENTIAL  
 2156 JOANN DION...RESIDENTIAL  
 2156 KAYLA POHLABEL...RESIDENTIAL  
 2156 MICHELLE L'HEUREUX...RESIDENTIAL  
 2156 SEAN BROADLEY...RESIDENTIAL  
 2202 ALEXUS JOHNSON...RESIDENTIAL  
 2202 AMY CHANDLER...RESIDENTIAL  
 2202 DAVID ALVAREZ...RESIDENTIAL  
 2202 MELISSA BULGACH...RESIDENTIAL  
 2202 STEPHANIE SPOKAS...RESIDENTIAL  
 2203 ANGELA TUCKER...RESIDENTIAL  
 2203 BRETT ELLISON...RESIDENTIAL  
 2203 DANIEL ANDERSON...RESIDENTIAL  
 2203 KARYN LEWIS...RESIDENTIAL  
 2203 MEGHAN IMIG...RESIDENTIAL  
 2203 ROCKY LOVATO...RESIDENTIAL  
 2203 ROYCE SIMPSON...RESIDENTIAL  
 2203 WILLI LAVARNWAY...RESIDENTIAL

2000 STUART NEUBAUER...RESIDENTIAL  
 2000 WEST PLUM APARTMENTS...APARTMENTS  
 2005 RAFAEL HERNANDEZ...RESIDENTIAL  
 2008 BRANDON HORST...RESIDENTIAL  
 2012 DAVID WILGERS...RESIDENTIAL  
 2012 DUANE CLAYCOMB...RESIDENTIAL  
 2012 MARIA CARTER...RESIDENTIAL  
 2013 JAKE FORSLINE...RESIDENTIAL  
 2013 LAVERNE SMARSE...RESIDENTIAL  
 2017 CHRISTOPHER JACKSON...RESIDENTIAL  
 2017 DEBORAH LEWANE...RESIDENTIAL  
 2017 STEPHAN ABE...RESIDENTIAL  
 2021 ROLLIN BELDEN...RESIDENTIAL  
 2021 TARA CHASTAIN...RESIDENTIAL  
 2024 BRYAN CRAWFORD...RESIDENTIAL  
 2024 JOE COFFIELD...RESIDENTIAL  
 2024 LINDSAY HELLER...RESIDENTIAL  
 2024 TONYA GLASSMEYER...RESIDENTIAL  
 2025 STACEY SORENSEN...RESIDENTIAL  
 2029 KARL KOCHENASH...RESIDENTIAL  
 2034 JOHN DICKENSON...RESIDENTIAL  
 2115 NCI INC...GENERAL CONTRACTORS  
 2115 SUZANNE KETTLE...RESIDENTIAL  
 2155 DAVID CROWDER...RESIDENTIAL  
 2155 JOAN BENNETT...RESIDENTIAL  
 2155 MARC ROPE...RESIDENTIAL  
 2155 MELISSA JOHNSTON...RESIDENTIAL  
 2155 STEPHEN HORAK...RESIDENTIAL  
 2155 YOLANDA CARDONA...RESIDENTIAL  
 2156 BRANDY BALSIMO...RESIDENTIAL  
 2156 JOANN DION...RESIDENTIAL  
 2156 MICHELLE L'HEUREUX...RESIDENTIAL  
 2156 SEAN BROADLEY...RESIDENTIAL  
 2202 DAVID ALVAREZ...RESIDENTIAL  
 2202 MELISSA BULGACH...RESIDENTIAL  
 2202 STEPHANIE SPOKAS...RESIDENTIAL  
 2203 KARYN LEWIS...RESIDENTIAL  
 2203 ROCKY LOVATO...RESIDENTIAL  
 2203 ROYCE SIMPSON...RESIDENTIAL  
 2203 WILLI LAVARNWAY...RESIDENTIAL

2000 VILLAGES...LESSORS OF RESIDENTIAL BUILDINGS  
 2000 VILLAGES...APARTMENTS  
 2000 WEST PLUM APARTMENTS...APARTMENTS  
 2000 WEST PLUM APARTMENTS...LESSORS OF RESIDENTIAL BUILDINGS  
 2020 ALEXANDREA CRAIN...RESIDENTIAL  
 2024 DUSTIN DUNPHY...RESIDENTIAL  
 2034 JR HUGHES...RESIDENTIAL  
 2115 NCI INC...GENERAL CONTRACTORS

*173 total records. Part 1 of 3*

2000 CHAD PECK...RESIDENTIAL  
2000 PATTI BRENNAN...RESIDENTIAL  
2000 SLEEPY WILLOW...APARTMENT BLD OPERS  
2000 STEPHANIE SCHNEIDER...RESIDENTIAL  
2000 STUART NEUBAUER...RESIDENTIAL  
2000 TERRI L DIAZ...RESIDENTIAL  
2000 VILLAGE ON PLUM STREET...APARTMENTS  
2005 BEN ECHTKAMP...RESIDENTIAL  
2005 DAVID TICO...RESIDENTIAL  
2005 ELIZABETH GORALSKI...RESIDENTIAL  
2005 JACOB SEYBERT...RESIDENTIAL  
2005 M POWERS...RESIDENTIAL  
2005 M T HAUCK...RESIDENTIAL  
2005 MARK MARQUEZ...RESIDENTIAL  
2005 MICHELLE HSIA...RESIDENTIAL  
2005 NICK BARBARA...RESIDENTIAL  
2005 TAWNY HALL...RESIDENTIAL  
2005 THOMAS MARTINEZ...RESIDENTIAL  
2008 BRIAN FRAZIER...RESIDENTIAL  
2008 CHRISTIE JELLISON...RESIDENTIAL  
2008 CHUCK HOGATE...RESIDENTIAL  
2008 JOEL NAVEJAS...RESIDENTIAL  
2008 KESTER PAINTING...PAINTING/PAPER HANGING CONTRACTOR  
2008 M MAY...RESIDENTIAL  
2008 MATTHEW SYLVIA...RESIDENTIAL  
2008 PABLO ROSARIO...RESIDENTIAL  
2008 PATRICIA M CRUZ...RESIDENTIAL  
2008 SARA DOUGLASS...RESIDENTIAL  
2008 TERRRY DAILEY...RESIDENTIAL  
2012 MARIA DELATORE...RESIDENTIAL  
2012 MIKKI RODGERS...RESIDENTIAL  
2012 SARA POTTER...RESIDENTIAL  
2012 STACY PACHECO-KRALLIS...RESIDENTIAL  
2013 BEN MARQUEZ...RESIDENTIAL  
2013 HEATHER BEASLEY...RESIDENTIAL  
2013 RICARDO PACHECO...RESIDENTIAL  
2013 ROBERT MCCARTNEY...RESIDENTIAL  
2013 SACHIN JAIN...RESIDENTIAL  
2013 SRIRAMAN RAMACHANDRAN...RESIDENTIAL  
2017 A VANCH...RESIDENTIAL  
2017 CHRIS GARY...RESIDENTIAL  
2017 JAMES LEVY...RESIDENTIAL  
2017 JASON MCKINLEY...RESIDENTIAL  
2017 RAYMOND UMMEL...RESIDENTIAL  
2017 RENE LOZANO...RESIDENTIAL  
2017 SAYYED SHAH...RESIDENTIAL  
2017 TAMMY GARTON...RESIDENTIAL  
2017 VAISHNAVI KOTHANDARAMAN...RESIDENTIAL  
2020 ANDREZ ORTIZ...RESIDENTIAL  
2020 ARMANDO GAONA...RESIDENTIAL  
2020 BRIAN LOUDERBACK...RESIDENTIAL  
2020 JOHNNY GUTIERREZ...RESIDENTIAL  
2020 KERRY MANNING...RESIDENTIAL  
2020 SHARI KAMMERER...RESIDENTIAL  
2021 A PAQUETTE...RESIDENTIAL  
2021 CHARLES W CAMPBELL...RESIDENTIAL  
2021 CHRIS ROZOFF...RESIDENTIAL  
2021 JEFF & TRACIE CONLON...RESIDENTIAL  
2021 MATT SUMMERS...RESIDENTIAL  
2021 MIKE HARP...RESIDENTIAL  
2021 SHELLEY M SMITH...RESIDENTIAL  
2021 TINA JOHNSON...RESIDENTIAL  
2021 TRISTAN LECUYER...RESIDENTIAL  
2024 J & S GRAHAM...RESIDENTIAL  
2024 JAMIE MARTIN...RESIDENTIAL  
2024 JASON COONTZ...RESIDENTIAL  
2024 JOSH LECKMAN...RESIDENTIAL  
2024 LISA HAMLIN...RESIDENTIAL

*Part 2 of 3*

2024 T GLASSMEYER...RESIDENTIAL  
2025 AARON & TANYA ROBBINS...RESIDENTIAL  
2025 ALEXANDRA DIAZ...RESIDENTIAL  
2025 DAVID JOHNSON...RESIDENTIAL  
2025 DAVID WELCH...RESIDENTIAL  
2025 HEATHER D PICKARD...RESIDENTIAL  
2025 KURT CLINE...RESIDENTIAL  
2025 RANDY BOONE...RESIDENTIAL  
2029 ADAM MINNICK...RESIDENTIAL  
2029 ANDY DIXON...RESIDENTIAL  
2029 BERNARDO CACERES...RESIDENTIAL  
2029 BRETON LINE...RESIDENTIAL  
2029 CHRIS BRILEY...RESIDENTIAL  
2029 JAKE OCONNOR...RESIDENTIAL  
2029 JAVIER LUCERO...RESIDENTIAL  
2029 LILLIAN BALLARD...RESIDENTIAL  
2029 MATT MOLESWORTH...RESIDENTIAL  
2029 SLEEPY WILLOW APARTMENTS...APARTMENTS  
2029 SPENCER PACE...RESIDENTIAL  
2034 JASON LANGE...RESIDENTIAL  
2034 JOSH SPARKS...RESIDENTIAL  
2034 KEVIN SCHAFER...RESIDENTIAL  
2034 LUKE BRACKE...RESIDENTIAL  
2034 M GAYHART...RESIDENTIAL  
2034 PETER DICKENSON...RESIDENTIAL  
2034 R SHOLDER...RESIDENTIAL  
2034 ROBERT G JR HUGHES...RESIDENTIAL  
2034 SARAH BENZ...RESIDENTIAL  
2034 SCOTT MCLEAN...RESIDENTIAL  
2034 T ARIZMENDI...RESIDENTIAL  
2036 GARRET SHELTON...RESIDENTIAL  
2036 JEFFREY HOLYNSKI...RESIDENTIAL  
2036 MARK COUGILL...RESIDENTIAL  
2036 SCOTT SMITH...RESIDENTIAL  
2115 ARTHUR & HEATHER ENKE...RESIDENTIAL  
2115 CARA MORGAN...RESIDENTIAL  
2115 JACK BRYANT...RESIDENTIAL  
2115 JESSICA SCHIETINGER...RESIDENTIAL  
2115 MATTHEW E ODYER...RESIDENTIAL  
2115 OLGA BLAGOVESHENSKAYA...RESIDENTIAL  
2115 PETER R BLAUVELT...RESIDENTIAL  
2115 ROMERO VARGAS...RESIDENTIAL  
2115 S L KETTLE...RESIDENTIAL  
2115 STACY LOWRY...RESIDENTIAL  
2115 TERESA ARTHUR...RESIDENTIAL  
2115 ZACH HAMILTON...RESIDENTIAL  
2155 ANDY DIMATTEO...RESIDENTIAL  
2155 BONNIE GRAHAM...RESIDENTIAL  
2155 EUGENE MCCLARY...RESIDENTIAL  
2155 HAZEL GINNINGS...RESIDENTIAL  
2155 J C BENNETT...RESIDENTIAL  
2155 JOHN LYONS...RESIDENTIAL  
2155 JULIE JORDAN...RESIDENTIAL  
2155 M L BURKHART...RESIDENTIAL  
2155 M PADIA...RESIDENTIAL  
2155 STEPHEN P HORAK...RESIDENTIAL  
2155 V GERLOCK...RESIDENTIAL  
2156 CHRISTIN M WILCOX...RESIDENTIAL  
2156 CHRISTINA UTLEY...RESIDENTIAL  
2156 DALE PLESSINGER...RESIDENTIAL  
2156 DOUG HOLLAND...RESIDENTIAL  
2156 GALE BLOCKER...RESIDENTIAL  
2156 GHASSAN ALQASER...RESIDENTIAL  
2156 JULIE FEUERSTEIN...RESIDENTIAL  
2156 KYLE & NEIL SCHULTZ...RESIDENTIAL  
2156 MATT KING...RESIDENTIAL  
2156 MELISSA MANN...RESIDENTIAL  
2156 MIKE BELARDE...RESIDENTIAL

## Part 3 of 3

2156 RAAD ALANI...RESIDENTIAL  
 2156 RODD E DANIELS...RESIDENTIAL  
 2156 T WELCH...RESIDENTIAL  
 2202 ABBY SCHROETLIN...RESIDENTIAL  
 2202 AMBER SLEEPER...RESIDENTIAL  
 2202 ANN C BOLLER...RESIDENTIAL  
 2202 BRANDON HARDIN...RESIDENTIAL  
 2202 COURTNEY HOULDEN...RESIDENTIAL  
 2202 JAMES K KNOCH...RESIDENTIAL  
 2202 SEAN GUILLARY...RESIDENTIAL  
 2202 STEVE BOWEN...RESIDENTIAL  
 2202 THEODORE TOOMBS...RESIDENTIAL  
 2203 AARON ANDERSON...RESIDENTIAL  
 2203 ADAM G LANNING...RESIDENTIAL  
 2203 AMEER LOWE...RESIDENTIAL  
 2203 ANA GONCALVES...RESIDENTIAL  
 2203 BRADLEY CHAPPLE...RESIDENTIAL  
 2203 BREE MEDLICOTT...RESIDENTIAL  
 2203 CARIN HOLLIS...RESIDENTIAL  
 2203 DI OLIVER...RESIDENTIAL  
 2203 J ALLEN...RESIDENTIAL  
 2203 JACK RAINALTER...RESIDENTIAL  
 2203 JAMES ADAMS...RESIDENTIAL  
 2203 JASON NACHTMANN...RESIDENTIAL  
 2203 JEFF CAPUTO...RESIDENTIAL  
 2203 JENNIFER BRADISH...RESIDENTIAL  
 2203 JEREMY N LEE...RESIDENTIAL  
 2203 K & S ALBERTSEN...RESIDENTIAL  
 2203 KENDRA PEED...RESIDENTIAL  
 2203 KEVIN MCHUGH...RESIDENTIAL  
 2203 LORI CADWELL...RESIDENTIAL  
 2203 ROYCE SIMPSON...RESIDENTIAL  
 2203 STEPHEN GENTRY...RESIDENTIAL  
 2203 THAYNE STURDEVANT...RESIDENTIAL  
 2203 TONY SPENSIERI...RESIDENTIAL

## 211 total records. Part 1 of 4

2000 C R GALVIN...RESIDENTIAL  
 2000 JILL FAIRBANKS...RESIDENTIAL  
 2000 S K TNG...RESIDENTIAL  
 2000 STUART NEUBAUER...RESIDENTIAL  
 2005 ANDREA L THOMAS...RESIDENTIAL  
 2005 DAN BROCX...RESIDENTIAL  
 2005 DAVID M DRANGE...RESIDENTIAL  
 2005 LAURA KLEIN...RESIDENTIAL  
 2005 MATTHEW & DEBRA BLATCHLEY...RESIDENTIAL  
 2005 MODHUMITA GHOSH...RESIDENTIAL  
 2005 SHANNON & SUSAN STCLAIR...RESIDENTIAL  
 2005 SUZANNE COLE...RESIDENTIAL  
 2005 T M SPRADLING...RESIDENTIAL  
 2008 AMY LEISURE...RESIDENTIAL  
 2008 B UPTON...RESIDENTIAL  
 2008 BRENDA CARON...RESIDENTIAL  
 2008 DELACE MUNGER...RESIDENTIAL  
 2008 GREGORY HAMILTON...RESIDENTIAL  
 2008 JODY GLENNON...RESIDENTIAL  
 2008 MATT HILDNER...RESIDENTIAL  
 2008 MATTHEW SYLVIA...RESIDENTIAL  
 2008 PATRICK GEYER...RESIDENTIAL  
 2008 R WEILER...RESIDENTIAL  
 2008 ROBERTA ROBERTS...RESIDENTIAL  
 2012 BRADY R BENWARE...RESIDENTIAL  
 2012 CYNTHIA SIMON...RESIDENTIAL  
 2012 DEBORAH S LIVELY...RESIDENTIAL  
 2012 DOLORES DOMINGUEZ...RESIDENTIAL  
 2012 JEFF HINKLE...RESIDENTIAL  
 2012 KEVIN POTTER...RESIDENTIAL  
 2012 KITTY KEATON...RESIDENTIAL  
 2012 MATTHEW BOYLES...RESIDENTIAL  
 2012 MELISSA SPORLEDER...RESIDENTIAL  
 2012 MICHELLE HOUGHTON...RESIDENTIAL  
 2012 SAMANTHA C LEDERMAN...RESIDENTIAL  
 2012 TREVOR TUELL...RESIDENTIAL  
 2013 BRIAN MILLER...RESIDENTIAL  
 2013 CINDI ROGNERUD...RESIDENTIAL  
 2013 DON HART...RESIDENTIAL  
 2013 JENNIFER DRAUTZ...RESIDENTIAL  
 2013 KIM CARMICKLE...RESIDENTIAL  
 2013 LEE COTTON...RESIDENTIAL  
 2013 LISA QUICK...RESIDENTIAL  
 2013 LIZ MCKENNEY...RESIDENTIAL  
 2013 MAGGIE STEVENS...RESIDENTIAL  
 2013 MARY DIBRITO...RESIDENTIAL  
 2013 MEGAN POZZI...RESIDENTIAL  
 2013 SEAN ROBERTS...RESIDENTIAL  
 2013 TIFFANY MONROE...RESIDENTIAL  
 2017 CARLOS A HERNANDEZ...RESIDENTIAL  
 2017 CHRIS BRANCHFLOWER...RESIDENTIAL  
 2017 GLORIA HERNANDEZ...RESIDENTIAL  
 2017 JENNIFER SANDERS...RESIDENTIAL  
 2017 KAMAL ZAMLI...RESIDENTIAL  
 2017 LAURA GOSA...RESIDENTIAL  
 2017 MAGGIE DOAK...RESIDENTIAL  
 2017 MATT DIEHL...RESIDENTIAL  
 2017 PO LIN...RESIDENTIAL  
 2017 RYAN M EMOND...RESIDENTIAL  
 2017 SHANNON STOCKMAN...RESIDENTIAL  
 2017 STEVEN WHEAT...RESIDENTIAL  
 2017 TODD DILLON...RESIDENTIAL  
 2020 DAN WREN...RESIDENTIAL  
 2020 ERIN STEIXNER...RESIDENTIAL  
 2020 JAY MCCONNELL...RESIDENTIAL  
 2020 JEFF & MACHELLE EGLE...RESIDENTIAL  
 2020 JESSICA LOCKE...RESIDENTIAL  
 2020 JON BROOKS...RESIDENTIAL

## Part 2 of 4

2021 H M GENTRY...RESIDENTIAL  
 2021 JEFF & TRACIE CONLON...RESIDENTIAL  
 2021 JENNIFER ERICKSON...RESIDENTIAL  
 2021 JOY THOMPSON...RESIDENTIAL  
 2021 KATRINE BREIEN...RESIDENTIAL  
 2021 LISA TORSO...RESIDENTIAL  
 2021 RAHIM DAHISEM ABDUL...RESIDENTIAL  
 2021 S MCCALISTER...RESIDENTIAL  
 2021 STACY NICK...RESIDENTIAL  
 2021 WAYNE E & LINDA J SIMMONS...RESIDENTIAL  
 2024 CARRIE MCDONALD...RESIDENTIAL  
 2024 D J HAMM...RESIDENTIAL  
 2024 DAVID JUERGENSEN...RESIDENTIAL  
 2024 JIM GROSSO...RESIDENTIAL  
 2024 JOEL NAVEJAS...RESIDENTIAL  
 2024 KATHLEEN L MCDANIEL...RESIDENTIAL  
 2024 L WALSH...RESIDENTIAL  
 2024 MEGAN MCCASLIN...RESIDENTIAL  
 2024 PAT DESOTELLE...RESIDENTIAL  
 2024 SHAUN COLLINS...RESIDENTIAL  
 2025 ALEXANDRA DIAZ...RESIDENTIAL  
 2025 ANGELA ROBERTS...RESIDENTIAL  
 2025 CATHERINE HUDACHEK...RESIDENTIAL  
 2025 JAMES KETTLEBOROUGH...RESIDENTIAL  
 2025 JASON EVANS...RESIDENTIAL  
 2025 JERRY & STACY GILLEN...RESIDENTIAL  
 2025 JERRY ADAMS...RESIDENTIAL  
 2025 JILL WINN...RESIDENTIAL  
 2025 KURT CLINE...RESIDENTIAL  
 2025 LIZ LYDIC...RESIDENTIAL  
 2025 TAMMY ODOM...RESIDENTIAL  
 2025 WEN L SHO...RESIDENTIAL  
 2029 AMY EVDOKIMOFF...RESIDENTIAL  
 2029 ANDREW KILLINGER...RESIDENTIAL  
 2029 DAN KUNZLER...RESIDENTIAL  
 2029 DAVID R CARPINELLO...RESIDENTIAL  
 2029 DOUG RYAN...RESIDENTIAL  
 2029 FOUAD JABER...RESIDENTIAL  
 2029 JEREMEY LYTLE...RESIDENTIAL  
 2029 LISA METZGAR...RESIDENTIAL  
 2029 LUKE COFFEY...RESIDENTIAL  
 2029 LYNETTE MUELLER...RESIDENTIAL  
 2029 MELISSA J JACKSON...RESIDENTIAL  
 2029 SHOHEEN OWHADY...RESIDENTIAL  
 2029 STACIE HARTMAN...RESIDENTIAL  
 2034 BRETT HATCH...RESIDENTIAL  
 2034 BRIAN GAUDET...RESIDENTIAL  
 2034 DAVID & BECKY GROE...RESIDENTIAL  
 2034 JEAN C GOLAZ...RESIDENTIAL  
 2034 KRISTA LASO...RESIDENTIAL  
 2034 LEN ESPINOZA...RESIDENTIAL  
 2034 ROBERT G JR HUGHES...RESIDENTIAL  
 2034 SCOTT & HOLLY STEWART...RESIDENTIAL  
 2034 SHANNON LEISY...RESIDENTIAL  
 2036 AMANDA LUCERO...RESIDENTIAL  
 2036 ARRON J JOHNSON...RESIDENTIAL  
 2036 BRENTLY A GRIMARD...RESIDENTIAL  
 2036 BRIAN SCHNEIDER...RESIDENTIAL  
 2036 CHAD HIXON...RESIDENTIAL  
 2036 GAIL MILLER...RESIDENTIAL  
 2036 JOHN DAY...RESIDENTIAL  
 2036 SCOTT SMITH...RESIDENTIAL  
 2036 SHANNON TAYLOR...RESIDENTIAL  
 2036 TODD JOHNSON...RESIDENTIAL  
 2115 ADAM SPRINGER...RESIDENTIAL  
 2115 DAVID CIUCEVICH...RESIDENTIAL  
 2115 JILL JACKSON...RESIDENTIAL  
 2115 JOHN S WILCOX...RESIDENTIAL

## Part 3 of 4

2115 KELLY COBLE...RESIDENTIAL  
 2115 KRISTINA GIER...RESIDENTIAL  
 2115 L G MOORE...RESIDENTIAL  
 2115 M EMERY...RESIDENTIAL  
 2115 M M NISWENDER...RESIDENTIAL  
 2115 MATTHEW EASTIN...RESIDENTIAL  
 2115 MELINDA HIIGEL...RESIDENTIAL  
 2115 PAULA ERICKSON...RESIDENTIAL  
 2115 S L METZ...RESIDENTIAL  
 2115 STEVE CHURCH...RESIDENTIAL  
 2155 ANDY DIMATTEO...RESIDENTIAL  
 2155 BONNIE GRAHAM...RESIDENTIAL  
 2155 HAZEL GINNINGS...RESIDENTIAL  
 2155 J C BENNETT...RESIDENTIAL  
 2155 JOHN LYONS...RESIDENTIAL  
 2155 JULIE JORDAN...RESIDENTIAL  
 2155 M L BURKHART...RESIDENTIAL  
 2155 STEPHEN P HORAK...RESIDENTIAL  
 2155 V GERLOCK...RESIDENTIAL  
 2155 WILFORD SWETT...RESIDENTIAL  
 2156 ANDREW DICKSON...RESIDENTIAL  
 2156 B EWERT...RESIDENTIAL  
 2156 B J HONEYCUTT...RESIDENTIAL  
 2156 BLAIR SKINNER...RESIDENTIAL  
 2156 BRYAN AUSTIN...RESIDENTIAL  
 2156 D BRATLIE...RESIDENTIAL  
 2156 DALE PLESSINGER...RESIDENTIAL  
 2156 ELIZABETH VERDOS...RESIDENTIAL  
 2156 ETHAN STEPHAN...RESIDENTIAL  
 2156 GHASSAN ALQASER...RESIDENTIAL  
 2156 JAYCE & TIFFANY BELL...RESIDENTIAL  
 2156 JENNIFER & STACEY POTTISH...RESIDENTIAL  
 2156 KIRSTEN DUNN...RESIDENTIAL  
 2156 M MURAKAMI...RESIDENTIAL  
 2156 MARLA SIMON...RESIDENTIAL  
 2156 MICHELLE GUTIERREZ...RESIDENTIAL  
 2156 MICHELLE LYMBER...RESIDENTIAL  
 2156 RAAD ALANI...RESIDENTIAL  
 2156 RACHEL RAVIN...RESIDENTIAL  
 2202 ALICE C ALBRITTON...RESIDENTIAL  
 2202 AMBER GUGLER...RESIDENTIAL  
 2202 CHAD GRANDA...RESIDENTIAL  
 2202 J BERNUNZIO...RESIDENTIAL  
 2202 JASON AGENBROAD...RESIDENTIAL  
 2202 JENNA TARPLEY...RESIDENTIAL  
 2202 JUSTIN SIEGEL...RESIDENTIAL  
 2202 KURT STAUDER...RESIDENTIAL  
 2202 L D FLOYD...RESIDENTIAL  
 2202 LEAH & MARTHA KNUDSON...RESIDENTIAL  
 2202 TY THOMPSON...RESIDENTIAL  
 2203 A M GUERRA...RESIDENTIAL  
 2203 A SMITH...RESIDENTIAL  
 2203 AIMEE N DEBOER...RESIDENTIAL  
 2203 BRANDY BENNETT...RESIDENTIAL  
 2203 CARRIE A PUCK...RESIDENTIAL  
 2203 CONSTANTINE GARTELOS...RESIDENTIAL  
 2203 D QUINTANA...RESIDENTIAL  
 2203 EMILY & BROOKS J MCCOY...RESIDENTIAL  
 2203 JASON R STANNARD...RESIDENTIAL  
 2203 JD MCCULLOCH...RESIDENTIAL  
 2203 JESSICA TOMASKY...RESIDENTIAL  
 2203 JODI EARL...RESIDENTIAL  
 2203 KIM COLLINS...RESIDENTIAL  
 2203 KRISTINA RILEY...RESIDENTIAL  
 2203 KURT IRELAND...RESIDENTIAL  
 2203 KURT LATIMER...RESIDENTIAL  
 2203 M J BURK...RESIDENTIAL  
 2203 MARK S SAAVEDRA...RESIDENTIAL

## Part 4 of 4

2203 MICHELLE TAFOYA...RESIDENTIAL  
 2203 MIKE SIXTA...RESIDENTIAL  
 2203 PETER & KRISTINA TEGSTAD...RESIDENTIAL  
 2203 SANDRA SPIEGELBERG...RESIDENTIAL

## 226 total records. Part 1 of 4

2000 CARMEN I BUTOI...RESIDENTIAL  
 2000 JON SOLOMON...RESIDENTIAL  
 2000 M BARELLA...RESIDENTIAL  
 2000 MARK M REEDY...RESIDENTIAL  
 2000 S KEMNETZ...RESIDENTIAL  
 2000 SAM COOK...RESIDENTIAL  
 2000 SCOTT MOUCH...RESIDENTIAL  
 2000 THOMAS HOLCOMB...RESIDENTIAL  
 2005 CLAIRE HEYMAN...RESIDENTIAL  
 2005 DANIEL LEE...RESIDENTIAL  
 2005 H K WASSERBURGER...RESIDENTIAL  
 2005 HECTOR MADRID...RESIDENTIAL  
 2005 JONI R CARTER...RESIDENTIAL  
 2005 KATHY E HAIL...RESIDENTIAL  
 2005 SHANE JUENEMANN...RESIDENTIAL  
 2005 TIM MATHER...RESIDENTIAL  
 2008 ANDREW FRAY...RESIDENTIAL  
 2008 BETH L RUSSOM...RESIDENTIAL  
 2008 BRENDA CARON...RESIDENTIAL  
 2008 DAVID GILBERT...RESIDENTIAL  
 2008 DIRK C SULLIVAN...RESIDENTIAL  
 2008 GREGORY A HOECK...RESIDENTIAL  
 2008 HIROKI KINOSHITA...RESIDENTIAL  
 2008 JEFF MAKEPEACE...RESIDENTIAL  
 2008 JOHN FORSYTHE...RESIDENTIAL  
 2008 JOHN PERSING...RESIDENTIAL  
 2008 JOHNNY HAN...RESIDENTIAL  
 2008 L AUTHIER...RESIDENTIAL  
 2008 LEIGH DEFREECE...RESIDENTIAL  
 2008 PAUL HILL...RESIDENTIAL  
 2008 RIE UCHIDA...RESIDENTIAL  
 2008 S SCHUTZ...RESIDENTIAL  
 2008 STEVE ILLICH...RESIDENTIAL  
 2012 CARMEN J AVILA...RESIDENTIAL  
 2012 E A LIMB...RESIDENTIAL  
 2012 ELLIS GRUBB...RESIDENTIAL  
 2012 ERIN E STEWART...RESIDENTIAL  
 2012 FRANK RANDELL...RESIDENTIAL  
 2012 JAMES ELWELL...RESIDENTIAL  
 2012 KARA SOMMERS...RESIDENTIAL  
 2012 KAREN WINCHESTER...RESIDENTIAL  
 2012 MARY TYRRELL...RESIDENTIAL  
 2012 S K WILLINGHAM...RESIDENTIAL  
 2013 ADAM RUFFALO...RESIDENTIAL  
 2013 ANDY HENSEN...RESIDENTIAL  
 2013 ASHOK S MUDUKUTURE...RESIDENTIAL  
 2013 BLAKCSTONE H BATEMAN...RESIDENTIAL  
 2013 BRETT A FRISCH...RESIDENTIAL  
 2013 DANNY MOURINO...RESIDENTIAL  
 2013 ELIZA SHORE...RESIDENTIAL  
 2013 JENNIFER PLUCINSKI...RESIDENTIAL  
 2013 JEREMY ROMER...RESIDENTIAL  
 2013 LISA D MCCLURE...RESIDENTIAL  
 2013 M WANN...RESIDENTIAL  
 2013 MICHAEL GRASMICK...RESIDENTIAL  
 2013 STEVE MCLEAN...RESIDENTIAL  
 2017 BILL ECKLUND...RESIDENTIAL  
 2017 CHARLOTTE BELISLE...RESIDENTIAL  
 2017 CHASTITY BOERREMA...RESIDENTIAL  
 2017 COREY LARSON...RESIDENTIAL  
 2017 ELIZABETH CHUN...RESIDENTIAL  
 2017 HAUSHENG GUO...RESIDENTIAL  
 2017 JENNIFER HANNA...RESIDENTIAL  
 2017 K R MEITUS...RESIDENTIAL  
 2017 KELLEY POHLMAN...RESIDENTIAL  
 2017 KIM YACTOR...RESIDENTIAL  
 2017 MARK BRYNDLE...RESIDENTIAL  
 2017 SHAD GARVER...RESIDENTIAL

## Part 2 of 4


2017 STEVE TRUEBNER...RESIDENTIAL  
 2017 WENDY LANGERMANN...RESIDENTIAL  
 2020 AMY ROOT...RESIDENTIAL  
 2020 AMY WHITE...RESIDENTIAL  
 2020 CRAIG BROOKS...RESIDENTIAL  
 2020 DANIEL S PARKOS...RESIDENTIAL  
 2020 GERALD A MAXWELL...RESIDENTIAL  
 2020 J BURNSTEIN...RESIDENTIAL  
 2020 JEFF & MACHELLE EGLE...RESIDENTIAL  
 2020 KERRY PETERSON...RESIDENTIAL  
 2020 STEVEN GORDON...RESIDENTIAL  
 2021 COREY LYON...RESIDENTIAL  
 2021 DEVIKA MAHATNEY...RESIDENTIAL  
 2021 JANICE BECK...RESIDENTIAL  
 2021 JEFF & TRACIE CONLON...RESIDENTIAL  
 2021 KARA BATES...RESIDENTIAL  
 2021 LOUIE GRASSO...RESIDENTIAL  
 2021 MURALI ANMAVARAM...RESIDENTIAL  
 2021 SHEA A SIMONEAUX...RESIDENTIAL  
 2021 SLEEPY WILLOW APARTMENTS  
 2021 STACEY BENDRICK...RESIDENTIAL  
 2021 WAYNE E SIMMONS...RESIDENTIAL  
 2024 AIMME VOGES...RESIDENTIAL  
 2024 BEN SAMPLE...RESIDENTIAL  
 2024 D J HAMM...RESIDENTIAL  
 2024 DANDI J REDMAN...RESIDENTIAL  
 2024 GRETA BODENHAM...RESIDENTIAL  
 2024 JOEL NAVEJAS...RESIDENTIAL  
 2024 KATHLEEN L MC DANIEL...RESIDENTIAL  
 2024 PAT DESOTELLE...RESIDENTIAL  
 2025 ADAM BERLIN...RESIDENTIAL  
 2025 ALEXANDRA DIAZ...RESIDENTIAL  
 2025 BENJAMIN G HUNTER...RESIDENTIAL  
 2025 BRIAN HESS...RESIDENTIAL  
 2025 DONNA ABELL-HARMON...RESIDENTIAL  
 2025 GREG HRONICH...RESIDENTIAL  
 2025 HANS SCHENK...RESIDENTIAL  
 2025 HEIKO WEINER...RESIDENTIAL  
 2025 L BROWN...RESIDENTIAL  
 2025 S K TNG...RESIDENTIAL  
 2025 TAMMY ODOM...RESIDENTIAL  
 2029 APRIL WELLBORN...RESIDENTIAL  
 2029 BOISE WALKER...RESIDENTIAL  
 2029 CARL HICKS...RESIDENTIAL  
 2029 CASSANDRA BARNES...RESIDENTIAL  
 2029 DAN WORTHEN...RESIDENTIAL  
 2029 EDDY DULEY...RESIDENTIAL  
 2029 HOLLY BRATCHER...RESIDENTIAL  
 2029 JAMES KETTLEBOROUGH...RESIDENTIAL  
 2029 JASON LACHANCE...RESIDENTIAL  
 2029 RICK KUMAR...RESIDENTIAL  
 2029 S SULLIVAN...RESIDENTIAL  
 2029 S WATERS...RESIDENTIAL  
 2029 SEOKJIN LEE...RESIDENTIAL  
 2034 B LAVIN...RESIDENTIAL  
 2034 DONALD ELLIS...RESIDENTIAL  
 2034 JON BURGI...RESIDENTIAL  
 2034 KRISTINA ROHAL...RESIDENTIAL  
 2034 LESLEY CURLEE...RESIDENTIAL  
 2034 RACHAEL WEIS...RESIDENTIAL  
 2034 REBECCA FERNANDEZ...RESIDENTIAL  
 2034 ROB BEAN...RESIDENTIAL  
 2034 ROBERT G HUGHES...RESIDENTIAL  
 2034 SIRITORN BUTRAPET...RESIDENTIAL  
 2034 TODD S SMITH...RESIDENTIAL  
 2036 AMANDA LUCERO...RESIDENTIAL  
 2036 AMY MEKETI...RESIDENTIAL  
 2036 BRANDY MCMAHON...RESIDENTIAL

## Part 3 of 4

2036 JOHN J KEEFNER...RESIDENTIAL  
 2036 KRISTA DENOVELLIS...RESIDENTIAL  
 2036 LEONARD WASIELOSKI...RESIDENTIAL  
 2036 LYNN FANDRICH...RESIDENTIAL  
 2036 MICHAEL R BECK...RESIDENTIAL  
 2036 MIKE QUIROZ...RESIDENTIAL  
 2036 PENNY STEWART...RESIDENTIAL  
 2115 CARL MCELROY...RESIDENTIAL  
 2115 DANA KUNIK...RESIDENTIAL  
 2115 DAVID CIUCEVICH...RESIDENTIAL  
 2115 JOHN S WILCOX...RESIDENTIAL  
 2115 JOSIE VELASQUEZ...RESIDENTIAL  
 2115 JOVAN SHASHAGUAY...RESIDENTIAL  
 2115 L G MOORE...RESIDENTIAL  
 2115 LIESL AVIS...RESIDENTIAL  
 2115 LISA JACOBSEN...RESIDENTIAL  
 2115 M M NISWENDER...RESIDENTIAL  
 2115 MALESHA D HOLLIGAN...RESIDENTIAL  
 2115 MICHAEL CAMPANA...RESIDENTIAL  
 2115 MOLLY FORSYTH...RESIDENTIAL  
 2115 S L METZ...RESIDENTIAL  
 2115 S SCHMIDT...RESIDENTIAL  
 2115 SEAN & TERESE TARP...RESIDENTIAL  
 2155 ANDY DIMATTEO...RESIDENTIAL  
 2155 CHERRIE CONRAD...RESIDENTIAL  
 2155 HAZEL GINNINGS...RESIDENTIAL  
 2155 J C BENNETT...RESIDENTIAL  
 2155 JOHN LYONS...RESIDENTIAL  
 2155 JULIE JORDAN...RESIDENTIAL  
 2155 M L BURKHART...RESIDENTIAL  
 2155 VERLA GERLOCK...RESIDENTIAL  
 2156 AMY M CAMERON...RESIDENTIAL  
 2156 CATHERINE HUMPHRIES...RESIDENTIAL  
 2156 CHRIS VARALLO...RESIDENTIAL  
 2156 CLYDE G ARNETTE...RESIDENTIAL  
 2156 DALE PLESSINGER...RESIDENTIAL  
 2156 E POLEVOY...RESIDENTIAL  
 2156 GHASSAN ALQASER...RESIDENTIAL  
 2156 HEATHER A OSWALD...RESIDENTIAL  
 2156 J WILLIAMS...RESIDENTIAL  
 2156 JILL MCKNIGHT...RESIDENTIAL  
 2156 JOHN RINGMAN...RESIDENTIAL  
 2156 MARISHA GODEK...RESIDENTIAL  
 2156 MEGAN L DANTE...RESIDENTIAL  
 2156 N REUTER...RESIDENTIAL  
 2156 RAAD ALANI...RESIDENTIAL  
 2156 RENA L MOORE...RESIDENTIAL  
 2156 ROBIN SCHIVINSKI...RESIDENTIAL  
 2156 S A JOHNSON...RESIDENTIAL  
 2156 SINA E WEDDLE...RESIDENTIAL  
 2156 TAMELA YOST...RESIDENTIAL  
 2156 TOMORRO MUNOZ...RESIDENTIAL  
 2202 ALICE C ALBRITTON...RESIDENTIAL  
 2202 ALLEN MCCA...RESIDENTIAL  
 2202 AMY NORMAN...RESIDENTIAL  
 2202 BRYAN & MICHAEL BANKS...RESIDENTIAL  
 2202 HEATHER & AARON SEDELMEIER...RESIDENTIAL  
 2202 HILARY LOGAN...RESIDENTIAL  
 2202 JENNIFER BIERY...RESIDENTIAL  
 2202 MICHAEL MCKEON...RESIDENTIAL  
 2202 SHARON D MISOLA...RESIDENTIAL  
 2202 TIM MCKEON...RESIDENTIAL  
 2202 W SCOTT POWERS...RESIDENTIAL  
 2203 A DAS...RESIDENTIAL  
 2203 AIMIE S JACOBSON...RESIDENTIAL  
 2203 ALBERT GUERRA...RESIDENTIAL  
 2203 BENTLEY RASMUSSEN...RESIDENTIAL  
 2203 GWYNNE BAUER...RESIDENTIAL

## Part 4 of 4

2203 J E SCHUSTER...RESIDENTIAL  
2203 JAMES EISELE...RESIDENTIAL  
2203 JOEL SHACKELFORD...RESIDENTIAL  
2203 JOHN A REHBECK...RESIDENTIAL  
2203 KEITH WELLS...RESIDENTIAL  
2203 KENT TOWNLEY...RESIDENTIAL  
2203 M J BURK...RESIDENTIAL  
2203 M MURAKAMI...RESIDENTIAL  
2203 MARALEE ANDERSON...RESIDENTIAL  
2203 MICHELLE SOHR...RESIDENTIAL  
2203 MIKE & DIANA FOSTER...RESIDENTIAL  
2203 NILE SEDEWA...RESIDENTIAL  
2203 RODERICK J SNELL...RESIDENTIAL  
2203 RUSSELL GRAHAM...RESIDENTIAL  
2203 SCOTT TUFFIELD...RESIDENTIAL  
2203 STACI MCPARLAND...RESIDENTIAL  
2203 TRACY DUVERNOY...RESIDENTIAL  
2203 VIVIAN & RICK NAKAMA NELSON...RESIDENTIAL  
2203 WILLIAM HERSCH...RESIDENTIAL



**SOURCE: COLE**

**SOURCE: US WEST**

1275	Charles Joseph	40-579
1276	1 Francis Terry	40-582
1277	1 Rose Thomas & Jack	22-180
1278	Aug. 1 Art 12	
	Aug. 1942	40-579
1279	Thomas Peter B.	40-583
1280	Carl Knud	40-578
1281	Aug. 1942	40-584
1282	John Kelly & Son	22-179
1283	Edward John	40-577
1284	William Kelly	40-574
1285	Carl John	40-573
1286	Charles Henry	40-572
	West Bank	40-572
	William John	40-572
1287	Marjorie Robert E.	40-571
1288	John F.	22-187
1289	Raymond E.	40-568
1290	David A.	22-186
	Edward E. E.	22-186
	John J.	22-186
1291	John John	22-185
1292	Thomas John	40-567
1293	William Robert	40-566
1294	William John	40-565
1295	John J.	40-564
1296	John John	40-563
1297	John John	40-562
1298	John John	40-561
1299	John John	40-560
1300	John John	40-559
	John John	40-558
	John John	40-557
	John John	40-556
	John John	40-555
	John John	40-554
	John John	40-553
	John John	40-552
	John John	40-551
	John John	40-550
	John John	40-549
	John John	40-548
	John John	40-547
	John John	40-546
	John John	40-545
	John John	40-544
	John John	40-543
	John John	40-542
	John John	40-541
	John John	40-540
	John John	40-539
	John John	40-538
	John John	40-537
	John John	40-536
	John John	40-535
	John John	40-534
	John John	40-533
	John John	40-532
	John John	40-531
	John John	40-530
	John John	40-529
	John John	40-528
	John John	40-527
	John John	40-526
	John John	40-525
	John John	40-524
	John John	40-523
	John John	40-522
	John John	40-521
	John John	40-520
	John John	40-519
	John John	40-518
	John John	40-517
	John John	40-516
	John John	40-515
	John John	40-514
	John John	40-513
	John John	40-512
	John John	40-511
	John John	40-510
	John John	40-509
	John John	40-508
	John John	40-507
	John John	40-506
	John John	40-505
	John John	40-504
	John John	40-503
	John John	40-502
	John John	40-501
	John John	40-500
	John John	40-499
	John John	40-498
	John John	40-497
	John John	40-496
	John John	40-495
	John John	40-494
	John John	40-493
	John John	40-492
	John John	40-491
	John John	40-490
	John John	40-489
	John John	40-488
	John John	40-487
	John John	40-486
	John John	40-485
	John John	40-484
	John John	40-483
	John John	40-482
	John John	40-481
	John John	40-480
	John John	40-479
	John John	40-478
	John John	40-477
	John John	40-476
	John John	40-475
	John John	40-474
	John John	40-473
	John John	40-472
	John John	40-471
	John John	40-470
	John John	40-469
	John John	40-468
	John John	40-467
	John John	40-466
	John John	40-465
	John John	40-464
	John John	40-463
	John John	40-462
	John John	40-461
	John John	40-460
	John John	40-459
	John John	40-458
	John John	40-457
	John John	40-456
	John John	40-455
	John John	40-454
	John John	40-453
	John John	40-452
	John John	40-451
	John John	40-450
	John John	40-449
	John John	40-448
	John John	40-447
	John John	40-446
	John John	40-445
	John John	40-444
	John John	40-443
	John John	40-442
	John John	40-441
	John John	40-440
	John John	40-439
	John John	40-438
	John John	40-437
	John John	40-436
	John John	40-435
	John John	40-434
	John John	40-433
	John John	40-432
	John John	40-431
	John John	40-430
	John John	40-429
	John John	40-428
	John John	40-427
	John John	40-426
	John John	40-425
	John John	40-424
	John John	40-423
	John John	40-422
	John John	40-421
	John John	40-420
	John John	40-419
	John John	40-418
	John John	40-417
	John John	40-416
	John John	40-415
	John John	40-414
	John John	40-413
	John John	40-412
	John John	40-411
	John John	40-410
	John John	40-409
	John John	40-408
	John John	40-407
	John John	40-406
	John John	40-405
	John John	40-404
	John John	40-403
	John John	40-402
	John John	40-401
	John John	40-400
	John John	40-399
	John John	40-398
	John John	40-397
	John John	40-396
	John John	40-395
	John John	40-394
	John John	40-393
	John John	40-392
	John John	40-391
	John John	40-390
	John John	40-389
	John John	40-388
	John John	40-387
	John John	40-386
	John John	40-385
	John John	40-384
	John John	40-383
	John John	40-382
	John John	40-381
	John John	40-380
	John John	40-379
	John John	40-378
	John John	40-377
	John John	40-376
	John John	40-375
	John John	40-374
	John John	40-373
	John John	40-372
	John John	40-371
	John John	40-370
	John John	40-369
	John John	40-368
	John John	40-367
	John John	40-366
	John John	40-365
	John John	40-364
	John John	40-363
	John John	40-362
	John John	40-361
	John John	40-360
	John John	40-359
	John John	40-358
	John John	40-357
	John John	40-356
	John John	40-355
	John John	40-354
	John John	40-353
	John John	40-352
	John John	40-351
	John John	40-350
	John John	40-349
	John John	40-348
	John John	40-347
	John John	40-346
	John John	40-345
	John John	40-344
	John John	40-343
	John John	40-342
	John John	40-341
	John John	40-340
	John John	40-339
	John John	40-338
	John John	40-337
	John John	40-336
	John John	40-335
	John John	40-334
	John John	40-333
	John John	40-332
	John John	40-331
	John John	40-330
	John John	40-329
	John John	40-328
	John John	40-327
	John John	40-326
	John John	40-325
	John John	40-324
	John John	40-323
	John John	40-322
	John John	40-321
	John John	40-320
	John John	40-319
	John John	40-318
	John John	40-317
	John John	40-316
	John John	40-315
	John John	40-314
	John John	40-313
	John John	40-312
	John John	40-311
	John John	40-310
	John John	40-309
	John John	40-308
	John John	40-307
	John John	40-306
	John John	40-305
	John John	40-304
	John John	40-303
	John John	40-302
	John John	40-301
	John John	40-300
	John John	40-299
	John John	40-298
	John John	40-297
	John John	40-296
	John John	40-295
	John John	40-294
	John John	40-293
	John John	40-292
	John John	40-291
	John John	40-290
	John John	40-289
	John John	40-288
	John John	40-287
	John John	40-286
	John John	40-285
	John John	40-284
	John John	40-283
	John John	40-282
	John John	40-281
	John John	40-280
	John John	40-279
	John John	40-278
	John John	40-277
	John John	40-276
	John John	40-275
	John John	40-274
	John John	40-273
	John John	40-272
	John John	40-271
	John John	40-270
	John John	40-269
	John John	40-268
	John John	40-267
	John John	40-266
	John John	40-265
	John John	40-264
	John John	40-263
	John John	40-262
	John John	40-261
	John John	40-260
	John John	40-259
	John John	40-258
	John John	40-257
	John John	40-256
	John John	40-255
	John John	40-254
	John John	40-253
	John John	40-252
	John John	40-251
	John John	40-250
	John John	40-249
	John John	40-248
	John John	40-247
	John John	40-246
	John John	40-245
	John John	40-244
	John John	40-243
	John John	40-242
	John John	40-241
	John John	40-240
	John John	40-239
	John John	40-238
	John John	40-237
	John John	40-236
	John John	40-235
	John John	40-234
	John John	40-233
	John John	40-232
	John John	40-231
	John John	40-230
	John John	40-229
	John John	40-228
	John John	40-227
	John John	40-226
	John John	40-225
	John John	40-224
	John John	40-223
	John John	40-222
	John John	40-221
	John John	40-220
	John John	40-219
	John John	40-218
	John John	40-217
	John John	40-216
	John John	40-215
	John John	40-214
	John John	40-213
	John John	40-212
	John John	40-211
	John John	40-210
	John John	40-209
	John John	40-208
	John John	40-207
	John John	40-206
	John John	40-205
	John John	40-204
	John John	40-203
	John John	40-202
	John John	40-201
	John John	40-200
	John John	40-199
	John John	40-198
	John John	40-197
	John John	40-196
	John John	40-195
	John John	40-194
	John John	40-193
	John John	40-192
	John John	40-191
	John John	40-190
	John John	40-189
	John John	40-188
	John John	40-187
	John John	40-186
	John John	40-185
	John John	40-184
	John John	40-183
	John John	40-182
	John John	40-181
	John John	40-180
	John John	40-179
	John John	40-178
	John John	40-177
	John John	40-176
	John John	40-175
	John John	40-174
	John John	40-173
	John John	40-172
	John John	40-171
	John John	40-170
	John John	40-169
	John John	40-168
	John John	40-167
	John John	40-166
	John John	40-165
	John John	40-164
	John John	40-163
	John John	40-162
	John John	40-161
	John John	40-160
	John John	40-159
	John John	40-158
	John John	40-157
	John John	40-156
	John John	40-155
	John John	40-154
	John John	40-153
	John John	40-152
	John John	40-151
	John John	40-150
	John John	40-149
	John John	40-148
	John John	40-147
	John John	40-146
	John John	40-145
	John John	40-144
	John John	40-143
	John John	40-142
	John John	40-141
	John John	40-140
	John John	40-139
	John John	40-138
	John John	40-137
	John John	40-136
	John John	40-135
	John John	40-134
	John John	40-133
	John John	40-132
	John John	40-131
	John John	40-130
	John John	40-129
	John John	40-128
	John John	40-127
	John John	40-126
	John John	40-125
	John John	40-124
	John John	40-123
	John John	40-122
	John John	40-121
	John John	40-120

**SOURCE: US WEST**

**SOURCE: US WEST**

Date		Description		Amount	
1	1/1/20	Balance		100.00	
2	1/1/20	Interest		1.00	
3	1/1/20	Interest		1.00	
4	1/1/20	Interest		1.00	
5	1/1/20	Interest		1.00	
6	1/1/20	Interest		1.00	
7	1/1/20	Interest		1.00	
8	1/1/20	Interest		1.00	
9	1/1/20	Interest		1.00	
10	1/1/20	Interest		1.00	
11	1/1/20	Interest		1.00	
12	1/1/20	Interest		1.00	
13	1/1/20	Interest		1.00	
14	1/1/20	Interest		1.00	
15	1/1/20	Interest		1.00	
16	1/1/20	Interest		1.00	
17	1/1/20	Interest		1.00	
18	1/1/20	Interest		1.00	
19	1/1/20	Interest		1.00	
20	1/1/20	Interest		1.00	
21	1/1/20	Interest		1.00	
22	1/1/20	Interest		1.00	
23	1/1/20	Interest		1.00	
24	1/1/20	Interest		1.00	
25	1/1/20	Interest		1.00	
26	1/1/20	Interest		1.00	
27	1/1/20	Interest		1.00	
28	1/1/20	Interest		1.00	
29	1/1/20	Interest		1.00	
30	1/1/20	Interest		1.00	
31	1/1/20	Interest		1.00	
32	1/1/20	Interest		1.00	
33	1/1/20	Interest		1.00	
34	1/1/20	Interest		1.00	
35	1/1/20	Interest		1.00	
36	1/1/20	Interest		1.00	
37	1/1/20	Interest		1.00	
38	1/1/20	Interest		1.00	
39	1/1/20	Interest		1.00	
40	1/1/20	Interest		1.00	
41	1/1/20	Interest		1.00	
42	1/1/20	Interest		1.00	
43	1/1/20	Interest		1.00	
44	1/1/20	Interest		1.00	
45	1/1/20	Interest		1.00	
46	1/1/20	Interest		1.00	
47	1/1/20	Interest		1.00	
48	1/1/20	Interest		1.00	
49	1/1/20	Interest		1.00	
50	1/1/20	Interest		1.00	
51	1/1/20	Interest		1.00	
52	1/1/20	Interest		1.00	
53	1/1/20	Interest		1.00	
54	1/1/20	Interest		1.00	
55	1/1/20	Interest		1.00	
56	1/1/20	Interest		1.00	
57	1/1/20	Interest		1.00	
58	1/1/20	Interest		1.00	
59	1/1/20	Interest		1.00	
60	1/1/20	Interest		1.00	
61	1/1/20	Interest		1.00	
62	1/1/20	Interest		1.00	
63	1/1/20	Interest		1.00	
64	1/1/20	Interest		1.00	
65	1/1/20	Interest		1.00	
66	1/1/20	Interest		1.00	
67	1/1/20	Interest		1.00	
68	1/1/20	Interest		1.00	
69	1/1/20	Interest		1.00	
70	1/1/20	Interest		1.00	
71	1/1/20	Interest		1.00	
72	1/1/20	Interest		1.00	
73	1/1/20	Interest		1.00	
74	1/1/20	Interest		1.00	
75	1/1/20	Interest		1.00	

1985


W PLUM ST-A

SOURCE: COLE

1985

W PLUM ST-B

SOURCE: COLE



1981

W PLUM ST-A

SOURCE: JOHNSONS

1981	1980	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945	1944	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900	1899	1898	1897	1896	1895	1894	1893	1892	1891	1890	1889	1888	1887	1886	1885	1884	1883	1882	1881	1880	1879	1878	1877	1876	1875	1874	1873	1872	1871	1870	1869	1868	1867	1866	1865	1864	1863	1862	1861	1860	1859	1858	1857	1856	1855	1854	1853	1852	1851	1850	1849	1848	1847	1846	1845	1844	1843	1842	1841	1840	1839	1838	1837	1836	1835	1834	1833	1832	1831	1830	1829	1828	1827	1826	1825	1824	1823	1822	1821	1820	1819	1818	1817	1816	1815	1814	1813	1812	1811	1810	1809	1808	1807	1806	1805	1804	1803	1802	1801	1800	1799	1798	1797	1796	1795	1794	1793	1792	1791	1790	1789	1788	1787	1786	1785	1784	1783	1782	1781	1780	1779	1778	1777	1776	1775	1774	1773	1772	1771	1770	1769	1768	1767	1766	1765	1764	1763	1762	1761	1760	1759	1758	1757	1756	1755	1754	1753	1752	1751	1750	1749	1748	1747	1746	1745	1744	1743	1742	1741	1740	1739	1738	1737	1736	1735	1734	1733	1732	1731	1730	1729	1728	1727	1726	1725	1724	1723	1722	1721	1720	1719	1718	1717	1716	1715	1714	1713	1712	1711	1710	1709	1708	1707	1706	1705	1704	1703	1702	1701	1700	1699	1698	1697	1696	1695	1694	1693	1692	1691	1690	1689	1688	1687	1686	1685	1684	1683	1682	1681	1680	1679	1678	1677	1676	1675	1674	1673	1672	1671	1670	1669	1668	1667	1666	1665	1664	1663	1662	1661	1660	1659	1658	1657	1656	1655	1654	1653	1652	1651	1650	1649	1648	1647	1646	1645	1644	1643	1642	1641	1640	1639	1638	1637	1636	1635	1634	1633	1632	1631	1630	1629	1628	1627	1626	1625	1624	1623	1622	1621	1620	1619	1618	1617	1616	1615	1614	1613	1612	1611	1610	1609	1608	1607	1606	1605	1604	1603	1602	1601	1600	1599	1598	1597	1596	1595	1594	1593	1592	1591	1590	1589	1588	1587	1586	1585	1584	1583	1582	1581	1580	1579	1578	1577	1576	1575	1574	1573	1572	1571	1570	1569	1568	1567	1566	1565	1564	1563	1562	1561	1560	1559	1558	1557	1556	1555	1554	1553	1552	1551	1550	1549	1548	1547	1546	1545	1544	1543	1542	1541	1540	1539	1538	1537	1536	1535	1534	1533	1532	1531	1530	1529	1528	1527	1526	1525	1524	1523	1522	1521	1520	1519	1518	1517	1516	1515	1514	1513	1512	1511	1510	1509	1508	1507	1506	1505	1504	1503	1502	1501	1500	1499	1498	1497	1496	1495	1494	1493	1492	1491	1490	1489	1488	1487	1486	1485	1484	1483	1482	1481	1480	1479	1478	1477	1476	1475	1474	1473	1472	1471	1470	1469	1468	1467	1466	1465	1464	1463	1462	1461	1460	1459	1458	1457	1456	1455	1454	1453	1452	1451	1450	1449	1448	1447	1446	1445	1444	1443	1442	1441	1440	1439	1438	1437	1436	1435	1434	1433	1432	1431	1430	1429	1428	1427	1426	1425	1424	1423	1422	1421	1420	1419	1418	1417	1416	1415	1414	1413	1412	1411	1410	1409	1408	1407	1406	1405	1404	1403	1402	1401	1400	1399	1398	1397	1396	1395	1394	1393	1392	1391	1390	1389	1388	1387	1386	1385	1384	1383	1382	1381	1380	1379	1378	1377	1376	1375	1374	1373	1372	1371	1370	1369	1368	1367	1366	1365	1364	1363	1362	1361	1360	1359	1358	1357	1356	1355	1354	1353	1352	1351	1350	1349	1348	1347	1346	1345	1344	1343	1342	1341	1340	1339	1338	1337	1336	1335	1334	1333	1332	1331	1330	1329	1328	1327	1326	1325	1324	1323	1322	1321	1320	1319	1318	1317	1316	1315	1314	1313	1312	1311	1310	1309	1308	1307	1306	1305	1304	1303	1302	1301	1300	1299	1298	1297	1296	1295	1294	1293	1292	1291	1290	1289	1288	1287	1286	1285	1284	1283	1282	1281	1280	1279	1278	1277	1276	1275	1274	1273	1272	1271	1270	1269	1268	1267	1266	1265	1264	1263	1262	1261	1260	1259	1258	1257	1256	1255	1254	1253	1252	1251	1250	1249	1248	1247	1246	1245	1244	1243	1242	1241	1240	1239	1238	1237	1236	1235	1234	1233	1232	1231	1230	1229	1228	1227	1226	1225	1224	1223	1222	1221	1220	1219	1218	1217	1216	1215	1214	1213	1212	1211	1210	1209	1208	1207	1206	1205	1204	1203	1202	1201	1200	1199	1198	1197	1196	1195	1194	1193	1192	1191	1190	1189	1188	1187	1186	1185	1184	1183	1182	1181	1180	1179	1178	1177	1176	1175	1174	1173	1172	1171	1170	1169	1168	1167	1166	1165	1164	1163	1162	1161	1160	1159	1158	1157	1156	1155	1154	1153	1152	1151	1150	1149	1148	1147	1146	1145	1144	1143	1142	1141	1140	1139	1138	1137	1136	1135	1134	1133	1132	1131	1130	1129	1128	1127	1126	1125	1124	1123	1122	1121	1120	1119	1118	1117	1116	1115	1114	1113	1112	1111	1110	1109	1108	1107	1106	1105	1104	1103	1102	1101	1100	1099	1098	1097	1096	1095	1094	1093	1092	1091	1090	1089	1088	1087	1086	1085	1084	1083	1082	1081	1080	1079	1078	1077	1076	1075	1074	1073	1072	1071	1070	1069	1068	1067	1066	1065	1064	1063	1062	1061	1060	1059	1058	1057	1056	1055	1054	1053	1052	1051	1050	1049	1048	1047	1046	1045	1044	1043	1042	1041	1040	1039	1038	1037	1036	1035	1034	1033	1032	1031	1030	1029	1028	1027	1026	1025	1024	1023	1022	1021	1020	1019	1018	1017	1016	1015	1014	1013	1012	1011	1010	1009	1008	1007	1006	1005	1004	1003	1002	1001	1000	999	998	997	996	995	994	993	992	991	990	989	988	987	986	985	984	983	982	981	980	979	978	977	976	975	974	973	972	971	970	969	968	967	966	965	964	963	962	961	960	959	958	957	956	955	954	953	952	951	950	949	948	947	946	945	944	943	942	941	940	939	938	937	936	935	934	933	932	931	930	929	928	927	926	925	924	923	922	921	920	919	918	917	916	915	914	913	912	911	910	909	908	907	906	905	904	903	902	901	900	899	898	897	896	895	894	893	892	891	890	889	888	887	886	885	884	883	882	881	880	879	878	877	876	875	874	873	872	871	870	869	868	867	866	865	864	863	862	861	860	859	858	857	856	855	854	853	852	851	850	849	848	847	846	845	844	843	842	841	840	839	838	837	836	835	834	833	832	831	830	829	828	827	826	825	824	823	822	821	820	819	818	817	816	815	814	813	812	811	810	809	808	807	806	805	804	803	802	801	800	799	798	797	796	795	794	793	792	791	790	789	788	787	786	785	784	783	782	781	780	779	778	777	776	775	774	773	772	771	770	769	768	767	766	765	764	763	762	761	760	759	758	757	756	755	754	753	752	751	750	749	748	747	746	745	744	743	742	741	740	739	738	737	736	735	734	733	732	731	730	729	728	727	726	725	724	723	722	721	720	719	718	717	716	715	714	713	712	711	710	709	708	707	706	705	704	703	702	701	700	699	698	697	696	695	694	693	692	691	690	689	688	687	686	685	684	683	682	681	680	679	678	677	676	675	674	673	672	671	670	669	668	667	666	665	664	663	662	661	660	659	658	657	656	655	654	653	652	651	650	649	648	647	646	645	644	643	642	641	640	639	638	637	636	635	634	633	632	631	630	629	628	627	626	625	624	623	622	621	620	619	618	617	616	615	614	613	612	611	610	609	608	607	606	605	604	603	602	601	600	599	598	597	596	595	594	593	592	591	590	589	588	587	586	585	584	583	582	581	580	579	578	577	576	575	574	57
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

**SOURCE: JOHNSONS**

W PLUM ST

**SOURCE: JOHNSONS**

W PLUM ST

Year	Country	Population (millions)	Urban population (millions)	Urban population (%)	Population density (per sq km)	Urban population density (per sq km)	Population growth rate (%)	Urban population growth rate (%)	Population doubling time (years)	Urban population doubling time (years)
1950	Algeria	2.5	0.5	20	100	100	1.5	1.5	47	47
1955	Algeria	2.6	0.6	23	110	110	1.8	1.8	42	42
1960	Algeria	2.7	0.7	26	120	120	2.0	2.0	38	38
1965	Algeria	2.8	0.8	29	130	130	2.2	2.2	35	35
1970	Algeria	2.9	0.9	31	140	140	2.4	2.4	32	32
1975	Algeria	3.0	1.0	33	150	150	2.6	2.6	30	30
1980	Algeria	3.1	1.1	35	160	160	2.8	2.8	28	28
1985	Algeria	3.2	1.2	38	170	170	3.0	3.0	26	26
1990	Algeria	3.3	1.3	40	180	180	3.2	3.2	24	24
1995	Algeria	3.4	1.4	41	190	190	3.4	3.4	22	22
2000	Algeria	3.5	1.5	43	200	200	3.6	3.6	20	20
2005	Algeria	3.6	1.6	44	210	210	3.8	3.8	19	19
2010	Algeria	3.7	1.7	46	220	220	4.0	4.0	18	18
2015	Algeria	3.8	1.8	47	230	230	4.2	4.2	17	17
2020	Algeria	3.9	1.9	49	240	240	4.4	4.4	16	16
2025	Algeria	4.0	2.0	50	250	250	4.6	4.6	15	15
2030	Algeria	4.1	2.1	51	260	260	4.8	4.8	14	14
2035	Algeria	4.2	2.2	52	270	270	5.0	5.0	13	13
2040	Algeria	4.3	2.3	53	280	280	5.2	5.2	12	12
2045	Algeria	4.4	2.4	54	290	290	5.4	5.4	11	11
2050	Algeria	4.5	2.5	56	300	300	5.6	5.6	10	10
2055	Algeria	4.6	2.6	56	310	310	5.8	5.8	9	9
2060	Algeria	4.7	2.7	57	320	320	6.0	6.0	8	8
2065	Algeria	4.8	2.8	58	330	330	6.2	6.2	7	7
2070	Algeria	4.9	2.9	59	340	340	6.4	6.4	6	6
2075	Algeria	5.0	3.0	60	350	350	6.6	6.6	5	5
2080	Algeria	5.1	3.1	61	360	360	6.8	6.8	4	4
2085	Algeria	5.2	3.2	62	370	370	7.0	7.0	3	3
2090	Algeria	5.3	3.3	62	380	380	7.2	7.2	2	2
2095	Algeria	5.4	3.4	63	390	390	7.4	7.4	1	1
2100	Algeria	5.5	3.5	64	400	400	7.6	7.6	0	0
1950	Algeria	2.5	0.5	20	100	100	1.5	1.5	47	47
1955	Algeria	2.6	0.6	23	110	110	1.8	1.8	42	42
1960	Algeria	2.7	0.7	26	120	120	2.0	2.0	38	38
1965	Algeria	2.8	0.8	29	130	130	2.2	2.2	35	35
1970	Algeria	2.9	0.9	31	140	140	2.4	2.4	32	32
1975	Algeria	3.0	1.0	33	150	150	2.6	2.6	30	30
1980	Algeria	3.1	1.1	35	160	160	2.8	2.8	28	28
1985	Algeria	3.2	1.2	38	170	170	3.0	3.0	26	26
1990	Algeria	3.3	1.3	40	180	180	3.2	3.2	24	24
1995	Algeria	3.4	1.4	41	190	190	3.4	3.4	22	22
2000	Algeria	3.5	1.5	43	200	200	3.6	3.6	20	20
2005	Algeria	3.6	1.6	44	210	210	3.8	3.8	19	19
2010	Algeria	3.7	1.7	46	220	220	4.0	4.0	18	18
2015	Algeria	3.8	1.8	47	230	230	4.2	4.2	17	17
2020	Algeria	3.9	1.9	49	240	240	4.4	4.4	16	16
2025	Algeria	4.0	2.0	50	250	250	4.6	4.6	15	15
2030	Algeria	4.1	2.1	51	260	260	4.8	4.8	14	14
2035	Algeria	4.2	2.2	52	270	270	5.0	5.0	13	13
2040	Algeria	4.3	2.3	53	280	280	5.2	5.2	12	12
2045	Algeria	4.4	2.4	54	290	290	5.4	5.4	11	11
2050	Algeria	4.5	2.5	56	300	300	5.6	5.6	10	10
2055	Algeria	4.6	2.6	56	310	310	5.8	5.8	9	9
2060	Algeria	4.7	2.7	57	320	320	6.0	6.0	8	8
2065	Algeria	4.8	2.8	58	330	330	6.2	6.2	7	7
2070	Algeria	4.9	2.9	59	340	340	6.4	6.4	6	6
2075	Algeria	5.0	3.0	60	350	350	6.6	6.6	5	5
2080	Algeria	5.1	3.1	61	360	360	6.8	6.8	4	4
2085	Algeria	5.2	3.2	62	370	370	7.0	7.0	3	3
2090	Algeria	5.3	3.3	62	380	380	7.2	7.2	2	2
2095	Algeria	5.4	3.4	63	390	390	7.4	7.4	1	1
2100	Algeria	5.5	3.5	64	400	400	7.6	7.6	0	0

BANK OF AMERICA		
ACCOUNT NUMBER	ACCOUNT NAME	ACCOUNT TYPE
0001	Checking	Checking
0002	Savings	Savings
0003	Money Market	Money Market
0004	Investment	Investment
0005	Retirement	Retirement
0006	Education	Education
0007	Health Savings	Health Savings
0008	529 Plan	529 Plan
0009	Charitable	Charitable
0010	Trust	Trust
0011	Joint	Joint
0012	Joint	Joint
0013	Joint	Joint
0014	Joint	Joint
0015	Joint	Joint
0016	Joint	Joint
0017	Joint	Joint
0018	Joint	Joint
0019	Joint	Joint
0020	Joint	Joint
0021	Joint	Joint
0022	Joint	Joint
0023	Joint	Joint
0024	Joint	Joint
0025	Joint	Joint
0026	Joint	Joint
0027	Joint	Joint
0028	Joint	Joint
0029	Joint	Joint
0030	Joint	Joint
0031	Joint	Joint
0032	Joint	Joint
0033	Joint	Joint
0034	Joint	Joint
0035	Joint	Joint
0036	Joint	Joint
0037	Joint	Joint
0038	Joint	Joint
0039	Joint	Joint
0040	Joint	Joint
0041	Joint	Joint
0042	Joint	Joint
0043	Joint	Joint
0044	Joint	Joint
0045	Joint	Joint
0046	Joint	Joint
0047	Joint	Joint
0048	Joint	Joint
0049	Joint	Joint
0050	Joint	Joint
0051	Joint	Joint
0052	Joint	Joint
0053	Joint	Joint
0054	Joint	Joint
0055	Joint	Joint
0056	Joint	Joint
0057	Joint	Joint
0058	Joint	Joint
0059	Joint	Joint
0060	Joint	Joint
0061	Joint	Joint
0062	Joint	Joint
0063	Joint	Joint
0064	Joint	Joint
0065	Joint	Joint
0066	Joint	Joint
0067	Joint	Joint
0068	Joint	Joint
0069	Joint	Joint
0070	Joint	Joint
0071	Joint	Joint
0072	Joint	Joint
0073	Joint	Joint
0074	Joint	Joint
0075	Joint	Joint
0076	Joint	Joint
0077	Joint	Joint
0078	Joint	Joint
0079	Joint	Joint
0080	Joint	Joint
0081	Joint	Joint
0082	Joint	Joint
0083	Joint	Joint
0084	Joint	Joint
0085	Joint	Joint
0086	Joint	Joint
0087	Joint	Joint
0088	Joint	Joint
0089	Joint	Joint
0090	Joint	Joint
0091	Joint	Joint
0092	Joint	Joint
0093	Joint	Joint
0094	Joint	Joint
0095	Joint	Joint
0096	Joint	Joint
0097	Joint	Joint
0098	Joint	Joint
0099	Joint	Joint
0100	Joint	Joint

1964

W PLUM ST

SOURCE: ROCKY MOUNTAIN DIRECTORY

RANGE NOT LISTED

1960

W PLUM ST

SOURCE: ROCKY MOUNTAIN DIRECTORY

RANGE NOT LISTED

**1956**

**W PLUM ST**

SOURCE: ROCKY MOUNTAIN DIRECTORY

RANGE NOT LISTED

**1950**

**W PLUM ST**

SOURCE: ROCKY MOUNTAIN DIRECTORY

STREET NOT LISTED

**1948**

**W PLUM ST**

SOURCE: POLKS

STREET NOT LISTED

**1936**

**W PLUM ST**

SOURCE: POLKS

STREET NOT LISTED

1931

W PLUM ST

SOURCE: POLKS


STREET NOT LISTED

1925

W PLUM ST

SOURCE: POLKS

STREET NOT LISTED



**Project Property:** 2210057\_ESA\_2155 W Plum St, Fort Collins, CO 80521  
2155 W Plum St  
Fort Collins CO 80521

**Project No:** 2210057


**Requested By:** RSB Environmental


**Order No:** 22102100359

**Date Completed:** November 03, 2022

---

Please note that no information was found for your site or adjacent properties.






**Project Property:** 2210057\_ESA\_2155 W Plum St, Fort Collins, CO 80521  
2155 W Plum St  
Fort Collins CO 80521

**Project No:** 2210057

**Requested By:** RSB Environmental

**Order No:** 22102100359

**Date Completed:** November 22, 2022



We have searched USGS collections of current topographic maps and historical topographic maps for the project property. Below is a list of maps found for the project property and adjacent area. Maps are from 7.5 and 15 minute topographic map series, if available.

Year	Map Series
2019	7.5
2016	7.5
2013	7.5
1984	7.5
1969	7.5
1960	7.5
1908	15
1906	15

**Topographic Map Symbolology for the maps may be available in the following documents:**

*Pre-1947*

[Page 223 of 1918 Topographic Instructions](#)

[Page 130 of 1928 Topographic Instructions](#)

*1947-2009*

[Topographic Map Symbols](#)

*2009-present*

[US Topo Map Symbols](#)

Topographic Maps included in this report are produced by the USGS and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using Topographic Maps produced by the USGS.


This maps contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein.

Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.



2019

Order No. 22102100359



Available Quadrangle(s): **Fort Collins, CO**  
Horsetooth Reservoir, CO


Source: USGS 7.5 Minute Topographic Map





2016

Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO  
Horsetooth Reservoir, CO


Source: USGS 7.5 Minute Topographic Map





2013


Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO  
Horsetooth Reservoir, CO

Source: USGS 7.5 Minute Topographic Map






1984


(1-1984)  
Aerial Photo Year: 1978  
Photo Revision Year: 1984

Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO (1-1984)






1969


(1-1969)  
Aerial Photo Year: 1969  
Photo Revision Year: 1969

Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO (1-1969)






1960

(1-1960)  
Aerial Photo Year: 1958

Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO (1-1960)


Source: USGS 7.5 Minute Topographic Map





1908

Order No. 22102100359



Available Quadrangle(s): Fort Collins, CO


Source: USGS 15 Minute Topographic Map





1906

Order No. 22102100359




Available Quadrangle(s): Fort Collins, CO


Source: USGS 15 Minute Topographic Map









REDACTED









000000




000000













1. The first step is to identify the problem. This involves understanding the current situation and what needs to be improved.


1999-2000  
 2000-2001  
 2001-2002



1. *Journal of the American Medical Association*, 2000; 283: 2689-2695.  
 2. *Journal of the American Medical Association*, 2000; 283: 2696-2703.  
 3. *Journal of the American Medical Association*, 2000; 283: 2704-2711.  
 4. *Journal of the American Medical Association*, 2000; 283: 2712-2719.

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.

1. **Identify the main topic of the passage.**  
 2. **Identify the main purpose of the passage.**  
 3. **Identify the main argument of the passage.**  
 4. **Identify the main conclusion of the passage.**  
 5. **Identify the main evidence of the passage.**  
 6. **Identify the main counterargument of the passage.**  
 7. **Identify the main supporting detail of the passage.**  
 8. **Identify the main supporting detail of the passage.**  
 9. **Identify the main supporting detail of the passage.**  
 10. **Identify the main supporting detail of the passage.**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	14
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	----




















<p>Scale</p> <p>1:100,000</p> <p>1:200,000</p> <p>1:500,000</p> <p>1:1,000,000</p>	<p>Legend</p> <p>Water</p> <p>Land</p> <p>Urban</p> <p>Road</p> <p>Rail</p> <p>Coastline</p> <p>Boundary</p>	<p>Source: [illegible]</p> <p>Map: [illegible]</p> <p>Scale: [illegible]</p> <p>1:100,000 1:200,000 1:500,000 1:1,000,000</p>
--	--	---



































# **Appendix D**

## **Regulatory Records Documentation**



**Project Property:** 2210057\_ESA\_2155 W Plum St, Fort  
Collins, CO 80521  
2155 W Plum St  
Fort Collins CO 80521

**Project No:** 2210057

**Report Type:** Database Report

**Order No:** 22102100359

**Requested by:** RSB Environmental

**Date Completed:** November 4, 2022

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	8
Executive Summary: Site Report Summary - Surrounding Properties.....	9
Executive Summary: Summary by Data Source.....	12
Map.....	17
Aerial.....	20
Topographic Map.....	21
Detail Report.....	22
Unplottable Summary.....	166
Unplottable Report.....	167
Appendix: Database Descriptions.....	170
Definitions.....	183

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## Property Information:

**Project Property:** 2210057\_ESA\_2155 W Plum St, Fort Collins, CO 80521  
2155 W Plum St Fort Collins CO 80521

**Project No:** 2210057

**Coordinates:**

<b>Latitude:</b>	40.57607815
<b>Longitude:</b>	-105.11651716
<b>UTM Northing:</b>	4,491,705.97
<b>UTM Easting:</b>	490,138.21
<b>UTM Zone:</b>	UTM Zone 13T

**Elevation:** 5,077 FT

## Order Information:

**Order No:** 22102100359  
**Date Requested:** October 21, 2022  
**Requested by:** RSB Environmental  
**Report Type:** Database Report

## Historicals/Products:

City Directory Search	CD - 1 Street Search
ERIS Xplorer	<a href="#">ERIS Xplorer</a>
Excel Add-On	Excel Add-On
Fire Insurance Maps	US Fire Insurance Maps
Physical Setting Report (PSR)	Physical Setting Report (PSR)
Vapor Screening Tool	Vapor Screening Tool

## Executive Summary: Report Summary

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
<b><u>Standard Environmental Records</u></b>								
<b>Federal</b>								
DOE FUSRAP	Y	1	0	0	0	0	0	0
NPL	Y	1	0	0	0	0	0	0
PROPOSED NPL	Y	1	0	0	0	0	0	0
DELETED NPL	Y	0.5	0	0	0	0	-	0
SEMS	Y	0.5	0	0	0	0	-	0
ODI	Y	0.5	0	0	0	0	-	0
SEMS ARCHIVE	Y	0.5	0	0	0	0	-	0
CERCLIS	Y	0.5	0	0	0	0	-	0
IODI	Y	0.5	0	0	0	0	-	0
CERCLIS NFRAP	Y	0.5	0	0	0	0	-	0
CERCLIS LIENS	Y	PO	0	-	-	-	-	0
RCRA CORRACTS	Y	1	0	0	0	0	1	1
RCRA TSD	Y	0.5	0	0	0	0	-	0
RCRA LQG	Y	0.25	0	0	0	-	-	0
RCRA SQG	Y	0.25	0	0	0	-	-	0
RCRA VSQG	Y	0.25	0	0	1	-	-	1
RCRA NON GEN	Y	0.25	0	1	1	-	-	2
RCRA CONTROLS	Y	0.5	0	0	0	0	-	0
FED ENG	Y	0.5	0	0	0	0	-	0
FED INST	Y	0.5	0	0	0	0	-	0
LUCIS	Y	0.5	0	0	0	0	-	0
NPL IC	Y	0.5	0	0	0	0	-	0
ERNS 1982 TO 1986	Y	PO	0	-	-	-	-	0
ERNS 1987 TO 1989	Y	PO	0	-	-	-	-	0
ERNS	Y	PO	0	-	-	-	-	0
FED BROWNFIELDS	Y	0.5	0	0	0	0	-	0
FEMA UST	Y	0.25	0	0	0	-	-	0

<b>Database</b>	<b>Searched</b>	<b>Search Radius</b>	<b>Project Property</b>	<b>Within 0.12mi</b>	<b>0.125mi to 0.25mi</b>	<b>0.25mi to 0.50mi</b>	<b>0.50mi to 1.00mi</b>	<b>Total</b>
FRP	Y	0.25	0	0	0	-	-	0
DELISTED FRP	Y	0.25	0	0	0	-	-	0
HIST GAS STATIONS	Y	0.25	0	0	0	-	-	0
REFN	Y	0.25	0	0	0	-	-	0
BULK TERMINAL	Y	0.25	0	0	0	-	-	0
SEMS LIEN	Y	PO	0	-	-	-	-	0
SUPERFUND ROD	Y	1	0	0	0	0	0	0

#### State

LANDFILL METHANE	Y	0.5	0	0	0	0	-	0
COVENANTS	Y	0.5	0	0	0	0	-	0
SUPERFUND NRD	Y	1	0	0	0	0	0	0
SHWS	Y	1	0	0	0	0	0	0
DELISTED SHWS	Y	1	0	0	0	0	0	0
SWF/LF	Y	0.5	0	0	0	0	-	0
HIST LF	Y	0.5	0	0	0	0	-	0
HIST LANDFILLS	Y	0.5	0	0	0	0	-	0
RECYCLING	Y	0.5	0	0	0	0	-	0
LST	Y	0.5	0	3	0	2	-	5
LUST TRUST	Y	0.5	0	4	0	2	-	6
DELISTED LST	Y	0.5	0	0	0	0	-	0
UST	Y	0.25	0	2	0	-	-	2
AST	Y	0.25	0	0	0	-	-	0
TANKS	Y	0.25	0	0	0	-	-	0
DTNK	Y	0.25	0	0	0	-	-	0
AUL	Y	0.5	0	0	0	0	-	0
VCP	Y	0.5	0	0	0	0	-	0
BROWNFIELDS	Y	0.5	0	0	0	0	-	0

#### Tribal

INDIAN LUST	Y	0.5	0	0	0	0	-	0
INDIAN UST	Y	0.25	0	0	0	-	-	0
DELISTED ILST	Y	0.5	0	0	0	0	-	0
DELISTED IUST	Y	0.25	0	0	0	-	-	0

#### County

**No County databases were selected to be included in the search.**

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
<b>Additional Environmental Records</b>								
<b>Federal</b>								
FINDS/FRS	Y	PO	0	-	-	-	-	0
TRIS	Y	PO	0	-	-	-	-	0
PFAS TRI	Y	0.5	0	0	0	0	-	0
PFAS NPL	Y	0.5	0	0	0	0	-	0
PFAS WATER	Y	0.5	0	0	0	0	-	0
PFAS SSEHRI	Y	0.5	0	0	0	0	-	0
ERNS PFAS	Y	0.5	0	0	0	0	-	0
HMIRS	Y	0.125	0	0	-	-	-	0
NCDL	Y	0.125	0	0	-	-	-	0
TSCA	Y	0.125	0	0	-	-	-	0
HIST TSCA	Y	0.125	0	0	-	-	-	0
FTTS ADMIN	Y	PO	0	-	-	-	-	0
FTTS INSP	Y	PO	0	-	-	-	-	0
PRP	Y	PO	0	-	-	-	-	0
SCRD DRYCLEANER	Y	0.5	0	0	0	0	-	0
ICIS	Y	PO	0	-	-	-	-	0
FED DRYCLEANERS	Y	0.25	0	0	1	-	-	1
DELISTED FED DRY	Y	0.25	0	0	0	-	-	0
FUDS	Y	1	0	0	0	0	0	0
FORMER NIKE	Y	1	0	0	0	0	0	0
PIPELINE INCIDENT	Y	PO	0	-	-	-	-	0
MLTS	Y	PO	0	-	-	-	-	0
HIST MLTS	Y	PO	0	-	-	-	-	0
MINES	Y	0.25	0	0	0	-	-	0
SMCRA	Y	1	0	0	0	0	0	0
MRDS	Y	1	0	0	0	0	1	1
URANIUM	Y	1	0	0	0	0	0	0
ALT FUELS	Y	0.25	0	0	0	-	-	0
AFS	Y	PO	0	-	-	-	-	0
CONSENT DECREES	Y	0.25	0	0	0	-	-	0
SSTS	Y	0.25	0	0	0	-	-	0
PCBT	Y	0.5	0	0	0	0	-	0
PCB	Y	0.5	0	0	0	0	-	0

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
<b>State</b>								
SPILLS	Y	0.125	0	0	-	-	-	0
OG SPILLS	Y	0.125	0	0	-	-	-	0
DRYCLEANERS	Y	0.25	0	0	1	-	-	1
DELISTED DRYCLEANERS	Y	0.25	0	0	0	-	-	0
AIR PERMITS	Y	0.125	0	2	-	-	-	2
PFAS	Y	0.5	0	0	0	0	-	0
ASBESTOS	Y	0.125	0	8	-	-	-	8
HAZ GEN	Y	0.125	0	1	-	-	-	1
PDES	Y	PO	0	-	-	-	-	0
HAZ TSD	Y	0.5	0	0	0	0	-	0
HAZ CORRACT	Y	1	0	0	0	0	1	1
UMTRA	Y	0.5	0	0	0	0	-	0

**Tribal** *No Tribal additional environmental record sources available for this State.*

**County** *No County additional environmental databases were selected to be included in the search.*

---

<b>Total:</b>	0	21	4	4	3	32
---------------	---	----	---	---	---	----

\* PO – Property Only

\* 'Property and adjoining properties' database search radii are set at 0.25 miles.

# Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	------------------	-----------------------------	---------------------------	------------------------

No records found in the selected databases for the project property.

## Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
<a href="#">1</a>	ASBESTOS	BLUSKY RESTORATION CONTRACTORS, LLC	2115 W. PLUM ST. UNIT 14 FORT COLLINS CO	E	0.04 / 195.84	-3	<a href="#">22</a>
<a href="#">2</a>	UST	Everyday Store #5015	949 S Taft Hill Rd Fort Collins 80521 CO <b>Facility ID:</b> 10481 <b>Tank Tag   Tank Status:</b> 10481-1   Currently In Use, 10481-3   Currently In Use, 10481-2   Currently In Use, 10481-2   Currently In Use, 10481-4   Permanently Closed	SE	0.07 / 370.61	2	<a href="#">22</a>
<a href="#">2</a>	LST	Everyday Store #5015	949 S Taft Hill Rd Fort Collins 80521 CO <b>Facility ID:</b> 10481 <b>Event ID   Status:</b> Closed, Closed, 6981   Closed, 12285   Closed	SE	0.07 / 370.61	2	<a href="#">26</a>
<a href="#">2</a>	AIR PERMITS	RECUPEROS, L.L.C.	949 S TAFT HILL RD FORT COLLINS CO 80521	SE	0.07 / 370.61	2	<a href="#">35</a>
<a href="#">2</a>	LUST TRUST	Everyday Store #5015	949 S Taft Hill Rd Fort Collins CO 80521 <b>Facility ID   Event ID   Release Date:</b> 10481   12285   6/30/2015	SE	0.07 / 370.61	2	<a href="#">37</a>
<a href="#">2</a>	LUST TRUST	Everyday Store #5015	949 S Taft Hill Rd Fort Collins CO 80521 <b>Facility ID   Event ID   Release Date:</b> 10481   6981   11/3/1998	SE	0.07 / 370.61	2	<a href="#">38</a>
<a href="#">3</a>	ASBESTOS	BLACK BEAR CONSTRUCTION SERVICES, INC.	2025 W. PLUM BLDG 2 FORT COLLINS CO	E	0.10 / 514.59	-7	<a href="#">38</a>
<a href="#">3</a>	ASBESTOS	BLACK BEAR CONSTRUCTION SERVICES, INC.	2029 W. PLUM BLDG 5 FORT COLLINS CO	E	0.10 / 514.59	-7	<a href="#">38</a>
<a href="#">4</a>	LST	Chevron USA Inc #70570	950 S Taft Hill Rd Fort Collins 80521 CO <b>Facility ID:</b> 12771 <b>Event ID   Status:</b> 5371   Closed	SE	0.10 / 547.74	-1	<a href="#">38</a>
<a href="#">4</a>	LUST TRUST	Chevron USA Inc #70570	950 S Taft Hill Rd Fort Collins CO 80521 <b>Facility ID   Event ID   Release Date:</b> 12771   5371   10/25/1988	SE	0.10 / 547.74	-1	<a href="#">40</a>
<a href="#">5</a>	RCRA NON GEN	BP FACILITY #23300	1001 S TAFT HILL RD FORT COLLINS CO 80521 <b>EPA Handler ID:</b> COD983788407	SE	0.11 / 579.09	-1	<a href="#">40</a>
<a href="#">5</a>	UST	King Soopers #609	1001 S Taft Hill Rd Fort Collins 80521 CO	SE	0.11 / 579.09	-1	<a href="#">43</a>

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			<b>Facility ID:</b> 6540 <b>Tank Tag / Tank Status:</b> 6540-8   Permanently Closed, 6540-9   Currently In Use, 6540-10   Currently In Use, 6540-2   Permanently Closed, 6540-1   Permanently Closed, 6540-5   Permanently Closed, 6540-7   Permanently Closed, 6540-10   Currently In Use, 6540-6   Permanently Closed, 6540-3   Permanently Closed, 6540-4   Permanently Closed				
<a href="#">5</a>	LST	King Soopers #609	1001 S Taft Hill Rd Fort Collins 80521 CO	SE	0.11 / 579.09	-1	<a href="#">52</a>
			<b>Facility ID:</b> 6540 <b>Event ID / Status:</b> Closed, 3987   Closed, 10874   Closed				
<a href="#">5</a>	HAZ GEN	BP AMOCO OIL	1001 S TAFT HILL RD FORT COLLINS CO 805214222	SE	0.11 / 579.09	-1	<a href="#">54</a>
<a href="#">5</a>	AIR PERMITS	DILLON COMPANIES - KING SOOPERS #009	1001 S TAFT HILL RD FORT COLLINS CO 80521	SE	0.11 / 579.09	-1	<a href="#">54</a>
<a href="#">5</a>	LUST TRUST	King Soopers #609	1001 S Taft Hill Rd Fort Collins CO 80521	SE	0.11 / 579.09	-1	<a href="#">56</a>
			<b>Facility ID   Event ID   Release Date:</b> 6540   3987   7/10/1990				
<a href="#">6</a>	ASBESTOS	BLACK BEAR CONSTRUCTION SERVICES, INC.	2021 W. PLUM BLDG 1 FORT COLLINS CO	E	0.12 / 614.25	-10	<a href="#">57</a>
<a href="#">7</a>	ASBESTOS	BLACK BEAR CONSTRUCTION SERVICES, INC.	2017 W. PLUM BLDG 6 FORT COLLINS CO	E	0.12 / 654.62	-10	<a href="#">57</a>
<a href="#">7</a>	ASBESTOS	BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	-10	<a href="#">57</a>
<a href="#">7</a>	ASBESTOS	BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	-10	<a href="#">57</a>
<a href="#">7</a>	ASBESTOS	BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	-10	<a href="#">57</a>
<a href="#">8</a>	RCRA NON GEN	CEDARWOOD CLEANERS	1015 S TAFT HILL RD #D FORT COLLINS CO 80521	SSE	0.16 / 863.94	0	<a href="#">58</a>
			<b>EPA Handler ID:</b> COD047870563				
<a href="#">8</a>	FED DRYCLEANERS	CEDARWOOD ENTERPRISES LLC	1015 SOUTH TAFT HILL ROAD FORT COLLINS CO 80521	SSE	0.16 / 863.94	0	<a href="#">60</a>
			<b>FRS Facility ID:</b> 110001395008				
<a href="#">8</a>	DRYCLEANERS	CEDARWOOD ENTERPRISES LLC	1015 S TAFT HILL RD STE D FORT COLLINS CO 80521-4240	SSE	0.16 / 863.94	0	<a href="#">60</a>

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
<a href="#">8</a>	RCRA VSQG	SALLY BEAUTY SUPPLY #3607	1015 S TAFT HILL RD FORT COLLINS CO 80521 <i>EPA Handler ID:</i> COR000252981	SSE	0.16 / 863.94	0	<a href="#">60</a>
<a href="#">9</a>	LST	Shamrock 643	525 S Taft Hill Rd Fort Collins 80521 CO <i>Facility ID:</i> 3079 <i>Event ID   Status:</i> 4471   Closed	NNE	0.32 / 1,694.06	2	<a href="#">62</a>
<a href="#">9</a>	LUST TRUST	Shamrock 643	525 S Taft Hill Rd Fort Collins CO 80521 <i>Facility ID   Event ID   Release Date:</i> 3079   4471   11/27/1987	NNE	0.32 / 1,694.06	2	<a href="#">64</a>
<a href="#">10</a>	LST	DB Pumps	501 S Taft Hill Rd Fort Collins 80521 CO <i>Facility ID:</i> 11172 <i>Event ID   Status:</i> Closed, 7853   Closed, 5607   Closed, 13590   Closed	N	0.37 / 1,969.33	-3	<a href="#">64</a>
<a href="#">10</a>	LUST TRUST	DB Pumps	501 S Taft Hill Rd Fort Collins CO 80521 <i>Facility ID   Event ID   Release Date:</i> 11172   13590   11/1/2019	N	0.37 / 1,969.33	-3	<a href="#">68</a>
<a href="#">11</a>	MRDS	UNKNOWN	LARIMER COUNTY FORT COLLINS CO 80526 <i>Dep ID:</i> 10016700	S	0.61 / 3,212.44	-8	<a href="#">68</a>
<a href="#">12</a>	RCRA CORRACTS	COLORADO STATE UNIVERSITY (DISPOSAL)	S OVERLAND TRL AT RAMPART RD FORT COLLINS CO 80521 <i>EPA Handler ID:</i> COT090011529	WNW	0.93 / 4,915.11	57	<a href="#">68</a>
<a href="#">12</a>	HAZ CORRACT	COLORADO STATE UNIVERSITY (DISPOSAL)	S OVERLAND TRAIL AT RAMPART RD FORT COLLINS CO 80521	WNW	0.93 / 4,915.11	57	<a href="#">165</a>

## Executive Summary: Summary by Data Source

### Standard

#### Federal

##### RCRA CORRACTS - RCRA CORRACTS-Corrective Action

A search of the RCRA CORRACTS database, dated Sep 5, 2022 has found that there are 1 RCRA CORRACTS site(s) within approximately 1.00 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
COLORADO STATE UNIVERSITY (DISPOSAL)	S OVERLAND TRL AT RAMPART RD FORT COLLINS CO 80521	WNW	0.93 / 4,915.11	<a href="#">12</a>
<i>EPA Handler ID: COT090011529</i>				

##### RCRA VSQG - RCRA Very Small Quantity Generators List

A search of the RCRA VSQG database, dated Sep 5, 2022 has found that there are 1 RCRA VSQG site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
SALLY BEAUTY SUPPLY #3607	1015 S TAFT HILL RD FORT COLLINS CO 80521	SSE	0.16 / 863.94	<a href="#">8</a>
<i>EPA Handler ID: COR000252981</i>				

##### RCRA NON GEN - RCRA Non-Generators

A search of the RCRA NON GEN database, dated Sep 5, 2022 has found that there are 2 RCRA NON GEN site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BP FACILITY #23300	1001 S TAFT HILL RD FORT COLLINS CO 80521	SE	0.11 / 579.09	<a href="#">5</a>
<i>EPA Handler ID: COD983788407</i>				
CEDARWOOD CLEANERS	1015 S TAFT HILL RD #D FORT COLLINS CO 80521	SSE	0.16 / 863.94	<a href="#">8</a>
<i>EPA Handler ID: COD047870563</i>				

#### State

##### LST - Leaking Storage Tanks

A search of the LST database, dated Jul 19, 2022 has found that there are 5 LST site(s) within approximately 0.50 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Everyday Store #5015	949 S Taft Hill Rd Fort Collins 80521 CO	SE	0.07 / 370.61	<a href="#">2</a>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
<b>Facility ID:</b> 10481 <b>Event ID   Status:</b> Closed, Closed, 6981   Closed, 12285   Closed				
Shamrock 643	525 S Taft Hill Rd Fort Collins 80521 CO	NNE	0.32 / 1,694.06	<a href="#">9</a>
<b>Facility ID:</b> 3079 <b>Event ID   Status:</b> 4471   Closed				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Chevron USA Inc #70570	950 S Taft Hill Rd Fort Collins 80521 CO	SE	0.10 / 547.74	<a href="#">4</a>
<b>Facility ID:</b> 12771 <b>Event ID   Status:</b> 5371   Closed				
King Soopers #609	1001 S Taft Hill Rd Fort Collins 80521 CO	SE	0.11 / 579.09	<a href="#">5</a>
<b>Facility ID:</b> 6540 <b>Event ID   Status:</b> Closed, 3987   Closed, 10874   Closed				
DB Pumps	501 S Taft Hill Rd Fort Collins 80521 CO	N	0.37 / 1,969.33	<a href="#">10</a>
<b>Facility ID:</b> 11172 <b>Event ID   Status:</b> Closed, 7853   Closed, 5607   Closed, 13590   Closed				

### LUST TRUST - LUST Trust Sites

A search of the LUST TRUST database, dated Jul 19, 2022 has found that there are 6 LUST TRUST site(s) within approximately 0.50 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Everyday Store #5015	949 S Taft Hill Rd Fort Collins CO 80521	SE	0.07 / 370.61	<a href="#">2</a>
<b>Facility ID   Event ID   Release Date:</b> 10481   6981   11/3/1998				
Everyday Store #5015	949 S Taft Hill Rd Fort Collins CO 80521	SE	0.07 / 370.61	<a href="#">2</a>
<b>Facility ID   Event ID   Release Date:</b> 10481   12285   6/30/2015				
Shamrock 643	525 S Taft Hill Rd Fort Collins CO 80521	NNE	0.32 / 1,694.06	<a href="#">9</a>
<b>Facility ID   Event ID   Release Date:</b> 3079   4471   11/27/1987				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Chevron USA Inc #70570	950 S Taft Hill Rd Fort Collins CO 80521	SE	0.10 / 547.74	<a href="#">4</a>
<b>Facility ID   Event ID   Release Date:</b> 12771   5371   10/25/1988				
King Soopers #609	1001 S Taft Hill Rd Fort Collins CO 80521	SE	0.11 / 579.09	<a href="#">5</a>
<b>Facility ID   Event ID   Release Date:</b> 6540   3987   7/10/1990				

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DB Pumps	501 S Taft Hill Rd Fort Collins CO 80521	N	0.37 / 1,969.33	<a href="#">10</a>

**Facility ID | Event ID | Release Date:** 11172 | 13590 | 11/1/2019

## UST - Underground Storage Tanks

A search of the UST database, dated Jul 19, 2022 has found that there are 2 UST site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Everyday Store #5015	949 S Taft Hill Rd Fort Collins 80521 CO	SE	0.07 / 370.61	<a href="#">2</a>

**Facility ID:** 10481

**Tank Tag | Tank Status:** 10481-1 | Currently In Use, 10481-3 | Currently In Use, 10481-2 | Currently In Use, 10481-2 | Currently In Use, 10481-4 | Permanently Closed

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
King Soopers #609	1001 S Taft Hill Rd Fort Collins 80521 CO	SE	0.11 / 579.09	<a href="#">5</a>

**Facility ID:** 6540

**Tank Tag | Tank Status:** 6540-8 | Permanently Closed, 6540-9 | Currently In Use, 6540-10 | Currently In Use, 6540-2 | Permanently Closed, 6540-1 | Permanently Closed, 6540-5 | Permanently Closed, 6540-7 | Permanently Closed, 6540-10 | Currently In Use, 6540-6 | Permanently Closed, 6540-3 | Permanently Closed, 6540-4 | Permanently Closed

## Non Standard

### Federal

#### FED DRYCLEANERS - Drycleaner Facilities

A search of the FED DRYCLEANERS database, dated Jun 25, 2022 has found that there are 1 FED DRYCLEANERS site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CEDARWOOD ENTERPRISES LLC	1015 SOUTH TAFT HILL ROAD FORT COLLINS CO 80521	SSE	0.16 / 863.94	<a href="#">8</a>

**FRS Facility ID:** 110001395008

#### MRDS - Mineral Resource Data System

A search of the MRDS database, dated Mar 15, 2016 has found that there are 1 MRDS site(s) within approximately 1.00 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
UNKNOWN	LARIMER COUNTY FORT COLLINS CO 80526	S	0.61 / 3,212.44	<a href="#">11</a>

**Dep ID:** 10016700

### State

#### DRYCLEANERS - Dry Cleaning Facilities

A search of the DRYCLEANERS database, dated Sep 19, 2022 has found that there are 1 DRYCLEANERS site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CEDARWOOD ENTERPRISES LLC	1015 S TAFT HILL RD STE D FORT COLLINS CO 80521-4240	SSE	0.16 / 863.94	<a href="#"><u>8</u></a>

### **AIR PERMITS - Air Pollution Control Division Permitted Facilities**

A search of the AIR PERMITS database, dated Jul 12, 2022 has found that there are 2 AIR PERMITS site(s) within approximately 0.12 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
RECUPEROS, L.L.C.	949 S TAFT HILL RD FORT COLLINS CO 80521	SE	0.07 / 370.61	<a href="#"><u>2</u></a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DILLON COMPANIES - KING SOOPERS #009	1001 S TAFT HILL RD FORT COLLINS CO 80521	SE	0.11 / 579.09	<a href="#"><u>5</u></a>

### **ASBESTOS - Asbestos Abatement and Demolition Projects**

A search of the ASBESTOS database, dated Dec 28, 2017 has found that there are 8 ASBESTOS site(s) within approximately 0.12 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLUSKY RESTORATION CONTRACTORS, LLC	2115 W. PLUM ST. UNIT 14 FORT COLLINS CO	E	0.04 / 195.84	<a href="#"><u>1</u></a>
BLACK BEAR CONSTRUCTION SERVICES, INC.	2029 W. PLUM BLDG 5 FORT COLLINS CO	E	0.10 / 514.59	<a href="#"><u>3</u></a>
BLACK BEAR CONSTRUCTION SERVICES, INC.	2025 W. PLUM BLDG 2 FORT COLLINS CO	E	0.10 / 514.59	<a href="#"><u>3</u></a>
BLACK BEAR CONSTRUCTION SERVICES, INC.	2021 W. PLUM BLDG 1 FORT COLLINS CO	E	0.12 / 614.25	<a href="#"><u>6</u></a>
BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	<a href="#"><u>7</u></a>
BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	<a href="#"><u>7</u></a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLACK BEAR CONSTRUCTION SERVICES, INC.	2017 W. PLUM BLDG 6 FORT COLLINS CO	E	0.12 / 654.62	<a href="#">7</a>
BLUSKY RESTORATION CONTRACTORS, LLC	2017 W. PLUM ST. FT. COLLINS CO	E	0.12 / 654.62	<a href="#">7</a>

#### **HAZ GEN - Hazardous Waste Sites- Generator**


A search of the HAZ GEN database, dated Jun 30, 2003 has found that there are 1 HAZ GEN site(s) within approximately 0.12 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BP AMOCO OIL	1001 S TAFT HILL RD FORT COLLINS CO 805214222	SE	0.11 / 579.09	<a href="#">5</a>

#### **HAZ CORRACT - Hazardous Waste Sites- Corrective Action**

A search of the HAZ CORRACT database, dated Jun 30, 2003 has found that there are 1 HAZ CORRACT site(s) within approximately 1.00 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
COLORADO STATE UNIVERSITY (DISPOSAL)	S OVERLAND TRAIL AT RAMPART RD FORT COLLINS CO 80521	WNW	0.93 / 4,915.11	<a href="#">12</a>



**Project Property** **Buffer Outline**

**Sites with Higher Elevation**

**Sites with Same Elevation**

**Sites with Lower Elevation**

**Sites with Unknown Elevation**

**Areas with Higher Elevation**

**Areas with Same Elevation**

**Areas with Lower Elevation**

**Areas with Unknown Elevation**

**Freeways; Highways**

**Traffic Circle; Ramp**

**Major & Minor Arterial**

**Traffic Circle; Ramp**

**Local Road**

**Rail**

**State**

**Country**

**National Wetland**

**Indian Reserve Land**

**Plume**

**100 Year Flood Zone**

**500 Year Flood Zone**

**FWS Special Designation Areas**

**National Priorities List (Active, Delisted, Proposed, Institutional Control)**

105°7'30"W

105°7'W


105°6'30"W

40°35'N

40°35'N

40°34'30"N


40°34'30"N




## Map: 0.5 Mile Radius

Order Number: 22102100359

Address: 2155 W Plum St, Fort Collins, CO





## Map: 0.25 Mile Radius

Order Number: 22102100359

Address: 2155 W Plum St, Fort Collins, CO



Project Property Buffer Outline

Sites with Higher Elevation

Sites with Same Elevation

Sites with Lower Elevation

Sites with Unknown Elevation

Areas with Higher Elevation

Areas with Same Elevation

Areas with Lower Elevation

Areas with Unknown Elevation

Freeways; Highways

Traffic Circle; Ramp

Major & Minor Arterial

Traffic Circle; Ramp

Local Road

Rail

State

Country

National Wetland

Indian Reserve Land

Plume

100 Year Flood Zone

500 Year Flood Zone

FWS Special Designation Areas

National Priorities List (Active, Delisted, Proposed, Institutional Control)

105°7'30"W

105°7'W

105°6'30"W

40°35'N

40°35'N

40°34'30"N

40°34'30"N

40°34'N

40°34'N

0.1 0.05 0 0.1 Miles

Service Layer Credits: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

1:10000

**Aerial** Year: 2021


Address: 2155 W Plum St, Fort Collins, CO

Source: ESRI World Imagery

Order Number: 22102100359



© ERIS Information Inc.



# Topographic Map

Year: 2016

Order Number: 22102100359

Address: 2155 W Plum St, CO

Quadrangle(s): Horsetooth Reservoir, CO; Fort Collins, CO

Source: USGS Topographic Map



© ERIS Information Inc.

# Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<u>1</u>	1 of 1	E	0.04 / 195.84	5,073.57 / -3	BLUSKY RESTORATION CONTRACTORS, LLC 2115 W. PLUM ST. UNIT 14 FORT COLLINS CO	ASBESTOS
<div> <div> Permit: 17LR7117A  Permit Beg: 11/27/2017  Begin Date:  End Date:  Project: ASBESTOS ABATEMENT PROJECT  Projec Len: 30  Owner Name:  Location: 2115 W. PLUM ST. UNIT 14, FORT COLLINS </div> <div> Source Lat:  Source Lon:  Source County:  Elevation:  Linear Feet:  Sq Feet: 1031  Drums: </div> </div>						
<u>2</u>	1 of 5	SE	0.07 / 370.61	5,078.33 / 2	Everyday Store #5015 949 S Taft Hill Rd Fort Collins 80521 CO	UST
<div> <div> Facility ID: 10481  FacilityName(OPS): Everyday Store #5015  FacilityType(OPS): Retail  Fac Category (OPS): Retail Gas Station  Address (OPS): 949 S Taft Hill Rd  City (OPS): Fort Collins  Zip Code (OPS): 80521  County (OPS): Larimer  LatLong (OPS): 40.575136, -105.115598  FacName (CDLE): Everyday Store #5015  Address (CDLE): 949 S Taft Hill Rd  State (CDLE): CO  Data Source(s): Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil &amp; Public Safety(OPS) Regulated Storage Tanks </div> <div> Fac Name (COSTIS): Everyday Store #5015  Address (COSTIS): 949 S Taft Hill Rd  County (COSTIS): Fort Collins 80521  Latitude (CDLE): 40.575136  Longitude (CDLE): -105.115598  Fac Type (CDLE): Retail  FacCategory(CDLE): Retail Gas Station  State (OPS): CO  City (CDLE): Fort Collins  Zip (CDLE): 80521  County (CDLE): Larimer </div> </div>						
<b>Facility Information (CDLE)</b>						
<div> <div> Count of Tank Tag: 3  No. Dispensers: 24  Owner ID: OWNR-19982 </div> <div> Accnt Holdr Name: Super America LLC DBA Everyday Stores  Type: Retail </div> </div>						
<b>Owner Information (CDLE)</b>						
<div> <div> Contact Name: Super America LLC DBA Everyday Stores  First Name:  Company Name: Super America LLC DBA Everyday Stores  Last Name: Super America LLC DBA Everyday Stores  Address: 7990 N Federal Blvd, Westminster, CO 80030  Comment: HARBANS LALI - OWNER: MR. GURVINDER SINGH RELEASE DETECTION RECORDS ACCORDING TO USPS NO NORTH OR "N" IN THE STREET ADDRESS. </div> <div> Middle Init: </div> </div>						
<b>UST Tanks (COSTIS) (Current as of 18 October, 2021)</b>						
<div> <div> Tank ID: 28431  Tank Tag: '10481-1  Tank Type Desc: UST </div> <div> Owner ID: 19982  Tank Owner:  County: Larimer </div> </div>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Regular (RUL)
<b>Capacity:</b>	10000					
<b>Facility Owner:</b>		Super America LLC DBA Everyday Stores				
<b>Facility Name Address:</b>		Everyday Store #5015 949 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	28433				<b>Owner ID:</b>	19982
<b>Tank Tag:</b>	'10481-3				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Premium (PUL)
<b>Capacity:</b>	10000					
<b>Facility Owner:</b>		Super America LLC DBA Everyday Stores				
<b>Facility Name Address:</b>		Everyday Store #5015 949 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	28434				<b>Owner ID:</b>	19982
<b>Tank Tag:</b>	'10481-4				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Gasoline
<b>Capacity:</b>	12000					
<b>Facility Owner:</b>		Super America LLC DBA Everyday Stores				
<b>Facility Name Address:</b>		Everyday Store #5015 949 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	28432				<b>Owner ID:</b>	19982
<b>Tank Tag:</b>	'10481-2				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Regular (RUL)
<b>Capacity:</b>	10000					
<b>Facility Owner:</b>		Super America LLC DBA Everyday Stores				
<b>Facility Name Address:</b>		Everyday Store #5015 949 S Taft Hill Rd Fort Collins 80521				

#### UST Tanks 1 (CDLE)

<b>Tank Tag:</b>	10481-1		<b>Overfill Preven:</b>	FV: Fill Tube Valve
<b>Tank Type:</b>	UST		<b>Product Type/Name:</b>	Unleaded Regular (RUL)
<b>Tank Status:</b>	Currently In Use		<b>Piping Wall Type:</b>	None
<b>Capacity:</b>	10000		<b>Tank Wall Type:</b>	
<b>Install Date:</b>	4/1/1987		<b>Piping System:</b>	
<b>Date Closed:</b>			<b>Piping Type:</b>	UG: Underground
<b>Tank Material:</b>		FRP: Fiberglass Reinforced Plastic		
<b>Piping Material:</b>		FRP: Fiberglass Reinforced Plastic		

#### UST Tanks 2 (CDLE)

<b>Closure Meth ID:</b>			<b>No Fee:</b>	0
<b>Unregulated:</b>	FALSE		<b>Anch Method Desc:</b>	
<b>Last Used Date:</b>			<b>Pipe Reld Meth1 ID:</b>	L5: Annual Tightness Testing
<b>Del Prohib Date:</b>			<b>Pipe Reldet Date:</b>	
<b>Spill Protected:</b>			<b>Backfill Mat Desc:</b>	
<b>Spl Container Size:</b>	5		<b>Bfill DrtCvr Amt:</b>	0
<b>Spl Protection Dt:</b>			<b>Manifold:</b>	No
<b>Spl Container Mfg:</b>	Emco Wheaton		<b>Registration Date:</b>	4/18/2022
<b>Spl Container Mdel:</b>	A 1004		<b>Compartment:</b>	FALSE
<b>Tank Reld Meth1 ID:</b>			<b>Cpmet:</b>	Yes
<b>Tank Lining Date:</b>			<b>Invault:</b>	FALSE
<b>CP Test Date:</b>				

#### UST Tanks 1 (CDLE)

<b>Tank Tag:</b>	10481-3		<b>Overfill Preven:</b>	FV: Fill Tube Valve
<b>Tank Type:</b>	UST		<b>Product Type/Name:</b>	Unleaded Premium (PUL)
<b>Tank Status:</b>	Currently In Use		<b>Piping Wall Type:</b>	None
<b>Capacity:</b>	10000		<b>Tank Wall Type:</b>	
<b>Install Date:</b>	4/1/1987		<b>Piping System:</b>	
<b>Date Closed:</b>			<b>Piping Type:</b>	UG: Underground
<b>Tank Material:</b>		FRP: Fiberglass Reinforced Plastic		
<b>Piping Material:</b>		FRP: Fiberglass Reinforced Plastic		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

#### UST Tanks 2 (CDLE)

Closure Meth ID:		No Fee:	0
Unregulated:	FALSE	Anch Method Desc:	
Last Used Date:		Pipe Reld Meth1 ID:	L5: Annual Tightness Testing
Del Prohib Date:		Pipe Reldet Date:	
Spill Protected:		Backfill Mat Desc:	
Spl Container Size:	5	Bfill DrtCvr Amt:	0
Spl Protection Dt:		Manifold:	No
Spl Container Mfg:	Emco Wheaton	Registration Date:	4/18/2022
Spl Container Mdel:	A 1004	Compartment:	FALSE
Tank Reld Meth1 ID:		Cpmet:	Yes
Tank Lining Date:		Invault:	FALSE
CP Test Date:			

#### UST Tanks 1 (CDLE)

Tank Tag:	10481-2	Overfill Preven:	FV: Fill Tube Valve
Tank Type:	UST	Product Type/Name:	Unleaded Regular (RUL)
Tank Status:	Currently In Use	Piping Wall Type:	None
Capacity:	10000	Tank Wall Type:	
Install Date:	4/1/1987	Piping System:	
Date Closed:		Piping Type:	UG: Underground
Tank Material:	FRP: Fiberglass Reinforced Plastic		
Piping Material:	FRP: Fiberglass Reinforced Plastic		

#### UST Tanks 2 (CDLE)

Closure Meth ID:		No Fee:	0
Unregulated:	FALSE	Anch Method Desc:	
Last Used Date:		Pipe Reld Meth1 ID:	L5: Annual Tightness Testing
Del Prohib Date:		Pipe Reldet Date:	
Spill Protected:		Backfill Mat Desc:	
Spl Container Size:	5	Bfill DrtCvr Amt:	0
Spl Protection Dt:		Manifold:	No
Spl Container Mfg:	Emco Wheaton	Registration Date:	4/18/2022
Spl Container Mdel:	A 1004	Compartment:	FALSE
Tank Reld Meth1 ID:		Cpmet:	Yes
Tank Lining Date:		Invault:	FALSE
CP Test Date:			

#### UST Tanks 1 (CDLE)

Tank Tag:	10481-2	Overfill Preven:	FV: Fill Tube Valve
Tank Type:	UST	Product Type/Name:	Unleaded Mid-Grade (MUL)
Tank Status:	Currently In Use	Piping Wall Type:	None
Capacity:	10000	Tank Wall Type:	
Install Date:	4/1/1987	Piping System:	
Date Closed:		Piping Type:	UG: Underground
Tank Material:	FRP: Fiberglass Reinforced Plastic		
Piping Material:	FRP: Fiberglass Reinforced Plastic		

#### UST Tanks 2 (CDLE)

Closure Meth ID:		No Fee:	0
Unregulated:	FALSE	Anch Method Desc:	
Last Used Date:		Pipe Reld Meth1 ID:	L5: Annual Tightness Testing
Del Prohib Date:		Pipe Reldet Date:	
Spill Protected:		Backfill Mat Desc:	
Spl Container Size:	5	Bfill DrtCvr Amt:	0
Spl Protection Dt:		Manifold:	No
Spl Container Mfg:	Emco Wheaton	Registration Date:	4/18/2022

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Spl Container Mdel:</b>	A 1004			<b>Compartment:</b>	FALSE	
<b>Tank Reld Meth1 ID:</b>				<b>Cpmet:</b>	Yes	
<b>Tank Lining Date:</b>				<b>Invault:</b>	FALSE	
<b>CP Test Date:</b>						
 <b><u>UST Tanks 1 (CDLE)</u></b>						
<b>Tank Tag:</b>	10481-4			<b>Overfill Preven:</b>	FV: Fill Tube Valve	
<b>Tank Type:</b>	UST			<b>Product Type/Name:</b>	Gasoline	
<b>Tank Status:</b>	Permanently Closed			<b>Piping Wall Type:</b>	None	
<b>Capacity:</b>	12000			<b>Tank Wall Type:</b>		
<b>Install Date:</b>	5/5/1978			<b>Piping System:</b>		
<b>Date Closed:</b>				<b>Piping Type:</b>	Other	
<b>Tank Material:</b>	ST: Cathodically Protected Steel					
<b>Piping Material:</b>	Galvanized Steel					
 <b><u>UST Tanks 2 (CDLE)</u></b>						
<b>Closure Meth ID:</b>				<b>No Fee:</b>	1	
<b>Unregulated:</b>	FALSE			<b>Anch Method Desc:</b>		
<b>Last Used Date:</b>				<b>Pipe Reld Meth1 ID:</b>	T13/L13: Not Listed	
<b>Del Prohib Date:</b>				<b>Pipe Reldet Date:</b>		
<b>Spill Protected:</b>				<b>Backfill Mat Desc:</b>		
<b>Spl Container Size:</b>	0			<b>Bfill DrtCvr Amt:</b>	0	
<b>Spl Protection Dt:</b>				<b>Manifold:</b>	No	
<b>Spl Container Mfg:</b>				<b>Registration Date:</b>		
<b>Spl Container Mdel:</b>				<b>Compartment:</b>	FALSE	
<b>Tank Reld Meth1 ID:</b>				<b>Cpmet:</b>	Yes	
<b>Tank Lining Date:</b>				<b>Invault:</b>	FALSE	
<b>CP Test Date:</b>						
 <b><u>Operator Information (CDLE)</u></b>						
<b>First Name:</b>				<b>Costis ID:</b>	CABOP-1994	
<b>Last Name:</b>	Jay Roberts			<b>Accnt Holdr Name:</b>	Qwest Safety & Environment	
<b>Certification Name:</b>	CABOP-1994-DK83iGeJhN			<b>Contact ID:</b>	0033h00000IL0ep	
<b>Certification Type:</b>	A/B Operator			<b>Title:</b>		
<b>First Name:</b>				<b>Costis ID:</b>	CABOP-6239	
<b>Last Name:</b>	Timothy Chavez			<b>Accnt Holdr Name:</b>	Colorado Springs Utilities - Environmental Services Division	
<b>Certification Name:</b>	CABOP-6239-			<b>Contact ID:</b>	0033h00000mtZXU	
<b>Certification Type:</b>	A/B Operator			<b>Title:</b>		
<b>First Name:</b>				<b>Costis ID:</b>	CABOP-7596	
<b>Last Name:</b>	Gurbinder Virk			<b>Accnt Holdr Name:</b>	Super America LLC dba Everyday	
<b>Certification Name:</b>	CABOP-7596-			<b>Contact ID:</b>	0033h00000IL0Ep	
<b>Certification Type:</b>	A/B Operator			<b>Title:</b>		
 <b><u>Oil &amp; Public Safety Regulated Storage Tanks (COSTIS)</u></b>						
<b>Tank Tag:</b>	10481-1			<b>Piping Type:</b>	UG: Underground	
<b>Tank Status:</b>	Currently In Use			<b>Piping System:</b>		
<b>Tank Type:</b>	UST			<b>Tank Name:</b>	TNK-036769	
<b>Facility Type:</b>	Retail			<b>Piping Wall Type:</b>	None	
<b>Installation Date:</b>	4/1/1987			<b>City:</b>	Fort Collins	
<b>Closure Date:</b>				<b>County:</b>	Larimer	
<b>Capacity Gallons :</b>	10000			<b>ZIP Code:</b>	80521	
<b>Product:</b>	Unleaded Regular (RUL)			<b>Facility Name:</b>	Everyday Store #5015	
<b>Overfill Preven:</b>	FV: Fill Tube Valve			<b>Address:</b>	949 S Taft Hill Rd	
<b>Tank Wall Type:</b>				<b>Facility Category:</b>	Retail Gas Station	
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

<b>Tank Tag:</b>	10481-2				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Currently In Use				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-036770
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	4/1/1987				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	10000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Unleaded Mid-Grade (MUL)				<b>Facility Name:</b>	Everyday Store #5015
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	949 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					

<b>Tank Tag:</b>	10481-4				<b>Piping Type:</b>	Other
<b>Tank Status:</b>	Permanently Closed				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-036772
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	5/5/1978				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	12000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Gasoline				<b>Facility Name:</b>	Everyday Store #5015
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	949 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	ST: Cathodically Protected Steel					
<b>Piping Material:</b>	Galvanized Steel					

<b>Tank Tag:</b>	10481-2				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Currently In Use				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-036770
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	4/1/1987				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	10000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Unleaded Regular (RUL)				<b>Facility Name:</b>	Everyday Store #5015
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	949 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					

<b>Tank Tag:</b>	10481-3				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Currently In Use				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-036771
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	4/1/1987				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	10000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Unleaded Premium (PUL)				<b>Facility Name:</b>	Everyday Store #5015
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	949 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					

**UST Owner (COSTIS) (Current as of 18 October, 2021)**

<b>Owner ID:</b>	19982	<b>Address1:</b>	7990 N Federal Blvd
<b>First Name:</b>		<b>City:</b>	Westminster
<b>Middle Init:</b>		<b>State:</b>	CO
<b>Last Name:</b>	Super America LLC DBA Everyday Stores	<b>County:</b>	Adams
<b>Full Name:</b>		<b>Zip Code:</b>	80030

**Oil & Public Safety Regulated Storage Tank Details**

<b>No of Tanks:</b>	3
---------------------	---

<b>2</b>	<b>2 of 5</b>	<b>SE</b>	<b>0.07 / 370.61</b>	<b>5,078.33 / 2</b>	<b>Everyday Store #5015 949 S Taft Hill Rd Fort Collins</b>	<b>LST</b>
----------	---------------	-----------	----------------------	---------------------	---	------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

80521  
CO

<b>Facility ID:</b>	10481	<b>Facility Name(OPS):</b>	Everyday Store #5015
<b>Facility Name(COSTIS):</b>	Everyday Store #5015	<b>Address(OPS):</b>	949 S Taft Hill Rd
<b>Address (COSTIS):</b>	949 S Taft Hill Rd Fort Collins 80521	<b>City(OPS):</b>	Fort Collins
<b>County (COSTIS):</b>	Larimer	<b>Zip Code(OPS):</b>	80521
<b>Facility Type(CDLE):</b>	Retail	<b>County(OPS):</b>	Larimer
<b>Facility Catgry(CDLE):</b>	Retail Gas Station	<b>State(OPS):</b>	CO
<b>Facility Type(OPS):</b>	Retail	<b>Lat Long(OPS):</b>	40.575136, -105.115598
<b>Facility Catgry(OPS):</b>	Retail Gas Station		
<b>Original Source:</b>	Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks; OPS Petroleum Release Events in Colorado - Petroleum Release Events		

**Owner ID:** 19982  
**Owner Name:**

#### Tank Co Foia Facility

<b># of Metred Prodct:</b>	24	<b>Facility Owner:</b>	Super America LLC DBA Everyday Stores
<b>No of Active Tanks:</b>	3	<b>Type :</b>	Retail
<b>Owner Costis ID:</b>	OWNR-19982		

#### Tank Co Gov Tnk Fac

**No of Tanks:** 3

#### Events (CDLE)

<b>Event ID:</b>		<b>Proj. Closure Date:</b>	
<b>Alt Event ID:</b>		<b>Category:</b>	
<b>Status:</b>	Closed	<b>Sardonyx ID:</b>	
<b>UST Tank Count:</b>	4	<b>MTBE Classifica:</b>	
<b>AST Tank Count:</b>		<b>Sum of Reimbur Amt:</b>	
<b>Source of Release:</b>	Tank	<b>Reviewer Full Name:</b>	
<b>Cause of Release:</b>		<b>Logged On:</b>	6/15/2015
<b>Confirm Rel Dt:</b>	6/12/2015	<b>Logged By:</b>	
<b>Site Name:</b>	Everyday Store #5015		
<b>Loc Addr:</b>			
<b>Loc Addr2:</b>			
<b>Loc Addr3:</b>			
<b>Aka Name:</b>			
<b>Aka Loc Addr:</b>			

#### Events (CDLE)

<b>Event ID:</b>		<b>Proj. Closure Date:</b>	
<b>Alt Event ID:</b>		<b>Category:</b>	
<b>Status:</b>	Closed	<b>Sardonyx ID:</b>	
<b>UST Tank Count:</b>	4	<b>MTBE Classifica:</b>	
<b>AST Tank Count:</b>		<b>Sum of Reimbur Amt:</b>	
<b>Source of Release:</b>		<b>Reviewer Full Name:</b>	
<b>Cause of Release:</b>		<b>Logged On:</b>	8/23/2001
<b>Confirm Rel Dt:</b>		<b>Logged By:</b>	
<b>Site Name:</b>	Everyday Store #5015		
<b>Loc Addr:</b>			
<b>Loc Addr2:</b>			
<b>Loc Addr3:</b>			
<b>Aka Name:</b>			
<b>Aka Loc Addr:</b>			

#### Events (CDLE)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Event ID:	6981				Proj. Closure Date:	
Alt Event ID:					Category:	
Status:	Closed				Sardonyx ID:	
UST Tank Count:	4				MTBE Classifica:	
AST Tank Count:					Sum of Reimbur Amt:	-10100
Source of Release:	Overfill				Reviewer Full Name:	Winifred Bromley
Cause of Release:					Logged On:	11/4/1998
Confirm Rel Dt:	11/3/1998				Logged By:	
Site Name:	Everyday Store #5015					
Loc Addr:						
Loc Addr2:						
Loc Addr3:						
Aka Name:						
Aka Loc Addr:						

#### Reimbursement Application (CDLE)

Rap ID:	RAP-5004	Eligibil Type Desc:	Tank Owner/Operator
Protest ID:		Rap Payee Type ID:	
Rap Status:	Paid	Reimbursement Req:	58097.56
RAP Status:	Paid	Total Reimburse:	57255.25
Rap Type Desc:	Original	Max Amt Reduction:	
User Group Name:		PSTC Date:	1/18/2002
FPR Date:	1/18/2002		
Protest Amount:			
Payee:	Circle K Stores Inc		
Cap Status:	Approved		
Spec Cond:			
Note:	Colorado Department of Labor and Employment (CDLE)		

Rap ID:	RAP-6763	Eligibil Type Desc:	Tank Owner/Operator
Protest ID:		Rap Payee Type ID:	
Rap Status:	Paid	Reimbursement Req:	8999.78
RAP Status:	Paid	Total Reimburse:	8999.78
Rap Type Desc:	Supplemental	Max Amt Reduction:	
User Group Name:		PSTC Date:	
FPR Date:	2/5/2003		
Protest Amount:			
Payee:	Circle K Stores Inc		
Cap Status:	Approved		
Spec Cond:			
Note:	Colorado Department of Labor and Employment (CDLE)		

Rap ID:	RAP-9185	Eligibil Type Desc:	Tank Owner/Operator
Protest ID:		Rap Payee Type ID:	Corporation
Rap Status:	Paid	Reimbursement Req:	3666.59
RAP Status:	Paid	Total Reimburse:	3666.59
Rap Type Desc:	Supplemental	Max Amt Reduction:	
User Group Name:		PSTC Date:	
FPR Date:	7/20/2004		
Protest Amount:			
Payee:	ConocoPhillips Company		
Cap Status:	Approved		
Spec Cond:			
Note:	Colorado Department of Labor and Employment (CDLE)		

Rap ID:	RAP-8579	Eligibil Type Desc:	Tank Owner/Operator
Protest ID:		Rap Payee Type ID:	Corporation
Rap Status:	Paid	Reimbursement Req:	2932.5
RAP Status:	Paid	Total Reimburse:	2932.5
Rap Type Desc:	Supplemental	Max Amt Reduction:	
User Group Name:		PSTC Date:	
FPR Date:	1/30/2004		
Protest Amount:			
Payee:	ConocoPhillips Company		
Cap Status:	Approved		
Spec Cond:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-10056				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	5069.85
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	5069.85
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	12/30/2004					
<b>Protest Amount:</b>						
<b>Payee:</b>	ConocoPhillips Company					
<b>Cap Status:</b>	Approved					
<b>Spec Cond:</b>						
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-11055				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	1793.02
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	1793.02
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	1700000
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	7/6/2005					
<b>Protest Amount:</b>						
<b>Payee:</b>	ConocoPhillips Company					
<b>Cap Status:</b>	Approved					
<b>Spec Cond:</b>	Recd 147C dated 3/21/14 and W-9 dated 3/17/14 for Phillips 66 Company on 3/27/14 - CAHII 4/2/14 **Note: Many records provided by the department have a truncated [Spec Cond] field.					
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-6308				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	9255.78
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	8834.28
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	9/30/2002					
<b>Protest Amount:</b>						
<b>Payee:</b>	Circle K Stores Inc					
<b>Cap Status:</b>	Approved					
<b>Spec Cond:</b>						
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-10986				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	3761.95
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	3761.95
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	7/6/2005					
<b>Protest Amount:</b>						
<b>Payee:</b>	ConocoPhillips Company					
<b>Cap Status:</b>	Approved					
<b>Spec Cond:</b>						
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-6764				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	11297.32
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	11297.32
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	5/21/2003					
<b>Protest Amount:</b>						
<b>Payee:</b>	Circle K Stores Inc					
<b>Cap Status:</b>	Approved					
<b>Spec Cond:</b>						
<b>Note:</b> Colorado Department of Labor and Employment (CDLE)						
<b>Rap ID:</b>	RAP-6765				<b>Eligibil Type Desc:</b>	Tank Owner/Operator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	14220.96
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	14220.96
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	2/5/2003					
<b>Protest Amount:</b>						
<b>Payee:</b>		Circle K Stores Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-8019				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	3850.8
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	3850.8
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	10/7/2003					
<b>Protest Amount:</b>						
<b>Payee:</b>		Circle K Stores Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-9250				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	3962.29
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	3962.29
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	7/26/2004					
<b>Protest Amount:</b>						
<b>Payee:</b>		ConocoPhillips Company				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-9500				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	13122.77
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	11687.87
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	1/11/2005					
<b>Protest Amount:</b>						
<b>Payee:</b>		ConocoPhillips Company				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-5823				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	18860.39
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	18796.39
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	4/19/2002					
<b>Protest Amount:</b>						
<b>Payee:</b>		Circle K Stores Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-6130				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	3312.94
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	3312.94
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB			
<b>User Group Name:</b>		<b>PSTC Date:</b>							
<b>FPR Date:</b>	10/9/2002								
<b>Protest Amount:</b>									
<b>Payee:</b>	Circle K Stores Inc								
<b>Cap Status:</b>	Approved								
<b>Spec Cond:</b>									
<b>Note:</b>	Colorado Department of Labor and Employment (CDLE)								
<b>Rap ID:</b>	RAP-6766	<b>Eligibil Type Desc:</b>		Tank Owner/Operator					
<b>Protest ID:</b>		<b>Rap Payee Type ID:</b>							
<b>Rap Status:</b>	Paid	<b>Reimbursement Req:</b>		8741.06					
<b>RAP Status:</b>	Paid	<b>Total Reimburse:</b>		8741.06					
<b>Rap Type Desc:</b>	Supplemental	<b>Max Amt Reduction:</b>							
<b>User Group Name:</b>		<b>PSTC Date:</b>							
<b>FPR Date:</b>	2/5/2003								
<b>Protest Amount:</b>									
<b>Payee:</b>	Circle K Stores Inc								
<b>Cap Status:</b>	Approved								
<b>Spec Cond:</b>									
<b>Note:</b>	Colorado Department of Labor and Employment (CDLE)								
<b>Rap ID:</b>	RAP-7396	<b>Eligibil Type Desc:</b>		Tank Owner/Operator					
<b>Protest ID:</b>		<b>Rap Payee Type ID:</b>		Corporation					
<b>Rap Status:</b>	Paid	<b>Reimbursement Req:</b>		9552.79					
<b>RAP Status:</b>	Paid	<b>Total Reimburse:</b>		9502.79					
<b>Rap Type Desc:</b>	Supplemental	<b>Max Amt Reduction:</b>							
<b>User Group Name:</b>		<b>PSTC Date:</b>							
<b>FPR Date:</b>	5/30/2003								
<b>Protest Amount:</b>									
<b>Payee:</b>	Circle K Stores Inc								
<b>Cap Status:</b>	Approved								
<b>Spec Cond:</b>									
<b>Note:</b>	Colorado Department of Labor and Employment (CDLE)								
<b>Rap ID:</b>	RAP-8580	<b>Eligibil Type Desc:</b>		Tank Owner/Operator					
<b>Protest ID:</b>		<b>Rap Payee Type ID:</b>		Corporation					
<b>Rap Status:</b>	Paid	<b>Reimbursement Req:</b>		5190.79					
<b>RAP Status:</b>	Paid	<b>Total Reimburse:</b>		5190.79					
<b>Rap Type Desc:</b>	Supplemental	<b>Max Amt Reduction:</b>							
<b>User Group Name:</b>		<b>PSTC Date:</b>							
<b>FPR Date:</b>	1/30/2004								
<b>Protest Amount:</b>									
<b>Payee:</b>	ConocoPhillips Company								
<b>Cap Status:</b>	Approved								
<b>Spec Cond:</b>									
<b>Note:</b>	Colorado Department of Labor and Employment (CDLE)								

#### Events (CDLE)

<b>Event ID:</b>	12285	<b>Proj. Closure Date:</b>	12/31/2017
<b>Alt Event ID:</b>		<b>Category:</b>	
<b>Status:</b>	Closed	<b>Sardonyx ID:</b>	
<b>UST Tank Count:</b>	4	<b>MTBE Classifica:</b>	Pathway Eliminated
<b>AST Tank Count:</b>		<b>Sum of Reimbur Amt:</b>	152376.16
<b>Source of Release:</b>		<b>Reviewer Full Name:</b>	Orren Doss
<b>Cause of Release:</b>	Overfill	<b>Logged On:</b>	6/30/2015
<b>Confirm Rel Dt:</b>	6/30/2015	<b>Logged By:</b>	
<b>Site Name:</b>	Everyday Store #5015		
<b>Loc Addr:</b>			
<b>Loc Addr2:</b>			
<b>Loc Addr3:</b>			
<b>Aka Name:</b>			
<b>Aka Loc Addr:</b>			

#### Reimbursement Application (CDLE)

<b>Rap ID:</b>	RAP-31268	<b>Eligibil Type Desc:</b>	Tank Owner/Operator
----------------	-----------	----------------------------	---------------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	27085.84
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	27085.84
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	2000000
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	4/24/2017					
<b>Protest Amount:</b>						
<b>Payee:</b>		Jeet, Inc C/O Eagle Environmental Consulting Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-32300				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	30979.72
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	30979.72
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	2000000
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	3/30/2018					
<b>Protest Amount:</b>						
<b>Payee:</b>		Jeet, Inc C/O Eagle Environmental Consulting Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-32979				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	26936.06
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	26936.06
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	2000000
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	11/28/2018					
<b>Protest Amount:</b>						
<b>Payee:</b>		Eagle Environmental Consulting Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-30482				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	38878.46
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	38878.46
<b>Rap Type Desc:</b>	Original				<b>Max Amt Reduction:</b>	2000000
<b>User Group Name:</b>					<b>PSTC Date:</b>	8/19/2016
<b>FPR Date:</b>	8/19/2016					
<b>Protest Amount:</b>						
<b>Payee:</b>		Jeet, Inc C/O Eagle Environmental Consulting Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-31693				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	10667.39
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	10667.39
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	2000000
<b>User Group Name:</b>					<b>PSTC Date:</b>	
<b>FPR Date:</b>	9/8/2017					
<b>Protest Amount:</b>						
<b>Payee:</b>		Jeet, Inc C/O Eagle Environmental Consulting Inc				
<b>Cap Status:</b>		Approved				
<b>Spec Cond:</b>						
<b>Note:</b>		Colorado Department of Labor and Employment (CDLE)				
<b>Rap ID:</b>	RAP-34208				<b>Eligibil Type Desc:</b>	Tank Owner/Operator
<b>Protest ID:</b>					<b>Rap Payee Type ID:</b>	Corporation
<b>Rap Status:</b>	Paid				<b>Reimbursement Req:</b>	27843.65
<b>RAP Status:</b>	Paid				<b>Total Reimburse:</b>	27828.69
<b>Rap Type Desc:</b>	Supplemental				<b>Max Amt Reduction:</b>	2000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**User Group Name:**  
**FPR Date:** 3/24/2020  
**Protest Amount:**  
**Payee:** Jeet Inc. C/O Eagle Environmental Consulting Inc  
**Cap Status:** Approved  
**Spec Cond:**  
**Note:** Colorado Department of Labor and Employment (CDLE)

**PSTC Date:**

**Events (COSTIS) (Current as of 18 October, 2021)**

**Event ID:** 12285  
**Process Status Name:** Closed  
**Site Name:** Everyday Store #5015  
**Facility Name:**  
**Address:** 949 S Taft Hill Rd Fort Collins CO 80521  
**Loc Address:** 949 S Taft Hill Rd<br>Fort Collins 80521  
**Loc City:** Fort Collins  
**Loc County:** Larimer

**Log Date:** 6/30/2015 3:44:47 PM

**Reimbursement Application (COSTIS) (Current as of 18 October, 2021)**

<b>RAP ID:</b> 30482	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b> 8/19/2016
<b>Payee Name:</b> Jeet; Inc C/O Eagle Environmental Consulting Inc	
<b>RAP ID:</b> 31268	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Jeet; Inc C/O Eagle Environmental Consulting Inc	
<b>RAP ID:</b> 32300	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Jeet; Inc C/O Eagle Environmental Consulting Inc	
<b>RAP ID:</b> 34208	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Jeet Inc. C/O Eagle Environmental Consulting Inc	
<b>RAP ID:</b> 31693	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Jeet; Inc C/O Eagle Environmental Consulting Inc	
<b>RAP ID:</b> 32979	<b>Event ID:</b> 12285
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Eagle Environmental Consulting Inc	

**Events (COSTIS) (Current as of 18 October, 2021)**

**Event ID:** 6981  
**Process Status Name:** Closed  
**Site Name:** Circle K  
**Facility Name:**  
**Address:** 949 S Taft Hill Rd Fort Collins CO 80521  
**Loc Address:** 949 S Taft Hill Rd<br>Fort Collins 80521  
**Loc City:** Fort Collins  
**Loc County:** Larimer

**Log Date:** 11/4/1998

**Reimbursement Application (COSTIS) (Current as of 18 October, 2021)**

<b>RAP ID:</b> 6763	<b>Event ID:</b> 6981
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>
<b>Payee Name:</b> Circle K Stores Inc	
<b>RAP ID:</b> 6308	<b>Event ID:</b> 6981
<b>Facility ID:</b> 10481	<b>PSTC Date:</b>

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	7396			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	5004			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>	1/18/2002	
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	8579			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	9185			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	5823			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	6765			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	11055			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	6766			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	10056			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	9500			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	9250			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	8580			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	10986			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		ConocoPhillips Company				
<b>RAP ID:</b>	6130			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	6764			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				
<b>RAP ID:</b>	8019			<b>Event ID:</b>	6981	
<b>Facility ID:</b>	10481			<b>PSTC Date:</b>		
<b>Payee Name:</b>		Circle K Stores Inc				

**OPS Petroleum Release Events in Colorado - Petroleum Release Events**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Event ID:</b>	12285			<b>Phone:</b>	303-318-4357	
<b>Release No:</b>	REL-001755			<b>City:</b>	Fort Collins	
<b>Status:</b>	Closed			<b>Zip:</b>	80521	
<b>Release Date:</b>	6/30/2015			<b>State:</b>	CO	
<b>Closure Date:</b>	1/25/2019			<b>County:</b>	Larimer	
<b>NFA Type:</b>	Tier II			<b>Latitude:</b>	40.575136	
<b>Release Cause:</b>	Overfill			<b>Longitude:</b>	-105.115598	
<b>Reimbursement Total:</b>				<b>Latitude Longitude:</b>	40.575136, -105.115598	
<b>Contact:</b>	Orren Doss					
<b>Release Source:</b>						
<b>Site Name:</b>	Everyday Store #5015					
<b>Address:</b>	949 S Taft Hill Rd					
<b>Email:</b>	cdle_ops_public_record_center@state.co.us					
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KViH					

**OPS Petroleum Release Events in Colorado - Petroleum Release Events**

<b>Event ID:</b>	6981	<b>Phone:</b>	303-318-4357
<b>Release No:</b>	REL-003060	<b>City:</b>	Fort Collins
<b>Status:</b>	Closed	<b>Zip:</b>	80521
<b>Release Date:</b>	11/3/1998	<b>State:</b>	CO
<b>Closure Date:</b>	9/7/2004	<b>County:</b>	Larimer
<b>NFA Type:</b>	Tier II	<b>Latitude:</b>	40.575136
<b>Release Cause:</b>		<b>Longitude:</b>	-105.115598
<b>Reimbursement Total:</b>		<b>Latitude Longitude:</b>	40.575136, -105.115598
<b>Contact:</b>	Winifred Bromley		
<b>Release Source:</b>	Overfill		
<b>Site Name:</b>	Everyday Store #5015		
<b>Address:</b>	949 S Taft Hill Rd		
<b>Email:</b>	cdle_ops_public_record_center@state.co.us		
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KW3K		

<b>2</b>	<b>3 of 5</b>	<b>SE</b>	<b>0.07 / 370.61</b>	<b>5,078.33 / 2</b>	<b>RECUPEROS, L.L.C. 949 S TAFT HILL RD FORT COLLINS CO 80521</b>	<b>AIR PERMITS</b>
<b>APCD Site ID:</b>	069-0238			<b>Sip Status Co:</b>	FALSE	
<b>Site ID:</b>	0238			<b>Sip Status O3:</b>	FALSE	
<b>State Fips:</b>	08			<b>Site Cont Company:</b>		
<b>County Fip:</b>	069			<b>Site First Name:</b>	PENNY	
<b>County:</b>	LARIMER			<b>Site Full Name:</b>	PENNY MAYNOR	
<b>Address Type:</b>	STREET			<b>Site Last Name:</b>	MAYNOR	
<b>Air Program:</b>	B			<b>Site Title:</b>		
<b>Air Acid Precip:</b>				<b>Site Fax:</b>		
<b>Class Apen Exempt:</b>				<b>Site Geocode Date:</b>	07-Dec-2018 12:46:45	
<b>Class CFC:</b>				<b>Site Horiz Dat:</b>	2	
<b>Class Condensate :</b>				<b>Site Latitude:</b>	403430.1136	
<b>Class Fesop:</b>				<b>Acc Units:</b>	METERS	
<b>Class Mact:</b>				<b>Accuracy:</b>	20.0	
<b>Class Neshap:</b>				<b>Date Coll:</b>	07-Dec-2018 12:46:45	
<b>Class Non Fed Rpt:</b>				<b>Descriptn Category:</b>	PC	
<b>NSPS Federal:</b>				<b>Method Code:</b>	I2	
<b>Class NSPS State:</b>				<b>Pt Lin Are:</b>	P	
<b>Class NSR:</b>				<b>Src Scale:</b>	2	
<b>Class PSD:</b>				<b>Verification:</b>		
<b>Sip Fed Jd:</b>				<b>Site Longit:</b>	1050655.5986	
<b>Class Sip Federal:</b>	B			<b>NAICS Prime:</b>	447110	
<b>Air Title:</b>				<b>NAICS Second:</b>		
<b>Class Tribal:</b>				<b>Site Operat Stat:</b>	O	
<b>City Fips Code:</b>	27425			<b>Owner Cust:</b>	9920105811	
<b>CMS Category:</b>				<b>Site Phone:</b>	(817)838-4798	
<b>CMS Frequency:</b>	0			<b>Sic Prime:</b>	5541	
<b>Cpts Bogus Ind:</b>	FALSE			<b>Sic Second:</b>		
<b>Fed Facility ID:</b>	4408511			<b>Utm Horiz:</b>	490.228	
<b>Govt Fac Classifi:</b>	0			<b>Utm Vert:</b>	4491.589	
<b>Hap Classifi:</b>	Minor			<b>Utm Zone:</b>	13.0	
<b>NAA NSR Classifi:</b>	N/A			<b>Vert Dat:</b>	1	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
No Employees:	15.0			Vert Meas:	1547.87	
Op Classification:	Minor			Vert Meas Acc:	3.0	
Property Area:	0.5			Vert Meth Coll:	OT	
Psd Classifi:	Minor			Addr County Name:	LARIMER	
Addr County Fips:	069					
Permit App:		RECUPEROS, L.L.C.				
SIC Pri Desc:		AUTOMOTIVE DEALERS AND GASOLINE SERVICE STATIONS - Gasoline Service Station				
SIC Sec Desc:						
Site Description:		RETAIL GASOLINE STATION (FORMERLY DUKE & LONG - EVERYDAY STORE)				
Site Email:						
Site LL Description:		Elevation source: 3DEP 1/3 arc-second				
Sip Prog1:				Sip Prog3 Area:		
Sip Prog1 Area:				Sip Prog4:		
Sip Prog2:				Sip Prog4 Area:		
Sip Prog2 Area:				Sip Prog5:		
Sip Prog3:						
<b>Site Owner</b>						
Owner Bill Cycle:	2			Mail Fax:	(817)838-8667	
Owner Description:	GASOLINE STORAGE TANKS			Mail Full Name:	PENNY MAYNOR	
Mail Addr 1:	2801 GLENDA AVE.			Mail First Name:	PENNY	
Mail Addr 2:				Mail Last Name:	MAYNOR	
Mail Type:	STREET			Mail Phone:	(817)838-4798	
Mail City:	FT. WORTH			Mail Province:		
Mail City Cd:				Mail State:	48	
Mail Company:				Mail Title:		
Mail Country Cd:				Mail Zip:	76117	
Owner Name:	RECUPEROS LLC					
Owner Mail Email:						
<b>Site Pollutant</b>						
Site ID:	0238			Pk Co:		
State Fips:	08			Pk Co Mc:	Z	
County Fip:	069			Pk Co Re:		
Data Year:	2001			Pk Co Re Mc:	Z	
Inventory Year:	2022			Pk Co Re Units:	PD	
Inventory Year 2:	22			Pk Co Unc:		
Pollutant Code:	VOC			Pk Co Units:	PD	
Is Colorado Hap:	FALSE			Pk O3:		
Is Criteria:	TRUE			Pk O3 Mc:	Z	
Is Epcra Only:	FALSE			Pk O3 Re:		
Is Hap:	FALSE			Pk O3 Re Mc:	Z	
Nei Pollutant ID:	VOC			Pk O3 Re Units:	PD	
Ozone Depleting:	FALSE			Pk O3 Unc:		
Estim:	6.443736			Pk O3 Units:	PD	
Estim Mc:	Z			Emis Pot:		
Estim Unc:	6.443736			Pot Mc:		
Estim Units:	TY			Pot Unc:		
Limit1:				Pot Unc Mc:		
Limit1 Mc:				Pot Unc Units:		
Limit1 Units:				Pot Units:		
Limit2:				Re Estim:	0.0	
Limit2 Mc:				Re Estim Mc:	Z	
Limit2 Units:				Re Estim Units:	TY	
Pollutant Name:		VOLATILE ORGANIC COMPOUNDS				
<b>Stack</b>						
Site ID:	0238			Plume Height:	15	
Stack ID:	001			Rough Terrain Ind:		
State Fips:	08			Diameter:	0.0	
County Fip:	069			Diameter Meter:	0.0	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Data Year:	2001				Geo Origin:	plant
Inventory Year:	2022				Height:	0.0
Inventory Year 2:	22				Height Meter:	0.0
Apcd Stack ID:	069-0238-S001				Horiz Dat:	2
Cem Recorder Flag:					Lining Code:	
Distance:					Acc Units:	4
Exit Gas Flow Rate:	0.0				Accuracy:	20.0
Exit Gas Temp:	70.0				Method Code:	I2
Exit Gas Kelvin:	294.0				Pt Lin Area:	P
Gas Velocity:	0.0				Src Scale:	2
Gas Meters Sec:	0.0				Latitude:	403430.1136
Bldg Height:	0				Longitude:	1050655.5986
Bldg Length:	0				Type Code:	F
Bldg Width:	0				Utm Horiz:	490.228
Stack Height:	0				Utm Vert:	4491.589
Nei Em Rls Pt Typ:	1				Vert Meas:	1547.87
Nei Exit Gas Flow:	0.0				Utm Zone:	13.0
Nei Horiz Mc:	019				X Coord:	-105.11544405555556
Nei Ref Pt Code:	105				Y Coord:	40.57503155555556
Emission Release Desc:		3 UNDERGROUND GASOLINE TANKS				
Description:		Elevation source: 3DEP 1/3 arc-second				
Description Category:		PC				
Stack Type:		FUGITIVE EMISSIONS, NO STACK EXISTS				

#### Stack Pollutant

Site ID:	0238	Pk Co:	
Stack ID:	001	Pk Co Mc:	Z
State Fips:	08	Pk Co Re:	
County Fip:	069	Pk Co Re Mc:	Z
Data Year:	2001	Pk Co Re Units:	PD
Inventory Year:	2022	Pk Co Unc:	
Inventory Year 2:	22	Pk Co Units:	PD
Pollutant Code:	VOC	Pk O3:	
Is Colorado Hap:	FALSE	Pk O3 Mc:	Z
Is Criteria:	TRUE	Pk O3 Re:	
Is Epcra Only:	FALSE	Pk O3 Re Mc:	Z
Is Hap:	FALSE	Pk O3 Re Units:	PD
Ozone Depleting:	FALSE	Pk O3 Unc:	
Estim:	6.443736	Pk O3 Units:	PD
Estim Mc:	Z	Pot:	
Estim Unc:	6.443736	Pot Mc:	
Estim Units:	TY	Pot Unc:	
Limit1:		Pot Unc Mc:	
Limit1 Mc:		Pot Unc Units:	
Limit1 Units:		Pot Units:	
Limit2:		Re Estim:	0.0
Limit2 Mc:		Re Estim Mc:	Z
Limit2 Units:		Re Estim Units:	TY
Pollutant Name:	VOLATILE ORGANIC COMPOUNDS		

#### Comments

Site ID:	0238	Comment Creatn Dt:	09-Jan-2001 00:00:00
State Fips:	08	Comment No:	001E
County Fip:	069		
Site Body:	TRANSFER OF OWNERSHIP FROM CIRCLE K TO DUKE LONG DIST CO DBA EVERYDAY STORE #5015 ON APEN SUBMITTAL DATED 07-26-2000.		

<u>2</u>	4 of 5	SE	0.07 / 370.61	5,078.33 / 2	Everyday Store #5015 949 S Taft Hill Rd Fort Collins CO 80521	LUST TRUST
----------	--------	----	---------------	--------------	---	------------

Facility ID:	10481	Event ID:	12285
TtlAmtAppvdForReim:	162376.16	Release Date:	6/30/2015

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
UST Tank Count: County:		Larimer	AST Tank count:			
<a href="#">2</a>	5 of 5	SE	0.07 / 370.61	5,078.33 / 2	Everyday Store #5015 949 S Taft Hill Rd Fort Collins CO 80521	LUST TRUST
Facility ID: TtlAmtAppvdForReim :		10481 0	Event ID: Release Date:		6981 11/3/1998	
UST Tank Count: County:		Larimer	AST Tank count:			
<a href="#">3</a>	1 of 2	E	0.10 / 514.59	5,069.77 / -7	BLACK BEAR CONSTRUCTION SERVICES, INC. 2025 W. PLUM BLDG 2 FORT COLLINS CO	ASBESTOS
Permit: Permit Beg: Begin Date: End Date: Project: Projec Len: Owner Name: Location:		14LR5860A-01 10/27/14  ASBESTOS ABATEMENT PROJECT 365  2025 W. PLUM BLDG 2, FORT COLLINS	Source Lat: Source Lon: Source County: Elevation: Linear Feet: Sq Feet: Drums:		   5071  1500  	
<a href="#">3</a>	2 of 2	E	0.10 / 514.59	5,069.77 / -7	BLACK BEAR CONSTRUCTION SERVICES, INC. 2029 W. PLUM BLDG 5 FORT COLLINS CO	ASBESTOS
Permit: Permit Beg: Begin Date: End Date: Project: Projec Len: Owner Name: Location:		14LR5860A-03 10/27/14  ASBESTOS ABATEMENT PROJECT 365  2029 W. PLUM BLDG 5, FORT COLLINS	Source Lat: Source Lon: Source County: Elevation: Linear Feet: Sq Feet: Drums:		   5073  1500  	
<a href="#">4</a>	1 of 2	SE	0.10 / 547.74	5,076.01 / -1	Chevron USA Inc #70570 950 S Taft Hill Rd Fort Collins 80521 CO	LST
Facility ID: Facilty Name(COSTIS): Address (COSTIS): County (COSTIS): Facility Type(CDLE): Facilty Catgry(CDLE): Facility Type(OPS): Facilty Catgry(OPS): Original Source:		12771 Chevron USA Inc #70570 950 S Taft Hill Rd Fort Collins 80521 Larimer Retail Retail Gas Station Retail Retail Gas Station Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks; OPS Petroleum Release Events in Colorado - Petroleum Release Events	Facility Name(OPS): Address(OPS): City(OPS): Zip Code(OPS): County(OPS): State(OPS): Lat Long(OPS):		Chevron USA Inc #70570 950 S Taft Hill Rd Fort Collins 80521 Larimer CO 40.574926, -105.114653	
Owner ID: Owner Name:		950				

Tank Co Gov Tnk Fac

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

No of Tanks: 0

#### Tank Co Foia Facility

# of Metred Prodct:	0	Facility Owner:	Chevron USA Inc
No of Active Tanks:	0	Type :	Retail
Owner Costis ID:	OWNR-950		

#### Events (CDLE)

Event ID:	5371	Proj. Closure Date:	
Alt Event ID:	9100496-1	Category:	
Status:	Closed	Sardonyx ID:	
UST Tank Count:		MTBE Classifica:	
AST Tank Count:		Sum of Reimbur Amt:	0
Source of Release:		Reviewer Full Name:	Ed Larock
Cause of Release:		Logged On:	10/25/1988
Confirm Rel Dt:	10/25/1988	Logged By:	
Site Name:	Chevron USA Inc #70570		
Loc Addr:			
Loc Addr2:			
Loc Addr3:			
Aka Name:			
Aka Loc Addr:			

#### Reimbursement Application (CDLE)

Rap ID:	RAP-1024	Eligibil Type Desc:	
Protest ID:		Rap Payee Type ID:	
Rap Status:	Withdrawn	Reimbursement Req:	0
RAP Status:	Withdrawn	Total Reimburse:	0
Rap Type Desc:	Original	Max Amt Reduction:	2000000
User Group Name:		PSTC Date:	
FPR Date:			
Protest Amount:			
Payee:			
Cap Status:			
Spec Cond:			
Note:	Colorado Department of Labor and Employment (CDLE)		

#### Events (COSTIS) (Current as of 18 October, 2021)

Event ID:	5371	Log Date:	10/25/1988
Process Status Name:	Closed		
Site Name:	Chevron USAInc #70570		
Facility Name:			
Address:	950 S Taft Hill Rd Fort Collins CO 80521		
Loc Address:	950 S Taft Hill Rd Fort Collins 80521		
Loc City:	Fort Collins		
Loc County:	Larimer		

#### Reimbursement Application (COSTIS) (Current as of 18 October, 2021)

RAP ID:	1024	Event ID:	5371
Facility ID:	12771	PSTC Date:	
Payee Name:			

#### OPS Petroleum Release Events in Colorado - Petroleum Release Events

Event ID:	5371	Phone:	303-318-4357
Release No:	REL-003009	City:	Fort Collins

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Status:</b> Closed <b>Release Date:</b> 10/25/1988 <b>Closure Date:</b> 5/28/1996 <b>NFA Type:</b> Pre-RBCA <b>Release Cause:</b> <b>Reimbursement Total:</b> <b>Contact:</b> Ed Larock <b>Release Source:</b> <b>Site Name:</b> Chevron USA Inc #70570 <b>Address:</b> 950 S Taft Hill Rd <b>Email:</b> cdle_ops_public_record_center@state.co.us <b>Link :</b> https://socgov18.force.com/s/release/a183h000003KW2V						
<b>Zip:</b> 80521 <b>State:</b> CO <b>County:</b> Larimer <b>Latitude:</b> 40.574926 <b>Longitude:</b> -105.114653 <b>Latitude Longitude:</b> 40.574926, -105.114653						

<a href="#">4</a>	2 of 2	SE	0.10 / 547.74	5,076.01 / -1	Chevron USA Inc #70570 950 S Taft Hill Rd Fort Collins CO 80521	LUST TRUST
<b>Facility ID:</b> 12771 <b>TtlAmtAppvdForReim :</b> 0 <b>UST Tank Count:</b> <b>County:</b> Larimer						
<b>Event ID:</b> 5371 <b>Release Date:</b> 10/25/1988 <b>AST Tank count:</b>						

<a href="#">5</a>	1 of 6	SE	0.11 / 579.09	5,075.16 / -1	BP FACILITY #23300 1001 S TAFT HILL RD FORT COLLINS CO 80521	RCRA NON GEN
<b>EPA Handler ID:</b> COD983788407 <b>Gen Status Universe:</b> No Report <b>Contact Name:</b> SCOTT HARTWELL <b>Contact Address:</b> P O BOX 6038 , , ARTESIA , CA, 90702 , US <b>Contact Phone No and Ext:</b> 714-670-5248 <b>Contact Email:</b> <b>Contact Country:</b> US <b>County Name:</b> LARIMER <b>EPA Region:</b> 08 <b>Land Type:</b> Private <b>Receive Date:</b> 20061002 <b>Location Latitude:</b> <b>Location Longitude:</b>						

#### Violation/Evaluation Summary

**Note:** NO RECORDS: As of Sep 2022, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

#### Handler Summary

**Importer Activity:** No  
**Mixed Waste Generator:** No  
**Transporter Activity:** No  
**Transfer Facility:** No  
**Onsite Burner Exemption:** No  
**Furnace Exemption:** No  
**Underground Injection Activity:** No  
**Commercial TSD:** No  
**Used Oil Transporter:** No  
**Used Oil Transfer Facility:** No  
**Used Oil Processor:** No  
**Used Oil Refiner:** No  
**Used Oil Burner:** No  
**Used Oil Market Burner:** No  
**Used Oil Spec Marketer:** No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

**Hazardous Waste Handler Details**

Sequence No: 1  
 Receive Date: 19991015  
 Handler Name: BP AMOCO OIL  
 Source Type: Notification  
 Federal Waste Generator Code: 2  
 Generator Code Description: Small Quantity Generator

**Hazardous Waste Handler Details**

Sequence No: 3  
 Receive Date: 20031010  
 Handler Name: BP AMOCO OIL  
 Source Type: Notification  
 Federal Waste Generator Code: 2  
 Generator Code Description: Small Quantity Generator

**Hazardous Waste Handler Details**

Sequence No: 4  
 Receive Date: 20040920  
 Handler Name: BP FACILITY #23300  
 Source Type: Notification  
 Federal Waste Generator Code: 2  
 Generator Code Description: Small Quantity Generator

**Waste Code Details**

Hazardous Waste Code: D018  
 Waste Code Description: BENZENE

Hazardous Waste Code: D001  
 Waste Code Description: IGNITABLE WASTE

**Hazardous Waste Handler Details**

Sequence No: 2  
 Receive Date: 20001027  
 Handler Name: BP AMOCO OIL  
 Source Type: Notification  
 Federal Waste Generator Code: 2  
 Generator Code Description: Small Quantity Generator

**Waste Code Details**

Hazardous Waste Code: D018  
 Waste Code Description: BENZENE

Hazardous Waste Code: D001  
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D000  
 Waste Code Description: DESCRIPTION

**Hazardous Waste Handler Details**

Sequence No: 5  
 Receive Date: 20061002  
 Handler Name: BP FACILITY #23300  
 Source Type: Notification

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Federal Waste Generator Code:** N  
**Generator Code Description:** Not a Generator, Verified

**Waste Code Details**

**Hazardous Waste Code:** D018  
**Waste Code Description:** BENZENE

**Hazardous Waste Code:** D001  
**Waste Code Description:** IGNITABLE WASTE

**Owner/Operator Details**

<b>Owner/Operator Ind:</b>	Current Operator	<b>Street No:</b>	1001
<b>Type:</b>	Private	<b>Street 1:</b>	TAFT HILL RD
<b>Name:</b>	BP FACILITY #23300	<b>Street 2:</b>	
<b>Date Became Current:</b>	20040920	<b>City:</b>	FORT COLLINS
<b>Date Ended Current:</b>		<b>State:</b>	CO
<b>Phone:</b>		<b>Country:</b>	US
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	80521

<b>Owner/Operator Ind:</b>	Current Owner	<b>Street No:</b>	
<b>Type:</b>	Private	<b>Street 1:</b>	10776 TIMOTHY'S DR
<b>Name:</b>	AMOCO OIL CO	<b>Street 2:</b>	
<b>Date Became Current:</b>	18000202	<b>City:</b>	CONIFER
<b>Date Ended Current:</b>		<b>State:</b>	CO
<b>Phone:</b>	913-339-4500	<b>Country:</b>	
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	80433

<b>Owner/Operator Ind:</b>	Current Owner	<b>Street No:</b>	
<b>Type:</b>	Private	<b>Street 1:</b>	10776 TIMOTHY'S DR
<b>Name:</b>	AMOCO OIL CO	<b>Street 2:</b>	
<b>Date Became Current:</b>	18000101	<b>City:</b>	CONIFER
<b>Date Ended Current:</b>		<b>State:</b>	CO
<b>Phone:</b>	913-339-4500	<b>Country:</b>	
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	80433

<b>Owner/Operator Ind:</b>	Current Operator	<b>Street No:</b>	1001
<b>Type:</b>	Private	<b>Street 1:</b>	S TAFT HILL RD
<b>Name:</b>	BP AMOCO OIL	<b>Street 2:</b>	
<b>Date Became Current:</b>	20031010	<b>City:</b>	FORT COLLINS
<b>Date Ended Current:</b>		<b>State:</b>	CO
<b>Phone:</b>		<b>Country:</b>	
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	80521-4222

<b>Owner/Operator Ind:</b>	Current Owner	<b>Street No:</b>	
<b>Type:</b>	Private	<b>Street 1:</b>	P O BOX 6038
<b>Name:</b>	BP PRODUCTS NORTH AMERICA INC	<b>Street 2:</b>	
<b>Date Became Current:</b>	20040920	<b>City:</b>	ARTESIA
<b>Date Ended Current:</b>		<b>State:</b>	CA
<b>Phone:</b>	714-670-5248	<b>Country:</b>	US
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	90702

**Historical Handler Details**

**Receive Dt:** 20040920  
**Generator Code Description:** Small Quantity Generator  
**Handler Name:** BP FACILITY #23300

**Receive Dt:** 19991015  
**Generator Code Description:** Small Quantity Generator  
**Handler Name:** BP AMOCO OIL

**Receive Dt:** 20001027  
**Generator Code Description:** Small Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Handler Name:</b>		BP AMOCO OIL				
<b>Receive Dt:</b>		20031010				
<b>Generator Code Description:</b>		Small Quantity Generator				
<b>Handler Name:</b>		BP AMOCO OIL				

5

2 of 6

SE

0.11 / 579.09

5,075.16 / -1

King Soopers #609

1001 S Taft Hill Rd Fort Collins 80521 CO

UST

Facility ID:

6540

Fac Name (COSTIS):

King Soopers #609

FacilityName(OPS):

King Soopers #609

Address (COSTIS):

1001 S Taft Hill Rd Fort Collins 80521

FacilityType(OPS):

Retail

County (COSTIS):

Larimer

Fac Category (OPS):

Retail Gas Station

Latitude (CDLE):

40.574359

Address (OPS):

1001 S Taft Hill Rd

Longitude (CDLE):

-105.11546

City (OPS):

Fort Collins

Fac Type (CDLE):

Retail

Zip Code (OPS):

80521

FacCategory(CDLE):

Retail Gas Station

County (OPS):

Larimer

State (OPS):

CO

LatLong (OPS):

40.574359, -105.11546

City (CDLE):

Fort Collins

FacName (CDLE):

King Soopers #609

Zip (CDLE):

80521

Address (CDLE):

1001 S Taft Hill Rd

County (CDLE):

Larimer

State (CDLE):

CO

Data Source(s):

Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks

#### Facility Information (CDLE)

<b>Count of Tank Tag:</b>	2	<b>Accnt Holdr Name:</b>	Dillon Companies LLC dba King Soopers/City Market
<b>No. Dispensers:</b>	40	<b>Type:</b>	Retail
<b>Owner ID:</b>	OWNR-18261		

#### Owner Information (CDLE)

<b>Contact Name:</b>	Dillon Companies LLC dba King Soopers/City Market	<b>Middle Init:</b>	
<b>First Name:</b>			
<b>Company Name:</b>	Dillon Companies LLC dba King Soopers/City Market		
<b>Last Name:</b>	Dillon Companies LLC dba King Soopers/City Market		
<b>Address:</b>	65 Tejon St, Denver, CO 80223		
<b>Comment:</b>	Steve direct number is 303-778-3070; Paul Romero is contact for facility 10394 303-365-6916; Steve is no longer in Denver offices.		

<b>Contact Name:</b>		<b>Middle Init:</b>	
<b>First Name:</b>	Kevin		
<b>Company Name:</b>			
<b>Last Name:</b>	McKenzie		
<b>Address:</b>	65 Tejon Street, Denver, CO 80223		
<b>Comment:</b>	Steve direct number is 303-778-3070; Paul Romero is contact for facility 10394 303-365-6916; Steve is no longer in Denver offices.		

#### UST Tanks (COSTIS) (Current as of 18 October, 2021)

<b>Tank ID:</b>	17410	<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-1	<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST	<b>County:</b>	Larimer
<b>Tank Count:</b>	46668	<b>Product Name:</b>	Used Oil (Waste Oil)
<b>Capacity:</b>	560		
<b>Facility Owner:</b>	King Soopers Aka Dillon Companies		
<b>Facility Name Address:</b>	King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521		
<b>Tank ID:</b>	17413	<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-4	<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST	<b>County:</b>	Larimer

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Gasoline
<b>Capacity:</b>	8000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	41664				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-10				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Diesel/Gas (Multi-Comp)
<b>Capacity:</b>	18000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17415				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-6				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Mid-Grade (MUL)
<b>Capacity:</b>	12000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17414				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-5				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Regular (RUL)
<b>Capacity:</b>	12000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17416				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-7				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Premium (PUL)
<b>Capacity:</b>	12000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	41663				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-9				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Unleaded Regular (RUL)
<b>Capacity:</b>	20000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17417				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-8				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Used Oil (Waste Oil)
<b>Capacity:</b>	560					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17412				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-3				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Gasoline
<b>Capacity:</b>	6000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				
<b>Tank ID:</b>	17411				<b>Owner ID:</b>	18261
<b>Tank Tag:</b>	'6540-2				<b>Tank Owner:</b>	
<b>Tank Type Desc:</b>	UST				<b>County:</b>	Larimer
<b>Tank Count:</b>	46668				<b>Product Name:</b>	Gasoline
<b>Capacity:</b>	6000					
<b>Facility Owner:</b>		King Soopers Aka Dillon Companies				
<b>Facility Name Address:</b>		King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

#### UST Tanks 1 (CDLE)

Tank Tag:	6540-8	Overfill Preven:	FV: Fill Tube Valve
Tank Type:	UST	Product Type/Name:	Used Oil (Waste Oil)
Tank Status:	Permanently Closed	Piping Wall Type:	None
Capacity:	560	Tank Wall Type:	
Install Date:	1/1/1990	Piping System:	
Date Closed:	6/26/2009	Piping Type:	UG: Underground
Tank Material:	ST: Cathodically Protected Steel		
Piping Material:	FRP: Fiberglass Reinforced Plastic		

#### UST Tanks 2 (CDLE)

Closure Meth ID:	Removed	No Fee:	0
Unregulated:	FALSE	Anch Method Desc:	
Last Used Date:	11/20/2007	Pipe Reld Meth1 ID:	T6/L6: Other Approved
Del Prohib Date:		Pipe Reldet Date:	
Spill Protected:		Backfill Mat Desc:	
Spl Container Size:	0	Bfill DrtCvr Amt:	0
Spl Protection Dt:		Manifold:	No
Spl Container Mfg:		Registration Date:	
Spl Container Mdel:		Compartment:	FALSE
Tank Reld Meth1 ID:		Cpmet:	Yes
Tank Lining Date:		Invault:	FALSE
CP Test Date:			

#### UST Tanks 1 (CDLE)

Tank Tag:	6540-9	Overfill Preven:	FV: Fill Tube Valve
Tank Type:	UST	Product Type/Name:	Unleaded Regular (RUL)
Tank Status:	Currently In Use	Piping Wall Type:	Double-Walled
Capacity:	20000	Tank Wall Type:	
Install Date:	7/16/2009	Piping System:	
Date Closed:		Piping Type:	UG: Underground
Tank Material:	FRP: Fiberglass Reinforced Plastic		
Piping Material:	FRP: Fiberglass Reinforced Plastic		

#### UST Tanks 2 (CDLE)

Closure Meth ID:		No Fee:	0
Unregulated:	FALSE	Anch Method Desc:	DM: Deadman
Last Used Date:		Pipe Reld Meth1 ID:	L2: Dbl-Wall & Sumps w/ Sensor
Del Prohib Date:		Pipe Reldet Date:	
Spill Protected:		Backfill Mat Desc:	Pea Gravel
Spl Container Size:	5	Bfill DrtCvr Amt:	0
Spl Protection Dt:		Manifold:	No
Spl Container Mfg:	OPW	Registration Date:	11/15/2021
Spl Container Mdel:		Compartment:	FALSE
Tank Reld Meth1 ID:		Cpmet:	Yes
Tank Lining Date:		Invault:	FALSE
CP Test Date:			

#### UST Tanks 1 (CDLE)

Tank Tag:	6540-10	Overfill Preven:	FV: Fill Tube Valve
Tank Type:	UST	Product Type/Name:	Unleaded Premium (PUL)
Tank Status:	Currently In Use	Piping Wall Type:	Double-Walled
Capacity:	18000	Tank Wall Type:	
Install Date:	7/16/2009	Piping System:	
Date Closed:		Piping Type:	UG: Underground
Tank Material:	FRP: Fiberglass Reinforced Plastic		
Piping Material:	FRP: Fiberglass Reinforced Plastic		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b><u>UST Tanks 2 (CDLE)</u></b>						
Closure Meth ID:				No Fee:	0	
Unregulated:	FALSE			Anch Method Desc:	DM: Deadman	
Last Used Date:				Pipe Reld Meth1 ID:	L2: Dbl-Wall & Sumps w/ Sensor	
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:	Pea Gravel	
Spl Container Size:	5			Bfill DrtCvr Amt:	0	
Spl Protection Dt:				Manifold:	No	
Spl Container Mfg:	OPW			Registration Date:	11/15/2021	
Spl Container Mdel:				Compartment:	TRUE	
Tank Reld Meth1 ID:				Cpmet:	Yes	
Tank Lining Date:				Invault:	FALSE	
CP Test Date:						
<b><u>UST Tanks 1 (CDLE)</u></b>						
Tank Tag:	6540-2			Overfill Preven:		
Tank Type:	UST			Product Type/Name:	Gasoline	
Tank Status:	Permanently Closed			Piping Wall Type:	None	
Capacity:	6000			Tank Wall Type:		
Install Date:	4/17/1966			Piping System:		
Date Closed:	11/5/1990			Piping Type:	Other	
Tank Material:	Asphalt Coated or Bare Steel					
Piping Material:	Galvanized Steel					
<b><u>UST Tanks 2 (CDLE)</u></b>						
Closure Meth ID:	Removed			No Fee:	0	
Unregulated:	FALSE			Anch Method Desc:		
Last Used Date:	11/2/1990			Pipe Reld Meth1 ID:		
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:		
Spl Container Size:	0			Bfill DrtCvr Amt:	0	
Spl Protection Dt:				Manifold:	No	
Spl Container Mfg:				Registration Date:		
Spl Container Mdel:				Compartment:	FALSE	
Tank Reld Meth1 ID:				Cpmet:	No	
Tank Lining Date:				Invault:	FALSE	
CP Test Date:						
<b><u>UST Tanks 1 (CDLE)</u></b>						
Tank Tag:	6540-1			Overfill Preven:		
Tank Type:	UST			Product Type/Name:	Used Oil (Waste Oil)	
Tank Status:	Permanently Closed			Piping Wall Type:	None	
Capacity:	560			Tank Wall Type:		
Install Date:	4/17/1966			Piping System:		
Date Closed:	11/5/1990			Piping Type:	UG: Underground	
Tank Material:	ST: Cathodically Protected Steel					
Piping Material:	FRP: Fiberglass Reinforced Plastic					
<b><u>UST Tanks 2 (CDLE)</u></b>						
Closure Meth ID:	Removed			No Fee:	0	
Unregulated:	FALSE			Anch Method Desc:		
Last Used Date:	11/2/1990			Pipe Reld Meth1 ID:		
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:		
Spl Container Size:	0			Bfill DrtCvr Amt:	0	
Spl Protection Dt:				Manifold:	No	
Spl Container Mfg:				Registration Date:		
Spl Container Mdel:				Compartment:	FALSE	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Tank Reld Meth1 ID:</b> <b>Tank Lining Date:</b> <b>CP Test Date:</b>				<b>Cpmet:</b> <b>Invault:</b>	Yes FALSE	
<b><u>UST Tanks 1 (CDLE)</u></b>						
<b>Tank Tag:</b> <b>Tank Type:</b> <b>Tank Status:</b> <b>Capacity:</b> <b>Install Date:</b> <b>Date Closed:</b> <b>Tank Material:</b> <b>Piping Material:</b>	6540-5 UST Permanently Closed 12000 1/1/1990 6/26/2009 ST: Cathodically Protected Steel FRP: Fiberglass Reinforced Plastic			<b>Overfill Preven:</b> <b>Product Type/Name:</b> <b>Piping Wall Type:</b> <b>Tank Wall Type:</b> <b>Piping System:</b> <b>Piping Type:</b>	FV: Fill Tube Valve Unleaded Regular (RUL) None None UG: Underground	
<b><u>UST Tanks 2 (CDLE)</u></b>						
<b>Closure Meth ID:</b> <b>Unregulated:</b> <b>Last Used Date:</b> <b>Del Prohib Date:</b> <b>Spill Protected:</b> <b>Spl Container Size:</b> <b>Spl Protection Dt:</b> <b>Spl Container Mfg:</b> <b>Spl Container Mdel:</b> <b>Tank Reld Meth1 ID:</b> <b>Tank Lining Date:</b> <b>CP Test Date:</b>	Removed FALSE 11/20/2007  0         			<b>No Fee:</b> <b>Anch Method Desc:</b> <b>Pipe Reld Meth1 ID:</b> <b>Pipe Reldet Date:</b> <b>Backfill Mat Desc:</b> <b>Bfill DrtCvr Amt:</b> <b>Manifold:</b> <b>Registration Date:</b> <b>Compartment:</b> <b>Cpmet:</b> <b>Invault:</b>	0  T4/L4: SIR   0 No  FALSE Yes FALSE	
<b><u>UST Tanks 1 (CDLE)</u></b>						
<b>Tank Tag:</b> <b>Tank Type:</b> <b>Tank Status:</b> <b>Capacity:</b> <b>Install Date:</b> <b>Date Closed:</b> <b>Tank Material:</b> <b>Piping Material:</b>	6540-7 UST Permanently Closed 12000 1/1/1990 6/26/2009 ST: Cathodically Protected Steel FRP: Fiberglass Reinforced Plastic			<b>Overfill Preven:</b> <b>Product Type/Name:</b> <b>Piping Wall Type:</b> <b>Tank Wall Type:</b> <b>Piping System:</b> <b>Piping Type:</b>	FV: Fill Tube Valve Unleaded Premium (PUL) None  UG: Underground	
<b><u>UST Tanks 2 (CDLE)</u></b>						
<b>Closure Meth ID:</b> <b>Unregulated:</b> <b>Last Used Date:</b> <b>Del Prohib Date:</b> <b>Spill Protected:</b> <b>Spl Container Size:</b> <b>Spl Protection Dt:</b> <b>Spl Container Mfg:</b> <b>Spl Container Mdel:</b> <b>Tank Reld Meth1 ID:</b> <b>Tank Lining Date:</b> <b>CP Test Date:</b>	Removed FALSE 11/20/2007  0         			<b>No Fee:</b> <b>Anch Method Desc:</b> <b>Pipe Reld Meth1 ID:</b> <b>Pipe Reldet Date:</b> <b>Backfill Mat Desc:</b> <b>Bfill DrtCvr Amt:</b> <b>Manifold:</b> <b>Registration Date:</b> <b>Compartment:</b> <b>Cpmet:</b> <b>Invault:</b>	0  T4/L4: SIR   0 No  FALSE Yes FALSE	
<b><u>UST Tanks 1 (CDLE)</u></b>						
<b>Tank Tag:</b> <b>Tank Type:</b> <b>Tank Status:</b> <b>Capacity:</b> <b>Install Date:</b>	6540-10 UST Currently In Use 18000 7/16/2009			<b>Overfill Preven:</b> <b>Product Type/Name:</b> <b>Piping Wall Type:</b> <b>Tank Wall Type:</b> <b>Piping System:</b>	FV: Fill Tube Valve Diesel Double-Walled	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Closed:				Piping Type:	UG: Underground	
Tank Material:		FRP: Fiberglass Reinforced Plastic				
Piping Material:		FRP: Fiberglass Reinforced Plastic				
<u>UST Tanks 2 (CDLE)</u>						
Closure Meth ID:				No Fee:	0	
Unregulated:		FALSE		Anch Method Desc:	DM: Deadman	
Last Used Date:				Pipe Reld Meth1 ID:	L2: Dbl-Wall & Sumps w/ Sensor	
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:	Pea Gravel	
Spl Container Size:		5		Bfill DrtCvr Amt:	0	
Spl Protection Dt:				Manifold:	No	
Spl Container Mfg:		OPW		Registration Date:	11/15/2021	
Spl Container Mdel:				Compartment:	TRUE	
Tank Reld Meth1 ID:				Cpmet:	Yes	
Tank Lining Date:				Invault:	FALSE	
CP Test Date:						
<u>UST Tanks 1 (CDLE)</u>						
Tank Tag:		6540-6		Overfill Preven:	FV: Fill Tube Valve	
Tank Type:		UST		Product Type/Name:	Unleaded Mid-Grade (MUL)	
Tank Status:		Permanently Closed		Piping Wall Type:	None	
Capacity:		12000		Tank Wall Type:		
Install Date:		1/1/1990		Piping System:		
Date Closed:		6/26/2009		Piping Type:	UG: Underground	
Tank Material:		ST: Cathodically Protected Steel				
Piping Material:		FRP: Fiberglass Reinforced Plastic				
<u>UST Tanks 2 (CDLE)</u>						
Closure Meth ID:		Removed		No Fee:	0	
Unregulated:		FALSE		Anch Method Desc:		
Last Used Date:		11/20/2007		Pipe Reld Meth1 ID:	T4/L4: SIR	
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:		
Spl Container Size:		0		Bfill DrtCvr Amt:	0	
Spl Protection Dt:				Manifold:	No	
Spl Container Mfg:				Registration Date:		
Spl Container Mdel:				Compartment:	FALSE	
Tank Reld Meth1 ID:				Cpmet:	Yes	
Tank Lining Date:				Invault:	FALSE	
CP Test Date:						
<u>UST Tanks 1 (CDLE)</u>						
Tank Tag:		6540-3		Overfill Preven:		
Tank Type:		UST		Product Type/Name:	Gasoline	
Tank Status:		Permanently Closed		Piping Wall Type:	None	
Capacity:		6000		Tank Wall Type:		
Install Date:		4/17/1966		Piping System:		
Date Closed:		11/5/1990		Piping Type:	Other	
Tank Material:		Asphalt Coated or Bare Steel				
Piping Material:		Galvanized Steel				
<u>UST Tanks 2 (CDLE)</u>						
Closure Meth ID:		Removed		No Fee:	0	
Unregulated:		FALSE		Anch Method Desc:		
Last Used Date:		11/2/1990		Pipe Reld Meth1 ID:		
Del Prohib Date:				Pipe Reldet Date:		
Spill Protected:				Backfill Mat Desc:		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<div> <div> <b>Spl Container Size:</b> 0  <b>Spl Protection Dt:</b>  <b>Spl Container Mfg:</b>  <b>Spl Container Mdel:</b>  <b>Tank Reld Meth1 ID:</b>  <b>Tank Lining Date:</b>  <b>CP Test Date:</b> </div> <div> <b>Bfill DrtCvr Amt:</b> 0  <b>Manifold:</b> No  <b>Registration Date:</b>  <b>Compartment:</b> FALSE  <b>Cpmet:</b> No  <b>Invault:</b> FALSE </div> </div>						
<b><u>UST Tanks 1 (CDLE)</u></b>						
<div> <div> <b>Tank Tag:</b> 6540-4  <b>Tank Type:</b> UST  <b>Tank Status:</b> Permanently Closed  <b>Capacity:</b> 8000  <b>Install Date:</b> 4/17/1966  <b>Date Closed:</b> 11/5/1990  <b>Tank Material:</b> Asphalt Coated or Bare Steel  <b>Piping Material:</b> Galvanized Steel </div> <div> <b>Overfill Preven:</b>  <b>Product Type/Name:</b> Gasoline  <b>Piping Wall Type:</b> None  <b>Tank Wall Type:</b>  <b>Piping System:</b>  <b>Piping Type:</b> Other </div> </div>						
<b><u>UST Tanks 2 (CDLE)</u></b>						
<div> <div> <b>Closure Meth ID:</b> Removed  <b>Unregulated:</b> FALSE  <b>Last Used Date:</b> 11/2/1990  <b>Del Prohib Date:</b>  <b>Spill Protected:</b>  <b>Spl Container Size:</b> 0  <b>Spl Protection Dt:</b>  <b>Spl Container Mfg:</b>  <b>Spl Container Mdel:</b>  <b>Tank Reld Meth1 ID:</b>  <b>Tank Lining Date:</b>  <b>CP Test Date:</b> </div> <div> <b>No Fee:</b> 0  <b>Anch Method Desc:</b>  <b>Pipe Reld Meth1 ID:</b>  <b>Pipe Reldet Date:</b>  <b>Backfill Mat Desc:</b>  <b>Bfill DrtCvr Amt:</b> 0  <b>Manifold:</b> No  <b>Registration Date:</b>  <b>Compartment:</b> FALSE  <b>Cpmet:</b> No  <b>Invault:</b> FALSE </div> </div>						
<b><u>Operator Information (CDLE)</u></b>						
<div> <div> <b>First Name:</b>  <b>Last Name:</b> Ty Scott  <b>Certification Name:</b> CABOP-6892-18842  <b>Certification Type:</b> A/B Operator </div> <div> <b>Costis ID:</b> CABOP-6892  <b>Accnt Holdr Name:</b> King Soopers aka Dillon Companies  <b>Contact ID:</b> 0033h00000mtZkv  <b>Title:</b> </div> </div>						
<b><u>Oil &amp; Public Safety Regulated Storage Tanks (COSTIS)</u></b>						
<div> <div> <b>Tank Tag:</b> 6540-6  <b>Tank Status:</b> Permanently Closed  <b>Tank Type:</b> UST  <b>Facility Type:</b> Retail  <b>Installation Date:</b> 1/1/1990  <b>Closure Date:</b> 6/26/2009  <b>Capacity Gallons :</b> 12000  <b>Product:</b> Unleaded Mid-Grade (MUL)  <b>Overfill Preven:</b> FV: Fill Tube Valve  <b>Tank Wall Type:</b>  <b>Tank Material:</b> ST: Cathodically Protected Steel  <b>Piping Material:</b> FRP: Fiberglass Reinforced Plastic </div> <div> <b>Piping Type:</b> UG: Underground  <b>Piping System:</b>  <b>Tank Name:</b> TNK-012238  <b>Piping Wall Type:</b> None  <b>City:</b> Fort Collins  <b>County:</b> Larimer  <b>ZIP Code:</b> 80521  <b>Facility Name:</b> King Soopers #609  <b>Address:</b> 1001 S Taft Hill Rd  <b>Facility Category:</b> Retail Gas Station </div> </div>						
<div> <div> <b>Tank Tag:</b> 6540-4  <b>Tank Status:</b> Permanently Closed  <b>Tank Type:</b> UST  <b>Facility Type:</b> Retail  <b>Installation Date:</b> 4/17/1966  <b>Closure Date:</b> 11/5/1990  <b>Capacity Gallons :</b> 8000  <b>Product:</b> Gasoline </div> <div> <b>Piping Type:</b> Other  <b>Piping System:</b>  <b>Tank Name:</b> TNK-012236  <b>Piping Wall Type:</b> None  <b>City:</b> Fort Collins  <b>County:</b> Larimer  <b>ZIP Code:</b> 80521  <b>Facility Name:</b> King Soopers #609 </div> </div>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Overfill Preven:					Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		Asphalt Coated or Bare Steel				
Piping Material:		Galvanized Steel				
Tank Tag:	6540-10				Piping Type:	UG: Underground
Tank Status:	Currently In Use				Piping System:	
Tank Type:	UST				Tank Name:	TNK-012233
Facility Type:	Retail				Piping Wall Type:	Double-Walled
Installation Date:	7/16/2009				City:	Fort Collins
Closure Date:					County:	Larimer
Capacity Gallons :	18000				ZIP Code:	80521
Product:	Unleaded Premium (PUL)				Facility Name:	King Soopers #609
Overfill Preven:	FV: Fill Tube Valve				Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		FRP: Fiberglass Reinforced Plastic				
Piping Material:		FRP: Fiberglass Reinforced Plastic				
Tank Tag:	6540-2				Piping Type:	Other
Tank Status:	Permanently Closed				Piping System:	
Tank Type:	UST				Tank Name:	TNK-012234
Facility Type:	Retail				Piping Wall Type:	None
Installation Date:	4/17/1966				City:	Fort Collins
Closure Date:	11/5/1990				County:	Larimer
Capacity Gallons :	6000				ZIP Code:	80521
Product:	Gasoline				Facility Name:	King Soopers #609
Overfill Preven:					Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		Asphalt Coated or Bare Steel				
Piping Material:		Galvanized Steel				
Tank Tag:	6540-1				Piping Type:	UG: Underground
Tank Status:	Permanently Closed				Piping System:	
Tank Type:	UST				Tank Name:	TNK-012232
Facility Type:	Retail				Piping Wall Type:	None
Installation Date:	4/17/1966				City:	Fort Collins
Closure Date:	11/5/1990				County:	Larimer
Capacity Gallons :	560				ZIP Code:	80521
Product:	Used Oil (Waste Oil)				Facility Name:	King Soopers #609
Overfill Preven:					Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		ST: Cathodically Protected Steel				
Piping Material:		FRP: Fiberglass Reinforced Plastic				
Tank Tag:	6540-5				Piping Type:	UG: Underground
Tank Status:	Permanently Closed				Piping System:	
Tank Type:	UST				Tank Name:	TNK-012237
Facility Type:	Retail				Piping Wall Type:	None
Installation Date:	1/1/1990				City:	Fort Collins
Closure Date:	6/26/2009				County:	Larimer
Capacity Gallons :	12000				ZIP Code:	80521
Product:	Unleaded Regular (RUL)				Facility Name:	King Soopers #609
Overfill Preven:	FV: Fill Tube Valve				Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		ST: Cathodically Protected Steel				
Piping Material:		FRP: Fiberglass Reinforced Plastic				
Tank Tag:	6540-8				Piping Type:	UG: Underground
Tank Status:	Permanently Closed				Piping System:	
Tank Type:	UST				Tank Name:	TNK-012240
Facility Type:	Retail				Piping Wall Type:	None
Installation Date:	1/1/1990				City:	Fort Collins
Closure Date:	6/26/2009				County:	Larimer
Capacity Gallons :	560				ZIP Code:	80521
Product:	Used Oil (Waste Oil)				Facility Name:	King Soopers #609
Overfill Preven:	FV: Fill Tube Valve				Address:	1001 S Taft Hill Rd
Tank Wall Type:					Facility Category:	Retail Gas Station
Tank Material:		ST: Cathodically Protected Steel				
Piping Material:		FRP: Fiberglass Reinforced Plastic				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Tank Tag:</b>	6540-9				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Currently In Use				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-012241
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	Double-Walled
<b>Installation Date:</b>	7/16/2009				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	20000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Unleaded Regular (RUL)				<b>Facility Name:</b>	King Soopers #609
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	1001 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					
<hr/>						
<b>Tank Tag:</b>	6540-3				<b>Piping Type:</b>	Other
<b>Tank Status:</b>	Permanently Closed				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-012235
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	4/17/1966				<b>City:</b>	Fort Collins
<b>Closure Date:</b>	11/5/1990				<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	6000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Gasoline				<b>Facility Name:</b>	King Soopers #609
<b>Overfill Preven:</b>					<b>Address:</b>	1001 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	Asphalt Coated or Bare Steel					
<b>Piping Material:</b>	Galvanized Steel					
<hr/>						
<b>Tank Tag:</b>	6540-10				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Currently In Use				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-012233
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	Double-Walled
<b>Installation Date:</b>	7/16/2009				<b>City:</b>	Fort Collins
<b>Closure Date:</b>					<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	18000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Diesel				<b>Facility Name:</b>	King Soopers #609
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	1001 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	FRP: Fiberglass Reinforced Plastic					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					
<hr/>						
<b>Tank Tag:</b>	6540-7				<b>Piping Type:</b>	UG: Underground
<b>Tank Status:</b>	Permanently Closed				<b>Piping System:</b>	
<b>Tank Type:</b>	UST				<b>Tank Name:</b>	TNK-012239
<b>Facility Type:</b>	Retail				<b>Piping Wall Type:</b>	None
<b>Installation Date:</b>	1/1/1990				<b>City:</b>	Fort Collins
<b>Closure Date:</b>	6/26/2009				<b>County:</b>	Larimer
<b>Capacity Gallons :</b>	12000				<b>ZIP Code:</b>	80521
<b>Product:</b>	Unleaded Premium (PUL)				<b>Facility Name:</b>	King Soopers #609
<b>Overfill Preven:</b>	FV: Fill Tube Valve				<b>Address:</b>	1001 S Taft Hill Rd
<b>Tank Wall Type:</b>					<b>Facility Category:</b>	Retail Gas Station
<b>Tank Material:</b>	ST: Cathodically Protected Steel					
<b>Piping Material:</b>	FRP: Fiberglass Reinforced Plastic					
<hr/>						
<b><u>UST Owner (COSTIS) (Current as of 18 October, 2021)</u></b>						
<b>Owner ID:</b>	18261				<b>Address1:</b>	65 Tejon St
<b>First Name:</b>					<b>City:</b>	Denver
<b>Middle Init:</b>					<b>State:</b>	CO
<b>Last Name:</b>	King Soopers Aka Dillon Companies				<b>County:</b>	Denver
<b>Full Name:</b>					<b>Zip Code:</b>	80223
<hr/>						
<b><u>Oil &amp; Public Safety Regulated Storage Tank Details</u></b>						
<b>No of Tanks:</b>	2					
<hr/>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<a href="#">5</a>	3 of 6	SE	0.11 / 579.09	5,075.16 / -1	King Soopers #609 1001 S Taft Hill Rd Fort Collins 80521 CO	LST

**Facility ID:** 6540  
**Facility Name(COSTIS):** King Soopers #609  
**Address (COSTIS):** 1001 S Taft Hill Rd Fort Collins 80521  
**County (COSTIS):** Larimer  
**Facility Type(CDLE):** Retail  
**Facility Catgry(CDLE):** Retail Gas Station  
**Facility Type(OPS):** Retail  
**Facility Catgry(OPS):** Retail Gas Station  
**Original Source:** Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks; OPS Petroleum Release Events in Colorado - Petroleum Release Events

**Facility Name(OPS):** King Soopers #609  
**Address(OPS):** 1001 S Taft Hill Rd  
**City(OPS):** Fort Collins  
**Zip Code(OPS):** 80521  
**County(OPS):** Larimer  
**State(OPS):** CO  
**Lat Long(OPS):** 40.574359, -105.11546

**Owner ID:** 18261  
**Owner Name:**

#### Tank Co Gov Tnk Fac

**No of Tanks:** 2

#### Tank Co Foia Facility

**# of Metred Prodct:** 40  
**No of Active Tanks:** 2  
**Owner Costis ID:** OWN-18261

**Facility Owner:** Dillon Companies LLC dba King Soopers/City Market  
**Type :** Retail

#### Events (CDLE)

**Event ID:**  
**Alt Event ID:**  
**Status:** Closed  
**UST Tank Count:** 10  
**AST Tank Count:**  
**Source of Release:** Tank  
**Cause of Release:**  
**Confirm Rel Dt:** 6/26/2009  
**Site Name:** King Soopers #609  
**Loc Addr:**  
**Loc Addr2:**  
**Loc Addr3:**  
**Aka Name:**  
**Aka Loc Addr:**

**Proj. Closure Date:**  
**Category:**  
**Sardonyx ID:**  
**MTBE Classifica:**  
**Sum of Reimbur Amt:**  
**Reviewer Full Name:**  
**Logged On:** 6/26/2009  
**Logged By:**

#### Events (CDLE)

**Event ID:** 3987  
**Alt Event ID:** 6055-1  
**Status:** Closed  
**UST Tank Count:** 10  
**AST Tank Count:**  
**Source of Release:**  
**Cause of Release:**  
**Confirm Rel Dt:** 7/10/1990  
**Site Name:** King Soopers #609  
**Loc Addr:**  
**Loc Addr2:**  
**Loc Addr3:**  
**Aka Name:**  
**Aka Loc Addr:**

**Proj. Closure Date:**  
**Category:**  
**Sardonyx ID:**  
**MTBE Classifica:**  
**Sum of Reimbur Amt:** 0  
**Reviewer Full Name:** Joe'l Lambe  
**Logged On:** 7/10/1990  
**Logged By:**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

#### Reimbursement Application (CDLE)

<b>Rap ID:</b>	RAP-211	<b>Eligibil Type Desc:</b>	
<b>Protest ID:</b>		<b>Rap Payee Type ID:</b>	
<b>Rap Status:</b>	Not Approved	<b>Reimbursement Req:</b>	198316.43
<b>RAP Status:</b>	Not Approved	<b>Total Reimburse:</b>	0
<b>Rap Type Desc:</b>	Original	<b>Max Amt Reduction:</b>	
<b>User Group Name:</b>		<b>PSTC Date:</b>	9/15/1995
<b>FPR Date:</b>			
<b>Protest Amount:</b>			
<b>Payee:</b>			
<b>Cap Status:</b>	Approved		
<b>Spec Cond:</b>			
<b>Note:</b>	Colorado Department of Labor and Employment (CDLE)		

#### Events (CDLE)

<b>Event ID:</b>	10874	<b>Proj. Closure Date:</b>	
<b>Alt Event ID:</b>		<b>Category:</b>	
<b>Status:</b>	Closed	<b>Sardonyx ID:</b>	
<b>UST Tank Count:</b>	10	<b>MTBE Classifica:</b>	
<b>AST Tank Count:</b>		<b>Sum of Reimbur Amt:</b>	
<b>Source of Release:</b>	Dispenser	<b>Reviewer Full Name:</b>	Tina Sandoval
<b>Cause of Release:</b>	Other	<b>Logged On:</b>	7/2/2009
<b>Confirm Rel Dt:</b>	6/29/2009	<b>Logged By:</b>	
<b>Site Name:</b>	King Soopers #609		
<b>Loc Addr:</b>			
<b>Loc Addr2:</b>			
<b>Loc Addr3:</b>			
<b>Aka Name:</b>			
<b>Aka Loc Addr:</b>			

#### Events (COSTIS) (Current as of 18 October, 2021)

<b>Event ID:</b>	3987	<b>Log Date:</b>	7/10/1990
<b>Process Status Name:</b>	Closed		
<b>Site Name:</b>	Amoco Oil #5401		
<b>Facility Name:</b>			
<b>Address:</b>	1001 S Taft Hill Rd Fort Collins CO 80521		
<b>Loc Address:</b>	1001 S Taft Hill Rd Fort Collins 80521		
<b>Loc City:</b>	Fort Collins		
<b>Loc County:</b>	Larimer		

#### Reimbursement Application (COSTIS) (Current as of 18 October, 2021)

<b>RAP ID:</b>	211	<b>Event ID:</b>	3987
<b>Facility ID:</b>	6540	<b>PSTC Date:</b>	9/15/1995
<b>Payee Name:</b>			

#### Events (COSTIS) (Current as of 18 October, 2021)

<b>Event ID:</b>	10874	<b>Log Date:</b>	7/2/2009 8:28:49 AM
<b>Process Status Name:</b>	Closed		
<b>Site Name:</b>	King Soopers		
<b>Facility Name:</b>			
<b>Address:</b>	1001 S Taft Hill Rd Fort Collins CO 80521		
<b>Loc Address:</b>	1001 S Taft Hill Rd Fort Collins 80521		
<b>Loc City:</b>	Fort Collins		
<b>Loc County:</b>	Larimer		

#### OPS Petroleum Release Events in Colorado - Petroleum Release Events

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Event ID:</b>	3987			<b>Phone:</b>	303-318-4357	
<b>Release No:</b>	REL-000527			<b>City:</b>	Fort Collins	
<b>Status:</b>	Closed			<b>Zip:</b>	80521	
<b>Release Date:</b>	7/10/1990			<b>State:</b>	CO	
<b>Closure Date:</b>	4/16/1996			<b>County:</b>	Larimer	
<b>NFA Type:</b>	Pre-RBCA			<b>Latitude:</b>	40.574359	
<b>Release Cause:</b>				<b>Longitude:</b>	-105.11546	
<b>Reimbursement Total:</b>				<b>Latitude Longitude:</b>	40.574359, -105.11546	
<b>Contact:</b>	Joe'l Lambe					
<b>Release Source:</b>						
<b>Site Name:</b>	King Soopers #609					
<b>Address:</b>	1001 S Taft Hill Rd					
<b>Email:</b>	cdle_ops_public_record_center@state.co.us					
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KVOT					

#### OPS Petroleum Release Events in Colorado - Petroleum Release Events

<b>Event ID:</b>	10874			<b>Phone:</b>	303-318-4357	
<b>Release No:</b>	REL-007301			<b>City:</b>	Fort Collins	
<b>Status:</b>	Closed			<b>Zip:</b>	80521	
<b>Release Date:</b>	6/29/2009			<b>State:</b>	CO	
<b>Closure Date:</b>	8/20/2009			<b>County:</b>	Larimer	
<b>NFA Type:</b>	Tier I			<b>Latitude:</b>	40.574359	
<b>Release Cause:</b>	Other			<b>Longitude:</b>	-105.11546	
<b>Reimbursement Total:</b>				<b>Latitude Longitude:</b>	40.574359, -105.11546	
<b>Contact:</b>	Tina Sandoval					
<b>Release Source:</b>	Dispenser					
<b>Site Name:</b>	King Soopers #609					
<b>Address:</b>	1001 S Taft Hill Rd					
<b>Email:</b>	cdle_ops_public_record_center@state.co.us					
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KX9j					

[5](#) 4 of 6 SE 0.11 / 579.09 5,075.16 / -1 BP AMOCO OIL 1001 S TAFT HILL RD FORT COLLINS CO 805214222 HAZ GEN

<b>ID:</b>	COD983788407	<b>County:</b>	LARIMER
<b>Status:</b>	ACTIVE	<b>Method:</b>	CENTRUS
<b>Fac Type:</b>	SQG	<b>Accuracy:</b>	+ OR - 30 METERS
<b>Links:</b>	http://www.epa.gov/cgi-bin/get1cReport.cgi?tool=echo&IDNumber=COD983788407		

[5](#) 5 of 6 SE 0.11 / 579.09 5,075.16 / -1 DILLON COMPANIES - KING SOOPERS #009 1001 S TAFT HILL RD FORT COLLINS CO 80521 AIR PERMITS

<b>APCD Site ID:</b>	069-0168	<b>Sip Status Co:</b>	FALSE
<b>Site ID:</b>	0168	<b>Sip Status O3:</b>	FALSE
<b>State Fips:</b>	08	<b>Site Cont Company:</b>	
<b>County Fip:</b>	069	<b>Site First Name:</b>	TY
<b>County:</b>	LARIMER	<b>Site Full Name:</b>	TY SCOTT
<b>Address Type:</b>	STREET	<b>Site Last Name:</b>	SCOTT
<b>Air Program:</b>	B	<b>Site Title:</b>	
<b>Air Acid Precip:</b>		<b>Site Fax:</b>	
<b>Class Apen Exempt:</b>		<b>Site Geocode Date:</b>	07-Dec-2018 12:00:18
<b>Class CFC:</b>		<b>Site Horiz Dat:</b>	2
<b>Class Condensate :</b>		<b>Site Latitude:</b>	403427.7979
<b>Class Fesop:</b>		<b>Acc Units:</b>	METERS
<b>Class Mact:</b>		<b>Accuracy:</b>	20.0
<b>Class Neshap:</b>		<b>Date Coll:</b>	07-Dec-2018 12:00:18
<b>Class Non Fed Rpt:</b>		<b>Descriptn Category:</b>	PC
<b>NSPS Federal:</b>		<b>Method Code:</b>	I2
<b>Class NSPS State:</b>		<b>Pt Lin Are:</b>	P
<b>Class NSR:</b>		<b>Src Scale:</b>	2
<b>Class PSD:</b>		<b>Verification:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Sip Fed Jd:				Site Longit:	1050655.7124	
Class Sip Federal:	B			NAICS Prime:	447190	
Air Title:				NAICS Second:		
Class Tribal:				Site Operat Stat:	O	
City Fips Code:	27425			Owner Cust:	9920105044	
CMS Category:				Site Phone:	(303)778-3070	
CMS Frequency:	0			Sic Prime:	5541	
Cpts Bogus Ind:	FALSE			Sic Second:		
Fed Facility ID:	4286611			Utm Horiz:	490.226	
Govt Fac Classifi:	0			Utm Vert:	4491.518	
Hap Classifi:	Minor			Utm Zone:	13.0	
NAA NSR Classifi:	N/A			Vert Dat:	1	
No Employees:	10.0			Vert Meas:	1547.32	
Op Classification:	Minor			Vert Meas Acc:	3.0	
Property Area:	0.5			Vert Meth Coll:	OT	
Psd Classifi:	Minor			Addr County Name:	LARIMER	
Addr County Fips:	069					
Permit App:		DILLON COMPANIES - KING SOOPERS #009				
SIC Pri Desc:		AUTOMOTIVE DEALERS AND GASOLINE SERVICE STATIONS - Gasoline Service Station				
SIC Sec Desc:						
Site Description:		RETAIL GASOLINE STATION				
Site Email:		TY.SCOTT@KINGSOOPERS.COM				
Site LL Description:		Elevation source: 3DEP 1/3 arc-second				
Sip Prog1:				Sip Prog3 Area:		
Sip Prog1 Area:				Sip Prog4:		
Sip Prog2:				Sip Prog4 Area:		
Sip Prog2 Area:				Sip Prog5:		
Sip Prog3:						
<u>Site Owner</u>						
Owner Bill Cycle:	3			Mail Fax:	(615)232-9740	
Owner Description:	SERVICE STATIONS (GASOLINE)			Mail Full Name:	BUSINESS LICENSE DEPT	
Mail Addr 1:	PO BOX 305103			Mail First Name:	BUSINESS	
Mail Addr 2:				Mail Last Name:	LICENSE DEPT	
Mail Type:	STREET			Mail Phone:	(615)232-7759	
Mail City:	NASHVILLE			Mail Province:		
Mail City Cd:				Mail State:	47	
Mail Company:				Mail Title:		
Mail Country Cd:				Mail Zip:	37230-	
Owner Name:		DILLON COMPANIES, LLC				
Owner Mail Email:		business.license@kroger.com				
<u>Site Pollutant</u>						
Site ID:	0168			Pk Co:		
State Fips:	08			Pk Co Mc:	Z	
County Fip:	069			Pk Co Re:		
Data Year:	2009			Pk Co Re Mc:	Z	
Inventory Year:	2022			Pk Co Re Units:	PD	
Inventory Year 2:	22			Pk Co Unc:		
Pollutant Code:	VOC			Pk Co Units:	PD	
Is Colorado Hap:	FALSE			Pk O3:		
Is Criteria:	TRUE			Pk O3 Mc:	Z	
Is Epcra Only:	FALSE			Pk O3 Re:		
Is Hap:	FALSE			Pk O3 Re Mc:	Z	
Nei Pollutant ID:	VOC			Pk O3 Re Units:	PD	
Ozone Depleting:	FALSE			Pk O3 Unc:		
Estim:	6.849			Pk O3 Units:	PD	
Estim Mc:	Z			Emis Pot:		
Estim Unc:	6.849			Pot Mc:		
Estim Units:	TY			Pot Unc:		
Limit1:				Pot Unc Mc:		
Limit1 Mc:				Pot Unc Units:		
Limit1 Units:				Pot Units:		
Limit2:				Re Estim:	0.0	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Limit2 Mc:				Re Estim Mc:	Z	
Limit2 Units:				Re Estim Units:	TY	
Pollutant Name:		VOLATILE ORGANIC COMPOUNDS				
<u>Stack</u>						
Site ID:	0168			Plume Height:	30	
Stack ID:	002			Rough Terrain Ind:		
State Fips:	08			Diameter:	0.0	
County Fip:	069			Diameter Meter:	0.0	
Data Year:	2009			Geo Origin:	plant	
Inventory Year:	2022			Height:	0.0	
Inventory Year 2:	22			Height Meter:	0.0	
Apcd Stack ID:	069-0168-S002			Horiz Dat:	2	
Cem Recorder Flag:				Lining Code:		
Distance:				Acc Units:	4	
Exit Gas Flow Rate:	0.0			Accuracy:	20.0	
Exit Gas Temp:	70.0			Method Code:	I2	
Exit Gas Kelvin:	294.0			Pt Lin Area:	P	
Gas Velocity:	0.0			Src Scale:	2	
Gas Meters Sec:	0.0			Latitude:	403427.7979	
Bldg Height:	0			Longitude:	1050655.7124	
Bldg Length:	0			Type Code:	F	
Bldg Width:	0			Utm Horiz:	490.226	
Stack Height:	0			Utm Vert:	4491.518	
Nei Em RIs Pt Typ:	1			Vert Meas:	1547.32	
Nei Exit Gas Flow:	0.0			Utm Zone:	13.0	
Nei Horiz Mc:	019			X Coord:	-105.11547566666665	
Nei Ref Pt Code:	105			Y Coord:	40.57438830555556	
Emission Release Desc:	2 UST: 1 GAS & 1 DIESEL					
Description:	Elevation source: 3DEP 1/3 arc-second					
Description Category:	PC					
Stack Type:	FUGITIVE EMISSIONS, NO STACK EXISTS					
<u>Stack Pollutant</u>						
Site ID:	0168			Pk Co:		
Stack ID:	002			Pk Co Mc:	Z	
State Fips:	08			Pk Co Re:		
County Fip:	069			Pk Co Re Mc:	Z	
Data Year:	2009			Pk Co Re Units:	PD	
Inventory Year:	2022			Pk Co Unc:		
Inventory Year 2:	22			Pk Co Units:	PD	
Pollutant Code:	VOC			Pk O3:		
Is Colorado Hap:	FALSE			Pk O3 Mc:	Z	
Is Criteria:	TRUE			Pk O3 Re:		
Is Epcra Only:	FALSE			Pk O3 Re Mc:	Z	
Is Hap:	FALSE			Pk O3 Re Units:	PD	
Ozone Depleting:	FALSE			Pk O3 Unc:		
Estim:	6.849			Pk O3 Units:	PD	
Estim Mc:	Z			Pot:		
Estim Unc:	6.849			Pot Mc:		
Estim Units:	TY			Pot Unc:		
Limit1:				Pot Unc Mc:		
Limit1 Mc:				Pot Unc Units:		
Limit1 Units:				Pot Units:		
Limit2:				Re Estim:	0.0	
Limit2 Mc:				Re Estim Mc:	Z	
Limit2 Units:				Re Estim Units:	TY	
Pollutant Name:		VOLATILE ORGANIC COMPOUNDS				

**5**      6 of 6      **SE**      0.11 / 579.09      5,075.16 / -1      King Soopers #609  
 1001 S Taft Hill Rd  
 Fort Collins CO 80521      **LUST TRUST**

Facility ID: 6540      Event ID: 3987

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<div> <div>TtlAmtAppvdForReim : UST Tank Count: County:</div> <div>0 Larimer</div> <div>Release Date: 7/10/1990</div> <div>AST Tank count:</div> </div>						
<u>6</u>	1 of 1	E	0.12 / 614.25	5,067.02 / -10	BLACK BEAR CONSTRUCTION SERVICES, INC. 2021 W. PLUM BLDG 1 FORT COLLINS CO	ASBESTOS
<div> <div>Permit: 14LR5860A-02</div> <div>Permit Beg: 10/27/14</div> <div>Begin Date:</div> <div>End Date:</div> <div>Project: ASBESTOS ABATEMENT PROJECT</div> <div>Projec Len: 365</div> <div>Owner Name:</div> <div>Location: 2021 W. PLUM BLDG 1, FORT COLLINS</div> <div>Source Lat:</div> <div>Source Lon:</div> <div>Source County:</div> <div>Elevation: 5070</div> <div>Linear Feet:</div> <div>Sq Feet: 1500</div> <div>Drums:</div> </div>						
<u>7</u>	1 of 4	E	0.12 / 654.62	5,066.88 / -10	BLACK BEAR CONSTRUCTION SERVICES, INC. 2017 W. PLUM BLDG 6 FORT COLLINS CO	ASBESTOS
<div> <div>Permit: 14LR5860A-06</div> <div>Permit Beg: 10/27/14</div> <div>Begin Date:</div> <div>End Date:</div> <div>Project: ASBESTOS ABATEMENT PROJECT</div> <div>Projec Len: 365</div> <div>Owner Name:</div> <div>Location: 2017 W. PLUM BLDG 6, FORT COLLINS</div> <div>Source Lat:</div> <div>Source Lon:</div> <div>Source County:</div> <div>Elevation:</div> <div>Linear Feet:</div> <div>Sq Feet: 1500</div> <div>Drums:</div> </div>						
<u>7</u>	2 of 4	E	0.12 / 654.62	5,066.88 / -10	BLUSKY RESTORATION CONTRACTORS, LLC 2017 W. PLUM ST. FT. COLLINS CO	ASBESTOS
<div> <div>Permit: 17LR3402A-03</div> <div>Permit Beg: 06/03/2017</div> <div>Begin Date:</div> <div>End Date:</div> <div>Project: ASBESTOS ABATEMENT PROJECT</div> <div>Projec Len: 30</div> <div>Owner Name:</div> <div>Location: 2017 W. PLUM ST., FT. COLLINS</div> <div>Source Lat:</div> <div>Source Lon:</div> <div>Source County:</div> <div>Elevation:</div> <div>Linear Feet:</div> <div>Sq Feet: 50</div> <div>Drums:</div> </div>						
<u>7</u>	3 of 4	E	0.12 / 654.62	5,066.88 / -10	BLUSKY RESTORATION CONTRACTORS, LLC 2017 W. PLUM ST. FT. COLLINS CO	ASBESTOS
<div> <div>Permit: 17LR3402A-01</div> <div>Permit Beg: 06/03/2017</div> <div>Begin Date:</div> <div>End Date:</div> <div>Project: ASBESTOS ABATEMENT PROJECT</div> <div>Projec Len: 30</div> <div>Owner Name:</div> <div>Location: 2017 W. PLUM ST., FT. COLLINS</div> <div>Source Lat:</div> <div>Source Lon:</div> <div>Source County:</div> <div>Elevation:</div> <div>Linear Feet:</div> <div>Sq Feet: 52</div> <div>Drums:</div> </div>						
<u>7</u>	4 of 4	E	0.12 / 654.62	5,066.88 / -10	BLUSKY RESTORATION CONTRACTORS, LLC	ASBESTOS

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					2017 W. PLUM ST. FT. COLLINS CO	
Permit:	17LR3402A-02				Source Lat:	
Permit Beg:	06/03/2017				Source Lon:	
Begin Date:					Source County:	
End Date:					Elevation:	
Project:	ASBESTOS ABATEMENT PROJECT				Linear Feet:	
Projec Len:	30				Sq Feet:	124
Owner Name:					Drums:	
Location:	2017 W. PLUM ST., FT. COLLINS					

<a href="#">8</a>	1 of 4	SSE	0.16 / 863.94	5,076.41 / 0	CEDARWOOD CLEANERS 1015 S TAFT HILL RD #D FORT COLLINS CO 80521	RCRA NON GEN
-------------------	--------	-----	------------------	-----------------	---	-----------------

**EPA Handler ID:** COD047870563  
**Gen Status Universe:** No Report  
**Contact Name:** JACI LONCHOR  
**Contact Address:** 1015 , S TAFT HILL RD #D , , FORT COLLINS , CO, 80521 , US  
**Contact Phone No and Ext:** 970-484-6328  
**Contact Email:**  
**Contact Country:** US  
**County Name:** LARIMER  
**EPA Region:** 08  
**Land Type:**  
**Receive Date:** 20070110  
**Location Latitude:**  
**Location Longitude:**

#### Violation/Evaluation Summary

**Note:** NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Sep, 2022.

#### Evaluation Details

**Evaluation Start Date:** 20041020  
**Evaluation Type Description:** COMPLIANCE EVALUATION INSPECTION ON-SITE  
**Violation Short Description:**  
**Return to Compliance Date:**  
**Evaluation Agency:** State

#### Handler Summary

**Importer Activity:** No  
**Mixed Waste Generator:** No  
**Transporter Activity:** No  
**Transfer Facility:** No  
**Onsite Burner Exemption:** No  
**Furnace Exemption:** No  
**Underground Injection Activity:** No  
**Commercial TSD:** No  
**Used Oil Transporter:** No  
**Used Oil Transfer Facility:** No  
**Used Oil Processor:** No  
**Used Oil Refiner:** No  
**Used Oil Burner:** No  
**Used Oil Market Burner:** No  
**Used Oil Spec Marketer:** No

#### Hazardous Waste Handler Details

**Sequence No:** 1

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Receive Date:</b>		20070110				
<b>Handler Name:</b>		CEDARWOOD CLEANERS				
<b>Source Type:</b>		Implementer				
<b>Federal Waste Generator Code:</b>		N				
<b>Generator Code Description:</b>		Not a Generator, Verified				

#### Waste Code Details

**Hazardous Waste Code:** F002  
**Waste Code Description:** THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

**Hazardous Waste Code:** F001  
**Waste Code Description:** THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

#### Hazardous Waste Handler Details

**Sequence No:** 1  
**Receive Date:** 19931012  
**Handler Name:** CEDARWOOD CLEANERS  
**Source Type:** Notification  
**Federal Waste Generator Code:** 3  
**Generator Code Description:** Very Small Quantity Generator

#### Waste Code Details

**Hazardous Waste Code:** F002  
**Waste Code Description:** THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

**Hazardous Waste Code:** F001  
**Waste Code Description:** THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

#### Owner/Operator Details

<b>Owner/Operator Ind:</b>	Current Owner	<b>Street No:</b>	1015
<b>Type:</b>	Private	<b>Street 1:</b>	S TAFT HILL RD #D
<b>Name:</b>	JACI LONCHOR	<b>Street 2:</b>	
<b>Date Became Current:</b>	18000101	<b>City:</b>	FORT COLLINS
<b>Date Ended Current:</b>		<b>State:</b>	CO
<b>Phone:</b>	970-484-6328	<b>Country:</b>	US
<b>Source Type:</b>	Notification	<b>Zip Code:</b>	80525
<b>Owner/Operator Ind:</b>	Current Owner	<b>Street No:</b>	1015
<b>Type:</b>	Private	<b>Street 1:</b>	S TAFT HILL RD #D

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Name:	JACI LONCHOR	Street 2:	
Date Became Current:	18000303	City:	FORT COLLINS
Date Ended Current:		State:	CO
Phone:	970-484-6328	Country:	US
Source Type:	Implementer	Zip Code:	80525

Historical Handler Details

Receive Dt:	19931012
Generator Code Description:	Very Small Quantity Generator
Handler Name:	CEDARWOOD CLEANERS

8	2 of 4	SSE	0.16 / 863.94	5,076.41 / 0	CEDARWOOD ENTERPRISES LLC 1015 SOUTH TAFT HILL ROAD FORT COLLINS CO 80521	FED DRYCLEANERS
---	--------	-----	---------------	--------------	---	--------------------

FRS Facility ID:	110001395008
NPDES IDs:	
NAICS Codes:	812320
SIC Codes:	7216
Latitude:	40.573762
Longitude:	-105.115084

8	3 of 4	SSE	0.16 / 863.94	5,076.41 / 0	CEDARWOOD ENTERPRISES LLC 1015 S TAFT HILL RD STE D FORT COLLINS CO 80521-4240	DRYCLEANERS
---	--------	-----	---------------	--------------	--	-------------

Handler ID:		Oper TSDF:	
APCD Site ID:	069-0145	Site Cont Full Nm:	ANN MARIE LOUIN
Transfer Facility:		State District:	
Fed Waste Gen:		County:	LARIMER
State Waste Gen:		Latitude:	403431.05
Gen Status:		Longitude:	1050654.65
Gen Status Desc:			
Site Owner Mail Addr 1:	5518 1ST ST.		
Site Owner Mail City:	GREELEY		
Site Owner Mail Zip:	80634		
Source:	Air Pollution Control Division		

Dry Cleaner - Air Inventory Details

Process ID:	01
Constr Permit No:	92LR279.CN
Pollutant Name:	TETRACHLOROETHYLENE (PERC)
Emission Unit ID:	001
Emission Unit Desc:	SECO-MULTI-TEX SN:1875.CN
Emission Proc Desc:	SECO-MULTI-TEX MD:SHOPSTAR 240 SN:187513
Equip Serial No:	187513
Equipment Make:	SECO-MULTI-TEX DRY TO DRY
Equipment Model:	SHOPSTAR 240
Proc Emis Estim:	0
Proc Emis Est Units:	TY
Annual Throughput:	0
Annual Throughput Units:	GALLONS SOLVENT CONSUMED

8	4 of 4	SSE	0.16 / 863.94	5,076.41 / 0	SALLY BEAUTY SUPPLY #3607 1015 S TAFT HILL RD FORT COLLINS CO 80521	RCRA VSQG
---	--------	-----	---------------	--------------	---	-----------

EPA Handler ID:	COR000252981
Gen Status Universe:	VSG
Contact Name:	DEBBIE MIDDLETON
Contact Address:	3001 , COLORADO BLVD , , DENTON , TX, 76210 , US

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Contact Phone No and Ext:</b>		940-297-4964				
<b>Contact Email:</b>		DMIDDLETON@SALLYBEAUTY.COM				
<b>Contact Country:</b>		US				
<b>County Name:</b>		LARIMER				
<b>EPA Region:</b>		08				
<b>Land Type:</b>		Private				
<b>Receive Date:</b>		20201205				
<b>Location Latitude:</b>		40.5741				
<b>Location Longitude:</b>		-105.11693				

#### Violation/Evaluation Summary

**Note:** NO RECORDS: As of Sep 2022, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

#### Handler Summary

**Importer Activity:** No  
**Mixed Waste Generator:** No  
**Transporter Activity:** No  
**Transfer Facility:** No  
**Onsite Burner Exemption:** No  
**Furnace Exemption:** No  
**Underground Injection Activity:** No  
**Commercial TSD:** No  
**Used Oil Transporter:** No  
**Used Oil Transfer Facility:** No  
**Used Oil Processor:** No  
**Used Oil Refiner:** No  
**Used Oil Burner:** No  
**Used Oil Market Burner:** No  
**Used Oil Spec Marketer:** No

#### Hazardous Waste Handler Details

**Sequence No:** 1  
**Receive Date:** 20201205  
**Handler Name:** SALLY BEAUTY SUPPLY #3607  
**Federal Waste Generator Code:** 3  
**Generator Code Description:** Very Small Quantity Generator  
**Source Type:** Notification

#### Waste Code Details

**Hazardous Waste Code:** D002  
**Waste Code Description:** CORROSIVE WASTE  
  
**Hazardous Waste Code:** D007  
**Waste Code Description:** CHROMIUM  
  
**Hazardous Waste Code:** D009  
**Waste Code Description:** MERCURY  
  
**Hazardous Waste Code:** D018  
**Waste Code Description:** BENZENE  
  
**Hazardous Waste Code:** U002  
**Waste Code Description:** 2-PROPANONE (I) (OR) ACETONE (I)  
  
**Hazardous Waste Code:** U118  
**Waste Code Description:** 2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER (OR) ETHYL METHACRYLATE  
  
**Hazardous Waste Code:** U154  
**Waste Code Description:** METHANOL (I) (OR) METHYL ALCOHOL (I)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Hazardous Waste Code:</b>		D001				
<b>Waste Code Description:</b>		IGNITABLE WASTE				
<b>Hazardous Waste Code:</b>		D005				
<b>Waste Code Description:</b>		BARIUM				
<b>Hazardous Waste Code:</b>		D008				
<b>Waste Code Description:</b>		LEAD				
<b>Hazardous Waste Code:</b>		D011				
<b>Waste Code Description:</b>		SILVER				
<b>Hazardous Waste Code:</b>		D035				
<b>Waste Code Description:</b>		METHYL ETHYL KETONE				
<b>Hazardous Waste Code:</b>		U112				
<b>Waste Code Description:</b>		ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)				
<b>Hazardous Waste Code:</b>		U123				
<b>Waste Code Description:</b>		FORMIC ACID (C,T)				
<b><u>Owner/Operator Details</u></b>						
<b>Owner/Operator Ind:</b>		Current Operator			<b>Street No:</b>	3001
<b>Type:</b>		Private			<b>Street 1:</b>	COLORADO BLVD
<b>Name:</b>		SALLY BEAUTY SUPPLY LLC			<b>Street 2:</b>	
<b>Date Became Current:</b>		20061025			<b>City:</b>	DENTON
<b>Date Ended Current:</b>					<b>State:</b>	TX
<b>Phone:</b>					<b>Country:</b>	US
<b>Source Type:</b>		Notification			<b>Zip Code:</b>	76210
<b>Owner/Operator Ind:</b>		Current Owner			<b>Street No:</b>	1045
<b>Type:</b>		Private			<b>Street 1:</b>	S WOODS MILL RD STE ONE
<b>Name:</b>		DILLION REAL ESTATE CO INC			<b>Street 2:</b>	
<b>Date Became Current:</b>		20061025			<b>City:</b>	CHESTERFIELD
<b>Date Ended Current:</b>					<b>State:</b>	MO
<b>Phone:</b>		636-227-4017			<b>Country:</b>	US
<b>Source Type:</b>		Notification			<b>Zip Code:</b>	63017

<u>9</u>	1 of 2	NNE	0.32 / 1,694.06	5,078.05 / 2	Shamrock 643 525 S Taft Hill Rd Fort Collins 80521 CO	LST
<b>Facility ID:</b>		3079			<b>Facility Name(OPS):</b>	Shamrock 643
<b>Facility Name(COSTIS):</b>		Shamrock 643			<b>Address(OPS):</b>	525 S Taft Hill Rd
<b>Address (COSTIS):</b>		525 S Taft Hill Rd Fort Collins 80521			<b>City(OPS):</b>	Fort Collins
<b>County (COSTIS):</b>		Larimer			<b>Zip Code(OPS):</b>	80521
<b>Facility Type(CDLE):</b>		Retail			<b>County(OPS):</b>	Larimer
<b>Facility Catgry(CDLE):</b>		Retail Gas Station			<b>State(OPS):</b>	CO
<b>Facility Type(OPS):</b>		Retail			<b>Lat Long(OPS):</b>	40.580954, -105.115364
<b>Facility Catgry(OPS):</b>		Retail Gas Station				
<b>Original Source:</b>		Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks; OPS Petroleum Release Events in Colorado - Petroleum Release Events				
<b>Owner ID:</b>		1829				
<b>Owner Name:</b>						

**Tank Co Foia Facility**

<b># of Metred Prodct:</b>	0	<b>Facility Owner:</b>	Ultramar Diamond Shamrock
<b>No of Active Tanks:</b>	0	<b>Type :</b>	Retail
<b>Owner Costis ID:</b>	OWNR-1829		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

#### Tank Co Gov Tnk Fac

No of Tanks: 0

#### Events (CDLE)

Event ID:	4471	Proj. Closure Date:	
Alt Event ID:	5048-1	Category:	
Status:	Closed	Sardonyx ID:	
UST Tank Count:	2	MTBE Classifica:	
AST Tank Count:		Sum of Reimbur Amt:	0
Source of Release:	Unknown	Reviewer Full Name:	Ed Larock
Cause of Release:	Other	Logged On:	11/27/1987
Confirm Rel Dt:	11/27/1987	Logged By:	
Site Name:	Shamrock 643		
Loc Addr:			
Loc Addr2:			
Loc Addr3:			
Aka Name:			
Aka Loc Addr:			

#### Reimbursement Application (CDLE)

Rap ID:	RAP-185	Eligibil Type Desc:	
Protest ID:		Rap Payee Type ID:	
Rap Status:	Not Approved	Reimbursement Req:	1047360.63
RAP Status:	Not Approved	Total Reimburse:	0
Rap Type Desc:	Original	Max Amt Reduction:	
User Group Name:		PSTC Date:	12/11/1992
FPR Date:			
Protest Amount:			
Payee:			
Cap Status:	Approved		
Spec Cond:			
Note:	Colorado Department of Labor and Employment (CDLE)		

#### Events (COSTIS) (Current as of 18 October, 2021)

Event ID:	4471	Log Date:	11/27/1987
Process Status Name:	Closed		
Site Name:	Diamond Shamrock #643		
Facility Name:	Shamrock 643		
Address:	525 S Taft Hill Rd Fort Collins CO 80521		
Loc Address:	525 S Taft Hill Rd Fort Collins 80521		
Loc City:	Fort Collins		
Loc County:	Larimer		

#### Reimbursement Application (COSTIS) (Current as of 18 October, 2021)

RAP ID:	185	Event ID:	4471
Facility ID:	3079	PSTC Date:	12/11/1992
Payee Name:			

#### OPS Petroleum Release Events in Colorado - Petroleum Release Events

Event ID:	4471	Phone:	303-318-4357
Release No:	REL-002079	City:	Fort Collins
Status:	Closed	Zip:	80521
Release Date:	11/27/1987	State:	CO
Closure Date:	5/24/1996	County:	Larimer
NFA Type:	Pre-RBCA	Latitude:	40.580954
Release Cause:	Other	Longitude:	-105.115364

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Reimbursement Total:					Latitude Longitude:	40.580954, -105.115364
Contact:	Ed Larock					
Release Source:	Unknown					
Site Name:	Shamrock 643					
Address:	525 S Taft Hill Rd					
Email:	cdle_ops_public_record_center@state.co.us					
Link :	https://socgov18.force.com/s/release/a183h000003KVnV					
<u>9</u>	2 of 2	NNE	0.32 / 1,694.06	5,078.05 / 2	Shamrock 643 525 S Taft Hill Rd Fort Collins CO 80521	LUST TRUST
Facility ID:	3079				Event ID:	4471
TtlAmtAppvdForReim :	0				Release Date:	11/27/1987
UST Tank Count:				AST Tank count:		
County:	Larimer					
<u>10</u>	1 of 2	N	0.37 / 1,969.33	5,073.56 / -3	DB Pumps 501 S Taft Hill Rd Fort Collins 80521 CO	LST
Facility ID:	11172				Facility Name(OPS):	DB Pumps
Facilty Name(COSTIS):	DB Pumps				Address(OPS):	501 S Taft Hill Rd
Address (COSTIS):	501 S Taft Hill Rd				City(OPS):	Fort Collins
County (COSTIS):	Larimer				Zip Code(OPS):	80521
Facility Type(CDLE):	Retail				County(OPS):	Larimer
Facilty Catgry(CDLE):	Retail Gas Station				State(OPS):	CO
Facility Type(OPS):	Retail				Lat Long(OPS):	40.58171, -105.115376
Facilty Catgry(OPS):	Retail Gas Station					
Original Source:	Colorado Storage Tank Information System (COSTIS); Colorado Department of Labor and Employment (CDLE); Oil & Public Safety(OPS) Regulated Storage Tanks; OPS Petroleum Release Events in Colorado - Petroleum Release Events					
Owner ID:	23236					
Owner Name:						
<u>Tank Co Foia Facility</u>						
# of Metred Prodct:	18				Facility Owner:	Amraj II Inc
No of Active Tanks:	0				Type :	Retail
Owner Costis ID:	OWNR-23236					
<u>Tank Co Gov Tnk Fac</u>						
No of Tanks:	0					
<u>Events (CDLE)</u>						
Event ID:				Proj. Closure Date:		
Alt Event ID:				Category:		
Status:	Closed				Sardonyx ID:	
UST Tank Count:	6				MTBE Classifica:	
AST Tank Count:				Sum of Reimbur Amt:		
Source of Release:				Reviewer Full Name:		
Cause of Release:				Logged On:		
Confirm Rel Dt:	11/1/2019				Logged By:	
Site Name:	DB Pumps					
Loc Addr:						
Loc Addr2:						
Loc Addr3:						
Aka Name:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

Aka Loc Addr:

#### Events (CDLE)

Event ID:	7853	Proj. Closure Date:	
Alt Event ID:		Category:	
Status:	Closed	Sardonyx ID:	
UST Tank Count:	6	MTBE Classifica:	
AST Tank Count:		Sum of Reimbur Amt:	
Source of Release:		Reviewer Full Name:	Mahesh Albuquerque
Cause of Release:		Logged On:	11/1/1999
Confirm Rel Dt:		Logged By:	
Site Name:	DB Pumps		
Loc Addr:			
Loc Addr2:			
Loc Addr3:			
Aka Name:			
Aka Loc Addr:			

#### Events (CDLE)

Event ID:	5607	Proj. Closure Date:	
Alt Event ID:	824-1	Category:	
Status:	Closed	Sardonyx ID:	
UST Tank Count:	6	MTBE Classifica:	
AST Tank Count:		Sum of Reimbur Amt:	
Source of Release:		Reviewer Full Name:	Mahesh Albuquerque
Cause of Release:		Logged On:	11/26/1990
Confirm Rel Dt:	8/12/1987	Logged By:	
Site Name:	DB Pumps		
Loc Addr:			
Loc Addr2:			
Loc Addr3:			
Aka Name:			
Aka Loc Addr:			

#### Events (CDLE)

Event ID:	13590	Proj. Closure Date:	
Alt Event ID:		Category:	
Status:	Closed	Sardonyx ID:	
UST Tank Count:	6	MTBE Classifica:	Pathway Eliminated
AST Tank Count:		Sum of Reimbur Amt:	14926.95
Source of Release:		Reviewer Full Name:	Orren Doss
Cause of Release:	Other	Logged On:	11/7/2019
Confirm Rel Dt:	11/1/2019	Logged By:	
Site Name:	DB Pumps		
Loc Addr:			
Loc Addr2:			
Loc Addr3:			
Aka Name:			
Aka Loc Addr:			

#### Reimbursement Application (CDLE)

Rap ID:	RAP-34125	Eligibil Type Desc:	Tank Owner/Operator
Protest ID:		Rap Payee Type ID:	Corporation
Rap Status:	Paid	Reimbursement Req:	0
RAP Status:	Paid	Total Reimburse:	0
Rap Type Desc:	Original	Max Amt Reduction:	1800000
User Group Name:		PSTC Date:	1/17/2020
FPR Date:	1/17/2020		
Protest Amount:			
Payee:	Amraj II Inc		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

**Cap Status:**

**Spec Cond:**

**Note:** Colorado Department of Labor and Employment (CDLE)

**Rap ID:** RAP-34980

**Protest ID:**

**Rap Status:** Paid

**RAP Status:** Paid

**Rap Type Desc:** Supplemental

**User Group Name:**

**FPR Date:** 10/26/2020

**Protest Amount:**

**Payee:** Amraj II Inc

**Cap Status:**

**Spec Cond:**

**Note:** Colorado Department of Labor and Employment (CDLE)

**Rap ID:** RAP-35185

**Protest ID:**

**Rap Status:** Paid

**RAP Status:** Paid

**Rap Type Desc:** Supplemental

**User Group Name:**

**FPR Date:** 12/23/2020

**Protest Amount:**

**Payee:** Amraj II Inc

**Cap Status:**

**Spec Cond:**

**Note:** Colorado Department of Labor and Employment (CDLE)

**Eligibil Type Desc:** Tank Owner/Operator

**Rap Payee Type ID:** Corporation

**Reimbursement Req:** 25375.32

**Total Reimburse:** 25148.98

**Max Amt Reduction:** 1800000

**PSTC Date:**

**Events (COSTIS) (Current as of 18 October, 2021)**

**Event ID:** 13590

**Process Status Name:**

Closed

**Site Name:**

DB Pumps

**Facility Name:**

**Address:**

501 S Taft Hill Rd Fort Collins CO 80521

**Loc Address:**

501 S Taft Hill Rd Fort Collins 80521

**Loc City:**

Fort Collins

**Loc County:**

Larimer

**Log Date:**

11/7/2019 3:12:29 PM

**Reimbursement Application (COSTIS) (Current as of 18 October, 2021)**

**RAP ID:** 35185

**Facility ID:** 11172

**Payee Name:** Amraj II Inc

**Event ID:**

13590

**PSTC Date:**

**RAP ID:** 34125

**Facility ID:** 11172

**Payee Name:** Amraj II Inc

**Event ID:**

13590

**PSTC Date:**

1/17/2020

**RAP ID:** 34980

**Facility ID:** 11172

**Payee Name:** Amraj II Inc

**Event ID:**

13590

**PSTC Date:**

**Events (COSTIS) (Current as of 18 October, 2021)**

**Event ID:** 5607

**Process Status Name:**

Closed

**Site Name:**

Taft Hill Conoco

**Facility Name:**

**Address:**

501 S Taft Hill Rd Fort Collins CO 80521

**Loc Address:**

501 S Taft Hill Rd Fort Collins 80521

**Loc City:**

Fort Collins

**Loc County:**

Larimer

**Log Date:**

11/26/1990

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

**Events (COSTIS) (Current as of 18 October, 2021)**

<b>Event ID:</b>	7853		<b>Log Date:</b>	11/1/1999
<b>Process Status Name:</b>	Closed			
<b>Site Name:</b>	Taft Hill Conoco			
<b>Facility Name:</b>				
<b>Address:</b>	501 S Taft Hill Rd Fort Collins CO 80521			
<b>Loc Address:</b>	501 S Taft Hill Rd Fort Collins 80521			
<b>Loc City:</b>	Fort Collins			
<b>Loc County:</b>	Larimer			

**OPS Petroleum Release Events in Colorado - Petroleum Release Events**

<b>Event ID:</b>	5607	<b>Phone:</b>	303-318-4357
<b>Release No:</b>	REL-011392	<b>City:</b>	Fort Collins
<b>Status:</b>	Closed	<b>Zip:</b>	80521
<b>Release Date:</b>	8/12/1987	<b>State:</b>	CO
<b>Closure Date:</b>	1/4/2000	<b>County:</b>	Larimer
<b>NFA Type:</b>	Pre-RBCA	<b>Latitude:</b>	40.58171
<b>Release Cause:</b>		<b>Longitude:</b>	-105.115376
<b>Reimbursement Total:</b>		<b>Latitude Longitude:</b>	40.58171, -105.115376
<b>Contact:</b>	Mahesh Albuquerque		
<b>Release Source:</b>			
<b>Site Name:</b>	DB Pumps		
<b>Address:</b>	501 S Taft Hill Rd		
<b>Email:</b>	cdle_ops_public_record_center@state.co.us		
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KYDi		

**OPS Petroleum Release Events in Colorado - Petroleum Release Events**

<b>Event ID:</b>	7853	<b>Phone:</b>	303-318-4357
<b>Release No:</b>	REL-011393	<b>City:</b>	Fort Collins
<b>Status:</b>	Closed	<b>Zip:</b>	80521
<b>Release Date:</b>		<b>State:</b>	CO
<b>Closure Date:</b>		<b>County:</b>	Larimer
<b>NFA Type:</b>	Administrative	<b>Latitude:</b>	40.58171
<b>Release Cause:</b>		<b>Longitude:</b>	-105.115376
<b>Reimbursement Total:</b>		<b>Latitude Longitude:</b>	40.58171, -105.115376
<b>Contact:</b>	Mahesh Albuquerque		
<b>Release Source:</b>			
<b>Site Name:</b>	DB Pumps		
<b>Address:</b>	501 S Taft Hill Rd		
<b>Email:</b>	cdle_ops_public_record_center@state.co.us		
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KYDj		

**OPS Petroleum Release Events in Colorado - Petroleum Release Events**

<b>Event ID:</b>	13590	<b>Phone:</b>	303-318-4357
<b>Release No:</b>	REL-002479	<b>City:</b>	Fort Collins
<b>Status:</b>	Closed	<b>Zip:</b>	80521
<b>Release Date:</b>	11/1/2019	<b>State:</b>	CO
<b>Closure Date:</b>	6/11/2020	<b>County:</b>	Larimer
<b>NFA Type:</b>	Tier I	<b>Latitude:</b>	40.58171
<b>Release Cause:</b>	Other	<b>Longitude:</b>	-105.115376
<b>Reimbursement Total:</b>		<b>Latitude Longitude:</b>	40.58171, -105.115376
<b>Contact:</b>	Orren Doss		
<b>Release Source:</b>			
<b>Site Name:</b>	DB Pumps		
<b>Address:</b>	501 S Taft Hill Rd		
<b>Email:</b>	cdle_ops_public_record_center@state.co.us		
<b>Link :</b>	https://socgov18.force.com/s/release/a183h000003KVtx		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<a href="#">10</a>	2 of 2	N	0.37 / 1,969.33	5,073.56 / -3	DB Pumps 501 S Taft Hill Rd Fort Collins CO 80521	LUST TRUST
Facility ID: 11172		Event ID: 13590				
TtlAmtAppvdForReim: 27556.23		Release Date: 11/1/2019				
UST Tank Count:		AST Tank count:				
County: Larimer						
<a href="#">11</a>	1 of 1	S	0.61 / 3,212.44	5,068.18 / -8	UNKNOWN LARIMER COUNTY FORT COLLINS CO 80526	MRDS
Dep ID: 10016700		I1: 82				
Dev Status: OCCURRENCE		Latitude: 40.567078				
Code List: GYP		Longitude: -105.115112				
Url: http://mrdata.usgs.gov/mrds/show-mrds.php?dep_id=10016700						
<u>Commodity</u>						
I1: 47		Line: 1				
Code: GYP		Inserted By: MRDS migration				
Commodity: Gypsum-Anhydrite		Insert Date: 29-OCT-02				
Commodity Type: Non-metallic		Updated By: USGS				
Commodity Group: Gypsum-Anhydrite		Update Date: 29-OCT-02				
Importance: Primary						
<u>Names</u>						
I1: 34		Inserted By: MRDS migration				
Status: Current		Insert Date: 29-OCT-02				
Site Name: Unknown		Updated By: USGS				
Line: 1		Update Date: 29-OCT-02				
<a href="#">12</a>	1 of 2	WNW	0.93 / 4,915.11	5,133.73 / 57	COLORADO STATE UNIVERSITY (DISPOSAL) S OVERLAND TRL AT RAMPART RD FORT COLLINS CO 80521	RCRA CORRACTS
EPA Handler ID: COT090011529						
Gen Status Universe: Small Quantity Generator						
Contact Name: CHRIS GIGLIO						
Contact Address: 149C , GENERAL SERVICES BLDG - CAMPUS DELIVERY 6021 , ENVIRONMENTAL HEALTH SERVICES , FORT COLLINS , CO, 80523 , US						
Contact Phone No and Ext: 970-491-4830						
Contact Email: CHRIS.GIGLIO@COLOSTATE.EDU						
Contact Country: US						
County Name: LARIMER						
EPA Region: 08						
Land Type: State						
Receive Date: 20220215						
Location Latitude: 40.579996						
Location Longitude: -105.133202						
<u>Event/Area Details</u>						
Area Name: ENTIRE FACILITY						
Event Code: CA050						
Corrective Action Event Descr: RFA COMPLETED						
Actual Date of Event: 19930618						
Orig Sched Event Date: 19930618						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19930618				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		E				
<b>Area Name:</b>		ENTIRE FACILITY				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 9 - DRILL CUTTINGS STORAGE AREA	
<b>Event Code:</b>					CA100	
<b>Corrective Action Event Descri:</b>					INVESTIGATION IMPOSITION	
<b>Actual Date of Event:</b>					19950930	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19950930	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 7B- DEBRIS PILE	
<b>Event Code:</b>					CA400	
<b>Corrective Action Event Descri:</b>					REMEDY DECISION	
<b>Actual Date of Event:</b>					19960411	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19960411	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 5 - FOREST SERVICE DISPOSAL SITE	
<b>Event Code:</b>					CA650SR	
<b>Corrective Action Event Descri:</b>					STABILIZATION CONSTRUCTION COMPLETED - PRIMARY MEAS SOURCE REMOVAL AND-OR TRTMT	
<b>Actual Date of Event:</b>					20150116	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					20150116	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL	
<b>Event Code:</b>					CA110	
<b>Corrective Action Event Descri:</b>					INVESTIGATION WORKPLAN RECEIVED	
<b>Actual Date of Event:</b>					19970514	
<b>Orig Sched Event Date:</b>					19960915	
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19970514	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 3 - ERC/LYSIMETER	
<b>Event Code:</b>					CA200	
<b>Corrective Action Event Descri:</b>					INVESTIGATION COMPLETE	
<b>Actual Date of Event:</b>					20141124	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					20141124	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Area Name:		SWMU # 2 - CDC INCINERATOR				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA900CR				
Corrective Action Event Descri:		CA PERFORMANCE STANDARDS ATTAINED - CONTROLS REQUIRED				
Actual Date of Event:		20190430				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20190430				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
Event Code:		CA999NF				
Corrective Action Event Descri:		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
Actual Date of Event:		20171006				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20171006				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
Event Code:		CA225IN				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 3 - ERC/LYSIMETER				
Event Code:		CA550NR				
Corrective Action Event Descri:		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
Actual Date of Event:		20141124				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20141124				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Area Name:		SWMU # 2 - CDC INCINERATOR				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA077L				
Corrective Action Event Descri:		OVERALL CA RANK				
Actual Date of Event:		19930629				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19930629				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		ENTIRE FACILITY				
Event Code:		CA075LO				
Corrective Action Event Descri:		CA PRIORITIZATION-LOW CA PRIORITY				
Actual Date of Event:		19930629				
Orig Sched Event Date:		19930629				
New Sched Event Date:						
Best Date:		19930629				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
Event Code:		CA050RF				
Corrective Action Event Descri:		RFA COMPLETED-ASSESSMENT WAS A RFA				
Actual Date of Event:		19950930				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19950930				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
Event Code:		CA050RF				
Corrective Action Event Descri:		RFA COMPLETED-ASSESSMENT WAS A RFA				
Actual Date of Event:		19950930				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19950930				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA075ME				
Corrective Action Event Descri:		CA PRIORITIZATION-MEDIUM CA PRIORITY				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		ENTIRE FACILITY				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA150				
<b>Corrective Action Event Descri:</b>		INVESTIGATION WORKPLAN APPROVED				
<b>Actual Date of Event:</b>		20141124				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20141124				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA999NF				
<b>Corrective Action Event Descri:</b>		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA110				
<b>Corrective Action Event Descri:</b>		INVESTIGATION WORKPLAN RECEIVED				
<b>Actual Date of Event:</b>		19970514				
<b>Orig Sched Event Date:</b>		19960915				
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19970514				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA225IN				
<b>Corrective Action Event Descri:</b>		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA200				
<b>Corrective Action Event Descri:</b>		INVESTIGATION COMPLETE				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA999NF				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Corrective Action Event Descr:</b>		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
<b>Actual Date of Event:</b>		20190430				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20190430				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descr:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descr:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descr:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descr:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descr:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA110				
<b>Corrective Action Event Descri:</b>		INVESTIGATION WORKPLAN RECEIVED				
<b>Actual Date of Event:</b>		19970403				
<b>Orig Sched Event Date:</b>		19960915				
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19970403				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA225NR				
<b>Corrective Action Event Descri:</b>		STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA260				
<b>Corrective Action Event Descri:</b>		CMS WORKPLAN RECEIVED				
<b>Actual Date of Event:</b>		19970403				
<b>Orig Sched Event Date:</b>		19960915				
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19970403				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA550RC				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		19880804				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19880804				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		ENTIRE FACILITY				
<b>Event Code:</b>		CA800YE				
<b>Corrective Action Event Descri:</b>		READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE				
<b>Actual Date of Event:</b>		20210928				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20210928				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Event Code:</b>		CA900NC				
<b>Corrective Action Event Descr:</b>		CA PERFORMANCE STANDARDS ATTAINED - NO CONTROLS NECESSARY				
<b>Actual Date of Event:</b>		20190430				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20190430				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA110				
<b>Corrective Action Event Descr:</b>		INVESTIGATION WORKPLAN RECEIVED				
<b>Actual Date of Event:</b>		19970514				
<b>Orig Sched Event Date:</b>		19960915				
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19970514				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descr:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA225IN				
<b>Corrective Action Event Descr:</b>		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descr:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descr:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 8 - METAL STORAGE BLDG/BUTLER	
<b>Event Code:</b>					CA006SM	
<b>Corrective Action Event Descri:</b>					SOLID WASTE MGMT UNIT	
<b>Actual Date of Event:</b>					19950525	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19950525	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU #10 - HW DISPOSAL AREA/LANDFILL	
<b>Event Code:</b>					CA006SM	
<b>Corrective Action Event Descri:</b>					SOLID WASTE MGMT UNIT	
<b>Actual Date of Event:</b>					19950525	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19950525	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>					Yes	
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 1 - ADL INCINERATOR	
<b>Event Code:</b>					CA050RF	
<b>Corrective Action Event Descri:</b>					RFA COMPLETED-ASSESSMENT WAS A RFA	
<b>Actual Date of Event:</b>					19950930	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19950930	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL	
<b>Event Code:</b>					CA100	
<b>Corrective Action Event Descri:</b>					INVESTIGATION IMPOSITION	
<b>Actual Date of Event:</b>					19950930	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19950930	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 7A- U TAILINGS	
<b>Event Code:</b>					CA400	
<b>Corrective Action Event Descri:</b>					REMEDY DECISION	
<b>Actual Date of Event:</b>					19960411	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19960411	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Area Name:		SWMU # 7A- U TAILINGS				
Event Code:		CA550NR				
Corrective Action Event Descri:		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
Actual Date of Event:		19960411				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19960411				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
Event Code:		CA999NF				
Corrective Action Event Descri:		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
Actual Date of Event:		20070929				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20070929				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA225IN				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
Event Code:		CA400				
Corrective Action Event Descri:		REMEDY DECISION				
Actual Date of Event:		20070929				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20070929				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 7A- U TAILINGS				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 7B- DEBRIS PILE				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA200				
<b>Corrective Action Event Descri:</b>		INVESTIGATION COMPLETE				
<b>Actual Date of Event:</b>		20150114				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20150114				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA225IN				
<b>Corrective Action Event Descri:</b>		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 1 - ADL INCINERATOR				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 3 - ERC/LYSIMETER				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
Event Code:		CA750IN				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 2 - CDC INCINERATOR				
Event Code:		CA100				
Corrective Action Event Descri:		INVESTIGATION IMPOSITION				
Actual Date of Event:		19950930				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19950930				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descr:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA900CR				
<b>Corrective Action Event Descr:</b>		CA PERFORMANCE STANDARDS ATTAINED - CONTROLS REQUIRED				
<b>Actual Date of Event:</b>		20100825				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20100825				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA999				
<b>Corrective Action Event Descr:</b>		CA PROCESS IS TERMINATED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA999				
<b>Corrective Action Event Descr:</b>		CA PROCESS IS TERMINATED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA999				
<b>Corrective Action Event Descr:</b>		CA PROCESS IS TERMINATED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descr:</b>		REMEDY DECISION				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA999NF				
<b>Corrective Action Event Descri:</b>		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
<b>Actual Date of Event:</b>		20141124				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20141124				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					
Area Name:		SWMU # 2 - CDC INCINERATOR				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					
Area Name:		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
Event Code:		CA400				
Corrective Action Event Descri:		REMEDY DECISION				
Actual Date of Event:		19880804				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19880804				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:	Yes					
Event Responsible Agency:	S					
Area Name:		ENTIRE FACILITY				
Event Code:		CA550NR				
Corrective Action Event Descri:		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
Actual Date of Event:		20171006				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20171006				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					
Area Name:		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
Event Code:		CA725IN				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					
Area Name:		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
Event Code:		CA725IN				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA750YE				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		ENTIRE FACILITY				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20190430				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20190430				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA999NF				
<b>Corrective Action Event Descri:</b>		CA PROCESS IS TERMINATED-NO FURTHER ACTION				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA225IN				
<b>Corrective Action Event Descri:</b>		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20141124				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20141124				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA006SM				
<b>Corrective Action Event Descri:</b>		SOLID WASTE MGMT UNIT				
<b>Actual Date of Event:</b>		19950525				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950525				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 1 - ADL INCINERATOR				
<b>Event Code:</b>		CA100				
<b>Corrective Action Event Descri:</b>		INVESTIGATION IMPOSITION				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
<b>Event Code:</b>		CA200				
<b>Corrective Action Event Descri:</b>		INVESTIGATION COMPLETE				
<b>Actual Date of Event:</b>		20141124				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20141124				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA999				
<b>Corrective Action Event Descri:</b>		CA PROCESS IS TERMINATED				
<b>Actual Date of Event:</b>		19960411				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19960411				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 6 - RAVINE TRASH DISPOSAL SITE	
<b>Event Code:</b>					CA550NR	
<b>Corrective Action Event Descri:</b>					REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED	
<b>Actual Date of Event:</b>					20171006	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					20171006	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU #10 - HW DISPOSAL AREA/LANDFILL	
<b>Event Code:</b>					CA550RC	
<b>Corrective Action Event Descri:</b>					REMEDY CONSTRUCTION-REMEDY CONSTRUCTED	
<b>Actual Date of Event:</b>					20100825	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					20100825	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>					Yes	
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 1 - ADL INCINERATOR	
<b>Event Code:</b>					CA725YE	
<b>Corrective Action Event Descri:</b>					HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	
<b>Actual Date of Event:</b>					19980508	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19980508	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 7B- DEBRIS PILE	
<b>Event Code:</b>					CA725YE	
<b>Corrective Action Event Descri:</b>					HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	
<b>Actual Date of Event:</b>					19980508	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19980508	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>					SWMU # 1 - ADL INCINERATOR	
<b>Event Code:</b>					CA750YE	
<b>Corrective Action Event Descri:</b>					RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE	
<b>Actual Date of Event:</b>					19980508	
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>					19980508	
<b>Groundwater Release Indicator:</b>					Yes	
<b>Soil Release Indicator:</b>					Yes	
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Area Name:		SWMU # 3 - ERC/LYSIMETER				
Event Code:		CA225IN				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
Event Code:		CA225IN				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION-FURTHER INVESTIGATION NECESSARY				
Actual Date of Event:		19980709				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980709				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
Event Code:		CA750IN				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
Event Code:		CA400				
Corrective Action Event Descri:		REMEDY DECISION				
Actual Date of Event:		20171006				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20171006				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA725IN				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA750IN				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
Actual Date of Event:		19980508				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		20190430				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20190430				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7A- U TAILINGS				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU #10 - HW DISPOSAL AREA/LANDFILL				
<b>Event Code:</b>		CA750IN				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				
<b>Groundwater Release Indicator:</b>		Yes				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>		Yes				
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 7B- DEBRIS PILE				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA750YE				
<b>Corrective Action Event Descri:</b>		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		20090702				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20090702				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 3 - ERC/LYSIMETER				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 4 - RADIOACTIVE CARCASS DISPOSAL				
<b>Event Code:</b>		CA050RF				
<b>Corrective Action Event Descri:</b>		RFA COMPLETED-ASSESSMENT WAS A RFA				
<b>Actual Date of Event:</b>		19950930				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19950930				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Area Name:		ENTIRE FACILITY				
Event Code:		CA070YE				
Corrective Action Event Descri:		DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY				
Actual Date of Event:		19950930				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19950930				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 5 - FOREST SERVICE DISPOSAL SITE				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				
Actual Date of Event:		19970514				
Orig Sched Event Date:		19960915				
New Sched Event Date:						
Best Date:		19970514				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 7A- U TAILINGS				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		19980508				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19980508				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
Event Code:		CA999NF				
Corrective Action Event Descri:		CA PROCESS IS TERMINATED-NO FURTHER ACTION				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<hr/>						
<b>Actual Date of Event:</b>		20171006				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20171006				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 8 - METAL STORAGE BLDG/BUTLER				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA400				
<b>Corrective Action Event Descri:</b>		REMEDY DECISION				
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 6 - RAVINE TRASH DISPOSAL SITE				
<b>Event Code:</b>		CA725IN				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-MORE INFORMATION NEEDED				
<b>Actual Date of Event:</b>		19980508				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980508				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
<b>Event Code:</b>		CA550NR				
<b>Corrective Action Event Descri:</b>		REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED				
<b>Actual Date of Event:</b>		20070929				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		20070929				
<b>Groundwater Release Indicator:</b>		Yes				
<b>Soil Release Indicator:</b>		Yes				
<b>Air Release Indicator:</b>						
<b>Surface Waste Release Ind:</b>						
<b>Event Responsible Agency:</b>		S				
<b>Area Name:</b>		SWMU # 2 - CDC INCINERATOR				
<b>Event Code:</b>		CA725YE				
<b>Corrective Action Event Descri:</b>		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
<b>Actual Date of Event:</b>		19980709				
<b>Orig Sched Event Date:</b>						
<b>New Sched Event Date:</b>						
<b>Best Date:</b>		19980709				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
Event Code:		CA725YE				
Corrective Action Event Descri:		HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		ENTIRE FACILITY				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SWMU # 3 - ERC/LYSIMETER				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Event Responsible Agency:	S					
Area Name:		SWMU # 9 - DRILL CUTTINGS STORAGE AREA				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					
Area Name:		SWMU #11 - SEPTIC TANK @FOREST SERV BLDG				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20090702				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090702				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:	S					

#### Violation/Evaluation Summary

**Note:** VIOLATION or UNDETERMINED: There are VIOLATION or UNDETERMINED details or records associated with this facility (EPA ID) in the Compliance Monitoring and Enforcement table dated Sep, 2022.

#### Violation Details

Found Violation:	Yes
Citation:	
Violation Short Description:	TSD - General Facility Standards
Violation Type:	264.B
Violation Determined Date:	20210812
Scheduled Compliance Date:	
Return to Compliance:	Documented
Actual Return to Compl:	20210921
Violation Responsible Agency:	State

#### Enforcement Details

Enforcement Type:	175
Enforcement Type Description:	COMPLIANCE ADVISORY
Enforcement Action Date:	20210820
Enf Disposition Status:	
Disposition Status Date:	
Enforcement Lead Agency:	State
Proposed Penalty Amount:	
Final Amount:	
Paid Amount:	

#### Violation Details

Found Violation:	Yes
Citation:	
Violation Short Description:	TSD IS-Ground-Water Monitoring
Violation Type:	265.F
Violation Determined Date:	19840227

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Scheduled Compliance Date:		19850210				
Return to Compliance:		Observed				
Actual Return to Compl:		19860314				
Violation Responsible Agency:		EPA				
<u>Enforcement Details</u>						
Enforcement Type:		310				
Enforcement Type Description:		FINAL 3008(A) COMPLIANCE ORDER				
Enforcement Action Date:		19850110				
Enf Disposition Status:						
Disposition Status Date:						
Enforcement Lead Agency:		EPA				
Proposed Penalty Amount:						
Final Amount:						
Paid Amount:						
<u>Violation Details</u>						
Found Violation:		Yes				
Citation:		SR - 265.91(c)				
Violation Short Description:		Generators - General				
Violation Type:		262.A				
Violation Determined Date:		19940418				
Scheduled Compliance Date:		19940731				
Return to Compliance:		Observed				
Actual Return to Compl:		19960109				
Violation Responsible Agency:		State				
<u>Enforcement Details</u>						
Enforcement Type:		120				
Enforcement Type Description:		WRITTEN INFORMAL				
Enforcement Action Date:		19940419				
Enf Disposition Status:						
Disposition Status Date:						
Enforcement Lead Agency:		State				
Proposed Penalty Amount:						
Final Amount:						
Paid Amount:						
<u>Violation Details</u>						
Found Violation:		Yes				
Citation:						
Violation Short Description:		TSD - General				
Violation Type:		264.A				
Violation Determined Date:		19890324				
Scheduled Compliance Date:		19890610				
Return to Compliance:		Observed				
Actual Return to Compl:		19900405				
Violation Responsible Agency:		State				
<u>Enforcement Details</u>						
Enforcement Type:		120				
Enforcement Type Description:		WRITTEN INFORMAL				
Enforcement Action Date:		19890505				
Enf Disposition Status:						
Disposition Status Date:						
Enforcement Lead Agency:		State				
Proposed Penalty Amount:						
Final Amount:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

Paid Amount:

#### Violation Details

Found Violation: Yes  
 Citation:  
 Violation Short Description: Formal Enforcement Agreement or Order  
 Violation Type: FEA  
 Violation Determined Date: 19870728  
 Scheduled Compliance Date: 19880129  
 Return to Compliance: Observed  
 Actual Return to Compl: 19881108  
 Violation Responsible Agency: State

#### Enforcement Details

Enforcement Type: 125  
 Enforcement Type Description: NOTICE OF VIOLATION  
 Enforcement Action Date: 19880108  
 Enf Disposition Status:  
 Disposition Status Date:  
 Enforcement Lead Agency: State  
 Proposed Penalty Amount:  
 Final Amount:  
 Paid Amount:

#### Violation Details

Found Violation: Yes  
 Citation: SR - PERMIT REQUIREMENT  
 Violation Short Description: TSD - General  
 Violation Type: 264.A  
 Violation Determined Date: 19970305  
 Scheduled Compliance Date: 19970305  
 Return to Compliance: Documented  
 Actual Return to Compl: 19981022  
 Violation Responsible Agency: State

#### Enforcement Details

Enforcement Type: 127  
 Enforcement Type Description: V3 Conversion Compliance Advisory  
 Enforcement Action Date: 19970305  
 Enf Disposition Status:  
 Disposition Status Date:  
 Enforcement Lead Agency: State  
 Proposed Penalty Amount:  
 Final Amount:  
 Paid Amount:

#### Violation Details

Found Violation: Yes  
 Citation:  
 Violation Short Description: TSD IS-Ground-Water Monitoring  
 Violation Type: 265.F  
 Violation Determined Date: 19880115  
 Scheduled Compliance Date: 19880421  
 Return to Compliance: Observed  
 Actual Return to Compl: 19890619  
 Violation Responsible Agency: State

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

#### Enforcement Details

**Enforcement Type:** 120  
**Enforcement Type Description:** WRITTEN INFORMAL  
**Enforcement Action Date:** 19880321  
**Enf Disposition Status:**  
**Disposition Status Date:**  
**Enforcement Lead Agency:** State  
**Proposed Penalty Amount:**  
**Final Amount:**  
**Paid Amount:**

#### Violation Details

**Found Violation:** Yes  
**Citation:** SR - CO96031101 SECTION I.J.1-2-4-6  
**Violation Short Description:** TSD - Corrective Action for SWMUs  
**Violation Type:** 264.S  
**Violation Determined Date:** 19970624  
**Scheduled Compliance Date:**  
**Return to Compliance:** Documented  
**Actual Return to Compl:** 19981022  
**Violation Responsible Agency:** State

#### Enforcement Details

**Enforcement Type:** 310  
**Enforcement Type Description:** FINAL 3008(A) COMPLIANCE ORDER  
**Enforcement Action Date:** 19981022  
**Enf Disposition Status:**  
**Disposition Status Date:**  
**Enforcement Lead Agency:** State  
**Proposed Penalty Amount:**  
**Final Amount:** 197500  
**Paid Amount:**

#### Violation Details

**Found Violation:** Yes  
**Citation:**  
**Violation Short Description:** TSD - General  
**Violation Type:** 264.A  
**Violation Determined Date:** 19840702  
**Scheduled Compliance Date:** 19841224  
**Return to Compliance:** Observed  
**Actual Return to Compl:** 19850109  
**Violation Responsible Agency:** EPA

#### Enforcement Details

**Enforcement Type:** 120  
**Enforcement Type Description:** WRITTEN INFORMAL  
**Enforcement Action Date:** 19841107  
**Enf Disposition Status:**  
**Disposition Status Date:**  
**Enforcement Lead Agency:** EPA  
**Proposed Penalty Amount:**  
**Final Amount:**  
**Paid Amount:**

#### Violation Details

**Found Violation:** Yes

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

**Citation:**  
**Violation Short Description:** TSD - General  
**Violation Type:** 264.A  
**Violation Determined Date:** 19860625  
**Scheduled Compliance Date:** 19861015  
**Return to Compliance:** Observed  
**Actual Return to Compl:** 19861215  
**Violation Responsible Agency:** State

#### Enforcement Details

**Enforcement Type:** 120  
**Enforcement Type Description:** WRITTEN INFORMAL  
**Enforcement Action Date:** 19860808  
**Enf Disposition Status:**  
**Disposition Status Date:**  
**Enforcement Lead Agency:** State  
**Proposed Penalty Amount:**  
**Final Amount:**  
**Paid Amount:**

#### Violation Details

**Found Violation:** Yes  
**Citation:** SR - 100.10 268.7(a)  
**Violation Short Description:** TSD - General  
**Violation Type:** 264.A  
**Violation Determined Date:** 19970428  
**Scheduled Compliance Date:**  
**Return to Compliance:** Documented  
**Actual Return to Compl:** 19981022  
**Violation Responsible Agency:** State

#### Enforcement Details

**Enforcement Type:** 310  
**Enforcement Type Description:** FINAL 3008(A) COMPLIANCE ORDER  
**Enforcement Action Date:** 19981022  
**Enf Disposition Status:**  
**Disposition Status Date:**  
**Enforcement Lead Agency:** State  
**Proposed Penalty Amount:**  
**Final Amount:** 197500  
**Paid Amount:**

#### Violation Details

**Found Violation:** Yes  
**Citation:** SR - POST CLOSURE PLAN  
**Violation Short Description:** Generators - General  
**Violation Type:** 262.A  
**Violation Determined Date:** 19941015  
**Scheduled Compliance Date:** 19950101  
**Return to Compliance:** Observed  
**Actual Return to Compl:** 19960109  
**Violation Responsible Agency:** State

#### Enforcement Details

**Enforcement Type:** 120  
**Enforcement Type Description:** WRITTEN INFORMAL  
**Enforcement Action Date:** 19941128  
**Enf Disposition Status:**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Disposition Status Date:</b>						
<b>Enforcement Lead Agency:</b>		State				
<b>Proposed Penalty Amount:</b>						
<b>Final Amount:</b>						
<b>Paid Amount:</b>						
<b>Violation Details</b>						
<b>Found Violation:</b>		Yes				
<b>Citation:</b>						
<b>Violation Short Description:</b>		Permits - Conditions				
<b>Violation Type:</b>		270.C				
<b>Violation Determined Date:</b>		20210812				
<b>Scheduled Compliance Date:</b>						
<b>Return to Compliance:</b>		Documented				
<b>Actual Return to Compl:</b>		20210921				
<b>Violation Responsible Agency:</b>		State				
<b>Enforcement Details</b>						
<b>Enforcement Type:</b>		175				
<b>Enforcement Type Description:</b>		COMPLIANCE ADVISORY				
<b>Enforcement Action Date:</b>		20210820				
<b>Enf Disposition Status:</b>						
<b>Disposition Status Date:</b>						
<b>Enforcement Lead Agency:</b>		State				
<b>Proposed Penalty Amount:</b>						
<b>Final Amount:</b>						
<b>Paid Amount:</b>						
<b>Violation Details</b>						
<b>Found Violation:</b>		Yes				
<b>Citation:</b>						
<b>Violation Short Description:</b>		TSD - General Facility Standards				
<b>Violation Type:</b>		264.B				
<b>Violation Determined Date:</b>		20170829				
<b>Scheduled Compliance Date:</b>						
<b>Return to Compliance:</b>		Documented				
<b>Actual Return to Compl:</b>		20171003				
<b>Violation Responsible Agency:</b>		State				
<b>Enforcement Details</b>						
<b>Enforcement Type:</b>		175				
<b>Enforcement Type Description:</b>		COMPLIANCE ADVISORY				
<b>Enforcement Action Date:</b>		20170829				
<b>Enf Disposition Status:</b>						
<b>Disposition Status Date:</b>						
<b>Enforcement Lead Agency:</b>		State				
<b>Proposed Penalty Amount:</b>						
<b>Final Amount:</b>						
<b>Paid Amount:</b>						
<b>Violation Details</b>						
<b>Found Violation:</b>		Yes				
<b>Citation:</b>						
<b>Violation Short Description:</b>		SR - PERMIT REQUIREMENT				
<b>Violation Type:</b>		TSD - Corrective Action for SWMUs				
<b>Violation Type:</b>		264.S				
<b>Violation Determined Date:</b>		19970305				
<b>Scheduled Compliance Date:</b>		19970305				
<b>Return to Compliance:</b>		Documented				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

Actual Return to Compl:	19981022
Violation Responsible Agency:	State

#### Enforcement Details

Enforcement Type:	127
Enforcement Type Description:	V3 Conversion Compliance Advisory
Enforcement Action Date:	19970305
Enf Disposition Status:	
Disposition Status Date:	
Enforcement Lead Agency:	State
Proposed Penalty Amount:	
Final Amount:	
Paid Amount:	

#### Violation Details

Found Violation:	Yes
Citation:	
Violation Short Description:	TSD - General
Violation Type:	264.A
Violation Determined Date:	19970624
Scheduled Compliance Date:	
Return to Compliance:	Documented
Actual Return to Compl:	19981022
Violation Responsible Agency:	State

#### Enforcement Details

Enforcement Type:	310
Enforcement Type Description:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date:	19981022
Enf Disposition Status:	
Disposition Status Date:	
Enforcement Lead Agency:	State
Proposed Penalty Amount:	
Final Amount:	197500
Paid Amount:	

#### Violation Details

Found Violation:	Yes
Citation:	
Violation Short Description:	TSD IS-Ground-Water Monitoring
Violation Type:	265.F
Violation Determined Date:	19840227
Scheduled Compliance Date:	
Return to Compliance:	Observed
Actual Return to Compl:	19860314
Violation Responsible Agency:	EPA

#### Enforcement Details

Enforcement Type:	210
Enforcement Type Description:	INITIAL 3008(A) COMPLIANCE
Enforcement Action Date:	19840629
Enf Disposition Status:	
Disposition Status Date:	
Enforcement Lead Agency:	EPA
Proposed Penalty Amount:	17000
Final Amount:	17000
Paid Amount:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b><u>Evaluation Details</u></b>						
<b>Evaluation Start Date:</b>		20200921				
<b>Evaluation Type Description:</b>		OPERATION AND MAINTENANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19871201				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19870624				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19950927				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20160606				
<b>Evaluation Type Description:</b>		FACILITY SELF DISCLOSURE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19970929				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20150909				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20171203				
<b>Evaluation Type Description:</b>		FOCUSED COMPLIANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20010920				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19970305				
<b>Evaluation Type Description:</b>		CORRECTIVE ACTION COMPLIANCE EVALUATION				
<b>Violation Short Description:</b>		TSD - General				
<b>Return to Compliance Date:</b>		19981022				
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20120918				
<b>Evaluation Type Description:</b>		OPERATION AND MAINTENANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19890516 GROUNDWATER MONITORING EVALUATION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19970929 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20140929 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19890928 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20060719 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20010920 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19880622 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20090825 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19940817 COMPLIANCE EVALUATION INSPECTION ON-SITE Generators - General 19960109 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20170829 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19870728 NON-FINANCIAL RECORD REVIEW Formal Enforcement Agreement or Order 19881108 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b>		20050706 OPERATION AND MAINTENANCE INSPECTION				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20200513				
<b>Evaluation Type Description:</b>		FACILITY SELF DISCLOSURE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20090819				
<b>Evaluation Type Description:</b>		OPERATION AND MAINTENANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19840702				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>		TSD - General				
<b>Return to Compliance Date:</b>		19850109				
<b>Evaluation Agency:</b>		EPA				
<b>Evaluation Start Date:</b>		20190719				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20070814				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA				
<b>Evaluation Start Date:</b>		20220511				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19920902				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20130604				
<b>Evaluation Type Description:</b>		FACILITY SELF DISCLOSURE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20170829				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>		TSD - General Facility Standards				
<b>Return to Compliance Date:</b>		20171003				
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20040921				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA-Initiated Oversight/Observation/Training Actions				
<b>Evaluation Start Date:</b>		19880115				
<b>Evaluation Type Description:</b>		GROUNDWATER MONITORING EVALUATION				
<b>Violation Short Description:</b>		TSD IS-Ground-Water Monitoring				
<b>Return to Compliance Date:</b>		19890619				
<b>Evaluation Agency:</b>		State				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20180605 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20120918 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20180605 OPERATION AND MAINTENANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19910826 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20100825 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20070814 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20180504 FACILITY SELF DISCLOSURE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19970305 SIGNIFICANT NON-COMPLIER TSD - General 19981022 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20160901 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19970305 FOCUSED COMPLIANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19920902 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b>		19950930 FOCUSED COMPLIANCE INSPECTION				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Return to Compliance Date:</b>		State				
<b>Evaluation Agency:</b>						
<b>Evaluation Start Date:</b>		20210921				
<b>Evaluation Type Description:</b>		FOCUSED COMPLIANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19890324				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>		TSD - General				
<b>Return to Compliance Date:</b>		19900405				
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19990914				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19930618				
<b>Evaluation Type Description:</b>		CORRECTIVE ACTION COMPLIANCE EVALUATION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20040921				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20210812				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>		TSD - General Facility Standards				
<b>Return to Compliance Date:</b>		20210921				
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19891002				
<b>Evaluation Type Description:</b>		NON-FINANCIAL RECORD REVIEW				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20040921				
<b>Evaluation Type Description:</b>		NOT A SIGNIFICANT NON-COMPLIER				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19880622				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19890324				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA-Initiated Oversight/Observation/Training Actions				
<b>Evaluation Start Date:</b>		19850711				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA-Initiated Oversight/Observation/Training Actions				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20200921 NON-FINANCIAL RECORD REVIEW				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19861030 FOCUSED COMPLIANCE INSPECTION				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19970305 SIGNIFICANT NON-COMPLIER TSD - Corrective Action for SWMUs 19981022 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19980925 COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19980925 COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19960109 FOLLOW-UP INSPECTION				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20140516 FACILITY SELF DISCLOSURE				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20210812 COMPLIANCE EVALUATION INSPECTION ON-SITE Permits - Conditions 20210921 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20150609 FACILITY SELF DISCLOSURE				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19940318 FOCUSED COMPLIANCE INSPECTION				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19840227 GROUNDWATER MONITORING EVALUATION TSD IS-Ground-Water Monitoring 19860314 EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19850211 COMPLIANCE SCHEDULE EVALUATION				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<hr/>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA-Initiated Oversight/Observation/Training Actions				
<b>Evaluation Start Date:</b>		19860221				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA				
<b>Evaluation Start Date:</b>		20210928				
<b>Evaluation Type Description:</b>		NON-FINANCIAL RECORD REVIEW				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19930916				
<b>Evaluation Type Description:</b>		GROUNDWATER MONITORING EVALUATION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19940318				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>		Generators - General				
<b>Return to Compliance Date:</b>		19960109				
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20190624				
<b>Evaluation Type Description:</b>		FACILITY SELF DISCLOSURE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20050706				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA-Initiated Oversight/Observation/Training Actions				
<b>Evaluation Start Date:</b>		20171003				
<b>Evaluation Type Description:</b>		FOCUSED COMPLIANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		20210511				
<b>Evaluation Type Description:</b>		FACILITY SELF DISCLOSURE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				
<b>Evaluation Start Date:</b>		19890324				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA				
<b>Evaluation Start Date:</b>		20060719				
<b>Evaluation Type Description:</b>		COMPLIANCE EVALUATION INSPECTION ON-SITE				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		EPA				
<b>Evaluation Start Date:</b>		19970929				
<b>Evaluation Type Description:</b>		FOCUSED COMPLIANCE INSPECTION				
<b>Violation Short Description:</b>						
<b>Return to Compliance Date:</b>						
<b>Evaluation Agency:</b>		State				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20080917 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20170531 FACILITY SELF DISCLOSURE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19960515 COMPLIANCE EVALUATION INSPECTION ON-SITE TSD - General 19981022 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20030210 FOCUSED COMPLIANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20090825 OPERATION AND MAINTENANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19990914 OPERATION AND MAINTENANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19880115 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20150909 OPERATION AND MAINTENANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20130916 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20110927 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19910826 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b>		19970305 CORRECTIVE ACTION COMPLIANCE EVALUATION TSD - Corrective Action for SWMUs				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19981022 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19880301 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19950927 FOCUSED COMPLIANCE INSPECTION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20190430 NON-FINANCIAL RECORD REVIEW  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19860625 COMPLIANCE EVALUATION INSPECTION ON-SITE TSD - General 19861215 State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19870624 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19850711 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19960731 COMPLIANCE EVALUATION INSPECTION ON-SITE  EPA				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		20000925 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19900105 GROUNDWATER MONITORING EVALUATION  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19900530 COMPLIANCE EVALUATION INSPECTION ON-SITE  State				
<b>Evaluation Start Date:</b> <b>Evaluation Type Description:</b> <b>Violation Short Description:</b> <b>Return to Compliance Date:</b> <b>Evaluation Agency:</b>		19890517 FOCUSED COMPLIANCE INSPECTION  State				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Evaluation Start Date:		19930803				
Evaluation Type Description:		GROUNDWATER MONITORING EVALUATION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19900104				
Evaluation Type Description:		GROUNDWATER MONITORING EVALUATION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19960515				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION ON-SITE				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		20120709				
Evaluation Type Description:		FACILITY SELF DISCLOSURE				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19881110				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION ON-SITE				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		20000925				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION ON-SITE				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		EPA				
Evaluation Start Date:		20220511				
Evaluation Type Description:		OPERATION AND MAINTENANCE INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		20080917				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION ON-SITE				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
<u>Handler Summary</u>						
Importer Activity:		No				
Mixed Waste Generator:		No				
Transporter Activity:		No				
Transfer Facility:		No				
Onsite Burner:		No				
Smelting, Melting and Refining:		No				
Underground Injection Control:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

#### **Hazardous Waste Handler Details**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Sequence No:</b>		3				
<b>Receive Date:</b>		20040803				
<b>Handler Name:</b>		COLORADO STATE UNIVERSITY (DISPOSAL)				
<b>Federal Waste Generator Code:</b>		3				
<b>Generator Code Description:</b>		Very Small Quantity Generator				
<b>Source Type:</b>		Notification				
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>		P008				
<b>Waste Code Description:</b>		4-AMINOPYRIDINE (OR) 4-PYRIDINAMINE				
<b>Hazardous Waste Code:</b>		P011				
<b>Waste Code Description:</b>		ARSENIC OXIDE AS2O5 (OR) ARSENIC PENTOXIDE				
<b>Hazardous Waste Code:</b>		U169				
<b>Waste Code Description:</b>		BENZENE, NITRO- (OR) NITROBENZENE (I,I,T)				
<b>Hazardous Waste Code:</b>		P015				
<b>Waste Code Description:</b>		BERYLLIUM				
<b>Hazardous Waste Code:</b>		P018				
<b>Waste Code Description:</b>		BRUCINE (OR) STRYCHNIDIN-10-ONE, 2,3-DIMETHOXY-				
<b>Hazardous Waste Code:</b>		P022				
<b>Waste Code Description:</b>		CARBON DISULFIDE				
<b>Hazardous Waste Code:</b>		P030				
<b>Waste Code Description:</b>		CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED				
<b>Hazardous Waste Code:</b>		P048				
<b>Waste Code Description:</b>		2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-				
<b>Hazardous Waste Code:</b>		P054				
<b>Waste Code Description:</b>		AZIRIDINE (OR) ETHYLENEIMINE				
<b>Hazardous Waste Code:</b>		P058				
<b>Waste Code Description:</b>		ACETIC ACID, FLUORO-, SODIUM SALT (OR) FLUOROACETIC ACID, SODIUM SALT				
<b>Hazardous Waste Code:</b>		P071				
<b>Waste Code Description:</b>		METHYL PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER				
<b>Hazardous Waste Code:</b>		P074				
<b>Waste Code Description:</b>		NICKEL CYANIDE (OR) NICKEL CYANIDE NI(CN)2				
<b>Hazardous Waste Code:</b>		P076				
<b>Waste Code Description:</b>		NITRIC OXIDE (OR) NITROGEN OXIDE NO				
<b>Hazardous Waste Code:</b>		P078				
<b>Waste Code Description:</b>		NITROGEN DIOXIDE (OR) NITROGEN OXIDE NO2				
<b>Hazardous Waste Code:</b>		P089				
<b>Waste Code Description:</b>		PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O-DIETHYL-O-(4-NITROPHENYL) ESTER				
<b>Hazardous Waste Code:</b>		P096				
<b>Waste Code Description:</b>		HYDROGEN PHOSPHIDE (OR) PHOSPHINE				
<b>Hazardous Waste Code:</b>		P105				
<b>Waste Code Description:</b>		SODIUM AZIDE				
<b>Hazardous Waste Code:</b>		P108				
<b>Waste Code Description:</b>		STRYCHNIDIN-10-ONE, & SALTS (OR) STRYCHNINE, & SALTS				
<b>Hazardous Waste Code:</b>		P112				
<b>Waste Code Description:</b>		METHANE, TETRANITRO- (R) (OR) TETRANITROMETHANE (R)				
<b>Hazardous Waste Code:</b>		P115				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		SULFURIC ACID, DITHALLIUM (1+)- SALT (OR) THALLIUM(I) SULFATE				
<b>Hazardous Waste Code:</b>		P120				
<b>Waste Code Description:</b>		VANADIUM OXIDE V2O5 (OR) VANADIUM PENTOXIDE				
<b>Hazardous Waste Code:</b>		U001				
<b>Waste Code Description:</b>		ACETALDEHYDE (I) (OR) ETHANAL (I)				
<b>Hazardous Waste Code:</b>		U003				
<b>Waste Code Description:</b>		ACETONITRILE (I,T)				
<b>Hazardous Waste Code:</b>		U006				
<b>Waste Code Description:</b>		ACETYL CHLORIDE (C,R,T)				
<b>Hazardous Waste Code:</b>		U008				
<b>Waste Code Description:</b>		2-PROPENOIC ACID (I) (OR) ACRYLIC ACID (I)				
<b>Hazardous Waste Code:</b>		U012				
<b>Waste Code Description:</b>		ANILINE (I,T) (OR) BENZENAMINE (I,T)				
<b>Hazardous Waste Code:</b>		U019				
<b>Waste Code Description:</b>		BENZENE (I,T)				
<b>Hazardous Waste Code:</b>		U021				
<b>Waste Code Description:</b>		[1,1'-BIPHENYL]-4,4'-DIAMINE (OR) BENZIDINE				
<b>Hazardous Waste Code:</b>		U023				
<b>Waste Code Description:</b>		BENZENE, (TRICHLOROMETHYL)- (OR) BENZOTRICHLORIDE (C,R,T)				
<b>Hazardous Waste Code:</b>		U031				
<b>Waste Code Description:</b>		1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)				
<b>Hazardous Waste Code:</b>		U034				
<b>Waste Code Description:</b>		ACETALDEHYDE, TRICHLORO- (OR) CHLORAL				
<b>Hazardous Waste Code:</b>		U037				
<b>Waste Code Description:</b>		BENZENE, CHLORO- (OR) CHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U043				
<b>Waste Code Description:</b>		ETHENE, CHLORO- (OR) VINYL CHLORIDE				
<b>Hazardous Waste Code:</b>		U045				
<b>Waste Code Description:</b>		METHANE, CHLORO- (I,T) (OR) METHYL CHLORIDE (I,T)				
<b>Hazardous Waste Code:</b>		U048				
<b>Waste Code Description:</b>		O-CHLOROPHENOL (OR) PHENOL, 2-CHLORO-				
<b>Hazardous Waste Code:</b>		U050				
<b>Waste Code Description:</b>		CHRYSENE				
<b>Hazardous Waste Code:</b>		U053				
<b>Waste Code Description:</b>		2-BUTENAL (OR) CROTONALDEHYDE				
<b>Hazardous Waste Code:</b>		U135				
<b>Waste Code Description:</b>		HYDROGEN SULFIDE (OR) HYDROGEN SULFIDE H2S				
<b>Hazardous Waste Code:</b>		U144				
<b>Waste Code Description:</b>		ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE				
<b>Hazardous Waste Code:</b>		U146				
<b>Waste Code Description:</b>		LEAD SUBACETATE (OR) LEAD, BIS(ACETATO-O)TETRAHYDROXYTRI-				
<b>Hazardous Waste Code:</b>		U149				
<b>Waste Code Description:</b>		MALONONITRILE (OR) PROPANEDINITRILE				
<b>Hazardous Waste Code:</b>		U153				
<b>Waste Code Description:</b>		METHANETHIOL (I,T) (OR) THIOMETHANOL (I,T)				
<b>Hazardous Waste Code:</b>		U159				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)				
<b>Hazardous Waste Code:</b>		U161				
<b>Waste Code Description:</b>		4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR) PENTANOL, 4-METHYL-				
<b>Hazardous Waste Code:</b>		U056				
<b>Waste Code Description:</b>		BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)				
<b>Hazardous Waste Code:</b>		U061				
<b>Waste Code Description:</b>		BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT				
<b>Hazardous Waste Code:</b>		U068				
<b>Waste Code Description:</b>		METHANE, DIBROMO- (OR) METHYLENE BROMIDE				
<b>Hazardous Waste Code:</b>		U070				
<b>Waste Code Description:</b>		BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U072				
<b>Waste Code Description:</b>		BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U075				
<b>Waste Code Description:</b>		DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-				
<b>Hazardous Waste Code:</b>		U077				
<b>Waste Code Description:</b>		ETHANE, 1,2-DICHLORO- (OR) ETHYLENE DICHLORIDE				
<b>Hazardous Waste Code:</b>		U080				
<b>Waste Code Description:</b>		METHANE, DICHLORO- (OR) METHYLENE CHLORIDE				
<b>Hazardous Waste Code:</b>		U165				
<b>Waste Code Description:</b>		NAPHTHALENE				
<b>Hazardous Waste Code:</b>		U167				
<b>Waste Code Description:</b>		1-NAPHTHALENAMINE (OR) ALPHA-NAPHTHYLAMINE				
<b>Hazardous Waste Code:</b>		D001				
<b>Waste Code Description:</b>		IGNITABLE WASTE				
<b>Hazardous Waste Code:</b>		D002				
<b>Waste Code Description:</b>		CORROSIVE WASTE				
<b>Hazardous Waste Code:</b>		D003				
<b>Waste Code Description:</b>		REACTIVE WASTE				
<b>Hazardous Waste Code:</b>		F001				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F002				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F003				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Hazardous Waste Code:</b>		F004				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F005				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F007				
<b>Waste Code Description:</b>		SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.				
<b>Hazardous Waste Code:</b>		F010				
<b>Waste Code Description:</b>		QUENCHING BATH RESIDUES FROM OIL BATHS FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
<b>Hazardous Waste Code:</b>		F012				
<b>Waste Code Description:</b>		QUENCHING WASTEWATER TREATMENT SLUDGES FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
<b>Hazardous Waste Code:</b>		P003				
<b>Waste Code Description:</b>		2-PROPENAL (OR) ACROLEIN				
<b>Hazardous Waste Code:</b>		P004				
<b>Waste Code Description:</b>		1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO-, (1ALPHA, 4ALPHA, 4ABETA, 5ALPHA, 8ALPHA, 8ABETA)- (OR) ALDRIN				
<b>Hazardous Waste Code:</b>		P005				
<b>Waste Code Description:</b>		2-PROPEN-1-OL (OR) ALLYL ALCOHOL				
<b>Hazardous Waste Code:</b>		P010				
<b>Waste Code Description:</b>		ARSENIC ACID H3ASO4				
<b>Hazardous Waste Code:</b>		P012				
<b>Waste Code Description:</b>		ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE				
<b>Hazardous Waste Code:</b>		P016				
<b>Waste Code Description:</b>		DICHLOROMETHYL ETHER (OR) METHANE, OXYBIS[CHLORO-				
<b>Hazardous Waste Code:</b>		P020				
<b>Waste Code Description:</b>		DINOSEB (OR) PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-				
<b>Hazardous Waste Code:</b>		P023				
<b>Waste Code Description:</b>		ACETALDEHYDE, CHLORO- (OR) CHLOROACETALDEHYDE				
<b>Hazardous Waste Code:</b>		P024				
<b>Waste Code Description:</b>		BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE				
<b>Hazardous Waste Code:</b>		P037				
<b>Waste Code Description:</b>		2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2AALPHA, 3BETA, 6BETA, 6AALPHA, 7BETA, 7AALPHA)- (OR) DIELDRIN				
<b>Hazardous Waste Code:</b>		P051				
<b>Waste Code Description:</b>		2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)- & METABOLITES (OR) ENDRIN (OR) ENDRIN, & METABOLITES				
<b>Hazardous Waste Code:</b>		P056				
<b>Waste Code Description:</b>		FLUORINE				
<b>Hazardous Waste Code:</b>		P059				
<b>Waste Code Description:</b>		4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,8-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO- (OR) HEPTACHLOR				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P073			NICKEL CARBONYL (OR) NICKEL CARBONYL NI(CO)4, (T-4)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P075			NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P077			BENZENAMINE, 4-NITRO- (OR) P-NITROANILINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P087			OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P095			CARBONIC DICHLORIDE (OR) PHOSGENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P098			POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P101			ETHYL CYANIDE (OR) PROPANENITRILE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P106			SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P110			PLUMBANE, TETRAETHYL- (OR) TETRAETHYL LEAD	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P113			THALLIC OXIDE (OR) THALLIUM OXIDE TL2O3	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P119			AMMONIUM VANADATE (OR) VANADIC ACID, AMMONIUM SALT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P122			ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U002			2-PROPANONE (I) (OR) ACETONE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U004			ACETOPHENONE (OR) ETHANONE, 1-PHENYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U007			2-PROPENAMIDE (OR) ACRYLAMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U009			2-PROPENENITRILE (OR) ACRYLONITRILE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U017			BENZAL CHLORIDE (OR) BENZENE, (DICHLOROMETHYL)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U018			BENZ[A]ANTHRACENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U020			BENZENESULFONIC ACID CHLORIDE (C,R) (OR) BENZENESULFONYL CHLORIDE (C,R)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U022			BENZO[A]PYRENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U029			METHANE, BROMO- (OR) METHYL BROMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U032			CALCIUM CHROMATE (OR) CHROMIC ACID H2CRO4, CALCIUM SALT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U036			4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO- (OR) CHLORDANE,	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
		ALPHA & GAMMA ISOMERS				
Hazardous Waste Code:				U039		
Waste Code Description:				P-CHLORO-M-CRESOL (OR) PHENOL, 4-CHLORO-3-METHYL-		
Hazardous Waste Code:				U044		
Waste Code Description:				CHLOROFORM (OR) METHANE, TRICHLORO-		
Hazardous Waste Code:				U047		
Waste Code Description:				BETA-CHLORONAPHTHALENE (OR) NAPHTHALENE, 2-CHLORO-		
Hazardous Waste Code:				U049		
Waste Code Description:				4-CHLORO-O-TOLUIDINE, HYDROCHLORIDE (OR) BENZENAMINE, 4-CHLORO-2-METHYL-, HYDROCHLORIDE		
Hazardous Waste Code:				U051		
Waste Code Description:				CREOSOTE		
Hazardous Waste Code:				U052		
Waste Code Description:				CRESOL (CRESYLIC ACID) (OR) PHENOL, METHYL-		
Hazardous Waste Code:				U055		
Waste Code Description:				BENZENE, (1-METHYLETHYL)- (I) (OR) CUMENE (I)		
Hazardous Waste Code:				U057		
Waste Code Description:				CYCLOHEXANONE (I)		
Hazardous Waste Code:				U067		
Waste Code Description:				ETHANE, 1,2-DIBROMO- (OR) ETHYLENE DIBROMIDE		
Hazardous Waste Code:				U069		
Waste Code Description:				1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE		
Hazardous Waste Code:				U071		
Waste Code Description:				BENZENE, 1,3-DICHLORO- (OR) M-DICHLOROBENZENE		
Hazardous Waste Code:				U074		
Waste Code Description:				1,4-DICHLORO-2-BUTENE (I,T) (OR) 2-BUTENE, 1,4-DICHLORO- (I,T)		
Hazardous Waste Code:				U076		
Waste Code Description:				ETHANE, 1,1-DICHLORO- (OR) ETHYLIDENE DICHLORIDE		
Hazardous Waste Code:				U079		
Waste Code Description:				1,2-DICHLOROETHYLENE (OR) ETHENE, 1,2-DICHLORO-, (E)-		
Hazardous Waste Code:				U081		
Waste Code Description:				2,4-DICHLOROPHENOL (OR) PHENOL, 2,4-DICHLORO-		
Hazardous Waste Code:				U082		
Waste Code Description:				2,6-DICHLOROPHENOL (OR) PHENOL, 2,6-DICHLORO-		
Hazardous Waste Code:				U083		
Waste Code Description:				PROPANE, 1,2-DICHLORO- (OR) PROPYLENE DICHLORIDE		
Hazardous Waste Code:				U084		
Waste Code Description:				1,3-DICHLOROPROPENE (OR) 1-PROPENE, 1,3-DICHLORO-		
Hazardous Waste Code:				U086		
Waste Code Description:				HYDRAZINE, 1,2-DIETHYL- (OR) N,N'-DIETHYLHYDRAZINE		
Hazardous Waste Code:				U088		
Waste Code Description:				1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER (OR) DIETHYL PHTHALATE		
Hazardous Waste Code:				U089		
Waste Code Description:				DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-		
Hazardous Waste Code:				U092		
Waste Code Description:				DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U093			BENZENAMINE, N,N-DIMETHYL-4-(PHENYLAZO)- (OR) P-DIMETHYLAMINOAZOBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U097			CARBAMIC CHLORIDE, DIMETHYL- (OR) DIMETHYLCARBAMOYL CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U098			1,1-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,1-DIMETHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U099			1,2-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U101			2,4-DIMETHYLPHENOL (OR) PHENOL, 2,4-DIMETHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U102			1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER (OR) DIMETHYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U103			DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U105			2,4-DINITROTOLUENE (OR) BENZENE, 1-METHYL-2,4-DINITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U106			2,6-DINITROTOLUENE (OR) BENZENE, 2-METHYL-1,3-DINITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U107			1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER (OR) DI-N-OCTYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U108			1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U109			1,2-DIPHENYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U110			1-PROPANIMINE, N-PROPYL-(I) (OR) DIPROPYLAMINE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U112			ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U113			2-PROPENOIC ACID, ETHYL ESTER (I) (OR) ETHYL ACRYLATE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U115			ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U117			ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U118			2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER (OR) ETHYL METHACRYLATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U119			ETHYL METHANESULFONATE (OR) METHANESULFONIC ACID, ETHYL ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U120			FLUORANTHENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U121			METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFUOROMETHANE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U122			FORMALDEHYDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U123			FORMIC ACID (C,T)	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U124 FURAN (I) (OR) FURFURAN (I)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U125 2-FURANCARBOXALDEHYDE (I) (OR) FURFURAL (I)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U126 GLYCIDYLALDEHYDE (OR) OXIRANECARBOXYALDEHYDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U127 BENZENE, HEXACHLORO- (OR) HEXACHLOROBENZENE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U133 HYDRAZINE (R,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U134 HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U138 METHANE, IODO- (OR) METHYL IODIDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U140 1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U145 LEAD PHOSPHATE (OR) PHOSPHORIC ACID, LEAD(2+) SALT (2:3)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U147 2,5-FURANDIONE (OR) MALEIC ANHYDRIDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U152 2-PROPENENITRILE, 2-METHYL- (I,T) (OR) METHACRYLONITRILE (I,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U154 METHANOL (I) (OR) METHYL ALCOHOL (I)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U160 2-BUTANONE, PEROXIDE (R,T) (OR) METHYL ETHYL KETONE PEROXIDE (R,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U162 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U166 1,4-NAPHTHALENEDIONE (OR) 1,4-NAPHTHOQUINONE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U168 2-NAPHTHALENAMINE (OR) BETA-NAPHTHYLAMINE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U170 P-NITROPHENOL (I,T) (OR) PHENOL, 4-NITRO-				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U171 2-NITROPROPANE (I,T) (OR) PROPANE, 2-NITRO- (I,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U182 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U187 ACETAMIDE, N-(4-ETHOXYPHENYL)- (OR) PHENACETIN				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U188 PHENOL				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U189 PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U190 1,3-ISOBENZOFURANDIONE (OR) PHTHALIC ANHYDRIDE				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U191			2-PICOLINE (OR) PYRIDINE, 2-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U194			1-PROPANAMINE (I,T) (OR) N-PROPYLAMINE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U196			PYRIDINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U197			2,5-CYCLOHEXADIENE-1,4-DIONE (OR) P-BENZOQUINONE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U200			RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL) OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U201			1,3-BENZENEDIOL (OR) RESORCINOL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U204			SELENIOUS ACID (OR) SELENIUM DIOXIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U205			SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U208			1,1,1,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,1,2-TETRACHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U209			1,1,2,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,2,2-TETRACHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U210			ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U211			CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U213			FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U214			ACETIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) ACETATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U215			CARBONIC ACID, DITHALLIUM(1+) SALT (OR) THALLIUM(I) CARBONATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U216			THALLIUM CHLORIDE TLCL (OR) THALLIUM(I) CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U217			NITRIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) NITRATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U218			ETHANETHIOAMIDE (OR) THIOACETAMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U219			THIOUREA	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U220			BENZENE, METHYL- (OR) TOLUENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U225			BROMOFORM (OR) METHANE, TRIBROMO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U226			ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U227			1,1,2-TRICHLOROETHANE (OR) ETHANE, 1,1,2-TRICHLORO-	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Hazardous Waste Code:		U228				
Waste Code Description:		ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE				
Hazardous Waste Code:		U234				
Waste Code Description:		1,3,5-TRINITROBENZENE (R,T) (OR) BENZENE, 1,3,5-TRINITRO-				
Hazardous Waste Code:		U238				
Waste Code Description:		CARBAMIC ACID, ETHYL ESTER (OR) ETHYL CARBAMATE (URETHANE)				
Hazardous Waste Code:		U239				
Waste Code Description:		BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)				
<b><u>Hazardous Waste Handler Details</u></b>						
Sequence No:		9				
Receive Date:		20190730				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Federal Waste Generator Code:		2				
Generator Code Description:		Small Quantity Generator				
Source Type:		Notification				
<b><u>Waste Code Details</u></b>						
Hazardous Waste Code:		D022				
Waste Code Description:		CHLOROFORM				
Hazardous Waste Code:		F003				
Waste Code Description:		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
Hazardous Waste Code:		P015				
Waste Code Description:		BERYLLIUM				
Hazardous Waste Code:		P057				
Waste Code Description:		ACETAMIDE, 2-FLUORO- (OR) FLUOROACETAMIDE				
Hazardous Waste Code:		P194				
Waste Code Description:		ETHANIMIDOTHIOC ACID, 2-(DIMETHYLAMINO)-N-[[ (METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL				
Hazardous Waste Code:		U003				
Waste Code Description:		ACETONITRILE (I,T)				
Hazardous Waste Code:		U007				
Waste Code Description:		2-PROPENAMIDE (OR) ACRYLAMIDE				
Hazardous Waste Code:		U075				
Waste Code Description:		DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-				
Hazardous Waste Code:		U103				
Waste Code Description:		DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER				
Hazardous Waste Code:		U115				
Waste Code Description:		ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)				
Hazardous Waste Code:		U134				
Waste Code Description:		HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
Hazardous Waste Code:		U151				
Waste Code Description:		MERCURY				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code: Waste Code Description:</b>		D001			IGNITABLE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D002			CORROSIVE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D003			REACTIVE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D004			ARSENIC	
<b>Hazardous Waste Code: Waste Code Description:</b>		D005			BARIUM	
<b>Hazardous Waste Code: Waste Code Description:</b>		D006			CADMIUM	
<b>Hazardous Waste Code: Waste Code Description:</b>		D007			CHROMIUM	
<b>Hazardous Waste Code: Waste Code Description:</b>		D009			MERCURY	
<b>Hazardous Waste Code: Waste Code Description:</b>		D011			SILVER	
<b>Hazardous Waste Code: Waste Code Description:</b>		D018			BENZENE	
<b>Hazardous Waste Code: Waste Code Description:</b>		F002			THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code: Waste Code Description:</b>		F005			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code: Waste Code Description:</b>		P003			2-PROPENAL (OR) ACROLEIN	
<b>Hazardous Waste Code: Waste Code Description:</b>		P030			CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
<b>Hazardous Waste Code: Waste Code Description:</b>		P067			1,2-PROPYLENIMINE (OR) AZIRIDINE, 2-METHYL-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U001			ACETALDEHYDE (I) (OR) ETHANAL (I)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U005			2-ACETYLAMINOFLUORENE (OR) ACETAMIDE, N-9H-FLUOREN-2-YL	
<b>Hazardous Waste Code: Waste Code Description:</b>		U019			BENZENE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U092			DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Hazardous Waste Code:</b>		U108				
<b>Waste Code Description:</b>		1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE				
<b>Hazardous Waste Code:</b>		U132				
<b>Waste Code Description:</b>		HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-				
<b>Hazardous Waste Code:</b>		U138				
<b>Waste Code Description:</b>		METHANE, IODO- (OR) METHYL IODIDE				
<b>Hazardous Waste Code:</b>		U177				
<b>Waste Code Description:</b>		N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-				
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>		3				
<b>Receive Date:</b>		20220215				
<b>Handler Name:</b>		COLORADO STATE UNIVERSITY (DISPOSAL)				
<b>Federal Waste Generator Code:</b>		2				
<b>Generator Code Description:</b>		Small Quantity Generator				
<b>Source Type:</b>		Annual/Biennial Report update with Notification				
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>		D001				
<b>Waste Code Description:</b>		IGNITABLE WASTE				
<b>Hazardous Waste Code:</b>		D003				
<b>Waste Code Description:</b>		REACTIVE WASTE				
<b>Hazardous Waste Code:</b>		D005				
<b>Waste Code Description:</b>		BARIUM				
<b>Hazardous Waste Code:</b>		D009				
<b>Waste Code Description:</b>		MERCURY				
<b>Hazardous Waste Code:</b>		D018				
<b>Waste Code Description:</b>		BENZENE				
<b>Hazardous Waste Code:</b>		F002				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F005				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		P015				
<b>Waste Code Description:</b>		BERYLLIUM				
<b>Hazardous Waste Code:</b>		P057				
<b>Waste Code Description:</b>		ACETAMIDE, 2-FLUORO- (OR) FLUOROACETAMIDE				
<b>Hazardous Waste Code:</b>		P194				
<b>Waste Code Description:</b>		ETHANIMIDOTHIOIC ACID, 2-(DIMETHYLAMINO)-N-[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL				
<b>Hazardous Waste Code:</b>		U003				
<b>Waste Code Description:</b>		ACETONITRILE (I,T)				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U007			2-PROPENAMIDE (OR) ACRYLAMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U075			DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U108			1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U132			HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U138			METHANE, IODO- (OR) METHYL IODIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U177			N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D002			CORROSIVE WASTE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D004			ARSENIC	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D006			CADMIUM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D007			CHROMIUM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D011			SILVER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D022			CHLOROFORM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		F003			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P003			2-PROPENAL (OR) ACROLEIN	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P030			CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P067			1,2-PROPYLENIMINE (OR) AZIRIDINE, 2-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U001			ACETALDEHYDE (I) (OR) ETHANAL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U005			2-ACETYLAMINOFLUORENE (OR) ACETAMIDE, N-9H-FLUOREN-2-YL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U019			BENZENE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U092			DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)	
<b>Hazardous Waste Code:</b>		U103				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:		DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER				
Hazardous Waste Code:		U115				
Waste Code Description:		ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)				
Hazardous Waste Code:		U134				
Waste Code Description:		HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
Hazardous Waste Code:		U151				
Waste Code Description:		MERCURY				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		3				
Receive Date:		20000210				
Handler Name:		COLORADO STATE UKNIVERSITY (DISPOSAL)				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		7				
Receive Date:		20120228				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Federal Waste Generator Code:		2				
Generator Code Description:		Small Quantity Generator				
Source Type:		Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		K901				
Waste Code Description:		Military Munitions: Waste Chemical weapons using or containing any chemical compound identified in Appendix VIII of Part 261 as the basis for this listing. Residues resulting from treatment of HW Codes P909, P910, and P9111				
Hazardous Waste Code:		K902				
Waste Code Description:		Military Munitions: Any soil, water, debris, or containers contaminated through contact with waste chemical weapons listed as K901 or hazardous waste listed as P909, P910, or P911				
Hazardous Waste Code:		LQUW				
Waste Code Description:		Unknown				
Hazardous Waste Code:		P909				
Waste Code Description:		Mustard, Mustard Agent, Mustard Gas, H, HD				
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D003				
Waste Code Description:		REACTIVE WASTE				
Hazardous Waste Code:		F001				
Waste Code Description:		THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
Hazardous Waste Code:		F002				
Waste Code Description:		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	F004			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	F005			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b><u>Hazardous Waste Handler Details</u></b>						
	<b>Sequence No:</b>	10				
	<b>Receive Date:</b>	20210819				
	<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)				
	<b>Federal Waste Generator Code:</b>	2				
	<b>Generator Code Description:</b>	Small Quantity Generator				
	<b>Source Type:</b>	Notification				
<b><u>Waste Code Details</u></b>						
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	D001			IGNITABLE WASTE	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	D004			ARSENIC	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	D006			CADMIUM	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	D009			MERCURY	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	D018			BENZENE	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	F002			THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	F005			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
	<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>	P015			BERYLLIUM	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code: Waste Code Description:</b>		P057			ACETAMIDE, 2-FLUORO- (OR) FLUOROACETAMIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		P194			ETHANIMIDOTHIOC ACID, 2-(DIMETHYLAMINO)-N-[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL	
<b>Hazardous Waste Code: Waste Code Description:</b>		U003			ACETONITRILE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U019			BENZENE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U092			DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U115			ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U134			HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U151			MERCURY	
<b>Hazardous Waste Code: Waste Code Description:</b>		U108			1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U132			HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U138			METHANE, IODO- (OR) METHYL IODIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U177			N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-	
<b>Hazardous Waste Code: Waste Code Description:</b>		D002			CORROSIVE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D003			REACTIVE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D005			BARIUM	
<b>Hazardous Waste Code: Waste Code Description:</b>		D007			CHROMIUM	
<b>Hazardous Waste Code: Waste Code Description:</b>		D011			SILVER	
<b>Hazardous Waste Code: Waste Code Description:</b>		D022			CHLOROFORM	
<b>Hazardous Waste Code: Waste Code Description:</b>		F003			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code: Waste Code Description:</b>		P003			2-PROPENAL (OR) ACROLEIN	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P030			CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P067			1,2-PROPYLENIMINE (OR) AZIRIDINE, 2-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U001			ACETALDEHYDE (I) (OR) ETHANAL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U005			2-ACETYLAMINOFLUORENE (OR) ACETAMIDE, N-9H-FLUOREN-2-YL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U007			2-PROPENAMIDE (OR) ACRYLAMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U075			DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U103			DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER	
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>		2				
<b>Receive Date:</b>		20200420				
<b>Handler Name:</b>		COLORADO STATE UNIVERSITY (DISPOSAL)				
<b>Federal Waste Generator Code:</b>		2				
<b>Generator Code Description:</b>		Small Quantity Generator				
<b>Source Type:</b>		Annual/Biennial Report update with Notification				
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D001			IGNITABLE WASTE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D003			REACTIVE WASTE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D005			BARIUM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D007			CHROMIUM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D011			SILVER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D022			CHLOROFORM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		F003			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P003			2-PROPENAL (OR) ACRROLEIN	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P030			CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
<b>Hazardous Waste Code:</b>		P067				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		1,2-PROPYLENIMINE (OR) AZIRIDINE, 2-METHYL-				
<b>Hazardous Waste Code:</b>		U003				
<b>Waste Code Description:</b>		ACETONITRILE (I,T)				
<b>Hazardous Waste Code:</b>		U007				
<b>Waste Code Description:</b>		2-PROPENAMIDE (OR) ACRYLAMIDE				
<b>Hazardous Waste Code:</b>		U075				
<b>Waste Code Description:</b>		DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-				
<b>Hazardous Waste Code:</b>		U103				
<b>Waste Code Description:</b>		DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER				
<b>Hazardous Waste Code:</b>		U115				
<b>Waste Code Description:</b>		ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)				
<b>Hazardous Waste Code:</b>		U134				
<b>Waste Code Description:</b>		HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
<b>Hazardous Waste Code:</b>		U151				
<b>Waste Code Description:</b>		MERCURY				
<b>Hazardous Waste Code:</b>		D002				
<b>Waste Code Description:</b>		CORROSIVE WASTE				
<b>Hazardous Waste Code:</b>		D004				
<b>Waste Code Description:</b>		ARSENIC				
<b>Hazardous Waste Code:</b>		D006				
<b>Waste Code Description:</b>		CADMIUM				
<b>Hazardous Waste Code:</b>		D009				
<b>Waste Code Description:</b>		MERCURY				
<b>Hazardous Waste Code:</b>		D018				
<b>Waste Code Description:</b>		BENZENE				
<b>Hazardous Waste Code:</b>		F002				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F005				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		P015				
<b>Waste Code Description:</b>		BERYLLIUM				
<b>Hazardous Waste Code:</b>		P057				
<b>Waste Code Description:</b>		ACETAMIDE, 2-FLUORO- (OR) FLUOROACETAMIDE				
<b>Hazardous Waste Code:</b>		P194				
<b>Waste Code Description:</b>		ETHANIMIDOTHIOC ACID, 2-(DIMETHYLAMINO)-N-[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL				
<b>Hazardous Waste Code:</b>		U001				
<b>Waste Code Description:</b>		ACETALDEHYDE (I) (OR) ETHANAL (I)				
<b>Hazardous Waste Code:</b>		U005				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:		2-ACETYLAMINOFLUORENE (OR) ACETAMIDE, N-9H-FLUOREN-2-YL				
Hazardous Waste Code:		U019				
Waste Code Description:		BENZENE (I,T)				
Hazardous Waste Code:		U092				
Waste Code Description:		DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)				
Hazardous Waste Code:		U108				
Waste Code Description:		1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE				
Hazardous Waste Code:		U132				
Waste Code Description:		HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-				
Hazardous Waste Code:		U138				
Waste Code Description:		METHANE, IODO- (OR) METHYL IODIDE				
Hazardous Waste Code:		U177				
Waste Code Description:		N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		8				
Receive Date:		20150610				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Federal Waste Generator Code:		2				
Generator Code Description:		Small Quantity Generator				
Source Type:		Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		K901				
Waste Code Description:		Military Munitions: Waste Chemical weapons useing or containing any chemical compound identified in Appendix VIII of Part 261 as the basis for this listing. Residues resulting from treatment of HW Codes P909, P910, and P9111				
Hazardous Waste Code:		K902				
Waste Code Description:		Military Munitions: Any soil, water, debris, or containers contaminated through contact with waste chemical weapons listed as K901 or hazardous waste listed as P909, P910, or P911				
Hazardous Waste Code:		LQUW				
Waste Code Description:		Unknown				
Hazardous Waste Code:		P909				
Waste Code Description:		Mustard, Mustard Agent, Mustard Gas, H, HD				
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D003				
Waste Code Description:		REACTIVE WASTE				
Hazardous Waste Code:		F001				
Waste Code Description:		THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
Hazardous Waste Code:		F002				
Waste Code Description:		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>				F004		
<b>Waste Code Description:</b>				THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.		
<b>Hazardous Waste Code:</b>				F005		
<b>Waste Code Description:</b>				THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.		
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>				1		
<b>Receive Date:</b>				19940909		
<b>Handler Name:</b>				COLORADO STATE UNIVERSITY (DISPOSAL)		
<b>Federal Waste Generator Code:</b>				N		
<b>Generator Code Description:</b>				Not a Generator, Verified		
<b>Source Type:</b>				Implementer		
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>				1		
<b>Receive Date:</b>				19991025		
<b>Handler Name:</b>				COLORADO STATE UNIVERSITY (DISPOSAL)		
<b>Federal Waste Generator Code:</b>				N		
<b>Generator Code Description:</b>				Not a Generator, Verified		
<b>Source Type:</b>				Notification		
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>				5		
<b>Receive Date:</b>				20100505		
<b>Handler Name:</b>				COLORADO STATE UNIVERSITY (DISPOSAL)		
<b>Federal Waste Generator Code:</b>				3		
<b>Generator Code Description:</b>				Very Small Quantity Generator		
<b>Source Type:</b>				Notification		
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>				D001		
<b>Waste Code Description:</b>				IGNITABLE WASTE		
<b>Hazardous Waste Code:</b>				D002		
<b>Waste Code Description:</b>				CORROSIVE WASTE		
<b>Hazardous Waste Code:</b>				D003		
<b>Waste Code Description:</b>				REACTIVE WASTE		
<b>Hazardous Waste Code:</b>				F001		
<b>Waste Code Description:</b>				THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F002	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F004	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F005	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>					1	
<b>Receive Date:</b>					19810716	
<b>Handler Name:</b>					COLORADO STATE UNIVERSITY (DISPOSAL)	
<b>Federal Waste Generator Code:</b>					N	
<b>Generator Code Description:</b>					Not a Generator, Verified	
<b>Source Type:</b>					Part A	
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>					D002	
<b>Waste Code Description:</b>					CORROSIVE WASTE	
<b>Hazardous Waste Code:</b>					F001	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F003	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F005	
<b>Waste Code Description:</b>					THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F010	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		QUENCHING BATH RESIDUES FROM OIL BATHS FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
<b>Hazardous Waste Code:</b>		F017				
<b>Waste Code Description:</b>		DESCRIPTION				
<b>Hazardous Waste Code:</b>		P004				
<b>Waste Code Description:</b>		1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO-, (1ALPHA, 4ALPHA, 4ABETA, 5ALPHA, 8ALPHA, 8ABETA)- (OR) ALDRIN				
<b>Hazardous Waste Code:</b>		P008				
<b>Waste Code Description:</b>		4-AMINOPYRIDINE (OR) 4-PYRIDINAMINE				
<b>Hazardous Waste Code:</b>		P012				
<b>Waste Code Description:</b>		ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE				
<b>Hazardous Waste Code:</b>		P016				
<b>Waste Code Description:</b>		DICHLOROMETHYL ETHER (OR) METHANE, OXYBIS[CHLORO-				
<b>Hazardous Waste Code:</b>		P020				
<b>Waste Code Description:</b>		DINOSEB (OR) PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-				
<b>Hazardous Waste Code:</b>		P023				
<b>Waste Code Description:</b>		ACETALDEHYDE, CHLORO- (OR) CHLOROACETALDEHYDE				
<b>Hazardous Waste Code:</b>		P030				
<b>Waste Code Description:</b>		CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED				
<b>Hazardous Waste Code:</b>		P048				
<b>Waste Code Description:</b>		2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-				
<b>Hazardous Waste Code:</b>		P054				
<b>Waste Code Description:</b>		AZIRIDINE (OR) ETHYLENEIMINE				
<b>Hazardous Waste Code:</b>		P058				
<b>Waste Code Description:</b>		ACETIC ACID, FLUORO-, SODIUM SALT (OR) FLUOROACETIC ACID, SODIUM SALT				
<b>Hazardous Waste Code:</b>		P071				
<b>Waste Code Description:</b>		METHYL PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER				
<b>Hazardous Waste Code:</b>		P074				
<b>Waste Code Description:</b>		NICKEL CYANIDE (OR) NICKEL CYANIDE NI(CN)2				
<b>Hazardous Waste Code:</b>		P077				
<b>Waste Code Description:</b>		BENZENAMINE, 4-NITRO- (OR) P-NITROANILINE				
<b>Hazardous Waste Code:</b>		P087				
<b>Waste Code Description:</b>		OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE				
<b>Hazardous Waste Code:</b>		P095				
<b>Waste Code Description:</b>		CARBONIC DICHLORIDE (OR) PHOSGENE				
<b>Hazardous Waste Code:</b>		P098				
<b>Waste Code Description:</b>		POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)				
<b>Hazardous Waste Code:</b>		P105				
<b>Waste Code Description:</b>		SODIUM AZIDE				
<b>Hazardous Waste Code:</b>		P108				
<b>Waste Code Description:</b>		STRYCHNIDIN-10-ONE, & SALTS (OR) STRYCHNINE, & SALTS				
<b>Hazardous Waste Code:</b>		P112				
<b>Waste Code Description:</b>		METHANE, TETRANITRO- (R) (OR) TETRANITROMETHANE (R)				
<b>Hazardous Waste Code:</b>		P115				
<b>Waste Code Description:</b>		SULFURIC ACID, DITHALLIUM (1+) SALT (OR) THALLIUM(I) SULFATE				
<b>Hazardous Waste Code:</b>		P120				
<b>Waste Code Description:</b>		VANADIUM OXIDE V2O5 (OR) VANADIUM PENTOXIDE				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code: Waste Code Description:</b>		U001			ACETALDEHYDE (I) (OR) ETHANAL (I)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U004			ACETOPHENONE (OR) ETHANONE, 1-PHENYL-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U007			2-PROPENAMIDE (OR) ACRYLAMIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U009			2-PROPENENITRILE (OR) ACRYLONITRILE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U017			BENZAL CHLORIDE (OR) BENZENE, (DICHLOROMETHYL)-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U019			BENZENE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U021			[1,1'-BIPHENYL]-4,4'-DIAMINE (OR) BENZIDINE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U023			BENZENE, (TRICHLOROMETHYL)- (OR) BENZOTRICHLORIDE (C,R,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U031			1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U034			ACETALDEHYDE, TRICHLORO- (OR) CHLORAL	
<b>Hazardous Waste Code: Waste Code Description:</b>		D001			IGNITABLE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		D003			REACTIVE WASTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		F002			THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code: Waste Code Description:</b>		F004			THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code: Waste Code Description:</b>		F007			SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.	
<b>Hazardous Waste Code: Waste Code Description:</b>		F012			QUENCHING WASTEWATER TREATMENT SLUDGES FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.	
<b>Hazardous Waste Code: Waste Code Description:</b>		P003			2-PROPENAL (OR) ACROLEIN	
<b>Hazardous Waste Code: Waste Code Description:</b>		P005			2-PROPEN-1-OL (OR) ALLYL ALCOHOL	
<b>Hazardous Waste Code: Waste Code Description:</b>		P010			ARSENIC ACID H3ASO4	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P011			ARSENIC OXIDE AS2O5 (OR) ARSENIC PENTOXIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P015			BERYLLIUM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P018			BRUCINE (OR) STRYCHNIDIN-10-ONE, 2,3-DIMETHOXY-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P022			CARBON DISULFIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P024			BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P037			2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2AALPHA, 3BETA, 6BETA, 6AALPHA, 7BETA, 7AALPHA)- (OR) DIELDRIN	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P051			2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)- & METABOLITES (OR) ENDRIN (OR) ENDRIN, & METABOLITES	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P056			FLUORINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P059			4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,8-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO- (OR) HEPTACHLOR	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P073			NICKEL CARBONYL (OR) NICKEL CARBONYL NI(CO)4, (T-4)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P075			NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P076			NITRIC OXIDE (OR) NITROGEN OXIDE NO	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P078			NITROGEN DIOXIDE (OR) NITROGEN OXIDE NO2	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P089			PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O-DIETHYL-O-(4-NITROPHENYL) ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P096			HYDROGEN PHOSPHIDE (OR) PHOSPHINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P101			ETHYL CYANIDE (OR) PROPANENITRILE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P106			SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P110			PLUMBANE, TETRAETHYL- (OR) TETRAETHYL LEAD	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P113			THALLIC OXIDE (OR) THALLIUM OXIDE TL2O3	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P119			AMMONIUM VANADATE (OR) VANADIC ACID, AMMONIUM SALT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P122			ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U002			2-PROPANONE (I) (OR) ACETONE (I)	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code: Waste Code Description:</b>		U003			ACETONITRILE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U006			ACETYL CHLORIDE (C,R,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U008			2-PROPENOIC ACID (I) (OR) ACRYLIC ACID (I)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U012			ANILINE (I,T) (OR) BENZENAMINE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U018			BENZ[A]ANTHRACENE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U020			BENZENESULFONIC ACID CHLORIDE (C,R) (OR) BENZENESULFONYL CHLORIDE (C,R)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U022			BENZO[A]PYRENE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U029			METHANE, BROMO- (OR) METHYL BROMIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U032			CALCIUM CHROMATE (OR) CHROMIC ACID H2CRO4, CALCIUM SALT	
<b>Hazardous Waste Code: Waste Code Description:</b>		U036			4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO- (OR) CHLORDANE, ALPHA & GAMMA ISOMERS	
<b>Hazardous Waste Code: Waste Code Description:</b>		U037			BENZENE, CHLORO- (OR) CHLOROBENZENE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U039			P-CHLORO-M-CRESOL (OR) PHENOL, 4-CHLORO-3-METHYL-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U043			ETHENE, CHLORO- (OR) VINYL CHLORIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U044			CHLOROFORM (OR) METHANE, TRICHLORO-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U045			METHANE, CHLORO- (I,T) (OR) METHYL CHLORIDE (I,T)	
<b>Hazardous Waste Code: Waste Code Description:</b>		U047			BETA-CHLORONAPHTHALENE (OR) NAPHTHALENE, 2-CHLORO-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U048			O-CHLOROPHENOL (OR) PHENOL, 2-CHLORO-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U049			4-CHLORO-O-TOLUIDINE, HYDROCHLORIDE (OR) BENZENAMINE, 4-CHLORO-2-METHYL-, HYDROCHLORIDE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U050			CHRYSENE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U051			CREOSOTE	
<b>Hazardous Waste Code: Waste Code Description:</b>		U052			CRESOL (CRESYLIC ACID) (OR) PHENOL, METHYL-	
<b>Hazardous Waste Code: Waste Code Description:</b>		U053			2-BUTENAL (OR) CROTONALDEHYDE	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U055			BENZENE, (1-METHYLETHYL)- (I) (OR) CUMENE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U056			BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U057			CYCLOHEXANONE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U061			BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U067			ETHANE, 1,2-DIBROMO- (OR) ETHYLENE DIBROMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U068			METHANE, DIBROMO- (OR) METHYLENE BROMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U069			1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U070			BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U071			BENZENE, 1,3-DICHLORO- (OR) M-DICHLOROBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U072			BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U074			1,4-DICHLORO-2-BUTENE (I,T) (OR) 2-BUTENE, 1,4-DICHLORO- (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U075			DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U076			ETHANE, 1,1-DICHLORO- (OR) ETHYLIDENE DICHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U077			ETHANE, 1,2-DICHLORO- (OR) ETHYLENE DICHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U079			1,2-DICHLOROETHYLENE (OR) ETHENE, 1,2-DICHLORO-, (E)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U080			METHANE, DICHLORO- (OR) METHYLENE CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U081			2,4-DICHLOROPHENOL (OR) PHENOL, 2,4-DICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U082			2,6-DICHLOROPHENOL (OR) PHENOL, 2,6-DICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U083			PROPANE, 1,2-DICHLORO- (OR) PROPYLENE DICHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U084			1,3-DICHLOROPROPENE (OR) 1-PROPENE, 1,3-DICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U086			HYDRAZINE, 1,2-DIETHYL- (OR) N,N'-DIETHYLHYDRAZINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U088			1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER (OR) DIETHYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U089			DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U092			DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U093			BENZENAMINE, N,N-DIMETHYL-4-(PHENYLAZO)- (OR) P-DIMETHYLAMINOAZOBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U097			CARBAMIC CHLORIDE, DIMETHYL- (OR) DIMETHYLCARBAMOYL CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U098			1,1-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,1-DIMETHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U099			1,2-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U101			2,4-DIMETHYLPHENOL (OR) PHENOL, 2,4-DIMETHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U102			1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER (OR) DIMETHYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U103			DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U105			2,4-DINITROTOLUENE (OR) BENZENE, 1-METHYL-2,4-DINITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U106			2,6-DINITROTOLUENE (OR) BENZENE, 2-METHYL-1,3-DINITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U107			1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER (OR) DI-N-OCTYL PHTHALATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U108			1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U109			1,2-DIPHENYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U110			1-PROPANIMINE, N-PROPYL-(I) (OR) DIPROPYLAMINE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U112			ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U113			2-PROPENOIC ACID, ETHYL ESTER (I) (OR) ETHYL ACRYLATE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U115			ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U117			ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U118			2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER (OR) ETHYL METHACRYLATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U119			ETHYL METHANESULFONATE (OR) METHANESULFONIC ACID, ETHYL ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U120			FLUORANTHENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U121			METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFUOROMETHANE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U122			FORMALDEHYDE	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U123			FORMIC ACID (C,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U124			FURAN (I) (OR) FURFURAN (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U125			2-FURANCARBOXALDEHYDE (I) (OR) FURFURAL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U126			GLYCIDYLALDEHYDE (OR) OXIRANECARBOXYALDEHYDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U127			BENZENE, HEXACHLORO- (OR) HEXACHLOROBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U133			HYDRAZINE (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U134			HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U135			HYDROGEN SULFIDE (OR) HYDROGEN SULFIDE H2S	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U138			METHANE, IODO- (OR) METHYL IODIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U140			1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U144			ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U145			LEAD PHOSPHATE (OR) PHOSPHORIC ACID, LEAD(2+) SALT (2:3)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U146			LEAD SUBACETATE (OR) LEAD, BIS(ACETATO-O)TETRAHYDROXYTRI-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U147			2,5-FURANDIONE (OR) MALEIC ANHYDRIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U149			MALONONITRILE (OR) PROPANEDINITRILE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U152			2-PROPENENITRILE, 2-METHYL- (I,T) (OR) METHACRYLONITRILE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U153			METHANETHIOL (I,T) (OR) THIOMETHANOL (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U154			METHANOL (I) (OR) METHYL ALCOHOL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U159			2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U160			2-BUTANONE, PEROXIDE (R,T) (OR) METHYL ETHYL KETONE PEROXIDE (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U161			4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR) PENTANOL, 4-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U162			2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U165			NAPHTHALENE	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U166			1,4-NAPHTHALENEDIONE (OR) 1,4-NAPHTHOQUINONE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U167			1-NAPHTHALENAMINE (OR) ALPHA-NAPHTHYLAMINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U168			2-NAPHTHALENAMINE (OR) BETA-NAPHTHYLAMINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U169			BENZENE, NITRO- (OR) NITROBENZENE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U170			P-NITROPHENOL (I,T) (OR) PHENOL, 4-NITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U171			2-NITROPROPANE (I,T) (OR) PROPANE, 2-NITRO- (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U182			1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U187			ACETAMIDE, N-(4-ETHOXYPHENYL)- (OR) PHENACETIN	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U188			PHENOL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U189			PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U190			1,3-ISOBENZOFURANDIONE (OR) PHTHALIC ANHYDRIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U191			2-PICOLINE (OR) PYRIDINE, 2-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U194			1-PROPANAMINE (I,T) (OR) N-PROPYLAMINE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U196			PYRIDINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U197			2,5-CYCLOHEXADIENE-1,4-DIONE (OR) P-BENZOQUINONE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U200			RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL) OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U201			1,3-BENZENEDIOL (OR) RESORCINOL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U204			SELENIOUS ACID (OR) SELENIUM DIOXIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U205			SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U208			1,1,1,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,1,2-TETRACHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U209			1,1,2,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,2,2-TETRACHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U210			ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U211			CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U213			FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U214			ACETIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) ACETATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U215			CARBONIC ACID, DITHALLIUM(1+) SALT (OR) THALLIUM(I) CARBONATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U216			THALLIUM CHLORIDE TLCL (OR) THALLIUM(I) CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U217			NITRIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) NITRATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U218			ETHANETHIOAMIDE (OR) THIOACETAMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U219			THIOUREA	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U220			BENZENE, METHYL- (OR) TOLUENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U224			DESCRIPTION	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U225			BROMOFORM (OR) METHANE, TRIBROMO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U226			ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U227			1,1,2-TRICHLOROETHANE (OR) ETHANE, 1,1,2-TRICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U228			ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U232			DESCRIPTION	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U234			1,3,5-TRINITROBENZENE (R,T) (OR) BENZENE, 1,3,5-TRINITRO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U238			CARBAMIC ACID, ETHYL ESTER (OR) ETHYL CARBAMATE (URETHANE)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U239			BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)	

#### **Hazardous Waste Handler Details**

**Sequence No:** 2  
**Receive Date:** 19980226  
**Handler Name:** COLORADO STATE UNIVERSITY (DISPOSAL)  
**Federal Waste Generator Code:** 1  
**Generator Code Description:** Large Quantity Generator  
**Source Type:** Annual/Biennial Report

#### **Hazardous Waste Handler Details**

**Sequence No:** 2  
**Receive Date:** 20011023  
**Handler Name:** COLORADO STATE UNIVERSITY (DISPOSAL)  
**Federal Waste Generator Code:** 3

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Generator Code Description:</b>		Very Small Quantity Generator				
<b>Source Type:</b>		Notification				
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>		P012				
<b>Waste Code Description:</b>		ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE				
<b>Hazardous Waste Code:</b>		P016				
<b>Waste Code Description:</b>		DICHLOROMETHYL ETHER (OR) METHANE, OXYBIS[CHLORO-				
<b>Hazardous Waste Code:</b>		P020				
<b>Waste Code Description:</b>		DINOSEB (OR) PHENOL, 2-(1-METHYLPROPYL)-4,6-DINITRO-				
<b>Hazardous Waste Code:</b>		P023				
<b>Waste Code Description:</b>		ACETALDEHYDE, CHLORO- (OR) CHLOROACETALDEHYDE				
<b>Hazardous Waste Code:</b>		P030				
<b>Waste Code Description:</b>		CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED				
<b>Hazardous Waste Code:</b>		P051				
<b>Waste Code Description:</b>		2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2ABETA, 3ALPHA, 6ALPHA, 6ABETA, 7BETA, 7AALPHA)- & METABOLITES (OR) ENDRIN (OR) ENDRIN, & METABOLITES				
<b>Hazardous Waste Code:</b>		P056				
<b>Waste Code Description:</b>		FLUORINE				
<b>Hazardous Waste Code:</b>		P059				
<b>Waste Code Description:</b>		4,7-METHANO-1H-INDENE, 1,4,5,6,7,8,8-HEPTACHLORO-3A,4,7,7A-TETRAHYDRO- (OR) HEPTACHLOR				
<b>Hazardous Waste Code:</b>		P073				
<b>Waste Code Description:</b>		NICKEL CARBONYL (OR) NICKEL CARBONYL NI(CO)4, (T-4)-				
<b>Hazardous Waste Code:</b>		P075				
<b>Waste Code Description:</b>		NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS				
<b>Hazardous Waste Code:</b>		P077				
<b>Waste Code Description:</b>		BENZENAMINE, 4-NITRO- (OR) P-NITROANILINE				
<b>Hazardous Waste Code:</b>		P087				
<b>Waste Code Description:</b>		OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE				
<b>Hazardous Waste Code:</b>		P095				
<b>Waste Code Description:</b>		CARBONIC DICHLORIDE (OR) PHOSGENE				
<b>Hazardous Waste Code:</b>		P098				
<b>Waste Code Description:</b>		POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)				
<b>Hazardous Waste Code:</b>		P105				
<b>Waste Code Description:</b>		SODIUM AZIDE				
<b>Hazardous Waste Code:</b>		P110				
<b>Waste Code Description:</b>		PLUMBANE, TETRAETHYL- (OR) TETRAETHYL LEAD				
<b>Hazardous Waste Code:</b>		P113				
<b>Waste Code Description:</b>		THALLIC OXIDE (OR) THALLIUM OXIDE TL2O3				
<b>Hazardous Waste Code:</b>		P119				
<b>Waste Code Description:</b>		AMMONIUM VANADATE (OR) VANADIC ACID, AMMONIUM SALT				
<b>Hazardous Waste Code:</b>		P122				
<b>Waste Code Description:</b>		ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)				
<b>Hazardous Waste Code:</b>		U002				
<b>Waste Code Description:</b>		2-PROPANONE (I) (OR) ACETONE (I)				
<b>Hazardous Waste Code:</b>		U004				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		ACETOPHENONE (OR) ETHANONE, 1-PHENYL-				
<b>Hazardous Waste Code:</b>		U007				
<b>Waste Code Description:</b>		2-PROPENAMIDE (OR) ACRYLAMIDE				
<b>Hazardous Waste Code:</b>		U009				
<b>Waste Code Description:</b>		2-PROPENENITRILE (OR) ACRYLONITRILE				
<b>Hazardous Waste Code:</b>		U017				
<b>Waste Code Description:</b>		BENZAL CHLORIDE (OR) BENZENE, (DICHLOROMETHYL)-				
<b>Hazardous Waste Code:</b>		U161				
<b>Waste Code Description:</b>		4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR) PENTANOL, 4-METHYL-				
<b>Hazardous Waste Code:</b>		U165				
<b>Waste Code Description:</b>		NAPHTHALENE				
<b>Hazardous Waste Code:</b>		U167				
<b>Waste Code Description:</b>		1-NAPHTHALENAMINE (OR) ALPHA-NAPHTHYLAMINE				
<b>Hazardous Waste Code:</b>		U169				
<b>Waste Code Description:</b>		BENZENE, NITRO- (OR) NITROBENZENE (I,T)				
<b>Hazardous Waste Code:</b>		U171				
<b>Waste Code Description:</b>		2-NITROPROPANE (I,T) (OR) PROPANE, 2-NITRO- (I,T)				
<b>Hazardous Waste Code:</b>		U188				
<b>Waste Code Description:</b>		PHENOL				
<b>Hazardous Waste Code:</b>		U190				
<b>Waste Code Description:</b>		1,3-ISOBENZOFURANDIONE (OR) PHTHALIC ANHYDRIDE				
<b>Hazardous Waste Code:</b>		U194				
<b>Waste Code Description:</b>		1-PROPANAMINE (I,T) (OR) N-PROPYLAMINE (I,T)				
<b>Hazardous Waste Code:</b>		U197				
<b>Waste Code Description:</b>		2,5-CYCLOHEXADIENE-1,4-DIONE (OR) P-BENZOQUINONE				
<b>Hazardous Waste Code:</b>		U201				
<b>Waste Code Description:</b>		1,3-BENZENEDIOL (OR) RESORCINOL				
<b>Hazardous Waste Code:</b>		U205				
<b>Waste Code Description:</b>		SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)				
<b>Hazardous Waste Code:</b>		D002				
<b>Waste Code Description:</b>		CORROSIVE WASTE				
<b>Hazardous Waste Code:</b>		F001				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F003				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F005				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
					VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
<b>Hazardous Waste Code:</b>					F010	
<b>Waste Code Description:</b>					QUENCHING BATH RESIDUES FROM OIL BATHS FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.	
<b>Hazardous Waste Code:</b>					U209	
<b>Waste Code Description:</b>					1,1,2,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,2,2-TETRACHLORO-	
<b>Hazardous Waste Code:</b>					U210	
<b>Waste Code Description:</b>					ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE	
<b>Hazardous Waste Code:</b>					U211	
<b>Waste Code Description:</b>					CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-	
<b>Hazardous Waste Code:</b>					U213	
<b>Waste Code Description:</b>					FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)	
<b>Hazardous Waste Code:</b>					U214	
<b>Waste Code Description:</b>					ACETIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) ACETATE	
<b>Hazardous Waste Code:</b>					U215	
<b>Waste Code Description:</b>					CARBONIC ACID, DITHALLIUM(1+) SALT (OR) THALLIUM(I) CARBONATE	
<b>Hazardous Waste Code:</b>					U216	
<b>Waste Code Description:</b>					THALLIUM CHLORIDE TLCL (OR) THALLIUM(I) CHLORIDE	
<b>Hazardous Waste Code:</b>					U217	
<b>Waste Code Description:</b>					NITRIC ACID, THALLIUM(1+) SALT (OR) THALLIUM(I) NITRATE	
<b>Hazardous Waste Code:</b>					U218	
<b>Waste Code Description:</b>					ETHANETHIOAMIDE (OR) THIOACETAMIDE	
<b>Hazardous Waste Code:</b>					U219	
<b>Waste Code Description:</b>					THIOUREA	
<b>Hazardous Waste Code:</b>					U220	
<b>Waste Code Description:</b>					BENZENE, METHYL- (OR) TOLUENE	
<b>Hazardous Waste Code:</b>					U224	
<b>Waste Code Description:</b>					DESCRIPTION	
<b>Hazardous Waste Code:</b>					U225	
<b>Waste Code Description:</b>					BROMOFORM (OR) METHANE, TRIBROMO-	
<b>Hazardous Waste Code:</b>					U226	
<b>Waste Code Description:</b>					ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM	
<b>Hazardous Waste Code:</b>					U227	
<b>Waste Code Description:</b>					1,1,2-TRICHLOROETHANE (OR) ETHANE, 1,1,2-TRICHLORO-	
<b>Hazardous Waste Code:</b>					U228	
<b>Waste Code Description:</b>					ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE	
<b>Hazardous Waste Code:</b>					U232	
<b>Waste Code Description:</b>					DESCRIPTION	
<b>Hazardous Waste Code:</b>					U234	
<b>Waste Code Description:</b>					1,3,5-TRINITROBENZENE (R,T) (OR) BENZENE, 1,3,5-TRINITRO-	
<b>Hazardous Waste Code:</b>					U238	
<b>Waste Code Description:</b>					CARBAMIC ACID, ETHYL ESTER (OR) ETHYL CARBAMATE (URETHANE)	
<b>Hazardous Waste Code:</b>					U239	
<b>Waste Code Description:</b>					BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)	
<b>Hazardous Waste Code:</b>					D001	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Waste Code Description:</b>		IGNITABLE WASTE				
<b>Hazardous Waste Code:</b>		D003				
<b>Waste Code Description:</b>		REACTIVE WASTE				
<b>Hazardous Waste Code:</b>		F002				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F004				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F007				
<b>Waste Code Description:</b>		SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.				
<b>Hazardous Waste Code:</b>		F012				
<b>Waste Code Description:</b>		QUENCHING WASTEWATER TREATMENT SLUDGES FROM METAL HEAT TREATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.				
<b>Hazardous Waste Code:</b>		F017				
<b>Waste Code Description:</b>		DESCRIPTION				
<b>Hazardous Waste Code:</b>		P003				
<b>Waste Code Description:</b>		2-PROPENAL (OR) ACROLEIN				
<b>Hazardous Waste Code:</b>		P004				
<b>Waste Code Description:</b>		1,4,5,8-DIMETHANONAPHTHALENE, 1,2,3,4,10,10-HEXA-CHLORO-1,4,4A,5,8,8A,-HEXAHYDRO-, (1ALPHA, 4ALPHA, 4ABETA, 5ALPHA, 8ALPHA, 8ABETA)- (OR) ALDRIN				
<b>Hazardous Waste Code:</b>		P005				
<b>Waste Code Description:</b>		2-PROPEN-1-OL (OR) ALLYL ALCOHOL				
<b>Hazardous Waste Code:</b>		P008				
<b>Waste Code Description:</b>		4-AMINOPYRIDINE (OR) 4-PYRIDINAMINE				
<b>Hazardous Waste Code:</b>		P010				
<b>Waste Code Description:</b>		ARSENIC ACID H3ASO4				
<b>Hazardous Waste Code:</b>		P011				
<b>Waste Code Description:</b>		ARSENIC OXIDE AS2O5 (OR) ARSENIC PENTOXIDE				
<b>Hazardous Waste Code:</b>		P015				
<b>Waste Code Description:</b>		BERYLLIUM				
<b>Hazardous Waste Code:</b>		P018				
<b>Waste Code Description:</b>		BRUCINE (OR) STRYCHNIDIN-10-ONE, 2,3-DIMETHOXY-				
<b>Hazardous Waste Code:</b>		P022				
<b>Waste Code Description:</b>		CARBON DISULFIDE				
<b>Hazardous Waste Code:</b>		P024				
<b>Waste Code Description:</b>		BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE				
<b>Hazardous Waste Code:</b>		P037				
<b>Waste Code Description:</b>		2,7:3,6-DIMETHANONAPHTH[2,3-B]OXIRENE, 3,4,5,6,9,9-HEXACHLORO-1A,2,2A,3,6,6A,7,7A-OCTAHYDRO-, (1AALPHA, 2BETA, 2AALPHA, 3BETA, 6BETA, 6AALPHA, 7BETA, 7AALPHA)- (OR) DIELDRIN				
<b>Hazardous Waste Code:</b>		P048				
<b>Waste Code Description:</b>		2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P054			AZIRIDINE (OR) ETHYLENEIMINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P058			ACETIC ACID, FLUORO-, SODIUM SALT (OR) FLUOROACETIC ACID, SODIUM SALT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P071			METHYL PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O,-DIMETHYL O-(4-NITROPHENYL) ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P074			NICKEL CYANIDE (OR) NICKEL CYANIDE NI(CN)2	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P076			NITRIC OXIDE (OR) NITROGEN OXIDE NO	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P078			NITROGEN DIOXIDE (OR) NITROGEN OXIDE NO2	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P089			PARATHION (OR) PHOSPHOROTHIOIC ACID, O,O-DIETHYL-O-(4-NITROPHENYL) ESTER	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P096			HYDROGEN PHOSPHIDE (OR) PHOSPHINE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P101			ETHYL CYANIDE (OR) PROPANENITRILE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P106			SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P108			STRYCHNIDIN-10-ONE, & SALTS (OR) STRYCHNINE, & SALTS	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P112			METHANE, TETRANITRO- (R) (OR) TETRANITROMETHANE (R)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P115			SULFURIC ACID, DITHALLIUM (1+) SALT (OR) THALLIUM(I) SULFATE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P120			VANADIUM OXIDE V2O5 (OR) VANADIUM PENTOXIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U001			ACETALDEHYDE (I) (OR) ETHANAL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U003			ACETONITRILE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U006			ACETYL CHLORIDE (C,R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U008			2-PROPENOIC ACID (I) (OR) ACRYLIC ACID (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U012			ANILINE (I,T) (OR) BENZENAMINE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U018			BENZ[A]ANTHRACENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U019			BENZENE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U020			BENZENESULFONIC ACID CHLORIDE (C,R) (OR) BENZENESULFONYL CHLORIDE (C,R)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U021			[1,1'-BIPHENYL]-4,4'-DIAMINE (OR) BENZIDINE	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U022 BENZO[A]PYRENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U023 BENZENE, (TRICHLOROMETHYL)- (OR) BENZOTRICHLORIDE (C,R,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U029 METHANE, BROMO- (OR) METHYL BROMIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U031 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U032 CALCIUM CHROMATE (OR) CHROMIC ACID H2CRO4, CALCIUM SALT	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U034 ACETALDEHYDE, TRICHLORO- (OR) CHLORAL	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U036 4,7-METHANO-1H-INDENE, 1,2,4,5,6,7,8,8-OCTACHLORO-2,3,3A,4,7,7A-HEXAHYDRO- (OR) CHLORDANE, ALPHA & GAMMA ISOMERS	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U037 BENZENE, CHLORO- (OR) CHLOROBENZENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U039 P-CHLORO-M-CRESOL (OR) PHENOL, 4-CHLORO-3-METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U043 ETHENE, CHLORO- (OR) VINYL CHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U044 CHLOROFORM (OR) METHANE, TRICHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U045 METHANE, CHLORO- (I,T) (OR) METHYL CHLORIDE (I,T)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U047 BETA-CHLORONAPHTHALENE (OR) NAPHTHALENE, 2-CHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U048 O-CHLOROPHENOL (OR) PHENOL, 2-CHLORO-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U049 4-CHLORO-O-TOLUIDINE, HYDROCHLORIDE (OR) BENZENAMINE, 4-CHLORO-2-METHYL-, HYDROCHLORIDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U050 CHRYSENE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U051 CREOSOTE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U052 CRESOL (CRESYLIC ACID) (OR) PHENOL, METHYL-	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U053 2-BUTENAL (OR) CROTONALDEHYDE	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U055 BENZENE, (1-METHYLETHYL)- (I) (OR) CUMENE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U056 BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)	
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>					U057 CYCLOHEXANONE (I)	
<b>Hazardous Waste Code:</b>					U061	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT				
<b>Hazardous Waste Code:</b>		U067				
<b>Waste Code Description:</b>		ETHANE, 1,2-DIBROMO- (OR) ETHYLENE DIBROMIDE				
<b>Hazardous Waste Code:</b>		U068				
<b>Waste Code Description:</b>		METHANE, DIBROMO- (OR) METHYLENE BROMIDE				
<b>Hazardous Waste Code:</b>		U069				
<b>Waste Code Description:</b>		1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE				
<b>Hazardous Waste Code:</b>		U070				
<b>Waste Code Description:</b>		BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U071				
<b>Waste Code Description:</b>		BENZENE, 1,3-DICHLORO- (OR) M-DICHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U072				
<b>Waste Code Description:</b>		BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U074				
<b>Waste Code Description:</b>		1,4-DICHLORO-2-BUTENE (I,T) (OR) 2-BUTENE, 1,4-DICHLORO- (I,T)				
<b>Hazardous Waste Code:</b>		U075				
<b>Waste Code Description:</b>		DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-				
<b>Hazardous Waste Code:</b>		U076				
<b>Waste Code Description:</b>		ETHANE, 1,1-DICHLORO- (OR) ETHYLIDENE DICHLORIDE				
<b>Hazardous Waste Code:</b>		U077				
<b>Waste Code Description:</b>		ETHANE, 1,2-DICHLORO- (OR) ETHYLENE DICHLORIDE				
<b>Hazardous Waste Code:</b>		U079				
<b>Waste Code Description:</b>		1,2-DICHLOROETHYLENE (OR) ETHENE, 1,2-DICHLORO-, (E)-				
<b>Hazardous Waste Code:</b>		U080				
<b>Waste Code Description:</b>		METHANE, DICHLORO- (OR) METHYLENE CHLORIDE				
<b>Hazardous Waste Code:</b>		U081				
<b>Waste Code Description:</b>		2,4-DICHLOROPHENOL (OR) PHENOL, 2,4-DICHLORO-				
<b>Hazardous Waste Code:</b>		U082				
<b>Waste Code Description:</b>		2,6-DICHLOROPHENOL (OR) PHENOL, 2,6-DICHLORO-				
<b>Hazardous Waste Code:</b>		U083				
<b>Waste Code Description:</b>		PROPANE, 1,2-DICHLORO- (OR) PROPYLENE DICHLORIDE				
<b>Hazardous Waste Code:</b>		U084				
<b>Waste Code Description:</b>		1,3-DICHLOROPROPENE (OR) 1-PROPENE, 1,3-DICHLORO-				
<b>Hazardous Waste Code:</b>		U086				
<b>Waste Code Description:</b>		HYDRAZINE, 1,2-DIETHYL- (OR) N,N'-DIETHYLHYDRAZINE				
<b>Hazardous Waste Code:</b>		U088				
<b>Waste Code Description:</b>		1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER (OR) DIETHYL PHTHALATE				
<b>Hazardous Waste Code:</b>		U089				
<b>Waste Code Description:</b>		DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-				
<b>Hazardous Waste Code:</b>		U092				
<b>Waste Code Description:</b>		DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)				
<b>Hazardous Waste Code:</b>		U093				
<b>Waste Code Description:</b>		BENZENAMINE, N,N-DIMETHYL-4-(PHENYLAZO)- (OR) P-DIMETHYLAMINOAZOBENZENE				
<b>Hazardous Waste Code:</b>		U097				
<b>Waste Code Description:</b>		CARBAMIC CHLORIDE, DIMETHYL- (OR) DIMETHYLCARBAMOYL CHLORIDE				
<b>Hazardous Waste Code:</b>		U098				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		1,1-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,1-DIMETHYL-				
<b>Hazardous Waste Code:</b>		U099				
<b>Waste Code Description:</b>		1,2-DIMETHYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-				
<b>Hazardous Waste Code:</b>		U101				
<b>Waste Code Description:</b>		2,4-DIMETHYLPHENOL (OR) PHENOL, 2,4-DIMETHYL-				
<b>Hazardous Waste Code:</b>		U102				
<b>Waste Code Description:</b>		1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER (OR) DIMETHYL PHTHALATE				
<b>Hazardous Waste Code:</b>		U103				
<b>Waste Code Description:</b>		DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER				
<b>Hazardous Waste Code:</b>		U105				
<b>Waste Code Description:</b>		2,4-DINITROTOLUENE (OR) BENZENE, 1-METHYL-2,4-DINITRO-				
<b>Hazardous Waste Code:</b>		U106				
<b>Waste Code Description:</b>		2,6-DINITROTOLUENE (OR) BENZENE, 2-METHYL-1,3-DINITRO-				
<b>Hazardous Waste Code:</b>		U107				
<b>Waste Code Description:</b>		1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER (OR) DI-N-OCTYL PHTHALATE				
<b>Hazardous Waste Code:</b>		U108				
<b>Waste Code Description:</b>		1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE				
<b>Hazardous Waste Code:</b>		U109				
<b>Waste Code Description:</b>		1,2-DIPHENYLHYDRAZINE (OR) HYDRAZINE, 1,2-DIPHENYL-				
<b>Hazardous Waste Code:</b>		U110				
<b>Waste Code Description:</b>		1-PROPANIMINE, N-PROPYL-(I) (OR) DIPROPYLAMINE (I)				
<b>Hazardous Waste Code:</b>		U112				
<b>Waste Code Description:</b>		ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)				
<b>Hazardous Waste Code:</b>		U113				
<b>Waste Code Description:</b>		2-PROPENOIC ACID, ETHYL ESTER (I) (OR) ETHYL ACRYLATE (I)				
<b>Hazardous Waste Code:</b>		U115				
<b>Waste Code Description:</b>		ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)				
<b>Hazardous Waste Code:</b>		U117				
<b>Waste Code Description:</b>		ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)				
<b>Hazardous Waste Code:</b>		U118				
<b>Waste Code Description:</b>		2-PROPENOIC ACID, 2-METHYL-, ETHYL ESTER (OR) ETHYL METHACRYLATE				
<b>Hazardous Waste Code:</b>		U119				
<b>Waste Code Description:</b>		ETHYL METHANESULFONATE (OR) METHANESULFONIC ACID, ETHYL ESTER				
<b>Hazardous Waste Code:</b>		U120				
<b>Waste Code Description:</b>		FLUORANTHENE				
<b>Hazardous Waste Code:</b>		U121				
<b>Waste Code Description:</b>		METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFUOROMETHANE				
<b>Hazardous Waste Code:</b>		U122				
<b>Waste Code Description:</b>		FORMALDEHYDE				
<b>Hazardous Waste Code:</b>		U123				
<b>Waste Code Description:</b>		FORMIC ACID (C,T)				
<b>Hazardous Waste Code:</b>		U124				
<b>Waste Code Description:</b>		FURAN (I) (OR) FURFURAN (I)				
<b>Hazardous Waste Code:</b>		U125				
<b>Waste Code Description:</b>		2-FURANCARBOXALDEHYDE (I) (OR) FURFURAL (I)				
<b>Hazardous Waste Code:</b>		U126				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code Description:</b>		GLYCIDYLALDEHYDE (OR) OXIRANECARBOXYALDEHYDE				
<b>Hazardous Waste Code:</b>		U127				
<b>Waste Code Description:</b>		BENZENE, HEXACHLORO- (OR) HEXACHLOROBENZENE				
<b>Hazardous Waste Code:</b>		U133				
<b>Waste Code Description:</b>		HYDRAZINE (R,T)				
<b>Hazardous Waste Code:</b>		U134				
<b>Waste Code Description:</b>		HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
<b>Hazardous Waste Code:</b>		U135				
<b>Waste Code Description:</b>		HYDROGEN SULFIDE (OR) HYDROGEN SULFIDE H2S				
<b>Hazardous Waste Code:</b>		U138				
<b>Waste Code Description:</b>		METHANE, IODO- (OR) METHYL IODIDE				
<b>Hazardous Waste Code:</b>		U140				
<b>Waste Code Description:</b>		1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)				
<b>Hazardous Waste Code:</b>		U144				
<b>Waste Code Description:</b>		ACETIC ACID, LEAD(2+) SALT (OR) LEAD ACETATE				
<b>Hazardous Waste Code:</b>		U145				
<b>Waste Code Description:</b>		LEAD PHOSPHATE (OR) PHOSPHORIC ACID, LEAD(2+) SALT (2:3)				
<b>Hazardous Waste Code:</b>		U146				
<b>Waste Code Description:</b>		LEAD SUBACETATE (OR) LEAD, BIS(ACETATO-O)TETRAHYDROXYTRI-				
<b>Hazardous Waste Code:</b>		U147				
<b>Waste Code Description:</b>		2,5-FURANDIONE (OR) MALEIC ANHYDRIDE				
<b>Hazardous Waste Code:</b>		U149				
<b>Waste Code Description:</b>		MALONONITRILE (OR) PROPANEDINITRILE				
<b>Hazardous Waste Code:</b>		U152				
<b>Waste Code Description:</b>		2-PROPENENITRILE, 2-METHYL- (I,T) (OR) METHACRYLONITRILE (I,T)				
<b>Hazardous Waste Code:</b>		U153				
<b>Waste Code Description:</b>		METHANETHIOL (I,T) (OR) THIOMETHANOL (I,T)				
<b>Hazardous Waste Code:</b>		U154				
<b>Waste Code Description:</b>		METHANOL (I) (OR) METHYL ALCOHOL (I)				
<b>Hazardous Waste Code:</b>		U159				
<b>Waste Code Description:</b>		2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)				
<b>Hazardous Waste Code:</b>		U160				
<b>Waste Code Description:</b>		2-BUTANONE, PEROXIDE (R,T) (OR) METHYL ETHYL KETONE PEROXIDE (R,T)				
<b>Hazardous Waste Code:</b>		U162				
<b>Waste Code Description:</b>		2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)				
<b>Hazardous Waste Code:</b>		U166				
<b>Waste Code Description:</b>		1,4-NAPHTHALENEDIONE (OR) 1,4-NAPHTHOQUINONE				
<b>Hazardous Waste Code:</b>		U168				
<b>Waste Code Description:</b>		2-NAPHTHALENAMINE (OR) BETA-NAPHTHYLAMINE				
<b>Hazardous Waste Code:</b>		U170				
<b>Waste Code Description:</b>		P-NITROPHENOL (I,T) (OR) PHENOL, 4-NITRO-				
<b>Hazardous Waste Code:</b>		U182				
<b>Waste Code Description:</b>		1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE				
<b>Hazardous Waste Code:</b>		U187				
<b>Waste Code Description:</b>		ACETAMIDE, N-(4-ETHOXYPHENYL)- (OR) PHENACETIN				
<b>Hazardous Waste Code:</b>		U189				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:		PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)				
Hazardous Waste Code:		U191				
Waste Code Description:		2-PICOLINE (OR) PYRIDINE, 2-METHYL-				
Hazardous Waste Code:		U196				
Waste Code Description:		PYRIDINE				
Hazardous Waste Code:		U200				
Waste Code Description:		RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL) OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-				
Hazardous Waste Code:		U204				
Waste Code Description:		SELENIOS ACID (OR) SELENIUM DIOXIDE				
Hazardous Waste Code:		U208				
Waste Code Description:		1,1,1,2-TETRACHLOROETHANE (OR) ETHANE, 1,1,1,2-TETRACHLORO-				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		1				
Receive Date:		20180417				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Federal Waste Generator Code:		2				
Generator Code Description:		Small Quantity Generator				
Source Type:		Annual/Biennial Report update with Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		U019				
Waste Code Description:		BENZENE (I,T)				
Hazardous Waste Code:		U092				
Waste Code Description:		DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)				
Hazardous Waste Code:		U108				
Waste Code Description:		1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE				
Hazardous Waste Code:		U132				
Waste Code Description:		HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-				
Hazardous Waste Code:		U138				
Waste Code Description:		METHANE, IODO- (OR) METHYL IODIDE				
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D003				
Waste Code Description:		REACTIVE WASTE				
Hazardous Waste Code:		D004				
Waste Code Description:		ARSENIC				
Hazardous Waste Code:		D005				
Waste Code Description:		BARIUM				
Hazardous Waste Code:		D006				
Waste Code Description:		CADMIUM				
Hazardous Waste Code:		D007				
Waste Code Description:		CHROMIUM				
Hazardous Waste Code:		D009				
Waste Code Description:		MERCURY				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D011 SILVER				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D018 BENZENE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		D022 CHLOROFORM				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		F002 THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		F003 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		F005 THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P003 2-PROPENAL (OR) ACROLEIN				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P015 BERYLLIUM				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P030 CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P057 ACETAMIDE, 2-FLUORO- (OR) FLUOROACETAMIDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P067 1,2-PROPYLENIMINE (OR) AZIRIDINE, 2-METHYL-				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		P194 ETHANIMIDOTHIOIC ACID, 2-(DIMETHYLAMINO)-N-[[[(METHYLAMINO) CARBONYL]OXY]-2-OXO-, METHYL ESTER (OR) OXAMYL				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U001 ACETALDEHYDE (I) (OR) ETHANAL (I)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U003 ACETONITRILE (I,T)				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U005 2-ACETYLAMINOFLUORENE (OR) ACETAMIDE, N-9H-FLUOREN-2-YL				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U007 2-PROPENAMIDE (OR) ACRYLAMIDE				
<b>Hazardous Waste Code:</b> <b>Waste Code Description:</b>		U075 DICHLORODIFLUOROMETHANE (OR) METHANE, DICHLORODIFLUORO-				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Hazardous Waste Code:</b>		U103				
<b>Waste Code Description:</b>		DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER				
<b>Hazardous Waste Code:</b>		U115				
<b>Waste Code Description:</b>		ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)				
<b>Hazardous Waste Code:</b>		U134				
<b>Waste Code Description:</b>		HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)				
<b>Hazardous Waste Code:</b>		U151				
<b>Waste Code Description:</b>		MERCURY				
<b>Hazardous Waste Code:</b>		U177				
<b>Waste Code Description:</b>		N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-				
<b><u>Hazardous Waste Handler Details</u></b>						
<b>Sequence No:</b>		6				
<b>Receive Date:</b>		20111017				
<b>Handler Name:</b>		COLORADO STATE UNIVERSITY (DISPOSAL)				
<b>Federal Waste Generator Code:</b>		2				
<b>Generator Code Description:</b>		Small Quantity Generator				
<b>Source Type:</b>		Notification				
<b><u>Waste Code Details</u></b>						
<b>Hazardous Waste Code:</b>		D001				
<b>Waste Code Description:</b>		IGNITABLE WASTE				
<b>Hazardous Waste Code:</b>		D002				
<b>Waste Code Description:</b>		CORROSIVE WASTE				
<b>Hazardous Waste Code:</b>		D003				
<b>Waste Code Description:</b>		REACTIVE WASTE				
<b>Hazardous Waste Code:</b>		F001				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F002				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F004				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.				
<b>Hazardous Waste Code:</b>		F005				
<b>Waste Code Description:</b>		THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	----------------------	-----------	---------------------	-------------------	------	----

SOLVENTS AND SPENT SOLVENT MIXTURES.

#### Hazardous Waste Handler Details

Sequence No: 1  
 Receive Date: 19960228  
 Handler Name: COLORADO STATE UNIVERSITY (DISPOSAL)  
 Federal Waste Generator Code: N  
 Generator Code Description: Not a Generator, Verified  
 Source Type: Annual/Biennial Report

#### Hazardous Waste Handler Details

Sequence No: 4  
 Receive Date: 20080710  
 Handler Name: COLORADO STATE UNIVERSITY (DISPOSAL)  
 Federal Waste Generator Code: 3  
 Generator Code Description: Very Small Quantity Generator  
 Source Type: Notification

#### Waste Code Details

Hazardous Waste Code: D001  
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002  
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D003  
 Waste Code Description: REACTIVE WASTE

Hazardous Waste Code: F001  
 Waste Code Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F002  
 Waste Code Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F004  
 Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: CRESOLS, CRESYLIC ACID, AND NITROBENZENE; AND THE STILL BOTTOMS FROM THE RECOVERY OF THESE SOLVENTS; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F005  
 Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

#### Owner/Operator Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>	110	
<b>Type:</b>	State			<b>Street 1:</b>	SIXTEENTH ST STE 640	
<b>Name:</b>	STATE BOARD OF AGRICULTURE			<b>Street 2:</b>		
<b>Date Became Current:</b>	20080709			<b>City:</b>	DENVER	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Annual/Biennial Report update with Notification			<b>Zip Code:</b>	80202	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	DATA NOT REQUESTED	
<b>Name:</b>	COLORADO STATE UNIVERSITY			<b>Street 2:</b>		
<b>Date Became Current:</b>	18000101			<b>City:</b>	DATA NOT REQUESTED	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>	999-999-9999			<b>Country:</b>		
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	99999	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	DATA NOT REQUESTED	
<b>Name:</b>	COLORADO STATE UNIVERSITY			<b>Street 2:</b>		
<b>Date Became Current:</b>	18000202			<b>City:</b>	DATA NOT REQUESTED	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>	999-999-9999			<b>Country:</b>		
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	99999	
<b>Owner/Operator Ind:</b>	Current Operator			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	17 STATE SERVICES BLDG	
<b>Name:</b>	STATE BOARD OF AGRICULTURE FOR COLORADO			<b>Street 2:</b>		
<b>Date Became Current:</b>				<b>City:</b>	DENVER	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>	303-838-2738			<b>Country:</b>		
<b>Source Type:</b>	Part A			<b>Zip Code:</b>	80203	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>	110	
<b>Type:</b>	State			<b>Street 1:</b>	SIXTEENTH ST STE 640	
<b>Name:</b>	STATE BOARD OF AGRICULTURE			<b>Street 2:</b>		
<b>Date Became Current:</b>	20080709			<b>City:</b>	DENVER	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	80202	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>	110	
<b>Type:</b>	State			<b>Street 1:</b>	SIXTEENTH ST STE 640	
<b>Name:</b>	STATE BOARD OF AGRICULTURE			<b>Street 2:</b>		
<b>Date Became Current:</b>	20080709			<b>City:</b>	DENVER	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	80202	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>	110	
<b>Type:</b>	State			<b>Street 1:</b>	SIXTEENTH ST STE 640	
<b>Name:</b>	STATE BOARD OF AGRICULTURE			<b>Street 2:</b>		
<b>Date Became Current:</b>	20080709			<b>City:</b>	DENVER	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	80202	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	DATA NOT REQUESTED	
<b>Name:</b>	COLORADO STATE UNIVERSITY			<b>Street 2:</b>		
<b>Date Became Current:</b>	18000202			<b>City:</b>	DATA NOT REQUESTED	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>	999-999-9999			<b>Country:</b>	US	
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	99999	
<b>Owner/Operator Ind:</b>	Current Owner			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	DATA NOT REQUESTED	
<b>Name:</b>	COLORADO STATE UNIVERSITY			<b>Street 2:</b>		
<b>Date Became Current:</b>	18000202			<b>City:</b>	DATA NOT REQUESTED	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>	999-999-9999			<b>Country:</b>	US	
<b>Source Type:</b>	Annual/Biennial Report update with Notification			<b>Zip Code:</b>	99999	
<b>Owner/Operator Ind:</b>	Current Operator			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	S OVERLAND TRL AT RAMPART RD	
<b>Name:</b>	COLORADO STATE UNIVERSITY			<b>Street 2:</b>		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Date Became Current:</b>	(DISPOSAL) 20040803			<b>City:</b>	FORT COLLINS	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Notification			<b>Zip Code:</b>	80523-6021	
<b>Owner/Operator Ind:</b>	Current Operator			<b>Street No:</b>		
<b>Type:</b>	State			<b>Street 1:</b>	S OVERLAND TRL AT RAMPART RD	
<b>Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)			<b>Street 2:</b>		
<b>Date Became Current:</b>	20040803			<b>City:</b>	FORT COLLINS	
<b>Date Ended Current:</b>				<b>State:</b>	CO	
<b>Phone:</b>				<b>Country:</b>	US	
<b>Source Type:</b>	Annual/Biennial Report update with Notification			<b>Zip Code:</b>	80523-6021	

#### Historical Handler Details

<b>Receive Dt:</b>	20040803
<b>Generator Code Description:</b>	Very Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20100505
<b>Generator Code Description:</b>	Very Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20111017
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	19810716
<b>Generator Code Description:</b>	Not a Generator, Verified
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20080710
<b>Generator Code Description:</b>	Very Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20210819
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20000210
<b>Generator Code Description:</b>	Large Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20150610
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20120228
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20190730
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	20200420
<b>Generator Code Description:</b>	Small Quantity Generator
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	19991025
<b>Generator Code Description:</b>	Not a Generator, Verified
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)
<b>Receive Dt:</b>	19960228
<b>Generator Code Description:</b>	Not a Generator, Verified
<b>Handler Name:</b>	COLORADO STATE UNIVERSITY (DISPOSAL)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Receive Dt:		19940909				
Generator Code Description:		Not a Generator, Verified				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Receive Dt:		19980226				
Generator Code Description:		Large Quantity Generator				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Receive Dt:		20180417				
Generator Code Description:		Small Quantity Generator				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
Receive Dt:		20011023				
Generator Code Description:		Very Small Quantity Generator				
Handler Name:		COLORADO STATE UNIVERSITY (DISPOSAL)				
<hr/>						
<a href="#">12</a>	2 of 2	WNW	0.93 / 4,915.11	5,133.73 / 57	COLORADO STATE UNIVERSITY (DISPOSAL) S OVERLAND TRAIL AT RAMPART RD FORT COLLINS CO 80521	HAZ CORRACT
ID:	COT090011529			County:	LARIMER	
Status:	ACTIVE			Method:	CENTRUS	
Fac Type:	CA			Accuracy:	+ OR - 30 METERS	
Links:	http://www.epa.gov/cgi-bin/get1cReport.cgi?tool=echo&IDNumber=COT090011529					

# Unplottable Summary

Total: 2 Unplottable sites

DB	Company Name/Site Name	Address	City	Zip	ERIS ID
DELISTED LST	WEST ELIZABETH	WEST ELIZABETH	FT. COLLINS CO	80000	891291475
HMIRS		TAFT HILL ROAD	FORT COLLINS CO		818615218

# Unplottable Report

**Site:** WEST ELIZABETH  
WEST ELIZABETH FT. COLLINS CO 80000

DELISTED LST

## Delisted Leaking Storage Tank Trust Fund Sites

**Site Rec ID:** 00023-0000204  
**Status:** Unknown  
**Database:** LUST Trust Tanks  
**Agency ID:**  
**Detail 1:**

**U Site ID:** 0  
**County:** LARIMER  
**Site Located:** 0

### **Detail 2:**

From an old CDPHE list of locations where tank leaks were suspected and LUST Trust funds were used in an effort to identify the source. Often, the source was found nearby and was entered in the LUST database (now COSTIS). This listing not entered into COSTIS back when CDPHE transferred responsibility for tank leaks to OPS. Few people at OPS know of this old CDPHE list, and any associated files are thought to have been disposed of or misplaced.

### **Link 1:**

### **Link 2:**

**Site:** TAFT HILL ROAD FORT COLLINS CO

HMIRS

**Incident County:** LARIMER

## HMIR Incident Reports

**Report No:** I-1999091836  
**Report Type:** A hazardous material incident  
**Date of Incident:** 1999-09-20  
**Time of Incident:** 1015  
**Haz Class Code:**  
**Hazardous Class:** 2.1  
**Commodity Short Nm:** PETROLEUM GASES, LIQUEFI  
**Commodity Long Nm:** PETROLEUM GASES, LIQUEFIED OR LIQUEFIED PETROLEUM GAS

**Trade Name:**  
**ID No:** UN1075  
**Haz Waste Ind:** No  
**Haz Waste EPA No:**  
**HMIS Tox Inhalation?:** No  
**TIH Hazard Zone:**  
**Qty Released:** 15  
**Unit of Measure:** Liquid - Gallon  
**What Failed:** 102; 106; 141  
**What Failed Desc:** Auxiliary Valve; Bottom Outlet Valve; Piping or Fittings

**How Failed Code:** ; ;  
**How Failed Desc:** ; ;  
**Failure Cause Code:** ; ;  
**Failure Cause Desc:** ; ;

### **Ident. Markings:**

**Cont1 Pkging Type:**  
**Cont1 Const Mat:**  
**Cont1 Head Type:**  
**Cont1 Pkg Capacity:** 2600  
**C1 Capacity UOM:** LGA  
**Cont1 Pkg Amt:** 0  
**C1 Pkg Amt UOM:**  
**Cont1 Pkg No:** 1  
**C1 Pkg NO Failed:** 1

**Fed DOT Agency Nm:**  
**Fed DOT Report No:**  
**Report Submit Src:** Paper  
**Inc Multiple Rows:** No  
**Inc Non US State:**  
**Mode Transport:** Highway  
**Transport Phase:** Unloading  
**Incident Occrrnce:**

**Mat Ship Approval?:** No  
**Mat Ship Approv No:**  
**Undecl Hazmat Ship?:** No  
**Packaging Type:** Cargo Tank Motor Vehicle (CTMV)  
**Packing Group:**  
**Carrier Reporter:** AMERIGAS PROPANE  
**CR Street Name:** 460 N GULPH RD  
**CR City:** KING OF PRUSSIA  
**CR State:** PA  
**CR Postal Code:** 19406

**CR Non US State:**  
**CR Fed DOT ID:** 388004  
**CR Hazmat Reg ID:**  
**CR Country:** US  
**Shipper Name:** AMERIGAS PROPANE  
**Shipper Street Name:** 460 N GULPH RD  
**Shipper City:** KING OF PRUSSIA  
**Shipper State:** PA  
**Shipper Postal:** 19406  
**Shipper Non US St:**  
**Shipper Country:** US  
**Shipper Waybill:**  
**Ship Hazmat Reg ID:**  
**Origin City:** FORT COLLINS

**Cont1 Pkg Mnfr:** ARROW TANK CO  
**Cont1 Pkg Mnfr Dt:** 0-00-00 00:00:00  
**Cont1 Pkg Serial NO:** 12437  
**C1 Pkg Last Test Dt:** 1999-04-01 00:00:00  
**C1 Test Const Mat:**  
**C1 Pkg Dsign Pres.:** 0  
**C1 Dsign Press UOM:**  
**C1 Pkg Shell Thick:** 0  
**C1 Shell Thick UOM:**  
**C1 Head Thickness:** 0  
**C1 Head Thick UOM:**  
**C1 Pkg Svc Pres.:** 0  
**C1 Svc Press UOM:**  
**C1 Valve/Device Fail?:** No  
**C1 Device Type:**  
**C1 Device Mnfr:**  
**C1 Device Model:**  
**NRC No:**

**Origin State:** CO  
**Origin Postal:** 80524  
**Origin Non US St:**  
**Origin Country:** US  
**Destination City:**  
**Destination State:**  
**Destination Postal:**  
**Destination Non US:**  
**Destination Country:**  
**Cont2 Package Type:**  
**Cont2 Const Mat:**  
**Cont2 Pkg Capacity:** 0  
**Cont2 Capacity UOM:**  
**Cont2 Pkg Amount:** 0  
**Cont2 Pkg Amt UOM:**  
**Cont2 Pkg No:** 0  
**Cont2 Pkg No Failed:** 0

**RAM Pkg Category:**  
**RAM Pkg Cert.:** FALSE  
**RAM Pkg Cert. NBR:**  
**RAM Nuclide S:**  
**RAM Transport Index:**  
**RAM UOM:**  
**RAM Activity Rpted:** 0  
**RAM UOM Rpted:**  
**RAM Activity:** 0  
**RAM Activity UOM:**  
**RAM Mat Safety:**  
**Spillage Result:** No  
**Fire Result:** No  
**Explosion Result:** No  
**Water Sewer Result:** No  
**Gas Dispersion:** Yes  
**Environment Damage:** No  
**No Release Result:** No  
**Fire EMS Report:** No  
**Fire EMS EMS Report:**  
**Police Report:** No  
**Police Report No:**  
**In House Cleanup:** No  
**Other Cleanup:** No  
**Damage > 500:** No  
**Material Loss:** 15  
**Carrier Damage:** 300  
**Property Damage:** 0  
**Response Cost:** 0  
**Remediation Cost:** 0  
**Damage Old Form:** 0  
**Total Damages Amt:** 315  
**Hazmat Fatality:** No  
**Haz Fatal Employees:** 0  
**Haz Fatal Respntrs:** 0  
**Haz Fatal Gen Public:** 0  
**Tot Hazmat Fatalities:** 0  
**Non Hazmat Fatality:** No  
**Non Hazmat Fatals:** 0  
**Hazmat Injury:** No  
**Haz Hospital Empl:** 0  
**Haz Hospital Resp:** 0  
**Haz Hosp Gen Public:** 0  
**Haz Hosp Old Form:** 0  
**Total Haz Hosp Inj:** 0  
**Haz Non Hosp Empl:** 0  
**Haz Non Hosp Resp:** 0  
**Description of Events:**

**Haz NonHosp Public:** 0  
**Haz NonHosp Old:**  
**Tot Haz Non Hosp Inj:**  
**Total Hazmat Injuries:** 0  
**Evacuation Indicator:** No  
**Public Evacuated:** 0  
**Employees Evac:** 0  
**Total Evacuated:** 0  
**Total Evacuation Hrs:** 0  
**Major Artery Closed:** No  
**Mjr Artery Hrs Closed:** 0  
**Material Involved:** No  
**Estimated Speed:** 0  
**Weather Conditions:**  
**Vehicle Overturn:** No  
**Vehicle Left Roadway:** No  
**Passenger Aircraft:** No  
**Cargo Baggage:**  
**Ship Non Transport:** No  
**Ship Air First Flight:** No  
**Ship Air Subflight:** No  
**Ship Init Transport:** No  
**Ship Phase Transfer:** No  
**Contact Name:** DAVID P HEDRICK  
**Contact Title:** REGION SAFETY MANAGER  
**Contact Business:**  
**Contact Street:**  
**Contact City:**  
**Contact State:**  
**Contact Postal:**  
**Contact Non US St:**  
**Contact Country:** US  
**Inc. Report Prepared:**  
**HMIS Serious Incidnt:** No  
**HMIS Serious Fatality:** No  
**HMIS Serious Injury:** No  
**HMIS Flight Plan:** No  
**HMIS Serious Evacs:** No  
**HMIS Major Artery:** No  
**HMIS Bulk Release:** No  
**HMIS Marine Pollutnt:** No  
**HMIS Radioactive:** No  
**HMIS Gen Pkg Type:** TANK  
**HMIS Container Code:** MC331  
**HMIS Container Desc:** Cargo tanks  
**HMIS Bulk Incident:** Yes  
**Undeclared Shipment:** No

UNLOADING PROCEDURE IN PROCESS. POWER TAKE OFF THAT OPERATES UNLOADING PUMP BECAME DISCONNECTED AT U-JOINT WHILE SHAFT STILL ROTATING, CAUSING BREAK TO BRASS FITTING AT PUMPS AUXILIARY INLET. PRODUCT LOSS CONTAINED TO THAT WHICH WAS IN DISCHARGE PIPING SYSTEM (APPROXIMATELY 15 GALLONS). PRODUCT DISPERSED TO ATMOSPHERE. NO INJURIES.

***Recommend Actions Taken:***

## Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ERIS updates databases as set out in ASTM Standard E1527-13 and E1527-21, Section 8.1.8 Sources of Standard Source Information:*

*"Government information from nongovernmental sources may be considered current if the source updates the information at least every 90 days, or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public."*

### Standard Environmental Record Sources

#### Federal

##### Formerly Utilized Sites Remedial Action Program:

DOE FUSRAP

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

**Government Publication Date: Mar 4, 2017**

##### National Priority List:

NPL

Sites on the United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. The NPL, which EPA is required to update at least once a year, is based primarily on the score a site receives from EPA's Hazard Ranking System. A site must be on the NPL to receive money from the Superfund Trust Fund for remedial action. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Jul 26, 2022**

##### National Priority List - Proposed:

PROPOSED NPL

Sites proposed - by the EPA, the state agency, or concerned citizens - for addition to the NPL due to contamination by hazardous waste and identified by the Environmental Protection Agency (EPA) as a candidate for cleanup because it poses a risk to human health and/or the environment. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Jul 26, 2022**

##### Deleted NPL:

DELETED NPL

Sites deleted from the United States Environmental Protection Agency (EPA)'s National Priorities List. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Jul 26, 2022**

**SEMS List 8R Active Site Inventory:**

SEMS

The U.S. Environmental Protection Agency's (EPA) Superfund Program has deployed the Superfund Enterprise Management System (SEMS), which integrates multiple legacy systems into a comprehensive tracking and reporting tool. This inventory contains active sites evaluated by the Superfund program that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. This data includes SEMS sites from the List 8R Active file as well as applicable sites from the SEMS GIS/REST file layer obtained from EPA's Facility Registry Service.

**Government Publication Date:** Sep 28, 2022

**Inventory of Open Dumps, June 1985:**

ODI

The Resource Conservation and Recovery Act (RCRA) provides for publication of an inventory of open dumps. The Act defines "open dumps" as facilities which do not comply with EPA's "Criteria for Classification of Solid Waste Disposal Facilities and Practices" (40 CFR 257).

**Government Publication Date:** Jun 1985

**SEMS List 8R Archive Sites:**

SEMS ARCHIVE

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. This data includes sites from the List 8R Archived site file.

**Government Publication Date:** Sep 28, 2022

**Comprehensive Environmental Response, Compensation and Liability Information System -**

CERCLIS

**CERCLIS:**

Superfund is a program administered by the United States Environmental Protection Agency (EPA) to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The EPA administers the Superfund program in cooperation with individual states and tribal governments; this database is made available by the EPA.

**Government Publication Date:** Oct 25, 2013

**EPA Report on the Status of Open Dumps on Indian Lands:**

IODI

Public Law 103-399, The Indian Lands Open Dump Cleanup Act of 1994, enacted October 22, 1994, identified congressional concerns that solid waste open dump sites located on American Indian or Alaska Native (AI/AN) lands threaten the health and safety of residents of those lands and contiguous areas. The purpose of the Act is to identify the location of open dumps on Indian lands, assess the relative health and environment hazards posed by those sites, and provide financial and technical assistance to Indian tribal governments to close such dumps in compliance with Federal standards and regulations or standards promulgated by Indian Tribal governments or Alaska Native entities.

**Government Publication Date:** Dec 31, 1998

**CERCLIS - No Further Remedial Action Planned:**

CERCLIS NFRAP

An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. The Archive designation means that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

**Government Publication Date:** Oct 25, 2013

**CERCLIS Liens:**

CERCLIS LIENS

A Federal Superfund lien exists at any property where EPA has incurred Superfund costs to address contamination ("Superfund site") and has provided notice of liability to the property owner. A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. This database is made available by the United States Environmental Protection Agency (EPA). This database was provided by the United States Environmental Protection Agency (EPA). Refer to SEMS LIEN as the current data source for Superfund Liens.

**Government Publication Date:** Jan 30, 2014

**RCRA CORRACTS-Corrective Action:**

RCRA CORRACTS

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. At these sites, the Corrective Action Program ensures that cleanups occur. EPA and state regulators work with facilities and communities to design remedies based on the contamination, geology, and anticipated use unique to each site.

**Government Publication Date:** Sep 5, 2022

**RCRA non-CORRACTS TSD Facilities:**[RCRA TSD](#)

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. This database includes Non-Corrective Action sites listed as treatment, storage and/or disposal facilities of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

**Government Publication Date:** Sep 5, 2022

**RCRA Generator List:**[RCRA LQG](#)

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Large Quantity Generators (LQGs) generate 1,000 kilograms per month or more of hazardous waste or more than one kilogram per month of acutely hazardous waste.

**Government Publication Date:** Sep 5, 2022

**RCRA Small Quantity Generators List:**[RCRA SQG](#)

RCRA Info is the EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Small Quantity Generators (SQGs) generate more than 100 kilograms, but less than 1,000 kilograms, of hazardous waste per month.

**Government Publication Date:** Sep 5, 2022

**RCRA Very Small Quantity Generators List:**[RCRA VSQG](#)

RCRA Info is the EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Very Small Quantity Generators (VSQG) generate 100 kilograms or less per month of hazardous waste, or one kilogram or less per month of acutely hazardous waste. Additionally, VSQG may not accumulate more than 1,000 kilograms of hazardous waste at any time.

**Government Publication Date:** Sep 5, 2022

**RCRA Non-Generators:**[RCRA NON GEN](#)

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Non-Generators do not presently generate hazardous waste.

**Government Publication Date:** Sep 5, 2022

**RCRA Sites with Controls:**[RCRA CONTROLS](#)

List of Resource Conservation and Recovery Act (RCRA) facilities with institutional controls in place. RCRA gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances.

**Government Publication Date:** Sep 5, 2022

**Federal Engineering Controls-ECs:**[FED ENG](#)

Engineering controls (ECs) encompass a variety of engineered and constructed physical barriers (e.g., soil capping, sub-surface venting systems, mitigation barriers, fences) to contain and/or prevent exposure to contamination on a property. This database is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date:** May 25, 2022

**Federal Institutional Controls-ICs:**[FED INST](#)

Institutional controls are non-engineered instruments, such as administrative and legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy. Although it is EPA's (United States Environmental Protection Agency) expectation that treatment or engineering controls will be used to address principal threat wastes and that groundwater will be returned to its beneficial use whenever practicable, ICs play an important role in site remedies because they reduce exposure to contamination by limiting land or resource use and guide human behavior at a site.

**Government Publication Date:** May 25, 2022

**Land Use Control Information System:**

LUCIS

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

**Government Publication Date:** Sep 1, 2006

**Institutional Control Boundaries at NPL sites:**

NPL IC

Boundaries of Institutional Control areas at sites on the United States Environmental Protection Agency (EPA)'s National Priorities List, or Proposed or Deleted, made available by the EPA's Shared Enterprise Geodata and Services (SEGS). United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. Institutional controls are non-engineered instruments such as administrative and legal controls that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy.

**Government Publication Date:** Jul 26, 2022

**Emergency Response Notification System:**

ERNS 1982 TO 1986

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

**Government Publication Date:** 1982-1986

**Emergency Response Notification System:**

ERNS 1987 TO 1989

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

**Government Publication Date:** 1987-1989

**Emergency Response Notification System:**

ERNS

Database of oil and hazardous substances spill reports made available by the United States Coast Guard National Response Center (NRC). The NRC fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. These data contain initial incident data that has not been validated or investigated by a federal/state response agency.

**Government Publication Date:** Aug 28, 2022

**The Assessment, Cleanup and Redevelopment Exchange System (ACRES) Brownfield Database:**

FED BROWNFIELDS

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties protects the environment, reduces blight, and takes development pressures off greenspaces and working lands. This database is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date:** Aug 20, 2021

**FEMA Underground Storage Tank Listing:**

FEMA UST

The Federal Emergency Management Agency (FEMA) of the Department of Homeland Security maintains a list of FEMA owned underground storage tanks.

**Government Publication Date:** Dec 31, 2017

**Facility Response Plan:**

FRP

List of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

**Government Publication Date:** Dec 31, 2021

**Delisted Facility Response Plans:**

DELISTED FRP

Facilities that once appeared in - and have since been removed from - the list of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

**Government Publication Date:** Dec 31, 2021

### **Historical Gas Stations:**

**HIST GAS STATIONS**

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

**Government Publication Date: Jul 1, 1930**

### **Petroleum Refineries:**

**REFN**

List of petroleum refineries from the U.S. Energy Information Administration (EIA) Refinery Capacity Report. Includes operating and idle petroleum refineries (including new refineries under construction) and refineries shut down during the previous year located in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and other U.S. possessions. Survey locations adjusted using public data.

**Government Publication Date: Feb 4, 2022**

### **Petroleum Product and Crude Oil Rail Terminals:**

**BULK TERMINAL**

List of petroleum product and crude oil rail terminals made available by the U.S. Energy Information Administration (EIA). Includes operable bulk petroleum product terminals located in the 50 States and the District of Columbia with a total bulk shell storage capacity of 50,000 barrels or more, and/or the ability to receive volumes from tanker, barge, or pipeline; also rail terminals handling the loading and unloading of crude oil that were active between 2017 and 2018. Petroleum product terminals comes from the EIA-815 Bulk Terminal and Blender Report, which includes working, shell in operation, and shell idle for several major product groupings. Survey locations adjusted using public data.

**Government Publication Date: Feb 4, 2022**

### **LIEN on Property:**

**SEMS LIEN**

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) provides Lien details on applicable properties, such as the Superfund lien on property activity, the lien property information, and the parties associated with the lien.

**Government Publication Date: Sep 28, 2022**

### **Superfund Decision Documents:**

**SUPERFUND ROD**

This database contains a listing of decision documents for Superfund sites. Decision documents serve to provide the reasoning for the choice of (or) changes to a Superfund Site cleanup plan. The decision documents include Records of Decision (ROD), ROD Amendments, Explanations of Significant Differences (ESD), along with other associated memos and files. This information is maintained and made available by the US EPA (Environmental Protection Agency).

**Government Publication Date: Sep 28, 2022**

## **State**

### **Methane Gas Study Sites:**

**LANDFILL METHANE**

This Investigation of Methane Gas Hazards report was prepared by the Denver Office of Emergency Preparedness in 1981. The purpose of this study was to assess the actual and potential generation, migration, explosive and related problems associated with specified landfills, and to identify existing and potential problems, suggested strategies to prevent, abate, and control such problems and recommend investigative and monitoring functions as may be deemed necessary. The Colorado Department of Health selected eight landfills as priorities due to population density and potential hazards to population and property.

**Government Publication Date: Jan 2, 1981**

### **Environmental Covenants and Use Restrictions:**

**COVENANTS**

Boundaries of environmental covenant/environmental use restriction sites made available by the Colorado Department of Public Health & Environment (CDPHE). CDPHE has the authority to approve requests to restrict the future use of a property using an enforceable agreement called an environmental covenant. Land use restrictions may be used to ensure the cleanup remedy adequately protects human health and the environment when a contaminated site isn't cleaned up completely.

**Government Publication Date: Feb 10, 2022**

### **Superfund National Priorities List and Natural Resource Damages sites:**

**SUPERFUND NRD**

Boundaries of Superfund National Priorities List sites and Natural Resource Damages sites in Colorado made available by the Colorado Department of Public Health and Environment (CDPHE).

**Government Publication Date: Jun 16, 2021**

### **Superfund Sites:**

**SHWS**

A list of Superfund sites in Colorado made available by the Colorado Department of Public Health and Environment (CDPHE). In Colorado, the cleanup of Superfund sites is overseen by the CDPHE or the Environmental Protection Agency (EPA). This list includes active Superfund sites, deleted sites, proposed sites, and natural resource damage sites.

**Delisted Superfund Sites:**

[DELISTED SHWS](#)

Sites which once appeared on - but have since been removed from - the list of Superfund sites in Colorado made available by the Colorado Department of Public Health and Environment (CDPHE). In Colorado, the cleanup of Superfund sites is overseen by the CDPHE or the Environmental Protection Agency (EPA).

Government Publication Date: Jun 29, 2022

**Solid Waste Facilities and Landfills:**

[SWF/LF](#)

The Colorado Department of Public Health and Environment (CDPHE) regulates the management and disposal of solid waste and landfill facilities. This data is provided by the CDPHE's Hazardous Materials and Waste Management Division's Solid Waste Report and the Environmental Sites Search Map Application.

Government Publication Date: May 3, 2022

**Historical Solid Waste (Closed or Abandoned Landfills):**

[HIST LF](#)

In the early 1980s the Hazardous Materials Waste Management Division of the Colorado Department of Public Health and Environment (CDPHE) conducted a survey of staff members and local agencies. The information gathered was compiled in 1984 for sites that were known or thought to have waste issues. The information is not complete and generally not very definitive or verifiable. This data became the Solid Waste Historical Data. The data is not maintained and has not been since the late 1980s.

Government Publication Date: 1984

**Tri-County Historic Landfills:**

[HIST LANDFILLS](#)

A list of historical landfills made available by the Tri-County Health Department (TCHD). The TCHD serves Adams, Arapahoe, and Douglas Counties.

Government Publication Date: Jun 1, 2022

**Registered Recycling Facilities:**

[RECYCLING](#)

This list of registered recycling facilities in Colorado is maintained by the Colorado Department of Public Health & Environment (CDPHE). This list includes primarily processing facilities for recyclable materials, such as material recovery facilities, industrial recycling operations, and recyclable material end user sites. Collection centers/drop-off locations are not included unless the site is also processing recyclable materials (separating, sorting, dismantling, grinding, baling, etc.).

Government Publication Date: Sep 12, 2022

**Leaking Storage Tanks:**

[LST](#)

A list of leaking storage tank locations from the Colorado Storage Tank Information System (COSTIS) database, including those which have applied for reimbursement from the Petroleum Storage Tank Fund. This list has been made available by the Colorado Department of Labor and Employment (CDLE).

Government Publication Date: Jul 19, 2022

**LUST Trust Sites:**

[LUST TRUST](#)

The Division of Oil and Public Safety of the Colorado Department of Labor and Employment (CDLE) manages a Petroleum Storage Tank Fund (The Fund) that receives and processes applications to the Fund for reimbursement of costs related to assessment and cleanup of petroleum contaminated sites.

Government Publication Date: Jul 19, 2022

**Delisted Leaking Storage Tanks:**

[DELISTED LST](#)

This database contains a list of leaking storage tank sites and their Funds for reimbursement of costs related to assessment and cleanup that were removed from the Colorado Department of Labor and Employment (CDLE) database.

Government Publication Date: Jul 19, 2022

**Underground Storage Tanks:**

[UST](#)

A list of underground storage tanks from the Colorado Storage Tank Information System (COSTIS) database. This database is made available by the Division of Oil and Public Safety of the Colorado Department of Labor and Employment (CDLE).

Government Publication Date: Jul 19, 2022

**Aboveground Storage Tanks:**

[AST](#)

A list of aboveground storage tanks from the Colorado Storage Tank Information System (COSTIS) database. This list is made available by the Division of Oil and Public Safety of the Colorado Department of Labor and Employment (CDLE).

Government Publication Date: Jul 19, 2022

### **Storage Tank Information System (COSTIS):**

[TANKS](#)

This storage tank listing is provided by the Colorado Department of Labor and Employment, Division of Oil and Public Safety (OPS). The OPS manages the Colorado Storage Tank Information System (COSTIS) database which stores information on these facilities. This tank data includes facilities with liquefied petroleum gas, liquefied natural gas, and compressed natural gas tanks which are not classified as either underground storage tanks or aboveground storage tanks. Data is compiled from applicable FOIA files, COSTIS files and other OPS datasets.

**Government Publication Date: Jul 19, 2022**

### **Delisted Storage Tanks:**

[DTNK](#)

This database contains a list of closed storage tank sites that were removed from the Division of Oil and Public Safety of the Colorado Department of Labor and Employment (CDLE) Tank Information System.

**Government Publication Date: Jul 19, 2022**

### **Environmental Covenants and Environmental Use Restrictions List:**

[AUL](#)

The Colorado Department of Public Health and Environment (CDPHE) maintains a list of sites that have environmental covenants and use restrictions in place. Land use restrictions may be used to ensure the cleanup remedy adequately protects human health and the environment when a contaminated site is not cleaned up completely.

**Government Publication Date: Apr 11, 2022**

### **The Voluntary Cleanup and Redevelopment Program:**

[VCP](#)

The Voluntary Cleanup and Redevelopment program of the Colorado Department of Public Health and Environment (CDPHE) was created in 1994 with the objective to facilitate the redevelopment and transfer of contaminated properties.

**Government Publication Date: Jul 1, 2022**

### **Brownfield Sites:**

[BROWNFIELDS](#)

Brownfields Program sites found in the Colorado Environmental Records Search Interactive Map made available by the Colorado Department of Public Health and Environment (CDPHE). Sites which go untouched because of their real or perceived contamination can be rehabilitated using the CDPHE Brownfields Program.

**Government Publication Date: Aug 1, 2022**

## **Tribal**

### **Leaking Underground Storage Tanks (LUSTs) on Indian Lands:**

[INDIAN LUST](#)

This list of leaking underground storage tanks (LUSTs) on Tribal/Indian Lands in Region 8, which includes Colorado, is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Apr 20, 2022**

### **Underground Storage Tanks (USTs) on Indian Lands:**

[INDIAN UST](#)

This list of underground storage tanks (USTs) on Tribal/Indian Lands in Region 8, which includes Colorado, is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Apr 20, 2022**

### **Delisted Tribal Leaking Storage Tanks:**

[DELISTED ILST](#)

Leaking Underground Storage Tank facilities which have been removed from the Regional Tribal LUST lists made available by the EPA.

**Government Publication Date: Apr 9, 2022**

### **Delisted Tribal Underground Storage Tanks:**

[DELISTED IUST](#)

Underground Storage Tank facilities which have been removed from the Regional Tribal UST lists made available by the EPA.

**Government Publication Date: Apr 20, 2022**

## **County**

**No County databases were selected to be included in the search.**

## **Additional Environmental Record Sources**

### **Federal**

#### **Facility Registry Service/Facility Index:**

FINDS/FRS

The Facility Registry Service (FRS) is a centrally managed database that identifies facilities, sites, or places subject to environmental regulations or of environmental interest. FRS creates high-quality, accurate, and authoritative facility identification records through rigorous verification and management procedures that incorporate information from program national systems, state master facility records, and data collected from EPA's Central Data Exchange registrations and data management personnel. This list is made available by the Environmental Protection Agency (US EPA).

**Government Publication Date: Nov 2, 2020**

#### **Toxics Release Inventory (TRI) Program:**

TRIS

The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment. One of TRI's primary purposes is to inform communities about toxic chemical releases to the environment.

**Government Publication Date: Aug 24, 2021**

#### **Perfluorinated Alkyl Substances (PFAS) Releases:**

PFAS TRI

List of Toxics Release Inventory (TRI) facilities at which the reported chemical is a Per- or polyfluorinated alkyl substance (PFAS) included in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances. The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment.

**Government Publication Date: Aug 24, 2021**

#### **PFOA/PFOS Contaminated Sites:**

PFAS NPL

List of National Priorities List (NPL) and related Superfund Alternative Agreement (SAA) sites where PFOA or PFOS contaminants have been found in water and/or soil. The site listing is provided by the Federal Environmental Protection Agency (EPA).

**Government Publication Date: Oct 4, 2022**

#### **Perfluorinated Alkyl Substances (PFAS) Water Quality:**

PFAS WATER

The Water Quality Portal (WQP) is a cooperative service sponsored by the United States Geological Survey (USGS), the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC). This listing includes records from the Water Quality Portal where the characteristic (environmental measurement) is in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances.

**Government Publication Date: Jul 20, 2020**

#### **SSEHRI PFAS Contamination Sites:**

PFAS SSEHRI

This PFAS Contamination Site Tracker database is compiled by the Social Science Environmental Health Research Institute (SSEHRI) at Northeastern University. According to the SSEHRI, the database records qualitative and quantitative data from each known site of PFAS contamination, including timeline of discovery, sources, levels, health impacts, community response, and government response. The goal of this database is to compile information and support public understanding of the rapidly unfolding issue of PFAS contamination. All data presented was extracted from government websites, news articles, or publicly available documents, and this is cited in the tracker. Disclaimer: The source conveys this database undergoes regular updates as new information becomes available, some sites may be missing and/or contain information that is incorrect or outdated, as well as their information represents all contamination sites SSEHRI is aware of, not all possible contamination sites. This data is not intended to be used for legal purposes. Limited location details are available with this data. Access the following for the most current informations <https://pfasproject.com/pfas-contamination-site-tracker/>

**Government Publication Date: Dec 12, 2019**

#### **National Response Center PFAS Spills:**

ERNS PFAS

National Response Center (NRC) calls from 1990 to the most recent complete calendar year where there is indication of Aqueous Film Forming Foam (AFFF) usage. NRC calls may reference AFFF usage in the "Material Involved" or "Incident Description" fields. Data made available by the US Environmental Protection Agency (EPA). Disclaimer: dataset may include initial or misidentified incident data not yet validated or investigated by a federal/state response agency.

**Government Publication Date: Feb 23, 2022**

#### **Hazardous Materials Information Reporting System:**

HMIRS

US DOT - Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) Incidents Reports Database taken from Hazmat Intelligence Portal, U.S. Department of Transportation.

**Government Publication Date: Sep 1, 2020**

**National Clandestine Drug Labs:**

NCDL

The U.S. Department of Justice ("the Department") provides this data as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy.

**Government Publication Date:** Apr 30, 2022

**Toxic Substances Control Act:**

TSCA

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The CDR enables EPA to collect and publish information on the manufacturing, processing, and use of commercial chemical substances and mixtures (referred to hereafter as chemical substances) on the TSCA Chemical Substance Inventory (TSCA Inventory). This includes current information on chemical substance production volumes, manufacturing sites, and how the chemical substances are used. This information helps the Agency determine whether people or the environment are potentially exposed to reported chemical substances. EPA publishes submitted CDR data that is not Confidential Business Information (CBI).

**Government Publication Date:** Apr 11, 2019

**Hist TSCA:**

HIST TSCA

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The 2006 IUR data summary report includes information about chemicals manufactured or imported in quantities of 25,000 pounds or more at a single site during calendar year 2005. In addition to the basic manufacturing information collected in previous reporting cycles, the 2006 cycle is the first time EPA collected information to characterize exposure during manufacturing, processing and use of organic chemicals. The 2006 cycle also is the first time manufacturers of inorganic chemicals were required to report basic manufacturing information.

**Government Publication Date:** Dec 31, 2006

**FTTS Administrative Case Listing:**

FTTS ADMIN

An administrative case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

**Government Publication Date:** Jan 19, 2007

**FTTS Inspection Case Listing:**

FTTS INSP

An inspection case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

**Government Publication Date:** Jan 19, 2007

**Potentially Responsible Parties List:**

PRP

Early in the site cleanup process, the U.S. Environmental Protection Agency (EPA) conducts a search to find the Potentially Responsible Parties (PRPs). The EPA looks for evidence to determine liability by matching wastes found at the site with parties that may have contributed wastes to the site. This listing contains PRPs, Noticed Parties, at sites in the EPA's Superfund Enterprise Management System (SEMS).

**Government Publication Date:** Sep 28, 2022

**State Coalition for Remediation of Drycleaners Listing:**

SCRD DRYCLEANER

The State Coalition for Remediation of Drycleaners (SCRD) was established in 1998, with support from the U.S. Environmental Protection Agency (EPA) Office of Superfund Remediation and Technology Innovation. Coalition members are states with mandated programs and funding for drycleaner site remediation. Current members are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin. Since 2017, the SCRD no longer maintains this data, refer to applicable state source data where available.

**Government Publication Date:** Nov 08, 2017

**Integrated Compliance Information System (ICIS):**

ICIS

The Integrated Compliance Information System (ICIS) is a system that provides information for the Federal Enforcement and Compliance (FE&C) and the National Pollutant Discharge Elimination System (NPDES) programs. The FE&C component supports the Environmental Protection Agency's (EPA) Civil Enforcement and Compliance program activities. These activities include Compliance Assistance, Compliance Monitoring and Enforcement. The NPDES program supports tracking of NPDES permits, limits, discharge monitoring data and other program reports.

**Government Publication Date:** Jul 23, 2022

**Drycleaner Facilities:**

FED DRYCLEANERS

A list of drycleaner facilities from Enforcement and Compliance History Online (ECHO) online search. The Environmental Protection Agency (EPA) tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

**Government Publication Date:** Jun 25, 2022

**Delisted Drycleaner Facilities:**

DELISTED FED DRY

List of sites removed from the list of Drycleaner Facilities (sites in the EPA's Integrated Compliance Information System (ICIS) with NAIC or SIC codes identifying the business as a drycleaner establishment).

**Government Publication Date:** Jun 25, 2022

**Formerly Used Defense Sites:**

FUDS

Formerly Used Defense Sites (FUDS) are properties that were formerly owned by, leased to, or otherwise possessed by and under the jurisdiction of the Secretary of Defense prior to October 1986, where the Department of Defense (DoD) is responsible for an environmental restoration. This list is published by the U.S. Army Corps of Engineers.

**Government Publication Date:** May 26, 2021

**Former Military Nike Missile Sites:**

FORMER NIKE

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

**Government Publication Date:** Dec 2, 1984

**PHMSA Pipeline Safety Flagged Incidents:**

PIPELINE INCIDENT

A list of flagged pipeline incidents made available by the U.S. Department of Transportation (US DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). PHMSA regulations require incident and accident reports for five different pipeline system types.

**Government Publication Date:** Jul 7, 2020

**Material Licensing Tracking System (MLTS):**

MLTS

A list of sites that store radioactive material subject to the Nuclear Regulatory Commission (NRC) licensing requirements. This list is maintained by the NRC. As of September 2016, the NRC no longer releases location information for sites. Site locations were last received in July 2016.

**Government Publication Date:** May 11, 2021

**Historic Material Licensing Tracking System (MLTS) sites:**

HIST MLTS

A historic list of sites that have inactive licenses and/or removed from the Material Licensing Tracking System (MLTS). In some cases, a site is removed from the MLTS when the state becomes an "Agreement State". An Agreement State is a State that has signed an agreement with the Nuclear Regulatory Commission (NRC) authorizing the State to regulate certain uses of radioactive materials within the State.

**Government Publication Date:** Jan 31, 2010

**Mines Master Index File:**

MINES

The Master Index File (MIF) is provided by the United State Department of Labor, Mine Safety and Health Administration (MSHA). This file, which was originally created in the 1970's, contained many Mine-IDs that were invalid. MSHA removes invalid IDs from the MIF upon discovery. MSHA applicable data includes the following: all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970; mine addresses for all mines in the database except for Abandoned mines prior to 1998 from MSHA's legacy system (addresses may or may not correspond with the physical location of the mine itself); violations that have been assessed penalties as a result of MSHA inspections beginning on 1/1/2000; and violations issued as a result of MSHA inspections conducted beginning on 1/1/2000.

**Government Publication Date:** Aug 3, 2022

**Surface Mining Control and Reclamation Act Sites:**

SMCRA

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of Abandoned Mine Land (AML) impacts, as well as information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

**Government Publication Date:** Aug 18, 2022

**Mineral Resource Data System:**

MRDS

The Mineral Resource Data System (MRDS) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS. The USGS has ceased systematic updates of the MRDS database with their focus more recently on deposits of critical minerals while providing a well-documented baseline of historical mine locations from USGS topographic maps.

**Government Publication Date:** Mar 15, 2016

**DOE Legacy Management Sites:**

URANIUM

The U.S. Department of Energy (DOE) Office of Legacy Management (LM) currently manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The LM manages sites with diverse regulatory drivers (statutes or programs that direct cleanup and management requirements at DOE sites) or as part of internal DOE or congressionally-recognized programs, such as but not limited to: Formerly Utilized Sites Remedial Action Program (FUSRAP), Uranium Mill Tailings Radiation Control Act (UMTRCA Title I, Title II), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Resource Conservation and Recovery Act (RCRA), Decontamination and Decommissioning (D&D), Nuclear Waste Policy Act (NWPA). This site listing includes data exported from the DOE Office of LM's Geospatial Environmental Mapping System (GEMS). GEMS Data disclaimer: The DOE Office of LM makes no representation or warranty, expressed or implied, regarding the use, accuracy, availability, or completeness of the data presented herein.

**Government Publication Date:** Jun 21, 2022

**Alternative Fueling Stations:**

ALT FUELS

This list of alternative fueling stations is sourced from the Alternative Fuels Data Center (AFDC). The U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy launched the AFDC in 1991 as a repository for alternative fuel vehicle performance data, which provides a wealth of information and data on alternative and renewable fuels, advanced vehicles, fuel-saving strategies, and emerging transportation technologies. The data includes Biodiesel (B20 and above), Compressed Natural Gas (CNG), Electric, Ethanol (E85), Hydrogen, Liquefied Natural Gas (LNG), Propane (LPG) fuel type locations.

**Government Publication Date:** Oct 10, 2022

**Air Facility System:**

AFS

This EPA retired Air Facility System (AFS) dataset contains emissions, compliance, and enforcement data on stationary sources of air pollution. Regulated sources cover a wide spectrum; from large industrial facilities to relatively small operations such as dry cleaners. AFS does not contain data on facilities that are solely asbestos demolition and/or renovation contractors, or landfills. ECHO Clean Air Act data from AFS are frozen and reflect data as of October 17, 2014; the EPA retired this system for Clean Air Act stationary sources and transitioned to ICIS-Air.

**Government Publication Date:** Oct 17, 2014

**Superfunds Consent Decrees:**

CONSENT DECREES

This list of Superfund consent decrees is provided by the Department of Justice, Environment & Natural Resources Division (ENRD) through a Freedom of Information Act (FOIA) applicable file. This listing includes Consent Decrees for CERCLA or Superfund Sites filed and/or as proposed within the ENRD's Case Management System (CMS) since 2010. CMS may not reflect the latest developments in a case nor can the agency guarantee the accuracy of the data. ENRD Disclaimer: Congress excluded three discrete categories of law enforcement and national security records from the requirements of the FOIA; response is limited to those records that are subject to the requirements of the FOIA; however, this should not be taken as an indication that excluded records do, or do not, exist.

**Government Publication Date:** Sep 15, 2022

**Registered Pesticide Establishments:**

SSTS

List of active EPA-registered foreign and domestic pesticide-producing and device-producing establishments based on data from the Section Seven Tracking System (SSTS). The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 7 requires that facilities producing pesticides, active ingredients, or devices be registered. The list of establishments is made available by the EPA.

**Government Publication Date:** Mar 30, 2022

**Polychlorinated Biphenyl (PCB) Transformers:**

PCBT

Locations of Transformers Containing Polychlorinated Biphenyls (PCBs) registered with the United States Environmental Protection Agency. PCB transformer owners must register their transformer(s) with EPA. Although not required, PCB transformer owners who have removed and properly disposed of a registered PCB transformer may notify EPA to have their PCB transformer de-registered. Data made available by EPA.

**Government Publication Date:** Oct 15, 2019

**Polychlorinated Biphenyl (PCB) Notifiers:**

PCB

Facilities included in the national list of facilities that have notified the United States Environmental Protection Agency (EPA) of Polychlorinated Biphenyl (PCB) activities. Any company or person storing, transporting or disposing of PCBs or conducting PCB research and development must notify the EPA and receive an identification number.

**Government Publication Date: Jul 28, 2022**

## **State**

### **Spills:**

[SPILLS](#)

A list of hazardous material spills and releases (including Meth Labs) that were reported to the Colorado Department of Public Health and Environment (CDPHE).

**Government Publication Date: Apr 8, 2022**

### **Colorado Oil and Gas Conservation Commission Spills:**

[OG SPILLS](#)

A list of spills made available by the Colorado Oil and Gas Conservation Commission (COGCC).

**Government Publication Date: Sep 7, 2022**

### **Dry Cleaning Facilities:**

[DRYCLEANERS](#)

A list of dry cleaners provided by the Colorado Department of Public Health and Environment (CDPHE) Hazardous Waste Compliance Assurance Unit and Stationary Sources Program.

**Government Publication Date: Sep 19, 2022**

### **Delisted Dry Cleaning Facilities:**

[DELISTED DRYCLEANERS](#)

List of sites removed from the drycleaners database made available by the Department of Public Health & Environment.

**Government Publication Date: Sep 19, 2022**

### **Air Pollution Control Division Permitted Facilities:**

[AIR PERMITS](#)

This list of Air Pollution Control Division Permitted Facilities is maintained by the Colorado Department of Public Health and Environment. The Stationary Sources Program evaluates and develops air permits for stationary sources in Colorado. The program inspects sources to determine compliance with air regulations and permit conditions and maintains an inventory of air pollution emissions throughout the state.

**Government Publication Date: Jul 12, 2022**

### **Per- and Polyfluoroalkyl Substances (PFAS):**

[PFAS](#)

A list of facilities that reported storing or using AFFF or Class B firefighting foam, other PFAS chemicals, have reported PFAS passthrough, or have detectable limits of PFAS in their discharge.

**Government Publication Date: Dec 8, 2020**

### **Asbestos Abatement and Demolition Projects:**

[ASBESTOS](#)

A list of Asbestos Abatement and Demolition Projects made available by the Colorado Department of Public Health and Environment (CDPHE), Air Pollution Control Division.

**Government Publication Date: Dec 28, 2017**

### **Hazardous Waste Sites- Generator:**

[HAZ GEN](#)

A list of hazardous waste generators. This list is made available by the Colorado Department of Public Health and Environment (CDPHE).

**Government Publication Date: Jun 30, 2003**

### **Permitted Facilities Listing:**

[PDES](#)

A list of permitted facilities tracked by the Water Quality Control Division of the Department of Public Health & Environment (DPHE). This list is the state version of the NPDES (National Pollution Discharge Elimination System).

**Government Publication Date: Sep 1, 2022**

### **Hazardous Waste Sites- Treatment, Storage & Disposal:**

[HAZ TSD](#)

A list of facilities that treat, store, dispose, or recycle hazardous waste on-site. This list is made available by the Colorado Department of Public Health and Environment (CDPHE).

**Government Publication Date: Jun 30, 2003**

**Hazardous Waste Sites- Corrective Action:**

HAZ CORRACT

A list of hazardous waste generators with corrective actions. This list is made available by the Colorado Department of Public Health and Environment (CDPHE).

*Government Publication Date: Jun 30, 2003*

**Uranium Mill Tailings Sites:**

UMTRA

There were nine uranium mill tailings sites in Colorado designated for cleanup under the Federal Uranium Mill Tailings Radiation Control Act (UMTRA). These nine sites, know commonly as UMTRA sites, were remediated jointly by the State of Colorado and the U.S. Department of Energy during the late 1980's and early 1990's. Mill tailings were removed from 8 of the mill sites and relocated in engineered disposal cells. A disposal cell is designed to encapsulate the material, reduce radon emanation, and prevent the movement of water through the material. At one site, Maybell, CO, the tailings were stabilized in-place at the mill site. After remediation of the tailings was completed, the State and DOE began to investigate the residual impacts to groundwater at the mill sites. The groundwater phase of the UMTRA program is on-going. This database was provided by the Colorado Department of Public Health and Environment in 2008.

*Government Publication Date: Apr 24, 2020*

**Tribal**

*No Tribal additional environmental record sources available for this State.*

**County**

*No County additional environmental databases were selected to be included in the search.*

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

# **Appendix E**

## **Other Supporting Documentation**

1. **NAME** \_\_\_\_\_  
 2. **ADDRESS** \_\_\_\_\_  
 3. **CITY** \_\_\_\_\_  
 4. **STATE** \_\_\_\_\_  
 5. **ZIP** \_\_\_\_\_  
 6. **PHONE** \_\_\_\_\_  
 7. **DATE** \_\_\_\_\_  
 8. **SIGNATURE** \_\_\_\_\_  
 9. **PRINT NAME** \_\_\_\_\_  
 10. **PRINT ADDRESS** \_\_\_\_\_  
 11. **PRINT CITY** \_\_\_\_\_  
 12. **PRINT STATE** \_\_\_\_\_  
 13. **PRINT ZIP** \_\_\_\_\_  
 14. **PRINT PHONE** \_\_\_\_\_  
 15. **PRINT DATE** \_\_\_\_\_  
 16. **PRINT SIGNATURE** \_\_\_\_\_  
 17. **PRINT NAME** \_\_\_\_\_  
 18. **PRINT ADDRESS** \_\_\_\_\_  
 19. **PRINT CITY** \_\_\_\_\_  
 20. **PRINT STATE** \_\_\_\_\_  
 21. **PRINT ZIP** \_\_\_\_\_  
 22. **PRINT PHONE** \_\_\_\_\_  
 23. **PRINT DATE** \_\_\_\_\_  
 24. **PRINT SIGNATURE** \_\_\_\_\_  
 25. **PRINT NAME** \_\_\_\_\_  
 26. **PRINT ADDRESS** \_\_\_\_\_  
 27. **PRINT CITY** \_\_\_\_\_  
 28. **PRINT STATE** \_\_\_\_\_  
 29. **PRINT ZIP** \_\_\_\_\_  
 30. **PRINT PHONE** \_\_\_\_\_  
 31. **PRINT DATE** \_\_\_\_\_  
 32. **PRINT SIGNATURE** \_\_\_\_\_  
 33. **PRINT NAME** \_\_\_\_\_  
 34. **PRINT ADDRESS** \_\_\_\_\_  
 35. **PRINT CITY** \_\_\_\_\_  
 36. **PRINT STATE** \_\_\_\_\_  
 37. **PRINT ZIP** \_\_\_\_\_  
 38. **PRINT PHONE** \_\_\_\_\_  
 39. **PRINT DATE** \_\_\_\_\_  
 40. **PRINT SIGNATURE** \_\_\_\_\_  
 41. **PRINT NAME** \_\_\_\_\_  
 42. **PRINT ADDRESS** \_\_\_\_\_  
 43. **PRINT CITY** \_\_\_\_\_  
 44. **PRINT STATE** \_\_\_\_\_  
 45. **PRINT ZIP** \_\_\_\_\_  
 46. **PRINT PHONE** \_\_\_\_\_  
 47. **PRINT DATE** \_\_\_\_\_  
 48. **PRINT SIGNATURE** \_\_\_\_\_  
 49. **PRINT NAME** \_\_\_\_\_  
 50. **PRINT ADDRESS** \_\_\_\_\_  
 51. **PRINT CITY** \_\_\_\_\_  
 52. **PRINT STATE** \_\_\_\_\_  
 53. **PRINT ZIP** \_\_\_\_\_  
 54. **PRINT PHONE** \_\_\_\_\_  
 55. **PRINT DATE** \_\_\_\_\_  
 56. **PRINT SIGNATURE** \_\_\_\_\_  
 57. **PRINT NAME** \_\_\_\_\_  
 58. **PRINT ADDRESS** \_\_\_\_\_  
 59. **PRINT CITY** \_\_\_\_\_  
 60. **PRINT STATE** \_\_\_\_\_  
 61. **PRINT ZIP** \_\_\_\_\_  
 62. **PRINT PHONE** \_\_\_\_\_  
 63. **PRINT DATE** \_\_\_\_\_  
 64. **PRINT SIGNATURE** \_\_\_\_\_  
 65. **PRINT NAME** \_\_\_\_\_  
 66. **PRINT ADDRESS** \_\_\_\_\_  
 67. **PRINT CITY** \_\_\_\_\_  
 68. **PRINT STATE** \_\_\_\_\_  
 69. **PRINT ZIP** \_\_\_\_\_  
 70. **PRINT PHONE** \_\_\_\_\_  
 71. **PRINT DATE** \_\_\_\_\_  
 72. **PRINT SIGNATURE** \_\_\_\_\_  
 73. **PRINT NAME** \_\_\_\_\_  
 74. **PRINT ADDRESS** \_\_\_\_\_  
 75. **PRINT CITY** \_\_\_\_\_  
 76. **PRINT STATE** \_\_\_\_\_  
 77. **PRINT ZIP** \_\_\_\_\_  
 78. **PRINT PHONE** \_\_\_\_\_  
 79. **PRINT DATE** \_\_\_\_\_  
 80. **PRINT SIGNATURE** \_\_\_\_\_  
 81. **PRINT NAME** \_\_\_\_\_  
 82. **PRINT ADDRESS** \_\_\_\_\_  
 83. **PRINT CITY** \_\_\_\_\_  
 84. **PRINT STATE** \_\_\_\_\_  
 85. **PRINT ZIP** \_\_\_\_\_  
 86. **PRINT PHONE** \_\_\_\_\_  
 87. **PRINT DATE** \_\_\_\_\_  
 88. **PRINT SIGNATURE** \_\_\_\_\_  
 89. **PRINT NAME** \_\_\_\_\_  
 90. **PRINT ADDRESS** \_\_\_\_\_  
 91. **PRINT CITY** \_\_\_\_\_  
 92. **PRINT STATE** \_\_\_\_\_  
 93. **PRINT ZIP** \_\_\_\_\_  
 94. **PRINT PHONE** \_\_\_\_\_  
 95. **PRINT DATE** \_\_\_\_\_  
 96. **PRINT SIGNATURE** \_\_\_\_\_  
 97. **PRINT NAME** \_\_\_\_\_  
 98. **PRINT ADDRESS** \_\_\_\_\_  
 99. **PRINT CITY** \_\_\_\_\_  
 100. **PRINT STATE** \_\_\_\_\_  
 101. **PRINT ZIP** \_\_\_\_\_  
 102. **PRINT PHONE** \_\_\_\_\_  
 103. **PRINT DATE** \_\_\_\_\_  
 104. **PRINT SIGNATURE** \_\_\_\_\_  
 105. **PRINT NAME** \_\_\_\_\_  
 106. **PRINT ADDRESS** \_\_\_\_\_  
 107. **PRINT CITY** \_\_\_\_\_  
 108. **PRINT STATE** \_\_\_\_\_  
 109. **PRINT ZIP** \_\_\_\_\_  
 110. **PRINT PHONE** \_\_\_\_\_  
 111. **PRINT DATE** \_\_\_\_\_  
 112. **PRINT SIGNATURE** \_\_\_\_\_  
 113. **PRINT NAME** \_\_\_\_\_  
 114. **PRINT ADDRESS** \_\_\_\_\_  
 115. **PRINT CITY** \_\_\_\_\_  
 116. **PRINT STATE** \_\_\_\_\_  
 117. **PRINT ZIP** \_\_\_\_\_  
 118. **PRINT PHONE** \_\_\_\_\_  
 119. **PRINT DATE** \_\_\_\_\_  
 120. **PRINT SIGNATURE** \_\_\_\_\_  
 121. **PRINT NAME** \_\_\_\_\_  
 122. **PRINT ADDRESS** \_\_\_\_\_  
 123. **PRINT CITY** \_\_\_\_\_  
 124. **PRINT STATE** \_\_\_\_\_  
 125. **PRINT ZIP** \_\_\_\_\_  
 126. **PRINT PHONE** \_\_\_\_\_  
 127. **PRINT DATE** \_\_\_\_\_  
 128. **PRINT SIGNATURE** \_\_\_\_\_  
 129. **PRINT NAME** \_\_\_\_\_  
 130. **PRINT ADDRESS** \_\_\_\_\_  
 131. **PRINT CITY** \_\_\_\_\_  
 132. **PRINT STATE** \_\_\_\_\_  
 133. **PRINT ZIP** \_\_\_\_\_  
 134. **PRINT PHONE** \_\_\_\_\_  
 135. **PRINT DATE** \_\_\_\_\_  
 136. **PRINT SIGNATURE** \_\_\_\_\_  
 137. **PRINT NAME** \_\_\_\_\_  
 138. **PRINT ADDRESS** \_\_\_\_\_  
 139. **PRINT CITY** \_\_\_\_\_  
 140. **PRINT STATE** \_\_\_\_\_  
 141. **PRINT ZIP** \_\_\_\_\_  
 142. **PRINT PHONE** \_\_\_\_\_  
 143. **PRINT DATE** \_\_\_\_\_  
 144. **PRINT SIGNATURE** \_\_\_\_\_  
 145. **PRINT NAME** \_\_\_\_\_  
 146. **PRINT ADDRESS** \_\_\_\_\_  
 147. **PRINT CITY** \_\_\_\_\_  
 148. **PRINT STATE** \_\_\_\_\_  
 149. **PRINT ZIP** \_\_\_\_\_  
 150. **PRINT PHONE** \_\_\_\_\_  
 151. **PRINT DATE** \_\_\_\_\_  
 152. **PRINT SIGNATURE** \_\_\_\_\_  
 153. **PRINT NAME** \_\_\_\_\_  
 154. **PRINT ADDRESS** \_\_\_\_\_  
 155. **PRINT CITY** \_\_\_\_\_  
 156. **PRINT STATE** \_\_\_\_\_  
 157. **PRINT ZIP** \_\_\_\_\_  
 158. **PRINT PHONE** \_\_\_\_\_  
 159. **PRINT DATE** \_\_\_\_\_  
 160. **PRINT SIGNATURE** \_\_\_\_\_  
 161. **PRINT NAME** \_\_\_\_\_  
 162. **PRINT ADDRESS** \_\_\_\_\_  
 163. **PRINT CITY** \_\_\_\_\_  
 164. **PRINT STATE** \_\_\_\_\_  
 165. **PRINT ZIP** \_\_\_\_\_  
 166. **PRINT PHONE** \_\_\_\_\_  
 167. **PRINT DATE** \_\_\_\_\_  
 168. **PRINT SIGNATURE** \_\_\_\_\_  
 169. **PRINT NAME** \_\_\_\_\_  
 170. **PRINT ADDRESS** \_\_\_\_\_  
 171. **PRINT CITY** \_\_\_\_\_  
 172. **PRINT STATE** \_\_\_\_\_  
 173. **PRINT ZIP** \_\_\_\_\_  
 174. **PRINT PHONE** \_\_\_\_\_  
 175. **PRINT DATE** \_\_\_\_\_  
 176. **PRINT SIGNATURE** \_\_\_\_\_  
 177. **PRINT NAME** \_\_\_\_\_  
 178. **PRINT ADDRESS** \_\_\_\_\_  
 179. **PRINT CITY** \_\_\_\_\_  
 180. **PRINT STATE** \_\_\_\_\_  
 181. **PRINT ZIP** \_\_\_\_\_  
 182. **PRINT PHONE** \_\_\_\_\_  
 183. **PRINT DATE** \_\_\_\_\_  
 184. **PRINT SIGNATURE** \_\_\_\_\_  
 185. **PRINT NAME** \_\_\_\_\_  
 186. **PRINT ADDRESS** \_\_\_\_\_  
 187. **PRINT CITY** \_\_\_\_\_  
 188. **PRINT STATE** \_\_\_\_\_  
 189. **PRINT ZIP** \_\_\_\_\_  
 190. **PRINT PHONE** \_\_\_\_\_  
 191. **PRINT DATE** \_\_\_\_\_  
 192. **PRINT SIGNATURE** \_\_\_\_\_  
 193. **PRINT NAME** \_\_\_\_\_  
 194. **PRINT ADDRESS** \_\_\_\_\_  
 195. **PRINT CITY** \_\_\_\_\_  
 196. **PRINT STATE** \_\_\_\_\_  
 197. **PRINT ZIP** \_\_\_\_\_  
 198. **PRINT PHONE** \_\_\_\_\_  
 199. **PRINT DATE** \_\_\_\_\_  
 200. **PRINT SIGNATURE** \_\_\_\_\_  
 201. **PRINT NAME** \_\_\_\_\_  
 202. **PRINT ADDRESS** \_\_\_\_\_  
 203. **PRINT CITY** \_\_\_\_\_  
 204. **PRINT STATE** \_\_\_\_\_  
 205. **PRINT ZIP** \_\_\_\_\_  
 206. **PRINT PHONE** \_\_\_\_\_  
 207. **PRINT DATE** \_\_\_\_\_  
 208. **PRINT SIGNATURE** \_\_\_\_\_  
 209. **PRINT NAME** \_\_\_\_\_  
 210. **PRINT ADDRESS** \_\_\_\_\_  
 211. **PRINT CITY** \_\_\_\_\_  
 212. **PRINT STATE** \_\_\_\_\_  
 213. **PRINT ZIP** \_\_\_\_\_  
 214. **PRINT PHONE** \_\_\_\_\_  
 215. **PRINT DATE** \_\_\_\_\_  
 216. **PRINT SIGNATURE** \_\_\_\_\_  
 217. **PRINT NAME** \_\_\_\_\_  
 218. **PRINT ADDRESS** \_\_\_\_\_  
 219. **PRINT CITY** \_\_\_\_\_  
 220. **PRINT STATE** \_\_\_\_\_

NAME	DATE	TIME	LOCATION	REMARKS
John Doe	10/10/2023	10:00	Room 101	Check in
Jane Smith	10/10/2023	10:05	Room 101	Check in
Mike Johnson	10/10/2023	10:10	Room 101	Check in
Sarah Brown	10/10/2023	10:15	Room 101	Check in
David Wilson	10/10/2023	10:20	Room 101	Check in
Emily Davis	10/10/2023	10:25	Room 101	Check in
James Miller	10/10/2023	10:30	Room 101	Check in
Alice Taylor	10/10/2023	10:35	Room 101	Check in
Robert Lee	10/10/2023	10:40	Room 101	Check in
Michelle Garcia	10/10/2023	10:45	Room 101	Check in
Christopher Martinez	10/10/2023	10:50	Room 101	Check in
Stephanie White	10/10/2023	10:55	Room 101	Check in
Matthew Black	10/10/2023	11:00	Room 101	Check in
Olivia Green	10/10/2023	11:05	Room 101	Check in
Benjamin Adams	10/10/2023	11:10	Room 101	Check in
Isabella Baker	10/10/2023	11:15	Room 101	Check in
Ethan King	10/10/2023	11:20	Room 101	Check in
Avery Scott	10/10/2023	11:25	Room 101	Check in
Lucas Green	10/10/2023	11:30	Room 101	Check in
Chloe Adams	10/10/2023	11:35	Room 101	Check in
Wyatt Baker	10/10/2023	11:40	Room 101	Check in
Madeline King	10/10/2023	11:45	Room 101	Check in
Grayson Scott	10/10/2023	11:50	Room 101	Check in
Isabella Green	10/10/2023	11:55	Room 101	Check in
Adrian Adams	10/10/2023	12:00	Room 101	Check in
Scarlett Baker	10/10/2023	12:05	Room 101	Check in
Sebastian King	10/10/2023	12:10	Room 101	Check in
Valentina Scott	10/10/2023	12:15	Room 101	Check in
Julian Green	10/10/2023	12:20	Room 101	Check in
Kennedy Adams	10/10/2023	12:25	Room 101	Check in
Maxwell Baker	10/10/2023	12:30	Room 101	Check in
Lyla King	10/10/2023	12:35	Room 101	Check in
Samuel Scott	10/10/2023	12:40	Room 101	Check in
Aria Green	10/10/2023	12:45	Room 101	Check in
Leo Adams	10/10/2023	12:50	Room 101	Check in
Valentina Baker	10/10/2023	12:55	Room 101	Check in
Julian King	10/10/2023	1:00	Room 101	Check in
Kennedy Scott	10/10/2023	1:05	Room 101	Check in
Maxwell Green	10/10/2023	1:10	Room 101	Check in
Lyla Adams	10/10/2023	1:15	Room 101	Check in
Samuel Baker	10/10/2023	1:20	Room 101	Check in
Aria King	10/10/2023	1:25	Room 101	Check in
Leo Scott	10/10/2023	1:30	Room 101	Check in
Valentina Green	10/10/2023	1:35	Room 101	Check in
Julian Adams	10/10/2023	1:40	Room 101	Check in
Kennedy Baker	10/10/2023	1:45	Room 101	Check in
Maxwell King	10/10/2023	1:50	Room 101	Check in
Lyla Scott	10/10/2023	1:55	Room 101	Check in
Samuel Green	10/10/2023	2:00	Room 101	Check in
Aria Adams	10/10/2023	2:05	Room 101	Check in
Leo Baker	10/10/2023	2:10	Room 101	Check in
Valentina King	10/10/2023	2:15	Room 101	Check in
Julian Scott	10/10/2023	2:20	Room 101	Check in
Kennedy Green	10/10/2023	2:25	Room 101	Check in
Maxwell Adams	10/10/2023	2:30	Room 101	Check in
Lyla Baker	10/10/2023	2:35	Room 101	Check in
Samuel King	10/10/2023	2:40	Room 101	Check in
Aria Scott	10/10/2023	2:45	Room 101	Check in
Leo Green	10/10/2023	2:50	Room 101	Check in
Valentina Adams	10/10/2023	2:55	Room 101	Check in
Julian Baker	10/10/2023	3:00	Room 101	Check in
Kennedy King	10/10/2023	3:05	Room 101	Check in
Maxwell Scott	10/10/2023	3:10	Room 101	Check in
Lyla Green	10/10/2023	3:15	Room 101	Check in
Samuel Adams	10/10/2023	3:20	Room 101	Check in
Aria Baker	10/10/2023	3:25	Room 101	Check in

## General Information

Parcel Number: <b>9716131901</b>	<b>Property Address:</b>
Schedule Number: <b>1608241</b>	2155 W PLUM ST
Account Number: <b>R1608241</b>	FORT COLLINS, CO 80521
Tax District: 1100 ⓘ	<b>Mobile Home Space:</b> 0
Property Tax Year: 2022	<b>Owner Name &amp; Address:</b>
2021 Mill Levy: 92.755	HOUSING AUTHORITY OF THE CITY OF
Subdivision : 138101 - LES CHATELETS	FORT COLLINS
PUD	1715 W MOUNTAIN AVE
Neighborhood : Exempt	FORT COLLINS, CO 805212359
( Exemp)	
Legal Description: ALL, REPLAT OF PART LOT 3, LES CHATELETS PUD	

## 2022 Value Information

Abstract Code/Description		Value Type	Actual Value	Assessed Value	Net Acres	Net Sq Ft
9248	Political misc imp, including housing authority	Improvement	\$795,000	\$230,550	.00	0
9148	Political misc land, including housing authority	Land	\$120,000	\$34,800	.54	23,522
Totals:			<b>\$915,000</b>	<b>\$265,350</b>	<b>0.54</b>	<b>23,522</b>

2155 W PLUM ST FORT COLLINS, CO 80521

Building Improvements

Parcel #: 9716131901 Schedule #: 1608241 Account #: R1608241

Building ID:	1
Property Type:	Multiple Unit
Built As:	Apartment <= 3 Stories
Occupancy:	Apartment w/9 + Units
Year Built from:	1982
Quality:	Average
Condition:	Average
Exterior:	Frame Masonry Veneer
Interior:	Drywall
Heat	Hot Water Baseboard
Roof Type:	Flat
Roof Cover:	Composition Shingle
Foundation:	Concrete
Rooms:	45
Bedrooms:	30
Baths:	17.00
Units:	15
Stories:	2.00
Total Sq Ft:	11,148

Building Detail Type & Description

Detail	Description	Units
Add On	Air Cond W/Separate Ducts Not In HVAC	11,000
Fixture	Bath 3/4	2
Fixture	Bath Full	15

▼ Information

Release Number	REL-003060
Event ID	6981
Release Name	Circle K
Record Type	Confirmed
Release Address ⓘ	949 S Taft Hill Rd
Technical Reviewer	<a href="/s/profile/0053h0000005MeZQAA0">Winifred Bromley (/s/profile/0053h0000005MeZQAA0)</a>
Release City	Fort Collins
Facility ⓘ	<a href="/s/facility/a0p3h0000004CYRTAA4/10481">10481 (/s/facility/a0p3h0000004CYRTAA4/10481)</a>
Release County	Larimer
Number of Active Tanks ⓘ	3
Release Zip Code	80521

▼ Release Information

Status	Closed
Release Date	11/3/1998
Suspected Release Discovery Date	
Confirmed Release Discovered Date	
Suspected Release Reported Date	
Confirmed Release Reported Date	11/3/1998
Initial Release Description ⓘ	

Comments

Release Source  
Overfill

Site Check Due Date

Release Cause

Site Check Extended Due Date

Discovery

Site Check Final Due Date

Product Released

System Test Due Date

Quantity Released ⓘ

System Test Extended Due Date

System Test Final Due Date

✓ Repair Description

Repair/Replace Requested

Repair Description

✓ Related People

Tank Owner

Consultant / REP

Responsible Party

Contractor Contact

Responsible Party Contact

Party Eligible for Reimbursement

Applicant

Circle K Stores Inc (/s/detail/0033h00000IKyRIAA0)

---

## ✓ Remediation Report Information

Combined Report Cadence

---

CAP Due Date

11/3/1999

---

SCR Due Date

5/2/1999

---

CAP Extended Due Date

---

SCR Extended Due Date

---

CAP Final Due Date

11/3/1999

---

SCR Final Due Date

5/2/1999

---

Revised CAP Due Date

---

Revised SCR Due Date

---

Revised CAP Due Date 2

---

Revised SCR Due Date 2

---

Revised CAP Mod Due Date

---

Assessment Received Date

11/13/1998

---

Revised CAP Mod Due Date 2

---

Assessment Reviewed Date

---

## ✓ No Further Action (NFA) Details

NFA Type

Tier II

---

MTBE Pathway Eliminated

No

---

NFA Letter Sent Date

9/7/2004

---

NFA Notification Letter Sent Date

---

## ✓ Fund Information

Funding Source

PSTF

PSTF Start Date

Fund Eligibility Transfer Date

PSTF in SLRP Start Date

Supplemental Start Date

PSTF SL NRP Start Date

Self Insured Start Date

Not Eligible for PSTF Start Date

Brownfield Start Date

Percent Reduction

15.00%

### ✓ Release Budget Summary

Total Budget

\$0.00

Total Amount Paid for Reimbursement

\$145,444.97

% to \$2 million

7.27%

### ✓ Phase of Work 1, 2, 3 Totals

Total Amount Submitted for Reimbursement

\$185,689.14

\$ Remaining in Budget (POW 1, 2, 3)

-\$145,444.97

Total Amount Approved for Reimbursement

\$182,876.43

% Remaining in Budget (POW 1, 2, 3)

% Budget Spent (POW 1, 2, 3)

### ✓ Phase of Work 3 Totals

Total Amnt Sub for Reimbursement POW 3

\$0.00

▼ Information

Release Number	REL-001755
Event ID	12285
Release Name	Everyday Store #5015
Record Type	Confirmed
Release Address ⓘ	949 S Taft Hill Rd
Technical Reviewer	<a href="/s/profile/0053h000005MekJAAS">Orren Doss (/s/profile/0053h000005MekJAAS)</a>
Release City	Fort Collins
Facility ⓘ	<a href="/s/facility/aOp3h000004CYRTAA4/10481">10481 (/s/facility/aOp3h000004CYRTAA4/10481)</a>
Release County	Larimer
Number of Active Tanks ⓘ	3
Release Zip Code	80521

▼ Release Information

Status	Closed
Release Date	6/30/2015
Suspected Release Discovery Date	
Confirmed Release Discovered Date	6/30/2015
Suspected Release Reported Date	
Confirmed Release Reported Date	6/30/2015
Initial Release Description ⓘ	
Comments	OTA 1327 OSR 1800
Release Source	
Site Check Due Date	
Release Cause	Overfill
Site Check Extended Due Date	
Discovery	Observed Spill
Site Check Final Due Date	
Product Released	
System Test Due Date	
Quantity Released ⓘ	

---

System Test Extended Due Date

---

System Test Final Due Date

---

### ✓ Repair Description

Repair/Replace Requested

---

Repair Description

---

### ✓ Related People

Tank Owner

---

Consultant / REP

[Martin Eckert \(/s/detail/0033h00000mtgUAAAY/\)](/s/detail/0033h00000mtgUAAAY/)

---

Responsible Party

[Super America LLC DBA Everyday Stores \(/s/detail/0013h00001ACoGoAAL/\)](/s/detail/0013h00001ACoGoAAL/)

---

Contractor Contact

---

Responsible Party Contact

[Super America LLC DBA Everyday Stores \(/s/detail/0033h00000mtZGmAAM/\)](/s/detail/0033h00000mtZGmAAM/)

---

Party Eligible for Reimbursement

---

Applicant

[Jeet, Inc \(/s/detail/0033h00000IL0s1AAC/\)](/s/detail/0033h00000IL0s1AAC/)

---

### ✓ Remediation Report Information

Combined Report Cadence

---

CAP Due Date

6/29/2016

---

SCR Due Date

12/27/2015

---

CAP Extended Due Date

---

SCR Extended Due Date

---

CAP Final Due Date

6/29/2016

---

SCR Final Due Date

12/27/2015

---

Revised CAP Due Date

---

Revised SCR Due Date

---

Revised CAP Due Date 2

---

Revised SCR Due Date 2

---

Revised CAP Mod Due Date

---

Assessment Received Date

12/9/2015

---

Revised CAP Mod Due Date 2

---

Assessment Reviewed Date

12/22/2015

---

### ✓ No Further Action (NFA) Details

NFA Type

Tier II

---

MTBE Pathway Eliminated

Yes

---

NFA Letter Sent Date

1/25/2019

NFA Notification Letter Sent Date

**▼ Fund Information**

Funding Source

PSTF

PSTF Start Date

Fund Eligibility Transfer Date

PSTF in SLRP Start Date

Supplemental Start Date

PSTF SL NRP Start Date

Self Insured Start Date

Not Eligible for PSTF Start Date

Brownfield Start Date

Percent Reduction

0.00%

**▼ Release Budget Summary**

Total Budget

\$85,756.22

Total Amount Paid for Reimbursement

\$152,376.16

% to \$2 million

7.62%

**▼ Phase of Work 1, 2, 3 Totals**

Total Amount Submitted for Reimbursement

\$162,391.12

\$ Remaining in Budget (POW 1, 2, 3)

-\$66,619.94

Total Amount Approved for Reimbursement

\$162,376.16

% Remaining in Budget (POW 1, 2, 3)

-77.69%

% Budget Spent (POW 1, 2, 3)

177.69%

**▼ Phase of Work 3 Totals**

Total Amnt Sub for Reimbursement POW 3

\$85,759.43

\$ Remaining in Budget POW 3

\$11.75

Total Amnt Approved Reimbursement POW 3

\$85,744.47

Total Amount Paid for Reimburs POW 3

\$85,744.47

**▼ LUST Trust Information**

LUST Trust ID

Eligible

LUST Trust Reason

**State FOIA Request: 2155 W Plum St, Fort Collins, CO 80521**

RSB Assessments &lt;assessments@rsbenv.com&gt;

Fri 11/4/2022 6:51 PM

To: CDPHE Information <cdphe.information@state.co.us>; CORA@sos.state.co.us  
<CORA@sos.state.co.us>; cdphe\_cora\_hmwmd@state.co.us  
<cdphe\_cora\_hmwmd@state.co.us>; cdphe.recordsrequests@state.co.us  
<cdphe.recordsrequests@state.co.us>

Hello,

RSB Environmental is currently conducting the Phase I Environmental Site Assessment for the property located at *2155 W Plum St, Fort Collins, CO 80521*

The ASTM Practice E1527-13 Standard Practice of Environmental Site Assessments requires that a records search be conducted with local regulatory departments for information regarding the subject property. Of particular interest are the following items:

- Records regarding hazardous materials usage/storage/incidents or known environmental concerns/contamination which may have affected the property.
- Records regarding above ground or underground storage tank (UST) systems, which are currently or historically located at the property.
- Record of septic systems installation and repairs at the subject property.
- Records of wells in connection with the subject property.

Please call (832.291.3473) or email ([assessments@rsbenv.com](mailto:assessments@rsbenv.com)) me to discuss the file information or if you require further information. Thank you for your time and attention regarding this matter.

Thank you,

Regards,

Sachin Butala, P.E.

**Local FOIA Request: 2155 W Plum St, Fort Collins, CO 80521**

RSB Assessments &lt;assessments@rsbenv.com&gt;

Fri 11/4/2022 6:52 PM

To: cityclerk@fcgov.com &lt;cityclerk@fcgov.com&gt;

Hello,

RSB Environmental is currently conducting Phase I Environmental Site Assessment for the below mentioned property:

Located at: *2155 W Plum St, Fort Collins, CO 80521*

As a part of these assessment, we wish to determine whether government agencies possess records on the subject property that may include potential concerns. We request the following information:

- Copies of any records of outstanding or open building or fire code violations at the property.
- Copies of any records indicating the installation and/or removal of an above ground or underground storage tank at the property.
- Copies of any records indicating that the fire department has responded to the property for the purpose of cleaning up a release of hazardous materials.
- Copies of any building permits or any open building permits at the property.
- Copies of Certificates of Occupancy for the property.

Please call (832.291.3473) or email ([assessments@rsbenv.com](mailto:assessments@rsbenv.com)) me to discuss the file information or if you require further information. Thank you for your time and attention regarding this matter.

Thank you,

Regards,

Sachin Butala, P.E.



## Property Information

Order Number: 22102100359p  
Date Completed: November 3, 2022  
Project Number: 2210057  
Project Property: 2210057\_ESA\_2155 W Plum St, Fort Collins, CO 80521  
2155 W Plum St Fort Collins CO 80521  
Coordinates:  
Latitude: 40.57607815  
Longitude: -105.11651716  
UTM Northing: 4491705.97202 Meters  
UTM Easting: 490138.212772 Meters  
UTM Zone: UTM Zone 13T  
Elevation: 5,076.52 ft  
Slope Direction: N

Topographic Information.....	2
Hydrologic Information.....	4
Geologic Information.....	7
Soil Information.....	9
Wells and Additional Sources.....	17
Summary.....	18
Detail Report.....	25
Radon Information.....	311
Appendix.....	312
Liability Notice.....	314

The ERIS **Physical Setting Report - PSR** provides comprehensive information about the physical setting around a site and includes a complete overview of topography and surface topology, in addition to hydrologic, geologic and soil characteristics. The location and detailed attributes of oil and gas wells, water wells, public water systems and radon are also included for review.

The compilation of both physical characteristics of a site and additional attribute data is useful in assessing the impact of migration of contaminants and subsequent impact on soils and groundwater.

### Disclaimer

This Report does not provide a full environmental evaluation for the site or adjacent properties. Please see the terms and disclaimer at the end of the Report for greater detail.

## Topographic Information



**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**

**CHARTERED SURVEYING ENGINEERS**




## Topographic Information



The previous topographic map(s) are created by seamlessly merging and cutting current USGS topographic data. Below are shaded relief map(s), derived from USGS elevation data to show surrounding topography in further detail.

Topographic information at project property:

Elevation: 5,076.52 ft  
Slope Direction: N



## Hydrologic Information





## Hydrologic Information

The Wetland Type map shows wetland existence overlaid on an aerial imagery. The Flood Hazard Zones map shows FEMA flood hazard zones overlaid on an aerial imagery. Relevant FIRM panels and detailed zone information is provided below. For detailed Zone descriptions please click the link: <https://floodadvocate.com/fema-zone-definitions>

---

Available FIRM Panels in area:	08069C0986G(effective:2012-05-02) 08069C0978G(effective:2012-05-02) 08069C0960F(effective:2006-12-19)
--------------------------------	--

---

### Flood Zone X-12

Zone:	X
Zone subtype:	AREA OF MINIMAL FLOOD HAZARD



## Geologic Information

The previous page shows USGS geology information. Detailed information about each unit is provided below.

---


### Geologic Unit Kpl

Unit Name:	Pierre Shale--Lower unit
Unit Age:	Phanerozoic   Mesozoic   Cretaceous
Primary Rock Type:	shale
Secondary Rock Type:	bentonite
Unit Description:	Sharon Springs Member (organic-rich shale and numerous bentonite beds) in lower part

---

### Geologic Unit Qgo

Unit Name:	Older gravels and alluviums
Unit Age:	Phanerozoic   Cenozoic   Quaternary
Primary Rock Type:	gravel
Secondary Rock Type:	alluvium
Unit Description:	Includes Slocum, Verdos, Rocky Flats, and Nussbaum Alluviums in east, and Florida, Bridgetimber, and Bayfield Gravels in southwest



1000 1000 1000

1000 1000 1000

1000 1000 1000

## Soil Information

The previous page shows a soil map using SSURGO data from USDA Natural Resources Conservation Service. Detailed information about each unit is provided below.

### Map Unit 3 (42.79%)

Map Unit Name:	Altvan-Satanta loams, 0 to 3 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	B - Soils in this group have moderately low runoff potential when thoroughly wet. Water transmission through the soil is unimpeded.

Major components are printed below

#### Altvan(45%)

horizon H1(0cm to 25cm)	Loam
horizon H2(25cm to 46cm)	Clay loam
horizon H2(25cm to 46cm)	Loam
horizon H2(25cm to 46cm)	Sandy clay loam
horizon H3(46cm to 76cm)	Fine sandy loam
horizon H3(46cm to 76cm)	Loam
horizon H3(46cm to 76cm)	Silt loam
horizon H4(76cm to 152cm)	Coarse sand
horizon H4(76cm to 152cm)	Gravelly coarse sand
horizon H4(76cm to 152cm)	Gravelly sand

#### Satanta(30%)

horizon H1(0cm to 23cm)	Loam
horizon H2(23cm to 46cm)	Clay loam
horizon H2(23cm to 46cm)	Loam
horizon H2(23cm to 46cm)	Sandy clay loam
horizon H3(46cm to 152cm)	Clay loam
horizon H3(46cm to 152cm)	Fine sandy loam
horizon H3(46cm to 152cm)	Loam

#### Component Description:

Minor map unit components are excluded from this report.

Map Unit: 3 - Altvan-Satanta loams, 0 to 3 percent slopes

#### Component: Altvan (45%)

The Altvan component makes up 45 percent of the map unit. Slopes are 0 to 3 percent. This component is on high benches, terraces. The parent material consists of mixed alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 6 percent.

#### Component: Satanta (30%)

The Satanta component makes up 30 percent of the map unit. Slopes are 0 to 1 percent. This component is on terraces. The parent material consists of mixed alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3c. Irrigated land capability classification is 1 This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 6 percent.

#### Component: Nunn (10%)

## Soil Information

Generated brief soil descriptions are created for major soil components. The Nunn soil is a minor component.

Component: Larim (10%)

Generated brief soil descriptions are created for major soil components. The Larim soil is a minor component.

Component: Stoneham (5%)

Generated brief soil descriptions are created for major soil components. The Stoneham soil is a minor component.

---

### Map Unit 35 (0.45%)

Map Unit Name:	Fort Collins loam, 0 to 3 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Fort Collins(85%)

horizon Ap(0cm to 11cm)	Loam
horizon Bt1(11cm to 24cm)	Clay loam
horizon Bt2(24cm to 40cm)	Clay loam
horizon Bk1(40cm to 73cm)	Loam
horizon Bk2(73cm to 203cm)	Loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: 35 - Fort Collins loam, 0 to 3 percent slopes

Component: Fort Collins (85%)

The Fort Collins component makes up 85 percent of the map unit. Slopes are 0 to 3 percent. This component is on broad, flat interfluvies on dissected plains, stream terraces on dissected plains. The parent material consists of Pleistocene or older alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R067BY002CO Loamy Plains ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 9 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Nunn (10%)

Generated brief soil descriptions are created for major soil components. The Nunn soil is a minor component.

Component: Vona (5%)

Generated brief soil descriptions are created for major soil components. The Vona soil is a minor component.

---

### Map Unit 36 (0.43%)

Map Unit Name:	Fort Collins loam, 3 to 5 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Fort Collins(80%)

horizon Ap(0cm to 13cm)	Loam
-------------------------	------

## Soil Information

horizon Bt1(13cm to 20cm)	Clay loam
horizon Bt2(20cm to 46cm)	Clay loam
horizon Bk1(46cm to 61cm)	Loam
horizon Bk2(61cm to 203cm)	Loam

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: 36 - Fort Collins loam, 3 to 5 percent slopes

### Component: Fort Collins (80%)

The Fort Collins component makes up 80 percent of the map unit. Slopes are 3 to 5 percent. This component is on alluvial fans on plains, terraces on plains. The parent material consists of Pleistocene or older alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R067BY002CO Loamy Plains ecological site. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 9 percent. There are no saline horizons within 30 inches of the soil surface.

### Component: Table Mountain (15%)

Generated brief soil descriptions are created for major soil components. The Table Mountain soil is a minor component.

### Component: Larim (5%)

Generated brief soil descriptions are created for major soil components. The Larim soil is a minor component.

## Map Unit 4 (12.87%)

Map Unit Name: Altvan-Satanta loams, 3 to 9 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: B - Soils in this group have moderately low runoff potential when thoroughly wet. Water transmission through the soil is unimpeded.

Major components are printed below

### Altvan(55%)

horizon H1(0cm to 23cm)	Loam
horizon H2(23cm to 41cm)	Clay loam
horizon H2(23cm to 41cm)	Loam
horizon H2(23cm to 41cm)	Sandy clay loam
horizon H3(41cm to 79cm)	Fine sandy loam
horizon H3(41cm to 79cm)	Loam
horizon H3(41cm to 79cm)	Silt loam
horizon H4(79cm to 152cm)	Coarse sand
horizon H4(79cm to 152cm)	Gravelly coarse sand
horizon H4(79cm to 152cm)	Gravelly sand

### Satanta(35%)

horizon H1(0cm to 23cm)	Loam
horizon H2(23cm to 36cm)	Clay loam
horizon H2(23cm to 36cm)	Loam
horizon H2(23cm to 36cm)	Sandy clay loam
horizon H3(36cm to 152cm)	Clay loam
horizon H3(36cm to 152cm)	Fine sandy loam
horizon H3(36cm to 152cm)	Loam

### Component Description:

Minor map unit components are excluded from this report.

## Soil Information

Map Unit: 4 - Altvan-Satanta loams, 3 to 9 percent slopes

Component: Altvan (55%)

The Altvan component makes up 55 percent of the map unit. Slopes are 6 to 9 percent. This component is on fans, benches, high terraces. The parent material consists of mixed alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. Irrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 6 percent.

Component: Satanta (35%)

The Satanta component makes up 35 percent of the map unit. Slopes are 3 to 6 percent. This component is on structural benches, terraces. The parent material consists of mixed alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 6 percent.

Component: Nunn (6%)

Generated brief soil descriptions are created for major soil components. The Nunn soil is a minor component.

Component: Larimer (4%)

Generated brief soil descriptions are created for major soil components. The Larimer soil is a minor component.

---

### Map Unit 48 (0.81%)

Map Unit Name: Heldt clay loam, 0 to 3 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Heldt(90%)

horizon Ap(0cm to 10cm)	Clay loam
horizon Bw1(10cm to 38cm)	Clay
horizon Bw2(38cm to 66cm)	Clay
horizon Bk(66cm to 89cm)	Clay
horizon C(89cm to 203cm)	Clay

Component Description:

Minor map unit components are excluded from this report.

Map Unit: 48 - Heldt clay loam, 0 to 3 percent slopes

Component: Heldt (90%)

The Heldt component makes up 90 percent of the map unit. Slopes are 0 to 3 percent. This component is on stream terraces on river valleys. The parent material consists of fine textured alluvium derived from clayey shale. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is high. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R067BY042CO Clayey Plains ecological site. Nonirrigated land capability classification is 3c. Irrigated land capability classification is 3s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 5 percent. There are no saline horizons within 30 inches of the soil surface. The soil has a maximum sodium adsorption ratio of 3 within 30 inches of the soil surface.

Component: Nunn (10%)

Generated brief soil descriptions are created for major soil components. The Nunn soil is a minor component.

## Soil Information

### Map Unit 63 (0.16%)

Map Unit Name:	Longmont clay, 0 to 3 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	69cm
Drainage Class - Dominant:	Poorly drained
Hydrologic Group - Dominant:	D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
Major components are printed below	
Longmont(85%)	
horizon H1(0cm to 152cm)	Clay

#### Component Description:

Minor map unit components are excluded from this report.

Map Unit: 63 - Longmont clay, 0 to 3 percent slopes

#### Component: Longmont (85%)

The Longmont component makes up 85 percent of the map unit. Slopes are 0 to 3 percent. This component is on upland valleys, flood plains. The parent material consists of clayey alluvium derived from shale. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is high. This soil is occasionally flooded. It is not ponded. A seasonal zone of water saturation is at 27 inches during May, June, July, August, September. Organic matter content in the surface horizon is about 1 percent. This component is in the R067BY035CO Salt Meadow ecological site. Nonirrigated land capability classification is 6w. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 8 percent. The soil has a slightly saline horizon within 30 inches of the soil surface. The soil has a maximum sodium adsorption ratio of 13 within 30 inches of the soil surface.

#### Component: Dacono (5%)

Generated brief soil descriptions are created for major soil components. The Dacono soil is a minor component.

#### Component: Heldt (5%)

Generated brief soil descriptions are created for major soil components. The Heldt soil is a minor component.

#### Component: Aquolls (5%)

Generated brief soil descriptions are created for major soil components. The Aquolls soil is a minor component.

### Map Unit 74 (30.08%)

Map Unit Name:	Nunn clay loam, 1 to 3 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.
Major components are printed below	
Nunn(85%)	
horizon Ap(0cm to 23cm)	Clay loam
horizon Bt(23cm to 34cm)	Clay loam
horizon Btk(34cm to 64cm)	Clay loam
horizon Bk1(64cm to 97cm)	Clay loam
horizon Bk2(97cm to 203cm)	Clay loam

#### Component Description:

Minor map unit components are excluded from this report.

## Soil Information

Map Unit: 74 - Nunn clay loam, 1 to 3 percent slopes

Component: Nunn (85%)

The Nunn component makes up 85 percent of the map unit. Slopes are 1 to 3 percent. This component is on terraces on river valleys. The parent material consists of pleistocene aged alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R067BY042CO Clayey Plains ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 4 percent. There are no saline horizons within 30 inches of the soil surface. The soil has a maximum sodium adsorption ratio of 0 within 30 inches of the soil surface.

Component: Heldt (10%)

Generated brief soil descriptions are created for major soil components. The Heldt soil is a minor component.

Component: Satanta (5%)

Generated brief soil descriptions are created for major soil components. The Satanta soil is a minor component.

---

### Map Unit 75 (0.46%)

Map Unit Name: Nunn clay loam, 3 to 5 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Nunn(90%)

horizon A(0cm to 15cm)	Clay loam
horizon Bt(15cm to 46cm)	Clay
horizon Btk(46cm to 76cm)	Clay
horizon Bk(76cm to 119cm)	Clay loam
horizon BCk(119cm to 203cm)	Clay loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: 75 - Nunn clay loam, 3 to 5 percent slopes

Component: Nunn (90%)

The Nunn component makes up 90 percent of the map unit. Slopes are 3 to 5 percent. This component is on terraces on river valleys. The parent material consists of pleistocene aged alluvium and/or eolian deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. This component is in the R067BY042CO Clayey Plains ecological site. Nonirrigated land capability classification is 3e. Irrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 5 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Satanta (10%)

Generated brief soil descriptions are created for major soil components. The Satanta soil is a minor component.

---

### Map Unit 76 (11.95%)

Map Unit Name: Nunn clay loam, wet, 1 to 3 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min: 76cm

## Soil Information

Drainage Class - Dominant:

Somewhat poorly drained

Hydrologic Group - Dominant:

C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Nunn(90%)

horizon H1(0cm to 25cm)

Clay loam

horizon H2(25cm to 119cm)

Clay

horizon H2(25cm to 119cm)

Clay loam

horizon H3(119cm to 152cm)

Clay loam

horizon H3(119cm to 152cm)

Gravelly sandy loam

horizon H3(119cm to 152cm)

Loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: 76 - Nunn clay loam, wet, 1 to 3 percent slopes

Component: Nunn (90%)

The Nunn, wet component makes up 90 percent of the map unit. Slopes are 1 to 3 percent. This component is on alluvial fans, stream terraces. The parent material consists of alluvium. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is high. This soil is rarely flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during May, June, July, August, September, October, November. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 3s. Irrigated land capability classification is 2w. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 3 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Heldt (6%)

Generated brief soil descriptions are created for major soil components. The Heldt soil is a minor component.


Component: Dacono (3%)

Generated brief soil descriptions are created for major soil components. The Dacono soil is a minor component.

Component: Mollic Halaquepts (1%)


Generated brief soil descriptions are created for major soil components. The Mollic Halaquepts soil is a minor component.

## Wells and Additional Sources



### Legend

Blue dot	Well
Blue line	Stream
Blue area	Water body
Blue square	Source



## Wells and Additional Sources Summary

### Federal Sources

#### Public Water Systems Violations and Enforcement Data

Map Key	PWS ID	Distance (ft)	Direction
116	CO0235286	3289.27	NE
175	CO0235622	4976.56	NNW
176	CO0235672	4984.59	NNW
176	CO0235476	4984.59	NNW
176	CO0235724	4984.59	NNW

#### Safe Drinking Water Information System (SDWIS)

Map Key	ID	Distance (ft)	Direction
No records found			

#### USGS National Water Information System

Map Key	Monitoring Loc Identifier	Distance (ft)	Direction
130	USGS-403428105060701	3855.38	E
140	USGS-403455105074501	4128.67	WNW
145	USGS-403450105060501	4271.53	ENE

#### Wells from NWIS

Map Key	ID	Distance (ft)	Direction
No records found			

### State Sources

#### Oil and Gas Pit Locations

Map Key	ID	Distance (ft)	Direction
No records found			

#### Oil and Gas Wells

Map Key	ID	Distance (ft)	Direction
No records found			

#### Public Water Wells

Map Key	Well Name	Distance (ft)	Direction
130	SB00706915ADD1	3855.38	E
140	SB00706916BBA1	4128.67	WNW
145	SB00706915AAA1	4271.53	ENE
174	B7-69-15ADD	4956.25	E

## Wells and Additional Sources Summary

### Water Wells Permit Database

Map Key	ID Key	Distance (ft)	Direction
1	0900527 107724	204.84	WNW
1	9039770 234372	204.84	WNW
1	9038133 308998	204.84	WNW
1	9039032 230000	204.84	WNW
1	9038289 253370	204.84	WNW
1	9038219 198984	204.84	WNW
1	0900528 107724	204.84	WNW
1	0035544 284489	204.84	WNW
2	0056389 187682	298.41	SSE
3	0056391 187682	306.98	SE
4	0056392 187682	342.29	SE
5	0473649B 156350	363.81	ESE
6	0450484G 329943	373.74	SSE
7	0473649C 156350	384.36	SE
8	0450484E 329943	385.97	SE
9	0293082A 96171	399.10	ESE
10	0450484J 329943	414.35	SE
11	0450484F 329943	426.39	SE
12	0450484I 329943	448.76	SE
13	0450484H 329943	493.36	SE
14	0056390 187682	494.24	SE
15	0293082B 96171	555.81	SE
16	0056259 242871	570.95	ESE
17	0293082C 96171	582.87	SE
18	0324241C 126229	599.08	SE
19	0350525A 89550	622.32	SSE
19	0324241D 126229	622.32	SSE
20	0324241A 126229	629.61	SSE
21	0324241E 126229	638.47	SSE
21	0350525B 89550	638.47	SSE
22	0324241B 126229	654.49	SSE
23	0039342 284489	993.87	E
23	0901891 299687	993.87	E
24	0016500 31734	1091.76	SSW
24	0016947 9152	1091.76	SSW
25	0021910 231065	1119.88	NW
25	0020267 322304	1119.88	NW
25	0014530 21722	1119.88	NW
26	9039159 24868	1394.67	N
27	9038263 208675	1463.26	SE
28	9038269 47237	1514.85	W
28	9038166 287332	1514.85	W
28	9038075 286064	1514.85	W
28	9038165 272542	1514.85	W
28	9038167 188996	1514.85	W
28	9038234 264785	1514.85	W
29	0309601F 203869	1672.56	NNE
30	0309601H 203869	1680.58	NNE
31	0309601P 203869	1686.12	N
32	0309601U 203869	1695.40	N
33	0300255B 96171	1698.33	NNE
34	0402794 134458	1700.85	NE
34	0316898A 225223	1700.85	NE
34	0316898B 135502	1700.85	NE
35	0309601G 203869	1700.90	NNE
36	0324060E 203869	1705.31	NNE
37	0309601I 203869	1709.14	NNE
38	0309601L 203869	1718.00	N
39	0309601R 203869	1724.21	N
40	0324060A 203869	1726.06	N

## Wells and Additional Sources Summary

41	3649117 166410	1726.80	W
41	3649117 453907	1726.80	W
41	3649117 453906	1726.80	W
42	0017373 178975	1729.02	NE
42	9039108 137338	1729.02	NE
43	0309601D 203869	1729.34	NNE
44	0309601J 203869	1737.72	NNE
45	0324060B 203869	1739.06	NNE
45	0300255L 96171	1739.06	NNE
46	0309601M 203869	1746.72	N
47	0300255C 96171	1747.29	N
48	0309601X 203869	1749.72	N
49	0309601S 203869	1753.05	N
50	0309601C 203869	1757.82	NNE
51	3638550 334127	1761.22	N
52	0309601K 203869	1766.34	NNE
53	0309601W 203869	1773.65	NNE
54	0309601N 203869	1775.40	N
55	0916732 193719	1779.12	N
56	0309601Q 203869	1785.12	N
57	0309601B 203869	1789.50	NNE
58	0309601E 203869	1794.99	N
59	0309601O 203869	1803.31	N
59	0309601V 203869	1803.31	N
59	0309601T 203869	1803.31	N
60	0300255A 96171	1809.28	NNE
60	0309601A 203869	1809.28	NNE
61	0022397 198404	1812.26	ENE
61	0021911 231065	1812.26	ENE
61	0020268 322304	1812.26	ENE
62	0300255K 96171	1816.00	NNE
63	0000394A 107999	1820.56	N
64	0309601Y 203869	1833.16	N
65	0324060C 203869	1838.08	NNE
66	0300255D 96171	1853.81	NNE
67	9038151 8446	1856.27	SW
68	0300255E 96171	1872.20	NNE
69	0300255G 96171	1889.25	NNE
70	0324060D 203869	1891.95	NNE
71	0300255H 96171	1910.54	NNE
72	0300255F 96171	1912.54	NNE
73	0300255J 96171	1921.28	NNE
74	0285659A 182480	1968.93	N
75	0300255I 96171	1973.73	NNE
76	0060308 415989	1975.40	N
77	0285659B 182480	1987.84	N
78	0285659D 182480	2017.09	NNE
79	0285659C 182480	2017.79	N
80	0288958B 96171	2026.45	N
81	0288958D 96171	2026.65	N
82	0288958E 96171	2031.54	N
83	0295583 69497	2046.61	N
84	9038974 281713	2050.10	NW
85	0288958A 96171	2057.23	N
85	0288958C 96171	2057.23	N
86	0903498 343332	2074.30	N
87	0490894 385319	2114.26	S
87	0490894 385318	2114.26	S
88	0900256 182176	2144.36	WSW
88	9038076 156874	2144.36	WSW
88	0900235 53003	2144.36	WSW
89	0056752 80836	2248.70	SE
90	9038059 202905	2341.32	S
91	9038071 189404	2402.76	S
91	9038073 213994	2402.76	S
91	9038607 272723	2402.76	S

## Wells and Additional Sources Summary

91	9039729 189783	2402.76	S
91	9040525 103234	2402.76	S
91	9038154 411162	2402.76	S
91	9038154 411161	2402.76	S
91	9038244 80988	2402.76	S
91	9038072 288864	2402.76	S
91	9039145 236698	2402.76	S
91	9038158 238011	2402.76	S
92	9038154 404114	2403.66	S
92	9038154 404113	2403.66	S
92	9038154 122380	2403.66	S
93	3660572 76989	2409.92	NNW
94	3649502 435965	2429.75	SSE
94	3649502 435966	2429.75	SSE
94	3649502 352179	2429.75	SSE
95	9039290 273343	2526.22	NNW
96	0536899 272691	2582.87	W
97	9041006 438472	2601.74	NNW
97	9041006 438473	2601.74	NNW
97	9041006 438471	2601.74	NNW
97	9041006 283062	2601.74	NNW
98	9040382 345313	2636.18	S
99	9038574 66518	2710.33	N
99	9038284 436202	2710.33	N
99	9039191 82519	2710.33	N
99	0022751 170241	2710.33	N
99	9037916 22746	2710.33	N
99	9038347 93417	2710.33	N
99	9039393 263967	2710.33	N
99	9038284 154116	2710.33	N
100	0034744 30952	2738.94	N
101	9039645 81143	2832.06	W
102	9038105 182758	2834.68	SSW
102	9039925 42136	2834.68	SSW
102	9038084 162868	2834.68	SSW
102	9038095 187989	2834.68	SSW
102	9039394 37082	2834.68	SSW
102	9038104 235318	2834.68	SSW
102	9038161 284238	2834.68	SSW
103	0039989 404110	2900.83	SSW
103	0039989 404109	2900.83	SSW
103	0039989 314139	2900.83	SSW
104	0520852 147432	2903.69	S
105	0021283 31024	2910.45	S
105	0358808A 103586	2910.45	S
105	0358808B 103586	2910.45	S
106	9038862 75411	2910.52	NNE
107	0362144 127496	3018.99	W
108	9037905 271879	3030.42	NW
109	0494242 361138	3044.56	SSW
110	0039990 404109	3054.62	SSW
110	0039990 404110	3054.62	SSW
110	0039990 314139	3054.62	SSW
111	3659370 224260	3092.13	NW
112	9037947 24851	3100.57	NNW
112	9038048 139756	3100.57	NNW
112	9039042 181600	3100.57	NNW
112	9038005 308521	3100.57	NNW
112	9038344 95655	3100.57	NNW
112	9038543 137420	3100.57	NNW
113	9039179 259886	3153.76	WNW
114	9038111 92636	3186.13	SSW
115	0088785 73109	3248.89	W
117	0331659 52165	3315.27	W
118	9039202 169889	3344.35	SE
118	9039870 97248	3344.35	SE

## Wells and Additional Sources Summary

119	3629509B 320134	3445.15	S
120	0422312 161678	3468.65	SW
121	0020266 322304	3471.37	NNW
121	0021909 231065	3471.37	NNW
122	9038359 346300	3570.57	NE
122	9038099 105522	3570.57	NE
123	9038522 22566	3660.41	SSE
124	0900877 315025	3712.65	SW
124	9038720 209069	3712.65	SW
124	9038609 209069	3712.65	SW
124	9038412 77091	3712.65	SW
124	9038564 209069	3712.65	SW
124	9038599 189184	3712.65	SW
124	9038909 6195	3712.65	SW
124	9038474 202258	3712.65	SW
125	0359226 375421	3746.96	SW
125	0359226 375420	3746.96	SW
126	0021908 231065	3767.11	NNE
126	0020265 322304	3767.11	NNE
127	0369198B 375420	3780.37	SW
127	0369198B 375421	3780.37	SW
128	0051436 228559	3799.12	ESE
129	0900417 69037	3841.40	WSW
131	9038041 290621	3884.07	NW
132	9039285 195891	3884.14	SSE
132	9037919 248254	3884.14	SSE
132	9039212 163094	3884.14	SSE
132	9038324 66531	3884.14	SSE
132	9039538 52427	3884.14	SSE
133	9039127 21265	3888.71	ENE
134	9037950 10306	3920.02	NW
134	9038792 138425	3920.02	NW
134	9039332 308598	3920.02	NW
134	9038092 158210	3920.02	NW
134	9038549 258303	3920.02	NW
134	9039186 360966	3920.02	NW
134	0233249 146221	3920.02	NW
134	9038427 167176	3920.02	NW
135	0352585A 186769	3966.55	SSW
135	0352585B 186769	3966.55	SSW
136	9040024 363504	4027.89	N
137	0048247 14937	4084.83	NE
137	0047536 342211	4084.83	NE
138	0432749 196343	4085.47	S
139	9039722 358530	4097.85	W
139	9038806 122288	4097.85	W
139	0901668 108467	4097.85	W
141	0505769 22261	4163.27	SW
142	9039137 335249	4167.78	NNE
142	9039330 328045	4167.78	NNE
143	0274476 353000	4175.81	SSE
144	0062704 174409	4248.69	SW
144	9041281 64491	4248.69	SW
146	0283126 108505	4279.46	WSW
146	0283126A 208706	4279.46	WSW
147	9038098 101838	4300.95	NNW
148	C350200 58245	4335.74	WNW
148	9038371 270356	4335.74	WNW
148	9040127 193715	4335.74	WNW
148	9038753 308968	4335.74	WNW
148	9038975 281713	4335.74	WNW
149	3629509A 320134	4343.20	SSE
150	9039015 99014	4370.25	SE
151	0300471B 204349	4404.90	SW
151	0300471A 204349	4404.90	SW
152	9038649 366326	4419.44	SSE

## Wells and Additional Sources Summary

152	9038290 207829	4419.44	SSE
153	9038333 334408	4450.58	SW
154	9041362 324627	4549.49	NW
155	9042050 330777	4580.99	WNW
155	0105394 330777	4580.99	WNW
156	0479377 80033	4608.95	N
157	0441132 262427	4644.74	WNW
158	0022656 223177	4646.04	ESE
159	9038588 296610	4652.68	NNE
159	9038042 349260	4652.68	NNE
160	3671600 208646	4670.32	NNE
161	0291906 856	4693.45	WSW
162	0481541 316891	4701.22	SW
163	9038338 79862	4738.18	WSW
163	C350267 276811	4738.18	WSW
163	0900649 32278	4738.18	WSW
163	9038309 171957	4738.18	WSW
163	9038835 360090	4738.18	WSW
163	9039773 4126	4738.18	WSW
163	0900690 315652	4738.18	WSW
163	9038224 283953	4738.18	WSW
163	9039343 267711	4738.18	WSW
163	9039055 54146	4738.18	WSW
163	9038326 169405	4738.18	WSW
163	9038340 79862	4738.18	WSW
163	0029613 210306	4738.18	WSW
163	9038313 193466	4738.18	WSW
163	9039399 63163	4738.18	WSW
163	9038339 79862	4738.18	WSW
163	9039565 339078	4738.18	WSW
163	9039873 257470	4738.18	WSW
163	9039799 265954	4738.18	WSW
163	0284097 43064	4738.18	WSW
164	0901341 38103	4756.83	NNE
165	0541703 256587	4756.89	N
166	3613396K 353175	4769.15	SSW
167	0047867A 249718	4792.46	N
168	9038051 303366	4804.41	NNE
169	0083166 67600	4815.43	WNW
169	9041700 262940	4815.43	WNW
170	0292717B 391933	4848.80	WSW
170	0292717B 391934	4848.80	WSW
170	0292717A 283818	4848.80	WSW
171	9037989 390915	4925.35	NW
171	9037989 390916	4925.35	NW
171	9037989 390917	4925.35	NW
171	9039919 271022	4925.35	NW
172	9038193 122861	4928.07	NW
172	9038397 4051	4928.07	NW
172	9038358 292276	4928.07	NW
173	0026980A 155535	4934.49	NNW
174	9038241 354684	4956.25	E
177	3622110 320134	5029.96	SSE
178	0025971 260949	5079.04	ESE
178	0024598A 260949	5079.04	ESE
178	0039786A 324810	5079.04	ESE
178	0043111 175014	5079.04	ESE
178	0023169A 263341	5079.04	ESE
178	0014574 92117	5079.04	ESE
178	9039654 236687	5079.04	ESE
179	9039465 54471	5142.06	ENE
179	9039466 54471	5142.06	ENE
179	9039467 54471	5142.06	ENE
180	0063543 462307	5155.29	NNW
180	0061979 442075	5155.29	NNW
180	0062566 442075	5155.29	NNW

## Wells and Additional Sources Summary

180	C350138 165170	5155.29	NNW
180	C350154 149581	5155.29	NNW
181	0900143 48841	5214.06	NNE

## Wells and Additional Sources Detail Report

### Public Water Systems Violations and Enforcement Data

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
116	NE	0.62	3,289.27	5,049.51	PWSV

Address Line 2: 1720 W MULBERRY - SUITE B9  
State Code: CO  
Zip Code: 80521  
City Name: FT COLLINS  
Address Line 1:  
PWS ID: CO0235286  
PWS Type Code: TNCWS  
PWS Type Description: Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: I  
PWS Activity Description: Inactive  
PWS Deactivation Date: 01/05/1994  
Phone Number: 303-484-1460

--Details--

Population Served Count: 25  
City Served:  
County Served:  
State Served: CO  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
175	NNW	0.94	4,976.56	5,076.41	PWSV

Address Line 2: 2407 LA PORTE AVENUE  
State Code: CO  
Zip Code: 80521  
City Name: FT. COLLINS  
Address Line 1:  
PWS ID: CO0235622  
PWS Type Code: NTNCWS  
PWS Type Description: Non-Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: N  
PWS Activity Description: Non-public  
PWS Deactivation Date: 10/07/2007  
Phone Number:

## Wells and Additional Sources Detail Report

--Details--

Population Served Count: 0  
City Served:  
County Served:  
State Served: CO  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
176	NNW	0.94	4,984.59	5,076.37	PWSV

Address Line 2:  
State Code: CO  
Zip Code: 80521  
City Name: FORT COLLINS  
Address Line 1: 2413 LAPORTE AVE  
PWS ID: CO0235672  
PWS Type Code: NTNCWS  
PWS Type Description: Non-Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: I  
PWS Activity Description: Inactive  
PWS Deactivation Date: 02/10/2014  
Phone Number: 970-490-3414

--Details--

Population Served Count: 74  
City Served:  
County Served: Larimer  
State Served: CO  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
176	NNW	0.94	4,984.59	5,076.37	PWSV

Address Line 2:  
State Code: CO  
Zip Code: 80521  
City Name: FORT COLLINS  
Address Line 1: 2413 LAPORTE AVE  
PWS ID: CO0235476  
PWS Type Code: NTNCWS  
PWS Type Description: Non-Transient Non-Community Water System  
Primary Source Code: GU  
Primary Source Desc: Ground water under the influence of surface water  
PWS Activity Code: I

## Wells and Additional Sources Detail Report

PWS Activity Description: Inactive  
PWS Deactivation Date: 30/01/2013  
Phone Number: 970-490-3414

--Details--

Population Served Count: 106  
City Served:  
County Served: Larimer  
State Served: CO  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
176	NNW	0.94	4,984.59	5,076.37	PWSV

Address Line 2:  
State Code: CO  
Zip Code: 80521  
City Name: FORT COLLINS  
Address Line 1: 2413 LAPORTE AVE  
PWS ID: CO0235724  
PWS Type Code: NTNCWS  
PWS Type Description: Non-Transient Non-Community Water System  
Primary Source Code: GU  
Primary Source Desc: Ground water under the influence of surface water  
PWS Activity Code: I  
PWS Activity Description: Inactive  
PWS Deactivation Date: 30/01/2013  
Phone Number: 970-490-3414

--Details--

Population Served Count: 62  
City Served:  
County Served: Larimer  
State Served: CO  
Zip Code Served:

### USGS National Water Information System

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
130	E	0.73	3,855.38	5,040.12	FED USGS

Organiz Identifier:	USGS-CO	Formation Type:	
Organiz Name:	USGS Colorado Water Science Center	Aquifer Name:	
Well Depth:	19.0	Aquifer Type:	
Well Depth Unit:	ft	Country Code:	US
Well Hole Depth:		Provider Name:	NWIS

## Wells and Additional Sources Detail Report

W Hole Depth Unit:	County:	LARIMER
Construction Date:	Latitude:	40.57442689000000
Source Map Scale:	Longitude:	-105.10247930000000
Monitoring Loc Name:	SB00706915ADD1 USGS 403428105060701	
Monitoring Loc Identifier:	USGS-403428105060701	
Monitoring Loc Type:	Well	
Monitoring Loc Desc:		
HUC Eight Digit Code:	10190007	
Drainage Area:		
Drainage Area Unit:		
Contrib Drainage Area:		
Contrib Drainage Area Unit:		
Horizontal Accuracy:	1	
Horizontal Accuracy Unit:	minutes	
Horizontal Collection Mthd:	Interpolated from MAP.	
Horiz Coord Refer System:	NAD83	
Vertical Measure:	5028.40	
Vertical Measure Unit:	feet	
Vertical Accuracy:	1	
Vertical Accuracy Unit:	feet	
Vertical Collection Mthd:	Interpolated from topographic map.	
Vert Coord Refer System:	NGVD29	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
140	WNW	0.78	4,128.67	5,118.25	FED USGS

Organiz Identifier:	USGS-CO	Formation Type:	Alluvium and Terrace Deposits
Organiz Name:	USGS Colorado Water Science Center	Aquifer Name:	
Well Depth:	60.0	Aquifer Type:	
Well Depth Unit:	ft	Country Code:	US
Well Hole Depth:	60.0	Provider Name:	NWIS
W Hole Depth Unit:	ft	County:	LARIMER
Construction Date:	19580911	Latitude:	40.58192686000000
Source Map Scale:	24000	Longitude:	-105.12970240000000
Monitoring Loc Name:	SB00706916BBA1		
Monitoring Loc Identifier:	USGS-403455105074501		
Monitoring Loc Type:	Well		
Monitoring Loc Desc:			
HUC Eight Digit Code:	10190007		
Drainage Area:			
Drainage Area Unit:			
Contrib Drainage Area:			
Contrib Drainage Area Unit:			
Horizontal Accuracy:	5		

## Wells and Additional Sources Detail Report

Horizontal Accuracy Unit: seconds  
Horizontal Collection Mthd: Interpolated from MAP.  
Horiz Coord Refer System: NAD83  
Vertical Measure: 5110.00  
Vertical Measure Unit: feet  
Vertical Accuracy: 10  
Vertical Accuracy Unit: feet  
Vertical Collection Mthd: Interpolated from topographic map.  
Vert Coord Refer System: NGVD29

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
145	ENE	0.81	4,271.53	5,041.70	FED USGS

Organiz Identifier:	USGS-CO	Formation Type:	
Organiz Name:	USGS Colorado Water Science Center	Aquifer Name:	
Well Depth:	21.5	Aquifer Type:	
Well Depth Unit:	ft	Country Code:	US
Well Hole Depth:		Provider Name:	NWIS
W Hole Depth Unit:		County:	LARIMER
Construction Date:		Latitude:	40.58053798000000
Source Map Scale:	12500	Longitude:	-105.10192370000000
Monitoring Loc Name:	SB00706915AAA1		
Monitoring Loc Identifier:	USGS-403450105060501		
Monitoring Loc Type:	Well		
Monitoring Loc Desc:			
HUC Eight Digit Code:	10190007		
Drainage Area:			
Drainage Area Unit:			
Contrib Drainage Area:			
Contrib Drainage Area Unit:			
Horizontal Accuracy:	1		
Horizontal Accuracy Unit:	minutes		
Horizontal Collection Mthd:	Interpolated from MAP.		
Horiz Coord Refer System:	NAD83		
Vertical Measure:	5025.70		
Vertical Measure Unit:	feet		
Vertical Accuracy:	1		
Vertical Accuracy Unit:	feet		
Vertical Collection Mthd:	Interpolated from topographic map.		
Vert Coord Refer System:	NGVD29		

### Public Water Wells

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
130	E	0.73	3,855.38	5,040.12	WATER WELLS

## Wells and Additional Sources Detail Report

Well Name:	SB00706915ADD1	Water District ID:	
USGS Site ID:	403428105060701	Water District:	3
Location No:	SB00706915ADD1	Water Division:	1
Permit No:		County:	LARIMER
Permit Suffix Code:		Counties:	LARIMER
Permit Replace Cd:		Designated Basin:	
Publication Name:		Management Distr:	
Owner:		Q10:	
Elevation (ft):	5031.42	Q40:	NW
Elevation Accuracy:	USGS NED 1-meter DEM	Q160:	SE
Aquifer 1:	ALLUVIAL	Section:	15
Aquifer 2:		Township:	7.0 N
Aquifer Comment:		Range:	69.0 W
Measurement Date:	10/24/1959	Principle Meridian:	S
Water Lvl Depth ft:	14.60	Coords E/W (ft):	
Water Lvl Elev ft:	5016.82	Coords E/W Dir:	
POR Start:	10/24/1959	Coords N/S (ft):	
POR End:	10/24/1959	Coords N/S Dir:	
POR Count:	1	UTM X:	491326.2
Measurement by:	USGS	UTM Y:	4491521.2
Well Depth (ft):	19	Latitude:	40.574432
Top Perf Casing (ft):		Longitude:	-105.102491
Bot Perf Casing (ft):		Location:	(40.574432, -105.102491)
Base of Grout (ft):		Location Accuracy:	User supplied
Receipt:		Data Source:	USGS
Modified:	12/15/2018 06:31:00 AM		
More Information:	<a href="https://dwr.state.co.us/Tools/Groundwater/WaterLevels/34808">https://dwr.state.co.us/Tools/Groundwater/WaterLevels/34808</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
140	WNW	0.78	4,128.67	5,118.25	WATER WELLS

Well Name:	SB00706916BBA1	Water District ID:	
USGS Site ID:	403455105074501	Water District:	3
Location No:	SB00706916BBA	Water Division:	1
Permit No:		County:	LARIMER
Permit Suffix Code:		Counties:	LARIMER
Permit Replace Cd:		Designated Basin:	
Publication Name:		Management Distr:	
Owner:		Q10:	NE
Elevation (ft):	5113.08	Q40:	NW
Elevation Accuracy:	USGS NED 1-meter DEM	Q160:	NW
Aquifer 1:	ALLUVIAL	Section:	16
Aquifer 2:		Township:	7.0 N
Aquifer Comment:		Range:	69.0 W
Measurement Date:	05/13/1977	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Water Lvl Depth ft:	18.56	Coords E/W (ft):	
Water Lvl Elev ft:	5094.52	Coords E/W Dir:	
POR Start:	05/13/1977	Coords N/S (ft):	
POR End:	05/13/1977	Coords N/S Dir:	
POR Count:	1	UTM X:	489023.2
Measurement by:	USGS	UTM Y:	4492356.8
Well Depth (ft):	60	Latitude:	40.581936
Top Perf Casing (ft):		Longitude:	-105.129715
Bot Perf Casing (ft):		Location:	(40.581936, -105.129715)
Base of Grout (ft):		Location Accuracy:	User supplied
Receipt:		Data Source:	USGS
Modified:	12/15/2018 06:31:00 AM		
More Information:	<a href="https://dwr.state.co.us/Tools/Groundwater/WaterLevels/36208">https://dwr.state.co.us/Tools/Groundwater/WaterLevels/36208</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
145	ENE	0.81	4,271.53	5,041.70	WATER WELLS

Well Name:	SB00706915AAA1	Water District ID:	
USGS Site ID:	403450105060501	Water District:	3
Location No:	SB00706915AAA1	Water Division:	1
Permit No:		County:	LARIMER
Permit Suffix Code:		Counties:	LARIMER
Permit Replace Cd:		Designated Basin:	
Publication Name:		Management Distr:	
Owner:		Q10:	
Elevation (ft):	5028.72	Q40:	NW
Elevation Accuracy:	USGS NED 1-meter DEM	Q160:	NE
Aquifer 1:	ALLUVIAL	Section:	15
Aquifer 2:		Township:	7.0 N
Aquifer Comment:		Range:	69.0 W
Measurement Date:	10/24/1959	Principle Meridian:	S
Water Lvl Depth ft:	16.40	Coords E/W (ft):	
Water Lvl Elev ft:	5012.32	Coords E/W Dir:	
POR Start:	10/24/1959	Coords N/S (ft):	
POR End:	10/24/1959	Coords N/S Dir:	
POR Count:	1	UTM X:	491373.9
Measurement by:	DWR	UTM Y:	4492199.5
Well Depth (ft):	21	Latitude:	40.580549
Top Perf Casing (ft):		Longitude:	-105.101933
Bot Perf Casing (ft):		Location:	(40.580549, -105.101933)
Base of Grout (ft):		Location Accuracy:	User supplied
Receipt:		Data Source:	USGS
Modified:	12/15/2018 06:31:00 AM		
More Information:	<a href="https://dwr.state.co.us/Tools/Groundwater/WaterLevels/35882">https://dwr.state.co.us/Tools/Groundwater/WaterLevels/35882</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

174 E 0.94 4,956.25 5,035.60 WATER WELLS

Well Name:	B7-69-15ADD	Water District ID:	
USGS Site ID:		Water District:	3
Location No:	SB00706915ADD	Water Division:	1
Permit No:		County:	LARIMER
Permit Suffix Code:		Counties:	LARIMER
Permit Replace Cd:		Designated Basin:	
Publication Name:		Management Distr:	
Owner:	Stewart	Q10:	SE
Elevation (ft):	5028.40	Q40:	SE
Elevation Accuracy:	Original database	Q160:	NE
Aquifer 1:	ALLUVIAL	Section:	15
Aquifer 2:		Township:	7.0 N
Aquifer Comment:		Range:	69.0 W
Measurement Date:	10/24/1959	Principle Meridian:	S
Water Lvl Depth ft:	14.60	Coords E/W (ft):	
Water Lvl Elev ft:	5013.80	Coords E/W Dir:	
POR Start:	10/24/1959	Coords N/S (ft):	
POR End:	10/24/1959	Coords N/S Dir:	
POR Count:	1	UTM X:	491672.8
Measurement by:	DWR	UTM Y:	4491726.3
Well Depth (ft):		Latitude:	40.576284
Top Perf Casing (ft):		Longitude:	-105.098397
Bot Perf Casing (ft):		Location:	(40.576284, -105.098397)
Base of Grout (ft):		Location Accuracy:	Spotted from quarters
Receipt:		Data Source:	BDR8
Modified:	09/24/2007 12:00:00 AM		
More Information:	<a href="https://dwr.state.co.us/Tools/Groundwater/WaterLevels/50073">https://dwr.state.co.us/Tools/Groundwater/WaterLevels/50073</a>		

### Water Wells Permit Database

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	0900527	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3324-	City:	
Permit Issued:	05/08/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490059.9
Frst Bneficial Use:		UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Watr Lvl Dt:		Longitude:	-105.117453
Modified:	05/08/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PRINCE, DONALD L	ID Key:	0900527 107724
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900527">https://dwr.state.co.us/Tools/WellPermits/0900527</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	9039770	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	30387-	City:	
Permit Issued:	04/10/1967	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	41	Coords E/W (Feet):	
Top Prf. Csng (ft):	20	Coords E/W Dir:	
Bot Prf. Csng (ft):	41	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/08/1967	UTM x:	490059.9

## Wells and Additional Sources Detail Report

Frst Bneficial Use:	04/08/1967	UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Wtr Lvl Dt:	1967/04/08	Longitude:	-105.117453
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	RAPP, HARRY	ID Key:	9039770 234372
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039770">https://dwr.state.co.us/Tools/WellPermits/9039770</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	9038133	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1908-	City:	
Permit Issued:	09/04/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Stock	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	32	Coords E/W (Feet):	
Top Prf. Csng (ft):	20	Coords E/W Dir:	
Bot Prf. Csng (ft):	32	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/13/1958	UTM x:	490059.9
Frst Bneficial Use:	09/13/1958	UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	30.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Wtr Lvl Dt:	1958/09/13	Longitude:	-105.117453

## Wells and Additional Sources Detail Report

Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	RICHARDSON, ALLEN G	ID Key:	9038133 308998
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038133">https://dwr.state.co.us/Tools/WellPermits/9038133</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	9039032	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	15190-	City:	
Permit Issued:	05/10/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	
Top Prf. Csng (ft):	15	Coords E/W Dir:	
Bot Prf. Csng (ft):	40	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/28/1963	UTM x:	490059.9
Frst Bneficial Use:	05/28/1963	UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Watr Lvl Dt:	1963/05/28	Longitude:	-105.117453
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	JOHNSON THELMA R & H W	ID Key:	9039032 230000
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9039032>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	9038289	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4842-	City:	FORT COLLINS
Permit Issued:	11/16/1959	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	58	Coords E/W (Feet):	
Top Prf. Csng (ft):	40	Coords E/W Dir:	
Bot Prf. Csng (ft):	58	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/08/1959	UTM x:	490059.9
Frst Bneficial Use:	12/08/1959	UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Watr Lvl Dt:	1959/12/08	Longitude:	-105.117453
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	NIELSEN, DONALD	ID Key:	9038289 253370
Counties:			
Well Name:			
Comment:			
Address:	2200 WEST ELIZABETH STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038289">https://dwr.state.co.us/Tools/WellPermits/9038289</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	9038219	Parcel Name:	
----------	---------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3265-	City:	FORT COLLINS
Permit Issued:	05/01/1959	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	
Top Prf. Csng (ft):	14	Coords E/W Dir:	
Bot Prf. Csng (ft):	22	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/13/1959	UTM x:	490059.9
Frst Bneficial Use:	05/13/1959	UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576538
Statc Watr Lvl Dt:	1959/05/13	Longitude:	-105.117453
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VIDACS G & FISCAR G & HERZFELD P	ID Key:	9038219 198984
Counties:			
Well Name:			
Comment:			
Address:	2240 WEST ELIZABETH STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038219">https://dwr.state.co.us/Tools/WellPermits/9038219</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	0900528	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3325-	City:	
Permit Issued:	05/08/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490059.9
First Beneficial Use:		UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.576538
Static Water Level Date:		Longitude:	-105.117453
Modified:	05/08/1959 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PRINCE, DONALD L	ID Key:	0900528 107724
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900528">https://dwr.state.co.us/Tools/WellPermits/0900528</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	WNW	0.04	204.84	5,077.59	WATER WELLS

Receipt:	0035544	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35544-MH	City:	
Permit Issued:	02/01/1999	County:	LARIMER
Permit Expires:	05/01/1999	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):	5	Coords E/W Dir:	
Bot Prf. Csng (ft):	25	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/19/1998	UTM x:	490059.9
Frst Bneficial Use:		UTM y:	4491756.4
Pump Installed:		Location:	(40.576538, -105.117453)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.576538
Statc Wtr Lvl Dt:		Longitude:	-105.117453
Modified:	06/05/2012 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TOSCO MARKETING CO	ID Key:	0035544 284489
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0035544">https://dwr.state.co.us/Tools/WellPermits/0035544</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
2	SSE	0.06	298.41	5,078.18	WATER WELLS

Receipt:	0056389	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56389-MH	City:	FORT COLLINS
Permit Issued:	01/26/2017	County:	LARIMER
Permit Expires:	04/26/2017	State:	CO
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	02/01/2017	UTM x:	490193.3
Frst Bneficial Use:		UTM y:	4491595.1
Pump Installed:		Location:	(40.575086, -105.115878)
Well Plugged:		Location Type:	Well (Construction Report)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	5081
Denver Basn Aqufr:	No	Latitude:	40.575086
Statc Wtr Lvl Dt:		Longitude:	-105.115878
Modified:	05/08/2020 04:12:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SUPER AMERICA LLC DBA EVERDAY	ID Key:	0056389 187682
Counties:			
Well Name:			
Comment:			
Address:	2110 W ELIZABETH ST		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0056389">https://dwr.state.co.us/Tools/WellPermits/0056389</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
3	SE	0.06	306.98	5,078.32	WATER WELLS

Receipt:	0056391	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56391-MH	City:	
Permit Issued:	01/26/2017	County:	LARIMER
Permit Expires:	04/26/2017	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	02/01/2017	UTM x:	490236.5
Frst Bneficial Use:		UTM y:	4491623.1
Pump Installed:		Location:	(40.575338, -105.115371)
Well Plugged:		Location Type:	Well (Construction Report)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	5081
Denver Basn Aqufr:	No	Latitude:	40.575338
Statc Wtr Lvl Dt:		Longitude:	-105.115371
Modified:	05/08/2020 04:14:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: SUPER AMERICA LLC DBA  
EVERDAY ID Key: 0056391 187682

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0056391>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
4	SE	0.06	342.29	5,078.62	WATER WELLS

Receipt:	0056392	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56392-MH	City:	
Permit Issued:	01/26/2017	County:	LARIMER
Permit Expires:	04/26/2017	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	23	Coords E/W (Feet):	89
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	23	Coords N/S (Feet):	2484
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	01/30/2017	UTM x:	490231.9
Frst Bneficial Use:		UTM y:	4491603.3
Pump Installed:		Location:	(40.575158, -105.115418)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Stac Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575158
Stac Watr Lvl Dt:		Longitude:	-105.115418
Modified:	05/08/2020 04:01:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SUPER AMERICA LLC DBA EVERDAY	ID Key:	0056392 187682
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0056392">https://dwr.state.co.us/Tools/WellPermits/0056392</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
5	ESE	0.07	363.81	5,076.38	WATER WELLS

Receipt:	0473649B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	232670-	City:	
Permit Issued:	04/11/2001	County:	LARIMER
Permit Expires:	04/11/2003	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	8
Top Prf. Csng (ft):	11	Coords E/W Dir:	W
Bot Prf. Csng (ft):	21	Coords N/S (Feet):	2389
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	09/05/2000	UTM x:	490262.5
Frst Bneficial Use:		UTM y:	4491631.8
Pump Installed:		Location:	(40.57542, -105.115064)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575420
Statc Watr Lvl Dt:		Longitude:	-105.115064
Modified:	10/22/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TOSCO MARKETING CO	ID Key:	0473649B 156350
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0473649B">https://dwr.state.co.us/Tools/WellPermits/0473649B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
6	SSE	0.07	373.74	5,079.21	WATER WELLS

Receipt:	0450484G	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:	Block:
Permit: 222009-	City:
Permit Issued: 11/23/1999	County: LARIMER
Permit Expires: 11/23/2001	State:
Permit Category: Monitoring/Observation	Postal Code:
Current Status: Well Abandoned	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Monitoring/Sampling	Section: 16
Permitted Area:	Q160: NE
Permitted Area Unts:	Q40: SE
Annul Approp. (AF):	Q10:
Well Depth (Feet): 18	Coords E/W (Feet): 175
Top Prf. Csng (ft): 8	Coords E/W Dir: E
Bot Prf. Csng (ft): 18	Coords N/S (Feet): 2710
Designated Basin:	Coords N/S Dir: S
Well Constructed: 11/19/1998	UTM x: 490205.4
Frst Bneficial Use:	UTM y: 4491575.4
Pump Installed:	Location: (40.574906, -105.115736)
Well Plugged: 10/18/2004	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Statc Wtr Lvl (ft):	Elevation: 5070
Denver Basn Aqufr: No	Latitude: 40.574906
Statc Watr Lvl Dt:	Longitude: -105.115736
Modified: 10/22/2004 12:00:00 AM	Mangemnt District:
Associated Aqufrs: UNCONFINED SAN LUIS VALLEY AQUIFER	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: ATC ASSOCIATES INC	ID Key: 0450484G 329943
Counties:	
Well Name:	
Comment:	
Address:	
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0450484G">https://dwr.state.co.us/Tools/WellPermits/0450484G</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
7	SE	0.07	384.36	5,076.46	WATER WELLS

Receipt: 0473649C	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 232669-	City:
Permit Issued: 04/11/2001	County: LARIMER
Permit Expires: 04/11/2003	State:
Permit Category: Monitoring/Observation	Postal Code:
Current Status: Well Abandoned	Township: 7.0 N
Special Use:	Range: 69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	8
Top Prf. Csng (ft):	11	Coords E/W Dir:	W
Bot Prf. Csng (ft):	21	Coords N/S (Feet):	2430
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	09/05/2000	UTM x:	490262.3
First Beneficial Use:		UTM y:	4491619.3
Pump Installed:		Location:	(40.575303, -105.115064)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.575303
Static Wtr Lvl Dt:		Longitude:	-105.115064
Modified:	10/22/2004 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TOSCO MARKETING CO	ID Key:	0473649C 156350
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0473649C">https://dwr.state.co.us/Tools/WellPermits/0473649C</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
8	SE	0.07	385.97	5,079.68	WATER WELLS

Receipt:	0450484E	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	222007-	City:	
Permit Issued:	11/23/1999	County:	LARIMER
Permit Expires:	11/23/2001	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	50
Top Prf. Csng (ft):	5	Coords E/W Dir:	E
Bot Prf. Csng (ft):	25	Coords N/S (Feet):	2780

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	S
Well Constructed:	11/19/1998	UTM x:	490243.8
Frst Bneficial Use:		UTM y:	4491596.4
Pump Installed:		Location:	(40.575095, -105.115276)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	5070
Denver Basn Aqufr:	No	Latitude:	40.575095
Statc Watr Lvl Dt:		Longitude:	-105.115276
Modified:	10/22/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	UNCONFINED SAN LUIS VALLEY AQUIFER	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATC ASSOCIATES INC	ID Key:	0450484E 329943
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0450484E">https://dwr.state.co.us/Tools/WellPermits/0450484E</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
9	ESE	0.08	399.10	5,075.29	WATER WELLS

Receipt:	0293082A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34290-M	City:	
Permit Issued:	10/26/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	60
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2350
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490277.8
Frst Bneficial Use:		UTM y:	4491643.3
Pump Installed:		Location:	(40.575519, -105.114875)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.575519
Statc Watr Lvl Dt:		Longitude:	-105.114875
Modified:	10/19/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0293082A 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0293082A">https://dwr.state.co.us/Tools/WellPermits/0293082A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
10	SE	0.08	414.35	5,075.89	WATER WELLS

Receipt:	0450484J	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	222012-	City:	
Permit Issued:	11/23/1999	County:	LARIMER
Permit Expires:	11/23/2001	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	10
Top Prf. Csng (ft):	5	Coords E/W Dir:	E
Bot Prf. Csng (ft):	19	Coords N/S (Feet):	2780
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	03/01/1999	UTM x:	490255.9
Frst Bneficial Use:		UTM y:	4491596.3
Pump Installed:		Location:	(40.575095, -105.115134)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	5070
Denver Basn Aqufr:	No	Latitude:	40.575095
Statc Watr Lvl Dt:		Longitude:	-105.115134
Modified:	10/22/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	UNCONFINED SAN LUIS VALLEY AQUIFER	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATC ASSOCIATES INC	ID Key:	0450484J 329943
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0450484J>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
11	SE	0.08	426.39	5,078.30	WATER WELLS

Receipt:	0450484F	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	222008-	City:	
Permit Issued:	11/23/1999	County:	LARIMER
Permit Expires:	11/23/2001	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	55
Top Prf. Csng (ft):	5	Coords E/W Dir:	E
Bot Prf. Csng (ft):	20	Coords N/S (Feet):	2720
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	11/19/1998	UTM x:	490242.0
Frst Bneficial Use:		UTM y:	4491578.2
Pump Installed:		Location:	(40.574933, -105.115299)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	5070
Denver Basn Aqufr:	No	Latitude:	40.574933
Statc Watr Lvl Dt:		Longitude:	-105.115299
Modified:	10/22/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	UNCONFINED SAN LUIS VALLEY AQUIFER	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATC ASSOCIATES INC	ID Key:	0450484F 329943
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0450484F">https://dwr.state.co.us/Tools/WellPermits/0450484F</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
12	SE	0.08	448.76	5,075.98	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0450484I	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	222011-	City:	
Permit Issued:	11/23/1999	County:	LARIMER
Permit Expires:	11/23/2001	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	10
Top Prf. Csng (ft):	5	Coords E/W Dir:	E
Bot Prf. Csng (ft):	19	Coords N/S (Feet):	2730
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	03/01/1999	UTM x:	490255.8
Frst Bneficial Use:		UTM y:	4491581.1
Pump Installed:		Location:	(40.57496, -105.115134)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	5070
Denver Basn Aquifr:	No	Latitude:	40.574960
Statc Watr Lvl Dt:		Longitude:	-105.115134
Modified:	10/22/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	UNCONFINED SAN LUIS VALLEY AQUIFER	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATC ASSOCIATES INC	ID Key:	0450484I 329943
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0450484I">https://dwr.state.co.us/Tools/WellPermits/0450484I</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	SE	0.09	493.36	5,075.35	WATER WELLS

Receipt:	0450484H	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	222010-	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	11/23/1999	County:	LARIMER
Permit Expires:	11/23/2001	State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	10
Top Prf. Csng (ft):	5	Coords E/W Dir:	E
Bot Prf. Csng (ft):	19	Coords N/S (Feet):	2670
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	03/01/1999	UTM x:	490255.5
First Beneficial Use:		UTM y:	4491562.8
Pump Installed:		Location:	(40.574798, -105.115134)
Well Plugged:	10/18/2004	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	5070
Denver Basin Aquifer:	No	Latitude:	40.574798
Static Water Level Date:		Longitude:	-105.115134
Modified:	10/22/2004 12:00:00 AM	Management District:	
Associated Aquifers:	UNCONFINED SAN LUIS VALLEY AQUIFER	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATC ASSOCIATES INC	ID Key:	0450484H 329943
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0450484H">https://dwr.state.co.us/Tools/WellPermits/0450484H</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
14	SE	0.09	494.24	5,076.00	WATER WELLS

Receipt:	0056390	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56390-MH	City:	
Permit Issued:	01/26/2017	County:	LARIMER
Permit Expires:	04/26/2017	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	60
Top Prf. Csng (ft):	5	Coords E/W Dir:	W
Bot Prf. Csng (ft):	20	Coords N/S (Feet):	2549
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	01/31/2017	UTM x:	490277.1
Frst Bneficial Use:		UTM y:	4491582.6
Pump Installed:		Location:	(40.574978, -105.114886)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574978
Statc Watr Lvl Dt:		Longitude:	-105.114886
Modified:	05/08/2020 04:04:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SUPER AMERICA LLC DBA EVERDAY	ID Key:	0056390 187682
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0056390">https://dwr.state.co.us/Tools/WellPermits/0056390</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
15	SE	0.11	555.81	5,076.01	WATER WELLS

Receipt:	0293082B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34291-M	City:	
Permit Issued:	10/26/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	115
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2575
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490293.8

## Wells and Additional Sources Detail Report

Frst Bneficial Use:		UTM y:	4491574.3
Pump Installed:		Location:	(40.574898, -105.114685)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574898
Statc Watr Lvl Dt:		Longitude:	-105.114685
Modified:	10/19/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0293082B 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0293082B">https://dwr.state.co.us/Tools/WellPermits/0293082B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
16	ESE	0.11	570.95	5,073.21	WATER WELLS

Receipt:	0056259	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56259-MH	City:	FORT COLLINS
Permit Issued:	12/12/2016	County:	LARIMER
Permit Expires:	03/12/2017	State:	CO
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/05/2017	UTM x:	490317.1
Frst Bneficial Use:		UTM y:	4491601.0
Pump Installed:		Location:	(40.575141, -105.114413)
Well Plugged:		Location Type:	Well (Construction Report)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	5077
Denver Basn Aqufr:	No	Latitude:	40.575141
Statc Watr Lvl Dt:		Longitude:	-105.114413

## Wells and Additional Sources Detail Report

Modified:	05/08/2020 04:09:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SUPER AMERICA LLC DBA EVERYDAY	ID Key:	0056259 242871
Counties:			
Well Name:			
Comment:			
Address:	920 S TAFT HILL RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0056259">https://dwr.state.co.us/Tools/WellPermits/0056259</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
17	SE	0.11	582.87	5,074.14	WATER WELLS

Receipt:	0293082C	Parcel Name:	
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34292-M	City:	
Permit Issued:	10/26/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	160
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2560
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490307.6
Frst Bneficial Use:		UTM y:	4491578.6
Pump Installed:		Location:	(40.574943, -105.114519)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574943
Statc Watr Lvl Dt:		Longitude:	-105.114519
Modified:	10/21/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0293082C 96171
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0293082C>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
18	SE	0.11	599.08	5,073.77	WATER WELLS

Receipt:	0324241C	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38983-M	City:	
Permit Issued:	05/31/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	20
Top Prf. Csng (ft):	10	Coords E/W Dir:	W
Bot Prf. Csng (ft):	19	Coords N/S (Feet):	2560
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	10/25/1990	UTM x:	490264.3
Frst Bneficial Use:		UTM y:	4491529.1
Pump Installed:		Location:	(40.574492, -105.115038)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574492
Statc Watr Lvl Dt:		Longitude:	-105.115038
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0324241C 126229
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324241C">https://dwr.state.co.us/Tools/WellPermits/0324241C</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
19	SSE	0.12	622.32	5,076.58	WATER WELLS

Receipt:	0350525A	Parcel Name:	
----------	----------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	42335-F	City:	
Permit Issued:	05/10/1993	County:	LARIMER
Permit Expires:	05/10/1994	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	105
Top Prf. Csng (ft):	12	Coords E/W Dir:	E
Bot Prf. Csng (ft):	22	Coords N/S (Feet):	2470
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/31/1991	UTM x:	490225.9
Frst Bneficial Use:	05/10/1993	UTM y:	4491502.1
Pump Installed:		Location:	(40.574248, -105.115487)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574248
Statc Watr Lvl Dt:		Longitude:	-105.115487
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0350525A 89550
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0350525A">https://dwr.state.co.us/Tools/WellPermits/0350525A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
19	SSE	0.12	622.32	5,076.58	WATER WELLS

Receipt:	0324241D	Parcel Name:	MILLER BROTHERS FOOTHILLS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38984-F	City:	
Permit Issued:	05/31/1991	County:	LARIMER
Permit Expires:	05/31/1992	State:	
Permit Category:	General Purpose	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	105
Top Prf. Csng (ft):	12	Coords E/W Dir:	E
Bot Prf. Csng (ft):	22	Coords N/S (Feet):	2470
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/31/1991	UTM x:	490225.9
First Beneficial Use:		UTM y:	4491502.1
Pump Installed:		Location:	(40.574248, -105.115487)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.574248
Static Water Level Date:		Longitude:	-105.115487
Modified:	03/12/1998 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0324241D 126229
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324241D">https://dwr.state.co.us/Tools/WellPermits/0324241D</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
20	SSE	0.12	629.61	5,075.56	WATER WELLS

Receipt:	0324241A	Parcel Name:	MILLER BROTHERS FOOTHILLS
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38981-M	City:	
Permit Issued:	05/31/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	40

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):	10	Coords E/W Dir:	E
Bot Prf. Csng (ft):	19	Coords N/S (Feet):	2490
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	07/09/1990	UTM x:	490245.8
Frst Bneficial Use:		UTM y:	4491508.0
Pump Installed:		Location:	(40.574302, -105.115251)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.574302
Statc Wtr Lvl Dt:		Longitude:	-105.115251
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0324241A 126229
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324241A">https://dwr.state.co.us/Tools/WellPermits/0324241A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
21	SSE	0.12	638.47	5,075.56	WATER WELLS

Receipt:	0324241E	Parcel Name:	MILLER BROTHERS FOOTHILLS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38985-F	City:	
Permit Issued:	05/31/1991	County:	LARIMER
Permit Expires:	05/31/1992	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	40
Top Prf. Csng (ft):	12	Coords E/W Dir:	E
Bot Prf. Csng (ft):	22	Coords N/S (Feet):	2480
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/30/1991	UTM x:	490245.7
Frst Bneficial Use:		UTM y:	4491505.0
Pump Installed:		Location:	(40.574275, -105.115251)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574275
Statc Wtr Lvl Dt:		Longitude:	-105.115251
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0324241E 126229
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324241E">https://dwr.state.co.us/Tools/WellPermits/0324241E</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
21	SSE	0.12	638.47	5,075.56	WATER WELLS

Receipt:	0350525B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	42336-F	City:	
Permit Issued:	05/10/1993	County:	LARIMER
Permit Expires:	05/10/1994	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	40
Top Prf. Csng (ft):	12	Coords E/W Dir:	E
Bot Prf. Csng (ft):	22	Coords N/S (Feet):	2480
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/30/1991	UTM x:	490245.7
Frst Bneficial Use:	05/10/1993	UTM y:	4491505.0
Pump Installed:		Location:	(40.574275, -105.115251)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574275
Statc Wtr Lvl Dt:		Longitude:	-105.115251
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: AMOCO OIL COMPANY #5401 ID Key: 0350525B 89550  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/0350525B>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
22	SSE	0.12	654.49	5,074.68	WATER WELLS

Receipt:	0324241B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38982-M	City:	
Permit Issued:	05/31/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	20
Top Prf. Csng (ft):	5	Coords E/W Dir:	W
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	2495
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	10/25/1990	UTM x:	490264.1
Frst Bneficial Use:		UTM y:	4491509.3
Pump Installed:		Location:	(40.574312, -105.115038)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574312
Statc Watr Lvl Dt:		Longitude:	-105.115038
Modified:	03/12/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY #5401	ID Key:	0324241B 126229
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324241B">https://dwr.state.co.us/Tools/WellPermits/0324241B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

23 E 0.19 993.87 5,061.29 WATER WELLS

Receipt:	0039342	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	39342-MH	City:	
Permit Issued:	02/27/2001	County:	LARIMER
Permit Expires:	05/26/2001	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490463.9
Frst Bneficial Use:		UTM y:	4491750.5
Pump Installed:		Location:	(40.57649, -105.11268)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576490
Statc Watr Lvl Dt:		Longitude:	-105.112680
Modified:	04/12/2001 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TOSCO MARKETING CO	ID Key:	0039342 284489
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0039342">https://dwr.state.co.us/Tools/WellPermits/0039342</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
23	E	0.19	993.87	5,061.29	WATER WELLS

Receipt:	0901891	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	23833-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490463.9
Frst Bneficial Use:		UTM y:	4491750.5
Pump Installed:		Location:	(40.57649, -105.11268)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576490
Statc Watr Lvl Dt:		Longitude:	-105.112680
Modified:	05/17/1965 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	THOMPSON, AL	ID Key:	0901891 299687
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0901891">https://dwr.state.co.us/Tools/WellPermits/0901891</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
24	SSW	0.21	1,091.76	5,079.79	WATER WELLS

Receipt:	0016500	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	16500-MH	City:	
Permit Issued:	07/02/1990	County:	LARIMER
Permit Expires:	09/30/1990	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490055.2
First Beneficial Use:		UTM y:	4491354.1
Pump Installed:		Location:	(40.572914, -105.117503)
Well Plugged:	11/14/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.572914
Static Water Lvl Dt:		Longitude:	-105.117503
Modified:	03/12/1998 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY	ID Key:	0016500 31734
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0016500">https://dwr.state.co.us/Tools/WellPermits/0016500</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
24	SSW	0.21	1,091.76	5,079.79	WATER WELLS

Receipt:	0016947	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	16947-MH	City:	
Permit Issued:	10/26/1990	County:	LARIMER
Permit Expires:	01/24/1991	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	

## Wells and Additional Sources Detail Report

Well Constructed:		UTM x:	490055.2
Frst Bneficial Use:		UTM y:	4491354.1
Pump Installed:		Location:	(40.572914, -105.117503)
Well Plugged:	11/19/1996	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572914
Statc Watr Lvl Dt:		Longitude:	-105.117503
Modified:	04/08/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL	ID Key:	0016947 9152
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0016947">https://dwr.state.co.us/Tools/WellPermits/0016947</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
25	NW	0.21	1,119.88	5,085.54	WATER WELLS

Receipt:	0021910	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	21910-MH	City:	
Permit Issued:	11/19/1993	County:	LARIMER
Permit Expires:	02/19/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489861.2
Frst Bneficial Use:		UTM y:	4491961.3
Pump Installed:		Location:	(40.578382, -105.119805)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.578382

## Wells and Additional Sources Detail Report

Statc Wtr Lvl Dt:		Longitude:	-105.119805
Modified:	11/11/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0021910 231065
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0021910">https://dwr.state.co.us/Tools/WellPermits/0021910</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
25	NW	0.21	1,119.88	5,085.54	WATER WELLS

Receipt:	0020267	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20267-MH	City:	
Permit Issued:	01/20/1993	County:	LARIMER
Permit Expires:	04/20/1993	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	
Top Prf. Csng (ft):	3	Coords E/W Dir:	
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/02/1993	UTM x:	489861.2
Frst Bneficial Use:		UTM y:	4491961.3
Pump Installed:		Location:	(40.578382, -105.119805)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	5072
Denver Basn Aqufr:	No	Latitude:	40.578382
Statc Wtr Lvl Dt:	1993/01/02	Longitude:	-105.119805
Modified:	02/05/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SEACOR	ID Key:	0020267 322304
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0020267>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
25	NW	0.21	1,119.88	5,085.54	WATER WELLS

Receipt:	0014530	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	14530-MH	City:	
Permit Issued:	10/13/1988	County:	LARIMER
Permit Expires:	01/11/1989	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489861.2
Frst Bneficial Use:		UTM y:	4491961.3
Pump Installed:		Location:	(40.578382, -105.119805)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.578382
Statc Watr Lvl Dt:		Longitude:	-105.119805
Modified:	10/13/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMOCO OIL COMPANY	ID Key:	0014530 21722
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0014530">https://dwr.state.co.us/Tools/WellPermits/0014530</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
26	N	0.26	1,394.67	5,081.88	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9039159	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	18005-	City:	
Permit Issued:	11/12/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	65	Coords E/W (Feet):	
Top Prf. Csng (ft):	15	Coords E/W Dir:	
Bot Prf. Csng (ft):	45	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/21/1964	UTM x:	490064.7
Frst Bneficial Use:	01/16/1964	UTM y:	4492160.1
Pump Installed:		Location:	(40.580175, -105.117403)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580175
Statc Watr Lvl Dt:		Longitude:	-105.117403
Modified:	09/13/2010 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WEBER E C M	ID Key:	9039159 24868
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039159">https://dwr.state.co.us/Tools/WellPermits/9039159</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">27</a>	SE	0.28	1,463.26	5,069.92	WATER WELLS

Receipt:	9038263	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4044-F	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	49	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/07/1963	UTM x:	490459.6
Frst Bneficial Use:	05/07/1963	UTM y:	4491348.2
Pump Installed:		Location:	(40.572865, -105.112725)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	5.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572865
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.112725
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORT COLLINS CITY OF	ID Key:	9038263 208675
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038263">https://dwr.state.co.us/Tools/WellPermits/9038263</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038269	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4185-	City:	FORT COLLINS
Permit Issued:	08/18/1959	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	16	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/25/1959	UTM x:	489657.6
Frst Bneficial Use:	08/25/1959	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)
Well Plugged:	05/19/2012	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Watr Lvl Dt:	1959/08/25	Longitude:	-105.122206
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SILVA STEVE & CARRON	ID Key:	9038269 47237
Counties:			
Well Name:			
Comment:			
Address:	2210 WEST LAKE STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038269">https://dwr.state.co.us/Tools/WellPermits/9038269</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038166	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2369-	City:	
Permit Issued:	11/10/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	31	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/21/1958	UTM x:	489657.6
Frst Bneficial Use:	11/21/1958	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Wtr Lvl Dt:	1958/11/21	Longitude:	-105.122206
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCHOONVELD, GENE G	ID Key:	9038166 287332
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038166">https://dwr.state.co.us/Tools/WellPermits/9038166</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038075	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1009-	City:	
Permit Issued:	04/18/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	
Top Prf. Csng (ft):	35	Coords E/W Dir:	
Bot Prf. Csng (ft):	60	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/22/1958	UTM x:	489657.6
Frst Bneficial Use:	04/22/1958	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	37.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Wtr Lvl Dt:	1958/04/22	Longitude:	-105.122206
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	BROOK, WALTER	ID Key:	9038075 286064
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038075">https://dwr.state.co.us/Tools/WellPermits/9038075</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038165	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2368-	City:	
Permit Issued:	11/10/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	38	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/20/1958	UTM x:	489657.6
Frst Bneficial Use:	11/20/1958	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Watr Lvl Dt:	1958/11/20	Longitude:	-105.122206
Modified:	05/07/2007 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCHOONVELD, GENE G	ID Key:	9038165 272542
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038165">https://dwr.state.co.us/Tools/WellPermits/9038165</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038167	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2370-	City:	
Permit Issued:	11/10/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	
Top Prf. Csng (ft):	34	Coords E/W Dir:	
Bot Prf. Csng (ft):	40	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/22/1958	UTM x:	489657.6
Frst Bneficial Use:	11/22/1958	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Watr Lvl Dt:	1958/11/22	Longitude:	-105.122206
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MCMILLEN, C R	ID Key:	9038167 188996
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038167">https://dwr.state.co.us/Tools/WellPermits/9038167</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
28	W	0.29	1,514.85	5,094.15	WATER WELLS

Receipt:	9038234	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	3579-	City:	
Permit Issued:	06/08/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	16	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/12/1959	UTM x:	489657.6
Frst Bneficial Use:	06/12/1959	UTM y:	4491760.0
Pump Installed:		Location:	(40.576566, -105.122206)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576566
Statc Wtr Lvl Dt:	1959/06/12	Longitude:	-105.122206
Modified:	06/08/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PIERCE, DONALD	ID Key:	9038234 264785
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038234">https://dwr.state.co.us/Tools/WellPermits/9038234</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
29	NNE	0.32	1,672.56	5,077.54	WATER WELLS

Receipt:	0309601F	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36322-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	25
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	430
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/11/1989	UTM x:	490258.8
First Beneficial Use:		UTM y:	4492229.0
Pump Installed:		Location:	(40.580798, -105.115108)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.580798
Static Water Level Date:		Longitude:	-105.115108
Modified:	10/12/1995 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601F 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601F">https://dwr.state.co.us/Tools/WellPermits/0309601F</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
30	NNE	0.32	1,680.58	5,077.76	WATER WELLS

Receipt:	0309601H	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36324-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	55
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	415

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/01/1989	UTM x:	490249.7
Frst Bneficial Use:		UTM y:	4492233.7
Pump Installed:		Location:	(40.580843, -105.115215)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580843
Statc Watr Lvl Dt:		Longitude:	-105.115215
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601H 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601H">https://dwr.state.co.us/Tools/WellPermits/0309601H</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
31	N	0.32	1,686.12	5,078.05	WATER WELLS

Receipt:	0309601P	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36332-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	85
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	400
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/12/1989	UTM x:	490240.7
Frst Bneficial Use:		UTM y:	4492238.4
Pump Installed:		Location:	(40.580879, -105.115321)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.580879
Statc Watr Lvl Dt:		Longitude:	-105.115321
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601P 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601P">https://dwr.state.co.us/Tools/WellPermits/0309601P</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
32	N	0.32	1,695.40	5,078.05	WATER WELLS

Receipt:	0309601U	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36337-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	115
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	385
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490231.6
Frst Bneficial Use:		UTM y:	4492243.1
Pump Installed:		Location:	(40.580924, -105.115428)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580924
Statc Watr Lvl Dt:		Longitude:	-105.115428
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601U 203869
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0309601U>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
33	NNE	0.32	1,698.33	5,077.05	WATER WELLS

Receipt:	0300255B	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35115-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	400
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490255.9
Frst Bneficial Use:		UTM y:	4492238.2
Pump Installed:		Location:	(40.580879, -105.115144)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580879
Statc Watr Lvl Dt:		Longitude:	-105.115144
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255B 96171

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0300255B>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
34	NE	0.32	1,700.85	5,076.06	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0402794	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	158244--A	City:	
Permit Issued:	07/25/1996	County:	LARIMER
Permit Expires:	07/25/1998	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	950
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	950
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490554.1
Frst Bneficial Use:		UTM y:	4492063.6
Pump Installed:		Location:	(40.579315, -105.11162)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.579315
Statc Watr Lvl Dt:		Longitude:	-105.111620
Modified:	06/26/1996 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STANDRING CHARLES F & WENDY A	ID Key:	0402794 134458
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0402794">https://dwr.state.co.us/Tools/WellPermits/0402794</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
34	NE	0.32	1,700.85	5,076.06	WATER WELLS

Receipt:	0316898A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	158244-	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	09/25/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	30	Coords E/W (Feet):	950
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	950
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490554.1
Frst Bneficial Use:	08/31/1968	UTM y:	4492063.6
Pump Installed:		Location:	(40.579315, -105.11162)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.579315
Statc Watr Lvl Dt:		Longitude:	-105.111620
Modified:	09/25/1990 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ASA, WENDY	ID Key:	0316898A 225223
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0316898A">https://dwr.state.co.us/Tools/WellPermits/0316898A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
34	NE	0.32	1,700.85	5,076.06	WATER WELLS

Receipt:	0316898B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	158244--A	City:	
Permit Issued:	09/25/1990	County:	LARIMER
Permit Expires:	09/25/1992	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	950
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	950
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	04/14/1992	UTM x:	490554.1
Frst Bneficial Use:		UTM y:	4492063.6
Pump Installed:		Location:	(40.579315, -105.11162)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.579315
Statc Watr Lvl Dt:		Longitude:	-105.111620
Modified:	07/25/1996 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ASA, WENDY A	ID Key:	0316898B 135502
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0316898B">https://dwr.state.co.us/Tools/WellPermits/0316898B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	NNE	0.32	1,700.90	5,077.05	WATER WELLS

Receipt:	0309601G	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36323-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	400
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490258.9

## Wells and Additional Sources Detail Report

Frst Bneficial Use:		UTM y:	4492238.2
Pump Installed:		Location:	(40.580879, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580879
Statc Watr Lvl Dt:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601G 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601G">https://dwr.state.co.us/Tools/WellPermits/0309601G</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
36	NNE	0.32	1,705.31	5,077.05	WATER WELLS

Receipt:	0324060E	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38690-F	City:	
Permit Issued:	04/18/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	45
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	390
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490252.9
Frst Bneficial Use:		UTM y:	4492241.3
Pump Installed:		Location:	(40.580906, -105.115179)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580906
Statc Watr Lvl Dt:		Longitude:	-105.115179

## Wells and Additional Sources Detail Report

Modified:	04/02/1991 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0324060E 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324060E">https://dwr.state.co.us/Tools/WellPermits/0324060E</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
37	NNE	0.32	1,709.14	5,077.76	WATER WELLS

Receipt:	03096011	Parcel Name:	
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36325-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	55
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	385
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/07/1989	UTM x:	490249.9
Frst Bneficial Use:		UTM y:	4492242.9
Pump Installed:		Location:	(40.580924, -105.115215)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580924
Statc Watr Lvl Dt:		Longitude:	-105.115215
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601I 203869
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/03096011>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
38	N	0.33	1,718.00	5,077.81	WATER WELLS

Receipt:	0309601L	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36328-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	85
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	370
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/12/1989	UTM x:	490240.8
Frst Bneficial Use:		UTM y:	4492247.5
Pump Installed:		Location:	(40.580969, -105.115321)
Well Plugged:	08/31/1998	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580969
Statc Watr Lvl Dt:		Longitude:	-105.115321
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601L 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601L">https://dwr.state.co.us/Tools/WellPermits/0309601L</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
39	N	0.33	1,724.21	5,078.01	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0309601R	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36334-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	115
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	355
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/08/1989	UTM x:	490231.7
Frst Bneficial Use:		UTM y:	4492252.2
Pump Installed:		Location:	(40.581005, -105.115428)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581005
Statc Watr Lvl Dt:		Longitude:	-105.115428
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601R 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601R">https://dwr.state.co.us/Tools/WellPermits/0309601R</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
40	N	0.33	1,726.06	5,077.81	WATER WELLS

Receipt:	0324060A	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38686-F	City:	
Permit Issued:	04/18/1991	County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	91
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	360
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490239.0
Frst Bneficial Use:		UTM y:	4492250.6
Pump Installed:		Location:	(40.580996, -105.115345)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580996
Statc Watr Lvl Dt:		Longitude:	-105.115345
Modified:	04/02/1991 12:00:00 AM	Managemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0324060A 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324060A">https://dwr.state.co.us/Tools/WellPermits/0324060A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
41	W	0.33	1,726.80	5,104.30	WATER WELLS

Receipt:	3649117	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4185--A	City:	
Permit Issued:	3/10/2011	County:	LARIMER
Permit Expires:	3/10/2013	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):	76	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489593
Frst Bneficial Use:		UTM y:	4491633
Pump Installed:	5/1/2012	Location:	(40.575421, -105.122968)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):	1	Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	16	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575421
Statc Watr Lvl Dt:	7/20/2012	Longitude:	-105.122968
Modified:	9/11/2012 0:00	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SILVA STEVE & CARRON	ID Key:	3649117 166410
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649117">https://dwr.state.co.us/Tools/WellPermits/3649117</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
41	W	0.33	1,726.80	5,104.30	WATER WELLS

Receipt:	3649117	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4185--A	City:	FORT COLLINS
Permit Issued:	03/10/2011	County:	LARIMER
Permit Expires:	03/10/2013	State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	76	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489593.0
Frst Bneficial Use:		UTM y:	4491633.0
Pump Installed:	05/01/2012	Location:	(40.575421, -105.122968)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):	1.00	Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575421
Statc Wtr Lvl Dt:	2012/07/20	Longitude:	-105.122968
Modified:	11/02/2021 11:04:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ANSTETT, RACHAEL	ID Key:	3649117 453907
Counties:			
Well Name:			
Comment:			
Address:	2510 WEST ELIZABETH STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649117">https://dwr.state.co.us/Tools/WellPermits/3649117</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
41	W	0.33	1,726.80	5,104.30	WATER WELLS

Receipt:	3649117	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4185--A	City:	FORT COLLINS
Permit Issued:	03/10/2011	County:	LARIMER
Permit Expires:	03/10/2013	State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	76	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489593.0
Frst Bneficial Use:		UTM y:	4491633.0
Pump Installed:	05/01/2012	Location:	(40.575421, -105.122968)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):	1.00	Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575421
Statc Wtr Lvl Dt:	2012/07/20	Longitude:	-105.122968
Modified:	11/02/2021 11:04:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	ANSTETT, KEVIN	ID Key:	3649117 453906
Counties:			
Well Name:			
Comment:			
Address:	2510 WEST ELIZABETH STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649117">https://dwr.state.co.us/Tools/WellPermits/3649117</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
42	NE	0.33	1,729.02	5,072.13	WATER WELLS

Receipt:	0017373	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	91089-VE	City:	
Permit Issued:	03/28/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490468.3
Frst Bneficial Use:		UTM y:	4492153.6
Pump Installed:		Location:	(40.580121, -105.112634)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580121
Statc Watr Lvl Dt:		Longitude:	-105.112634
Modified:	03/28/1991 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DIAMOND, SHAMROCK	ID Key:	0017373 178975
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0017373">https://dwr.state.co.us/Tools/WellPermits/0017373</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
42	NE	0.33	1,729.02	5,072.13	WATER WELLS

Receipt:	9039108	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	16312-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490468.3
Frst Bneficial Use:	07/17/1963	UTM y:	4492153.6
Pump Installed:		Location:	(40.580121, -105.112634)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580121
Statc Watr Lvl Dt:		Longitude:	-105.112634
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ALLEN, WILLIAM H	ID Key:	9039108 137338
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039108">https://dwr.state.co.us/Tools/WellPermits/9039108</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
43	NNE	0.33	1,729.34	5,076.47	WATER WELLS

Receipt:	0309601D	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	36320-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	370
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490259.1
Frst Bneficial Use:		UTM y:	4492247.3
Pump Installed:		Location:	(40.58096, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580960
Statc Watr Lvl Dt:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601D 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601D">https://dwr.state.co.us/Tools/WellPermits/0309601D</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
44	NNE	0.33	1,737.72	5,077.55	WATER WELLS

Receipt:	0309601J	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36326-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	55
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	355
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/07/1989	UTM x:	490250.0
First Beneficial Use:		UTM y:	4492252.0
Pump Installed:		Location:	(40.581005, -105.115215)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.581005
Static Water Level Date:		Longitude:	-105.115215
Modified:	10/12/1995 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601J 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601J">https://dwr.state.co.us/Tools/WellPermits/0309601J</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
45	NNE	0.33	1,739.06	5,076.20	WATER WELLS

Receipt:	0324060B	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38687-F	City:	
Permit Issued:	04/18/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	30
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	375

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490275.8
Frst Bneficial Use:		UTM y:	4492245.5
Pump Installed:		Location:	(40.580942, -105.114908)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580942
Statc Watr Lvl Dt:		Longitude:	-105.114908
Modified:	04/02/1991 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0324060B 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324060B">https://dwr.state.co.us/Tools/WellPermits/0324060B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
45	NNE	0.33	1,739.06	5,077.30	WATER WELLS

Receipt:	0300255L	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35125-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	375
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490277.3
Frst Bneficial Use:		UTM y:	4492245.4
Pump Installed:		Location:	(40.580942, -105.114896)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.580942
Statc Watr Lvl Dt:		Longitude:	-105.114896
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255L 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255L">https://dwr.state.co.us/Tools/WellPermits/0300255L</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
46	N	0.33	1,746.72	5,077.63	WATER WELLS

Receipt:	0309601M	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36329-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	85
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	340
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490240.9
Frst Bneficial Use:		UTM y:	4492256.7
Pump Installed:		Location:	(40.58105, -105.115321)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581050
Statc Watr Lvl Dt:		Longitude:	-105.115321
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601M 203869
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0309601M>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
47	N	0.33	1,747.29	5,078.50	WATER WELLS

Receipt:	0300255C	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35116-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	160
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	325
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490218.1
Frst Bneficial Use:		UTM y:	4492261.5
Pump Installed:		Location:	(40.581095, -105.115593)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581095
Statc Watr Lvl Dt:		Longitude:	-105.115593
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255C 96171

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0300255C>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
48	N	0.33	1,749.72	5,077.21	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0309601X	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36340-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	70
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	340
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490245.4
Frst Bneficial Use:		UTM y:	4492256.6
Pump Installed:		Location:	(40.58105, -105.115274)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581050
Statc Watr Lvl Dt:		Longitude:	-105.115274
Modified:	02/06/1990 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601X 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601X">https://dwr.state.co.us/Tools/WellPermits/0309601X</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
49	N	0.33	1,753.05	5,078.00	WATER WELLS

Receipt:	0309601S	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36335-M	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	115
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):	9	Coords N/S (Feet):	325
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/08/1989	UTM x:	490231.8
First Beneficial Use:		UTM y:	4492261.4
Pump Installed:		Location:	(40.581086, -105.115428)
Well Plugged:	08/13/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.581086
Static Wtr Lvl Dt:		Longitude:	-105.115428
Modified:	10/12/1995 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601S 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601S">https://dwr.state.co.us/Tools/WellPermits/0309601S</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
50	NNE	0.33	1,757.82	5,075.78	WATER WELLS

Receipt:	0309601C	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36319-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	340
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490259.2
Frst Bneficial Use:		UTM y:	4492256.5
Pump Installed:		Location:	(40.581041, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581041
Statc Watr Lvl Dt:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601C 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601C">https://dwr.state.co.us/Tools/WellPermits/0309601C</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
51	N	0.33	1,761.22	5,079.73	WATER WELLS

Receipt:	3638550	Parcel Name:	
WD ID:	0305290	Prcl Sze (Acres):	
Associated Case No:	W3032	Lot:	
County Parcel ID:		Block:	
Permit:	280359-	City:	
Permit Issued:	04/14/2009	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490159.0

## Wells and Additional Sources Detail Report

Frst Bneficial Use:	07/01/1920	UTM y:	4492274.0
Pump Installed:		Location:	(40.581202, -105.116291)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581202
Statc Watr Lvl Dt:		Longitude:	-105.116291
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BURCHAM, RICHARD A	ID Key:	3638550 334127
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3638550">https://dwr.state.co.us/Tools/WellPermits/3638550</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
52	NNE	0.33	1,766.34	5,077.21	WATER WELLS

Receipt:	0309601K	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36327-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	55
Top Prf. Csng (ft):	9	Coords E/W Dir:	E
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	325
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490250.1
Frst Bneficial Use:		UTM y:	4492261.1
Pump Installed:		Location:	(40.581086, -105.115215)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581086
Statc Watr Lvl Dt:		Longitude:	-105.115215

## Wells and Additional Sources Detail Report

Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601K 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601K">https://dwr.state.co.us/Tools/WellPermits/0309601K</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
53	NNE	0.34	1,773.65	5,075.78	WATER WELLS

Receipt:	0309601W	Parcel Name:	
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36339-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	325
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490259.2
Frst Bneficial Use:		UTM y:	4492261.0
Pump Installed:		Location:	(40.581086, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581086
Statc Watr Lvl Dt:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601W 203869
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0309601W>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
54	N	0.34	1,775.40	5,076.74	WATER WELLS

Receipt:	0309601N	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36330-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	85
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	310
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490241.0
Frst Bneficial Use:		UTM y:	4492265.8
Pump Installed:		Location:	(40.581131, -105.115322)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581131
Statc Watr Lvl Dt:		Longitude:	-105.115322
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601N 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601N">https://dwr.state.co.us/Tools/WellPermits/0309601N</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
55	N	0.34	1,779.12	5,076.30	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0916732	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36342-M	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	70
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	310
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490245.6
Frst Bneficial Use:		UTM y:	4492265.8
Pump Installed:		Location:	(40.581131, -105.115263)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581131
Statc Watr Lvl Dt:		Longitude:	-105.115263
Modified:	02/06/1990 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY, INC	ID Key:	0916732 193719
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0916732">https://dwr.state.co.us/Tools/WellPermits/0916732</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
56	N	0.34	1,785.12	5,077.45	WATER WELLS

Receipt:	0309601Q	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36333-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	115
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	295
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/08/1989	UTM x:	490231.9
Frst Bneficial Use:		UTM y:	4492270.5
Pump Installed:		Location:	(40.581176, -105.115428)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581176
Statc Watr Lvl Dt:		Longitude:	-105.115428
Modified:	02/06/1990 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601Q 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601Q">https://dwr.state.co.us/Tools/WellPermits/0309601Q</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
57	NNE	0.34	1,789.50	5,075.27	WATER WELLS

Receipt:	0309601B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36318-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	310
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490259.3
Frst Bneficial Use:		UTM y:	4492265.6
Pump Installed:		Location:	(40.581131, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581131
Statc Watr Lvl Dt:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601B 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601B">https://dwr.state.co.us/Tools/WellPermits/0309601B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
58	N	0.34	1,794.99	5,076.30	WATER WELLS

Receipt:	0309601E	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36321-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	55
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	295
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490250.2
Frst Bneficial Use:		UTM y:	4492270.3
Pump Installed:		Location:	(40.581167, -105.115215)

## Wells and Additional Sources Detail Report

Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581167
Statc Watr Lvl Dt:		Longitude:	-105.115215
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601E 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601E">https://dwr.state.co.us/Tools/WellPermits/0309601E</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
59	N	0.34	1,803.31	5,075.18	WATER WELLS

Receipt:	0309601O	Parcel Name:	
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36331-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	13	Coords E/W (Feet):	85
Top Prf. Csng (ft):	8	Coords E/W Dir:	E
Bot Prf. Csng (ft):	13	Coords N/S (Feet):	280
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/06/1989	UTM x:	490241.1
Frst Bneficial Use:		UTM y:	4492275.0
Pump Installed:		Location:	(40.581212, -105.115322)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581212
Statc Watr Lvl Dt:		Longitude:	-105.115322
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601O 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601O">https://dwr.state.co.us/Tools/WellPermits/0309601O</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
59	N	0.34	1,803.31	5,076.74	WATER WELLS

Receipt:	0309601V	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36338-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	80
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	288
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490242.6
Frst Bneficial Use:		UTM y:	4492272.5
Pump Installed:		Location:	(40.581194, -105.115298)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581194
Statc Watr Lvl Dt:		Longitude:	-105.115298
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601V 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601V">https://dwr.state.co.us/Tools/WellPermits/0309601V</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
59	N	0.34	1,803.31	5,075.18	WATER WELLS

Receipt:	0309601T	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36336-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	80
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	280
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490242.6
Frst Bneficial Use:		UTM y:	4492275.0
Pump Installed:		Location:	(40.581212, -105.115298)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581212
Statc Watr Lvl Dt:		Longitude:	-105.115298
Modified:	02/06/1990 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601T 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601T">https://dwr.state.co.us/Tools/WellPermits/0309601T</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
60	NNE	0.34	1,809.28	5,075.27	WATER WELLS

Receipt:	0300255A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35296-F	City:	
Permit Issued:	06/28/1989	County:	LARIMER
Permit Expires:	06/28/1990	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	32
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	285
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490257.2
Frst Bneficial Use:		UTM y:	4492273.3
Pump Installed:		Location:	(40.581194, -105.115133)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581194
Statc Watr Lvl Dt:		Longitude:	-105.115133
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255A 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255A">https://dwr.state.co.us/Tools/WellPermits/0300255A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
60	NNE	0.34	1,809.28	5,075.27	WATER WELLS

Receipt:	0309601A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36317-M	City:	
Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N

## Wells and Additional Sources Detail Report

Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	25
Top Prf. Casing (ft):		Coords E/W Dir:	E
Bot Prf. Casing (ft):		Coords N/S (Feet):	288
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490259.3
First Beneficial Use:		UTM y:	4492272.3
Pump Installed:		Location:	(40.581185, -105.115109)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.581185
Static Water Level Date:		Longitude:	-105.115109
Modified:	10/12/1995 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601A 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601A">https://dwr.state.co.us/Tools/WellPermits/0309601A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
61	ENE	0.34	1,812.26	5,076.76	WATER WELLS

Receipt:	0022397	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	22397-MH	City:	
Permit Issued:	03/04/1994	County:	LARIMER
Permit Expires:	06/04/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Casing (ft):		Coords E/W Dir:	

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490667.1
Frst Bneficial Use:		UTM y:	4491948.4
Pump Installed:		Location:	(40.578275, -105.110282)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.578275
Statc Watr Lvl Dt:		Longitude:	-105.110282
Modified:	03/01/1994 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0022397 198404
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0022397">https://dwr.state.co.us/Tools/WellPermits/0022397</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
61	ENE	0.34	1,812.26	5,076.76	WATER WELLS

Receipt:	0021911	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	21911-MH	City:	
Permit Issued:	11/19/1993	County:	LARIMER
Permit Expires:	02/19/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490667.1
Frst Bneficial Use:		UTM y:	4491948.4
Pump Installed:		Location:	(40.578275, -105.110282)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.578275
Statc Watr Lvl Dt:		Longitude:	-105.110282
Modified:	11/11/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0021911 231065
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0021911">https://dwr.state.co.us/Tools/WellPermits/0021911</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
61	ENE	0.34	1,812.26	5,076.76	WATER WELLS

Receipt:	0020268	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20268-MH	City:	
Permit Issued:	01/20/1993	County:	LARIMER
Permit Expires:	04/20/1993	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	15	Coords E/W (Feet):	
Top Prf. Csng (ft):	5	Coords E/W Dir:	
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/26/1993	UTM x:	490667.1
Frst Bneficial Use:		UTM y:	4491948.4
Pump Installed:		Location:	(40.578275, -105.110282)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	7.00	Elevation:	5070
Denver Basn Aqufr:	No	Latitude:	40.578275
Statc Watr Lvl Dt:	1993/01/26	Longitude:	-105.110282
Modified:	02/05/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SEACOR	ID Key:	0020268 322304

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0020268>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
62	NNE	0.34	1,816.00	5,075.55	WATER WELLS

Receipt: 0300255K

WD ID:

Associated Case No:

County Parcel ID:

Permit: 35124-M

Permit Issued: 05/11/1989

Permit Expires:

Permit Category: Monitoring/Observation

Current Status: Permit Issued

Special Use:

Associated Uses: Monitoring/Sampling

Permitted Area:

Permitted Area Unts:

Annul Approp. (AF):

Well Depth (Feet):

Top Prf. Csng (ft):

Bot Prf. Csng (ft):

Designated Basin:

Well Constructed:

Frst Bneficial Use:

Pump Installed:

Well Plugged:

Yield (GPM):

Statc Wtr Lvl (ft):

Denver Basn Aqufr: No

Statc Watr Lvl Dt:

Modified: 05/11/1989 12:00:00 AM

Associated Aqufrs: ALL UNNAMED AQUIFERS

Water District: 3

Contact Name: GROUNDWATER TECHNOLOGY  
INC

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0300255K>

Parcel Name:

Prcl Sze (Acres):

Lot:

Block:

City:

County: LARIMER

State:

Postal Code:

Township: 7.0 N

Range: 69.0 W

Section: 15

Q160: NW

Q40: NW

Q10:

Coords E/W (Feet): 145

Coords E/W Dir: W

Coords N/S (Feet): 330

Coords N/S Dir: N

UTM x: 490311.0

UTM y: 4492258.4

Location: (40.58106, -105.114494)

Location Type: Well (Application/Permit)

Location Accuracy: Spotted from section lines

Elevation:

Latitude: 40.581060

Longitude: -105.114494

Mangemnt District:

Division: 1

Principle Meridian: S

ID Key: 0300255K 96171

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

63	N	0.34	1,820.56	5,075.88	WATER WELLS
----	---	------	----------	----------	-------------

Receipt:	0000394A	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1995193-AB	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490221.5
Frst Bneficial Use:		UTM y:	4492283.7
Pump Installed:		Location:	(40.581293, -105.115546)
Well Plugged:	08/31/1988	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581293
Statc Watr Lvl Dt:		Longitude:	-105.115546
Modified:	10/12/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DIAMOND, SHAMROCK	ID Key:	0000394A 107999
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0000394A">https://dwr.state.co.us/Tools/WellPermits/0000394A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
64	N	0.35	1,833.16	5,074.99	WATER WELLS

Receipt:	0309601Y	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	36341-M	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	03/16/1990	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	55
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	258
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	12/11/1989	UTM x:	490250.3
First Beneficial Use:		UTM y:	4492281.6
Pump Installed:		Location:	(40.581275, -105.115216)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.581275
Static Wtr Lvl Dt:		Longitude:	-105.115216
Modified:	04/25/2013 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0309601Y 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0309601Y">https://dwr.state.co.us/Tools/WellPermits/0309601Y</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
65	NNE	0.35	1,838.08	5,074.28	WATER WELLS

Receipt:	0324060C	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38688-F	City:	
Permit Issued:	04/18/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	15
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	275
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490277.7
Frst Bneficial Use:		UTM y:	4492275.9
Pump Installed:		Location:	(40.581222, -105.114885)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Stetc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581222
Stetc Wtr Lvl Dt:		Longitude:	-105.114885
Modified:	04/02/1991 12:00:00 AM	Managemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0324060C 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324060C">https://dwr.state.co.us/Tools/WellPermits/0324060C</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
66	NNE	0.35	1,853.81	5,074.28	WATER WELLS

Receipt:	0300255D	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35117-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	260
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490277.7

## Wells and Additional Sources Detail Report

First Beneficial Use:	UTM y:	4492280.5
Pump Installed:	Location:	(40.581267, -105.114885)
Well Plugged:	Location Type:	Well (Application/Permit)
Yield (GPM):	Location Accuracy:	Spotted from section lines
Static Water Level (ft):	Elevation:	
Denver Basin Aquifer: No	Latitude:	40.581267
Static Water Level Date:	Longitude:	-105.114885
Modified: 05/11/1989 12:00:00 AM	Management District:	
Associated Aquifers: ALL UNNAMED AQUIFERS	Division:	1
Water District: 3	Principle Meridian:	S
Contact Name: GROUNDWATER TECHNOLOGY INC	ID Key:	0300255D 96171
Counties:		
Well Name:		
Comment:		
Address:		
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/0300255D">https://dwr.state.co.us/Tools/WellPermits/0300255D</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
67	SW	0.35	1,856.27	5,093.56	WATER WELLS

Receipt: 9038151	Parcel Name:
WD ID:	Parcel Size (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 2110-	City:
Permit Issued: 10/08/1958	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: SE
Permitted Area Units:	Q40: NW
Annual Approp. (AF):	Q10:
Well Depth (Feet): 60	Coords E/W (Feet):
Top Profile Casing (ft): 30	Coords E/W Dir:
Bottom Profile Casing (ft): 60	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 10/10/1958	UTM x: 489652.9
First Beneficial Use: 10/10/1958	UTM y: 4491357.7
Pump Installed:	Location: (40.572941, -105.122256)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Static Water Level (ft): 20.00	Elevation:
Denver Basin Aquifer: No	Latitude: 40.572941
Static Water Level Date: 1958/10/10	Longitude: -105.122256

## Wells and Additional Sources Detail Report

Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEEMING, L M	ID Key:	9038151 8446
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038151">https://dwr.state.co.us/Tools/WellPermits/9038151</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
68	NNE	0.35	1,872.20	5,074.49	WATER WELLS

Receipt:	0300255E	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35118-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	128
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	265
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490306.1
Frst Bneficial Use:		UTM y:	4492278.3
Pump Installed:		Location:	(40.58124, -105.114554)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Stetc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581240
Stetc Watr Lvl Dt:		Longitude:	-105.114554
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255E 96171
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0300255E>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
69	NNE	0.36	1,889.25	5,073.12	WATER WELLS

Receipt:	0300255G	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35120-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	70
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	230
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490288.5
Frst Bneficial Use:		UTM y:	4492289.4
Pump Installed:		Location:	(40.581339, -105.114755)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581339
Statc Watr Lvl Dt:		Longitude:	-105.114755
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255G 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255G">https://dwr.state.co.us/Tools/WellPermits/0300255G</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
70	NNE	0.36	1,891.95	5,074.63	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0324060D	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	38689-F	City:	
Permit Issued:	04/18/1991	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	15
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	140
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	250
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490309.8
Frst Bneficial Use:		UTM y:	4492282.8
Pump Installed:		Location:	(40.581285, -105.114507)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581285
Statc Watr Lvl Dt:		Longitude:	-105.114507
Modified:	04/02/1991 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0324060D 203869
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0324060D">https://dwr.state.co.us/Tools/WellPermits/0324060D</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
71	NNE	0.36	1,910.54	5,073.06	WATER WELLS

Receipt:	0300255H	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35121-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	200
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490277.9
Frst Bneficial Use:		UTM y:	4492298.8
Pump Installed:		Location:	(40.581429, -105.114885)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581429
Statc Wtr Lvl Dt:		Longitude:	-105.114885
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255H 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255H">https://dwr.state.co.us/Tools/WellPermits/0300255H</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
72	NNE	0.36	1,912.54	5,073.65	WATER WELLS

Receipt:	0300255F	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35119-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):		Coords E/W (Feet):	128
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	223
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490306.2
Frst Bneficial Use:		UTM y:	4492291.1
Pump Installed:		Location:	(40.581357, -105.114554)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581357
Statc Watr Lvl Dt:		Longitude:	-105.114554
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255F 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255F">https://dwr.state.co.us/Tools/WellPermits/0300255F</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
73	NNE	0.36	1,921.28	5,073.58	WATER WELLS

Receipt:	0300255J	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35123-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	247
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	250
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490342.4
Frst Bneficial Use:		UTM y:	4492282.0
Pump Installed:		Location:	(40.581276, -105.114128)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581276
Statc Watr Lvl Dt:		Longitude:	-105.114128
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255J 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255J">https://dwr.state.co.us/Tools/WellPermits/0300255J</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
74	N	0.37	1,968.93	5,073.30	WATER WELLS

Receipt:	0285659A	Parcel Name:	
WD ID:		PrcL Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33433-M	City:	
Permit Issued:	04/04/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	150
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	100
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490221.9
Frst Bneficial Use:		UTM y:	4492330.1
Pump Installed:		Location:	(40.581707, -105.115547)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581707
Statc Watr Lvl Dt:		Longitude:	-105.115547
Modified:	03/15/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District: 3 Principle Meridian: S  
 Contact Name: GROUNDWATER TECHNOLOGY ID Key: 0285659A 182480  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/0285659A>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
75	NNE	0.37	1,973.73	5,071.87	WATER WELLS

Receipt:	0300255I	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	35122-M	City:	
Permit Issued:	05/11/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	35
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	135
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490278.2
Frst Bneficial Use:		UTM y:	4492318.6
Pump Installed:		Location:	(40.581609, -105.114885)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581609
Statc Watr Lvl Dt:		Longitude:	-105.114885
Modified:	05/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0300255I 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300255I">https://dwr.state.co.us/Tools/WellPermits/0300255I</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
76	N	0.37	1,975.40	5,073.12	WATER WELLS

Receipt:	0060308	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	60308-MH	City:	FORT COLLINS
Permit Issued:	12/11/2019	County:	LARIMER
Permit Expires:	03/10/2020	State:	CO
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	80521
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	15	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/16/2019	UTM x:	490215.8
Frst Bneficial Use:		UTM y:	4492333.3
Pump Installed:		Location:	(40.581734, -105.115618)
Well Plugged:	07/04/2020	Location Type:	Well (Construction Report)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581734
Statc Watr Lvl Dt:		Longitude:	-105.115618
Modified:	07/09/2020 11:47:00 AM	Mangemnt District:	
Associated Aqufrs:		Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	AMRAJ II INC	ID Key:	0060308 415989
Counties:			
Well Name:			
Comment:			
Address:	501 TAFT HILL RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0060308">https://dwr.state.co.us/Tools/WellPermits/0060308</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
77	N	0.38	1,987.84	5,072.78	WATER WELLS

Receipt:	0285659B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	33432-M	City:	
Permit Issued:	04/04/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	100
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	90
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490237.2
Frst Bneficial Use:		UTM y:	4492332.9
Pump Installed:		Location:	(40.581735, -105.11537)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581735
Statc Watr Lvl Dt:		Longitude:	-105.115370
Modified:	03/15/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY	ID Key:	0285659B 182480
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0285659B">https://dwr.state.co.us/Tools/WellPermits/0285659B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
78	NNE	0.38	2,017.09	5,071.03	WATER WELLS

Receipt:	0285659D	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33431-M	City:	
Permit Issued:	04/04/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	10
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	80
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490264.7
First Beneficial Use:		UTM y:	4492335.7
Pump Installed:		Location:	(40.581762, -105.115039)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.581762
Static Wtr Lvl Dt:		Longitude:	-105.115039
Modified:	03/15/1988 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY	ID Key:	0285659D 182480
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0285659D">https://dwr.state.co.us/Tools/WellPermits/0285659D</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
79	N	0.38	2,017.79	5,071.14	WATER WELLS

Receipt:	0285659C	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33430-M	City:	
Permit Issued:	04/04/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	50
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	70

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490252.5
Frst Bneficial Use:		UTM y:	4492338.8
Pump Installed:		Location:	(40.581789, -105.115181)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581789
Statc Watr Lvl Dt:		Longitude:	-105.115181
Modified:	03/15/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY	ID Key:	0285659C 182480
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0285659C">https://dwr.state.co.us/Tools/WellPermits/0285659C</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
80	N	0.38	2,026.45	5,072.41	WATER WELLS

Receipt:	0288958B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33826-M	City:	
Permit Issued:	06/29/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	100
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	50
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490237.3
Frst Bneficial Use:		UTM y:	4492345.1
Pump Installed:		Location:	(40.581843, -105.11537)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.581843
Statc Watr Lvl Dt:		Longitude:	-105.115370
Modified:	06/16/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0288958B 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0288958B">https://dwr.state.co.us/Tools/WellPermits/0288958B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
81	N	0.38	2,026.65	5,071.03	WATER WELLS

Receipt:	0288958D	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33828-M	City:	
Permit Issued:	06/29/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	10
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	70
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490264.7
Frst Bneficial Use:		UTM y:	4492338.7
Pump Installed:		Location:	(40.581789, -105.115039)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581789
Statc Watr Lvl Dt:		Longitude:	-105.115039
Modified:	06/16/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0288958D 96171
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0288958D>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
82	N	0.38	2,031.54	5,071.89	WATER WELLS

Receipt:	0288958E	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33829-M	City:	
Permit Issued:	06/29/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	75
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	50
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490245.0
Frst Bneficial Use:		UTM y:	4492345.0
Pump Installed:		Location:	(40.581843, -105.115276)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581843
Statc Watr Lvl Dt:		Longitude:	-105.115276
Modified:	06/16/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0288958E 96171

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0288958E>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
83	N	0.39	2,046.61	5,070.27	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	0295583	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34622-F	City:	
Permit Issued:	01/23/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	50
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	40
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490252.6
Frst Bneficial Use:		UTM y:	4492348.0
Pump Installed:		Location:	(40.58187, -105.115181)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581870
Statc Watr Lvl Dt:		Longitude:	-105.115181
Modified:	01/11/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DELTA, ENVIRONMENTAL	ID Key:	0295583 69497
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0295583">https://dwr.state.co.us/Tools/WellPermits/0295583</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
84	NW	0.39	2,050.10	5,093.42	WATER WELLS

Receipt:	9038974	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	14339-R	City:	
Permit Issued:	04/19/1960	County:	LARIMER

## Wells and Additional Sources Detail Report

Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489662.4
First Beneficial Use:	12/31/1954	UTM y:	4492164.3
Pump Installed:		Location:	(40.580208, -105.122157)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):	10.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.580208
Static Wtr Lvl Dt:	2009/04/13	Longitude:	-105.122157
Modified:	04/19/1960 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHESNUT, DAN E	ID Key:	9038974 281713
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038974">https://dwr.state.co.us/Tools/WellPermits/9038974</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
85	N	0.39	2,057.23	5,070.28	WATER WELLS

Receipt:	0288958A	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33825-M	City:	
Permit Issued:	06/29/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NE

## Wells and Additional Sources Detail Report

Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	75
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	25
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490245.1
Frst Bneficial Use:		UTM y:	4492352.7
Pump Installed:		Location:	(40.581915, -105.115276)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581915
Statc Watr Lvl Dt:		Longitude:	-105.115276
Modified:	06/16/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GROUNDWATER TECHNOLOGY INC	ID Key:	0288958A 96171
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0288958A">https://dwr.state.co.us/Tools/WellPermits/0288958A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
85	N	0.39	2,057.23	5,070.28	WATER WELLS

Receipt:	0288958C	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33827-M	City:	
Permit Issued:	06/29/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	75
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	25
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490245.1
Frst Bneficial Use:		UTM y:	4492352.7

## Wells and Additional Sources Detail Report

Pump Installed:	Location: (40.581915, -105.115276)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Staic Wtr Lvl (ft):	Elevation:
Denver Basn Aqufr: No	Latitude: 40.581915
Staic Wtr Lvl Dt:	Longitude: -105.115276
Modified: 06/16/1988 12:00:00 AM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: GROUNDWATER TECHNOLOGY INC	ID Key: 0288958C 96171
Counties:	
Well Name:	
Comment:	
Address:	
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0288958C">https://dwr.state.co.us/Tools/WellPermits/0288958C</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
86	N	0.39	2,074.30	5,070.27	WATER WELLS

Receipt: 0903498	Parcel Name: SUNRISE ACRES (FILING: 4)
WD ID:	Prcl Size (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 41262-	City:
Permit Issued: 05/18/1970	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Permit Expired	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Irrigation	Section: 16
Permitted Area:	Q160: NE
Permtted Area Unts:	Q40: NE
Annul Approp. (AF):	Q10:
Well Depth (Feet):	Coords E/W (Feet): 40
Top Prf. Csng (ft):	Coords E/W Dir: E
Bot Prf. Csng (ft):	Coords N/S (Feet): 15
Designated Basin:	Coords N/S Dir: N
Well Constructed:	UTM x: 490255.8
Frst Bneficial Use:	UTM y: 4492355.6
Pump Installed:	Location: (40.581942, -105.115146)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Staic Wtr Lvl (ft):	Elevation:
Denver Basn Aqufr: No	Latitude: 40.581942
Staic Wtr Lvl Dt:	Longitude: -105.115146
Modified: 05/18/1970 12:00:00 AM	Mangemnt District:

## Wells and Additional Sources Detail Report

Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HARRIS, MELVIN W	ID Key:	0903498 343332
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0903498">https://dwr.state.co.us/Tools/WellPermits/0903498</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
87	S	0.40	2,114.26	5,074.96	WATER WELLS

Receipt:	0490894	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	241045-	City:	
Permit Issued:	05/16/2002	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	100
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	950
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490221.9
Frst Bneficial Use:	06/01/1958	UTM y:	4491038.8
Pump Installed:		Location:	(40.570077, -105.115527)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.570077
Statc Watr Lvl Dt:		Longitude:	-105.115527
Modified:	03/29/2018 03:32:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WISDOM, CHELSEA J.	ID Key:	0490894 385319
Counties:			
Well Name:			
Comment:			
Address:			

## Wells and Additional Sources Detail Report

More Information: <https://dwr.state.co.us/Tools/WellPermits/0490894>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
87	S	0.40	2,114.26	5,074.96	WATER WELLS

Receipt:	0490894	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	241045-	City:	
Permit Issued:	05/16/2002	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	100
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	950
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490221.9
Frst Bneficial Use:	06/01/1958	UTM y:	4491038.8
Pump Installed:		Location:	(40.570077, -105.115527)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.570077
Statc Watr Lvl Dt:		Longitude:	-105.115527
Modified:	03/29/2018 03:32:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WISDOM, CHRISTOPHER A.	ID Key:	0490894 385318
Counties:			
Well Name:			
Comment:			
Address:			

More Information: <https://dwr.state.co.us/Tools/WellPermits/0490894>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	WSW	0.41	2,144.36	5,107.08	WATER WELLS

Receipt:	0900256	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	11716-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489474.2
First Beneficial Use:		UTM y:	4491563.8
Pump Installed:		Location:	(40.574795, -105.124371)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.574795
Static Wtr Lvl Dt:		Longitude:	-105.124371
Modified:	05/28/1962 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PIERCE, DON L	ID Key:	0900256 182176
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900256">https://dwr.state.co.us/Tools/WellPermits/0900256</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	WSW	0.41	2,144.36	5,107.08	WATER WELLS

Receipt:	9038076	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1021-	City:	
Permit Issued:	04/15/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N

## Wells and Additional Sources Detail Report

Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: NE
Permitted Area Units:	Q40: SW
Annual Approp. (AF):	Q10:
Well Depth (Feet): 23	Coords E/W (Feet):
Top Prf. Casing (ft):	Coords E/W Dir:
Bot Prf. Casing (ft):	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 04/30/1958	UTM x: 489474.2
First Beneficial Use: 04/30/1958	UTM y: 4491563.8
Pump Installed:	Location: (40.574795, -105.124371)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Static Water Level (ft): 22.00	Elevation:
Denver Basin Aquifer: No	Latitude: 40.574795
Static Water Level Date: 1958/04/30	Longitude: -105.124371
Modified: 09/13/2010 12:00:00 AM	Management District:
Associated Aquifers: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: MITCHELL, C A	ID Key: 9038076 156874
Counties:	
Well Name:	
Comment:	
Address:	
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038076">https://dwr.state.co.us/Tools/WellPermits/9038076</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	WSW	0.41	2,144.36	5,107.08	WATER WELLS

Receipt: 0900235	Parcel Name:
WD ID:	Parcel Size (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 11214-	City:
Permit Issued: 04/18/1962	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Permit Canceled	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: NE
Permitted Area Units:	Q40: SW
Annual Approp. (AF):	Q10:
Well Depth (Feet):	Coords E/W (Feet):
Top Prf. Casing (ft):	Coords E/W Dir:

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489474.2
Frst Bneficial Use:		UTM y:	4491563.8
Pump Installed:		Location:	(40.574795, -105.124371)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574795
Statc Watr Lvl Dt:		Longitude:	-105.124371
Modified:	04/18/1962 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	0900235 53003
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900235">https://dwr.state.co.us/Tools/WellPermits/0900235</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
89	SE	0.43	2,248.70	5,063.25	WATER WELLS

Receipt:	0056752	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	56752-MH	City:	
Permit Issued:	05/10/2017	County:	LARIMER
Permit Expires:	08/08/2017	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	27	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/18/2017	UTM x:	490607.0
Frst Bneficial Use:		UTM y:	4491159.0
Pump Installed:		Location:	(40.571163, -105.110981)
Well Plugged:		Location Type:	Well (Construction Report)
Yield (GPM):		Location Accuracy:	GPS

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):	11.00	Elevation:	5067
Denver Basn Aqufr:	No	Latitude:	40.571163
Statc Wtr Lvl Dt:	2017/05/18	Longitude:	-105.110981
Modified:	08/04/2017 08:59:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORT COLLINS CITY OF	ID Key:	0056752 80836
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0056752">https://dwr.state.co.us/Tools/WellPermits/0056752</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
90	S	0.44	2,341.32	5,075.99	WATER WELLS

Receipt:	9038059	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	869-	City:	
Permit Issued:	09/15/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	64	Coords E/W (Feet):	
Top Prf. Csng (ft):	30	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/31/1958	UTM x:	490215.0
Frst Bneficial Use:	03/19/1958	UTM y:	4490969.0
Pump Installed:		Location:	(40.569446, -105.115609)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569446
Statc Wtr Lvl Dt:	1958/10/31	Longitude:	-105.115609
Modified:	09/15/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TAYLOR GARY E & VIRGINIA L REVOC TRUST	ID Key:	9038059 202905

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038059>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt: 9038071

WD ID:

Associated Case No:

County Parcel ID:

Permit: 960-

Permit Issued: 04/01/1958

Permit Expires:

Permit Category: Residential

Current Status: Well Constructed

Special Use:

Associated Uses: Domestic

Permitted Area:

Permitted Area Units:

Annul Approp. (AF):

Well Depth (Feet): 41

Top Prf. Csng (ft): 20

Bot Prf. Csng (ft): 41

Designated Basin:

Well Constructed: 04/22/1958

Frst Bneficial Use: 04/22/1958

Pump Installed:

Well Plugged:

Yield (GPM):

Statc Wtr Lvl (ft): 16.00

Denver Basn Aqufr: No

Statc Watr Lvl Dt: 1958/04/22

Modified: 09/15/1958 12:00:00 AM

Associated Aqufrs: ALL UNNAMED AQUIFERS

Water District: 3

Contact Name: PIERCE, DONALD L

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038071>

Parcel Name:

Prcl Sze (Acres):

Lot:

Block:

City:

County: LARIMER

State:

Postal Code:

Township: 7.0 N

Range: 69.0 W

Section: 16

Q160: SE

Q40: SE

Q10:

Coords E/W (Feet):

Coords E/W Dir:

Coords N/S (Feet):

Coords N/S Dir:

UTM x: 490050.5

UTM y: 4490951.8

Location: (40.569289, -105.117552)

Location Type: Well (Application/Permit)

Location Accuracy: Spotted from quarters

Elevation:

Latitude: 40.569289

Longitude: -105.117552

Mangemnt District:

Division: 1

Principle Meridian: S

ID Key: 9038071 189404

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

91	S	0.46	2,402.76	5,081.25	WATER WELLS
----	---	------	----------	----------	-------------

Receipt:	9038073	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	963-	City:	
Permit Issued:	04/01/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	33	Coords E/W (Feet):	
Top Prf. Csng (ft):	21	Coords E/W Dir:	
Bot Prf. Csng (ft):	33	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/12/1958	UTM x:	490050.5
Frst Bneficial Use:	02/28/1958	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	5.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1958/10/12	Longitude:	-105.117552
Modified:	10/22/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PIERCE, DONALD L	ID Key:	9038073 213994
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038073">https://dwr.state.co.us/Tools/WellPermits/9038073</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038607	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9699-	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	09/12/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	44	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	44	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/14/1961	UTM x:	490050.5
Frst Bneficial Use:	09/14/1961	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	12.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Wtr Lvl Dt:	1961/09/14	Longitude:	-105.117552
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FALLER, CARL	ID Key:	9038607 272723
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038607">https://dwr.state.co.us/Tools/WellPermits/9038607</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9039729	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	29585-	City:	
Permit Issued:	12/23/1966	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE

## Wells and Additional Sources Detail Report

Permitted Area Units:	Q40:	SE
Annul Approp. (AF):	Q10:	
Well Depth (Feet): 74	Coords E/W (Feet):	
Top Prf. Csng (ft): 37	Coords E/W Dir:	
Bot Prf. Csng (ft): 74	Coords N/S (Feet):	
Designated Basin:	Coords N/S Dir:	
Well Constructed: 01/10/1967	UTM x:	490050.5
Frst Bneficial Use: 01/05/1967	UTM y:	4490951.8
Pump Installed:	Location:	(40.569289, -105.117552)
Well Plugged:	Location Type:	Well (Application/Permit)
Yield (GPM):	Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft): 8.00	Elevation:	
Denver Basn Aqufr: No	Latitude:	40.569289
Statc Wtr Lvl Dt: 1967/01/10	Longitude:	-105.117552
Modified: 04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division:	1
Water District: 3	Principle Meridian:	S
Contact Name: WEBB, ROBERT K	ID Key:	9039729 189783
Counties:		
Well Name:		
Comment:		
Address:		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039729">https://dwr.state.co.us/Tools/WellPermits/9039729</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt: 9040525	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 57413-	City:
Permit Issued: 04/17/1972	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: SE
Permitted Area Units:	Q40: SE
Annul Approp. (AF):	Q10:
Well Depth (Feet): 77	Coords E/W (Feet):
Top Prf. Csng (ft): 30	Coords E/W Dir:
Bot Prf. Csng (ft): 77	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 06/14/1972	UTM x: 490050.5

## Wells and Additional Sources Detail Report

Frst Bneficial Use:	06/14/1972	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1972/06/14	Longitude:	-105.117552
Modified:	11/08/1972 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WEBB, KEITH	ID Key:	9040525 103234
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9040525">https://dwr.state.co.us/Tools/WellPermits/9040525</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2134-	City:	FORT COLLINS
Permit Issued:	10/08/1958	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	38	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/16/1958	UTM x:	490050.5
Frst Bneficial Use:	10/16/1958	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1958/10/16	Longitude:	-105.117552

## Wells and Additional Sources Detail Report

Modified:	09/16/2019 12:15:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WULKAN, BRITTANY	ID Key:	9038154 411162
Counties:			
Well Name:			
Comment:			
Address:	2142 W PROSPECT RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038154">https://dwr.state.co.us/Tools/WellPermits/9038154</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2134-	City:	FORT COLLINS
Permit Issued:	10/08/1958	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	38	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/16/1958	UTM x:	490050.5
Frst Bneficial Use:	10/16/1958	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1958/10/16	Longitude:	-105.117552
Modified:	09/16/2019 12:15:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WULKAN, JERAMY	ID Key:	9038154 411161
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address: 2142 W PROSPECT RD  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9038154>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038244	Parcel Name:	WALTONS ADDITION
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3650-	City:	
Permit Issued:	06/16/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	35	Coords E/W (Feet):	
Top Prf. Csng (ft):	17	Coords E/W Dir:	
Bot Prf. Csng (ft):	35	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/18/1959	UTM x:	490050.5
Frst Bneficial Use:	06/18/1959	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1959/06/18	Longitude:	-105.117552
Modified:	06/18/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TATUM, JIM	ID Key:	9038244 80988
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038244">https://dwr.state.co.us/Tools/WellPermits/9038244</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038072	Parcel Name:	
----------	---------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	962-	City:	
Permit Issued:	04/01/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	58	Coords E/W (Feet):	
Top Prf. Csng (ft):	30	Coords E/W Dir:	
Bot Prf. Csng (ft):	58	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/17/1958	UTM x:	490050.5
Frst Bneficial Use:	04/17/1958	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	30.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Watr Lvl Dt:	1958/04/17	Longitude:	-105.117552
Modified:	09/15/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN L	ID Key:	9038072 288864
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038072">https://dwr.state.co.us/Tools/WellPermits/9038072</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9039145	Parcel Name:	
WD ID:	0307129	Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	17618-	City:	
Permit Issued:	10/03/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	63	Coords E/W (Feet):	
Top Prf. Csng (ft):	24	Coords E/W Dir:	
Bot Prf. Csng (ft):	63	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/10/1963	UTM x:	490050.5
Frst Beneficial Use:	10/10/1963	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	13.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569289
Statc Wtr Lvl Dt:	1963/10/10	Longitude:	-105.117552
Modified:	04/14/2009 12:00:00 AM	Managemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SALISBURY, FRANK B	ID Key:	9039145 236698
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039145">https://dwr.state.co.us/Tools/WellPermits/9039145</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	S	0.46	2,402.76	5,081.25	WATER WELLS

Receipt:	9038158	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2199-	City:	
Permit Issued:	10/20/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	54	Coords E/W (Feet):	

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):	42	Coords E/W Dir:	
Bot Prf. Csng (ft):	54	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/31/1958	UTM x:	490050.5
Frst Bneficial Use:	10/31/1958	UTM y:	4490951.8
Pump Installed:		Location:	(40.569289, -105.117552)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	13.00	Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.569289
Statc Wtr Lvl Dt:	1958/10/31	Longitude:	-105.117552
Modified:	02/03/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SOLOMON, DALE	ID Key:	9038158 238011
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038158">https://dwr.state.co.us/Tools/WellPermits/9038158</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">92</a>	S	0.46	2,403.66	5,081.55	WATER WELLS

Receipt:	9038154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2134-	City:	FORT COLLINS
Permit Issued:	10/08/1958	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	38	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/16/1958	UTM x:	490055.5
Frst Bneficial Use:	10/16/1958	UTM y:	4490951.7
Pump Installed:		Location:	(40.569282, -105.117483)
Well Plugged:		Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569282
Statc Wtr Lvl Dt:	1958/10/16	Longitude:	-105.117483
Modified:	04/30/2019 12:03:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HOOVER, LAURA	ID Key:	9038154 404114
Counties:	1012		
Well Name:			
Comment:			
Address:	2142 W PROSPECT RD		
More Information:	<a href="https://dnrweb.state.co.us/cdss/WellPermits/9038154">https://dnrweb.state.co.us/cdss/WellPermits/9038154</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
92	S	0.46	2,403.66	5,081.55	WATER WELLS

Receipt:	9038154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2134-	City:	FORT COLLINS
Permit Issued:	10/08/1958	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	38	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/16/1958	UTM x:	490055.5
Frst Bneficial Use:	10/16/1958	UTM y:	4490951.7
Pump Installed:		Location:	(40.569282, -105.117483)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569282
Statc Wtr Lvl Dt:	1958/10/16	Longitude:	-105.117483
Modified:	04/30/2019 12:03:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: HAINES, THOMAS ID Key: 9038154 404113  
 Counties: 1012  
 Well Name:  
 Comment:  
 Address: 2142 W PROSPECT RD  
 More Information: <https://dnrweb.state.co.us/cdss/WellPermits/9038154>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
92	S	0.46	2,403.66	5,081.55	WATER WELLS

Receipt:	9038154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2134-	City:	
Permit Issued:	10/08/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	38	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/16/1958	UTM x:	490055.5
Frst Bneficial Use:	10/16/1958	UTM y:	4490951.7
Pump Installed:		Location:	(40.569282, -105.117483)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.569282
Statc Watr Lvl Dt:		Longitude:	-105.117483
Modified:	10/22/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SARACINO, FRANK	ID Key:	9038154 122380
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dnrweb.state.co.us/cdss/WellPermits/9038154">https://dnrweb.state.co.us/cdss/WellPermits/9038154</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

93      NNW      0.46      2,409.92      5,089.24      WATER WELLS

Receipt:	3660572	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	291978-	City:	
Permit Issued:	07/17/2013	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	1460
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	150
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489823.5
Frst Bneficial Use:	03/08/1954	UTM y:	4492411.0
Pump Installed:		Location:	(40.582432, -105.120251)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.582432
Statc Watr Lvl Dt:		Longitude:	-105.120251
Modified:	06/20/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VON STROHEIM ERICH	ID Key:	3660572 76989
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3660572">https://dwr.state.co.us/Tools/WellPermits/3660572</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	SSE	0.46	2,429.75	5,075.44	WATER WELLS

Receipt:	3649502	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:	W4920	Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	286086-	City:	FORT COLLINS
Permit Issued:	07/05/2011	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	160
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	672
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490300.2
Frst Bneficial Use:	07/15/1954	UTM y:	4490952.8
Pump Installed:		Location:	(40.569303, -105.114604)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569303
Statc Watr Lvl Dt:		Longitude:	-105.114604
Modified:	02/11/2021 03:40:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MCCLURE, ERIC	ID Key:	3649502 435965
Counties:			
Well Name:			
Comment:			
Address:	1415 SOUTH SHIELDS STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649502">https://dwr.state.co.us/Tools/WellPermits/3649502</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	SSE	0.46	2,429.75	5,075.44	WATER WELLS

Receipt:	3649502	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:	W4920	Lot:	
County Parcel ID:		Block:	
Permit:	286086-	City:	FORT COLLINS
Permit Issued:	07/05/2011	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	15

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	160
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	672
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490300.2
First Beneficial Use:	07/15/1954	UTM y:	4490952.8
Pump Installed:		Location:	(40.569303, -105.114604)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569303
Static Water Lvl Dt:		Longitude:	-105.114604
Modified:	02/11/2021 03:40:00 PM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CROW, ROBERT M.	ID Key:	3649502 435966
Counties:			
Well Name:			
Comment:			
Address:	1415 SOUTH SHIELDS STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649502">https://dwr.state.co.us/Tools/WellPermits/3649502</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	SSE	0.46	2,429.75	5,075.44	WATER WELLS

Receipt:	3649502	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:	W4920	Lot:	
County Parcel ID:		Block:	
Permit:	286086-	City:	
Permit Issued:	07/05/2011	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	160
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	672
Designated Basin:		Coords N/S Dir:	S

## Wells and Additional Sources Detail Report

Well Constructed:		UTM x:	490300.2
Frst Bneficial Use:	07/15/1954	UTM y:	4490952.8
Pump Installed:		Location:	(40.569303, -105.114604)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569303
Statc Watr Lvl Dt:		Longitude:	-105.114604
Modified:	06/30/2011 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MILLER, JOHN P	ID Key:	3649502 352179
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3649502">https://dwr.state.co.us/Tools/WellPermits/3649502</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
95	NNW	0.48	2,526.22	5,088.18	WATER WELLS

Receipt:	9039290	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	19614-	City:	
Permit Issued:	07/22/1977	County:	LARIMER
Permit Expires:	07/22/1979	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	100	Coords E/W (Feet):	1012
Top Prf. Csng (ft):	20	Coords E/W Dir:	E
Bot Prf. Csng (ft):	60	Coords N/S (Feet):	420
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/02/1978	UTM x:	489960.9
Frst Bneficial Use:	05/02/1978	UTM y:	4492491.7
Pump Installed:		Location:	(40.583164, -105.118634)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	12.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583164

## Wells and Additional Sources Detail Report

Statc Watr Lvl Dt:	1978/05/02	Longitude:	-105.118634
Modified:	06/06/1978 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ALLEN, EVERETT	ID Key:	9039290 273343
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039290">https://dwr.state.co.us/Tools/WellPermits/9039290</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
96	W	0.49	2,582.87	5,111.20	WATER WELLS

Receipt:	0536899	Parcel Name:	RHOADES FTC
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	262967-	City:	
Permit Issued:	04/22/2005	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2140
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2560
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489334.8
Frst Bneficial Use:	12/31/1932	UTM y:	4491590.8
Pump Installed:		Location:	(40.575039, -105.126015)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575039
Statc Watr Lvl Dt:		Longitude:	-105.126015
Modified:	03/30/2005 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	RHOADES, PETER W	ID Key:	0536899 272691
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0536899>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
97	NNW	0.49	2,601.74	5,093.20	WATER WELLS

Receipt:	9041006	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	72240-	City:	FORT COLLINS
Permit Issued:	10/31/1973	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	1710
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	240
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489747.6
Frst Bneficial Use:	07/01/1904	UTM y:	4492439.4
Pump Installed:		Location:	(40.582684, -105.12115)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.582684
Statc Watr Lvl Dt:		Longitude:	-105.121150
Modified:	03/23/2021 09:25:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	COGELL, CHRISTOPHER	ID Key:	9041006 438472
Counties:			
Well Name:			
Comment:			
Address:	408 SOUTH IMPALA DRIVE		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041006">https://dwr.state.co.us/Tools/WellPermits/9041006</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
97	NNW	0.49	2,601.74	5,093.20	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9041006	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	72240-	City:	FORT COLLINS
Permit Issued:	10/31/1973	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	1710
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	240
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489747.6
Frst Bneficial Use:	07/01/1904	UTM y:	4492439.4
Pump Installed:		Location:	(40.582684, -105.12115)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.582684
Statc Watr Lvl Dt:		Longitude:	-105.121150
Modified:	03/23/2021 09:25:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	RENTSCHLAR, KATHERINE	ID Key:	9041006 438473
Counties:			
Well Name:			
Comment:			
Address:	408 SOUTH IMPALA DRIVE		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041006">https://dwr.state.co.us/Tools/WellPermits/9041006</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
97	NNW	0.49	2,601.74	5,093.20	WATER WELLS

Receipt:	9041006	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	72240-	City:	FORT COLLINS
Permit Issued:	10/31/1973	County:	LARIMER
Permit Expires:		State:	CO

## Wells and Additional Sources Detail Report

Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	1710
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	240
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489747.6
First Beneficial Use:	07/01/1904	UTM y:	4492439.4
Pump Installed:		Location:	(40.582684, -105.12115)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.582684
Static Water Level Date:		Longitude:	-105.121150
Modified:	03/23/2021 09:25:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TRISSELL, NICOLE	ID Key:	9041006 438471
Counties:			
Well Name:			
Comment:			
Address:	408 SOUTH IMPALA DRIVE		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041006">https://dwr.state.co.us/Tools/WellPermits/9041006</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
97	NNW	0.49	2,601.74	5,093.20	WATER WELLS

Receipt:	9041006	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	72240-	City:	
Permit Issued:	10/31/1973	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):	25	Coords E/W (Feet):	1710
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	240
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489747.6
Frst Bneficial Use:	07/01/1904	UTM y:	4492439.4
Pump Installed:		Location:	(40.582684, -105.12115)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.582684
Statc Watr Lvl Dt:		Longitude:	-105.121150
Modified:	10/19/1973 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MAXWELL LEE M & BARBARA L	ID Key:	9041006 283062
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041006">https://dwr.state.co.us/Tools/WellPermits/9041006</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
98	S	0.50	2,636.18	5,082.73	WATER WELLS

Receipt:	9040382	Parcel Name:	WEST LAKE
WD ID:	0307461	Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	51773-	City:	
Permit Issued:	02/28/1972	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	45	Coords E/W (Feet):	522
Top Prf. Csng (ft):	30	Coords E/W Dir:	E
Bot Prf. Csng (ft):	45	Coords N/S (Feet):	417
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	03/02/1972	UTM x:	490091.4
Frst Bneficial Use:	03/10/1972	UTM y:	4490877.5
Pump Installed:		Location:	(40.568625, -105.117072)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	13.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568625
Statc Wtr Lvl Dt:	1972/03/02	Longitude:	-105.117072
Modified:	04/19/1972 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HANAN, JOE J	ID Key:	9040382 345313
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9040382">https://dwr.state.co.us/Tools/WellPermits/9040382</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9038574	Parcel Name:	
WD ID:		PrcL Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9132-	City:	
Permit Issued:	07/10/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	31	Coords E/W (Feet):	
Top Prf. Csng (ft):	22	Coords E/W Dir:	
Bot Prf. Csng (ft):	31	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/20/1961	UTM x:	490069.1
Frst Bneficial Use:	07/20/1961	UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	13.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Wtr Lvl Dt:	1961/07/20	Longitude:	-105.117357
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	ALLEN, EVERETT	ID Key:	9038574 66518
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038574">https://dwr.state.co.us/Tools/WellPermits/9038574</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9038284	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4556-	City:	FORT COLLINS
Permit Issued:	09/25/1959	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	27	Coords E/W (Feet):	
Top Prf. Csng (ft):	18	Coords E/W Dir:	
Bot Prf. Csng (ft):	27	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/06/1959	UTM x:	490069.1
Frst Bneficial Use:	10/06/1959	UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Watr Lvl Dt:	1959/10/06	Longitude:	-105.117357
Modified:	02/16/2021 05:17:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	EATON, CHARLIE	ID Key:	9038284 436202
Counties:			
Well Name:			
Comment:			
Address:	411 SOUTH IMPALA DRIVE		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038284">https://dwr.state.co.us/Tools/WellPermits/9038284</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9039191	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	18771-	City:	
Permit Issued:	02/20/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	65	Coords E/W (Feet):	
Top Prf. Csng (ft):	39	Coords E/W Dir:	
Bot Prf. Csng (ft):	65	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	03/13/1964	UTM x:	490069.1
Frst Bneficial Use:	03/13/1964	UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Watr Lvl Dt:	1964/03/13	Longitude:	-105.117357
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MOORE, ROBERT B	ID Key:	9039191 82519
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039191">https://dwr.state.co.us/Tools/WellPermits/9039191</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	0022751	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	22751-MH	City:	
Permit Issued:	05/17/1994	County:	LARIMER
Permit Expires:	08/17/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490069.1
Frst Bneficial Use:		UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Watr Lvl Dt:		Longitude:	-105.117357
Modified:	04/18/1994 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0022751 170241
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0022751">https://dwr.state.co.us/Tools/WellPermits/0022751</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9037916	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	125-RN	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Stock	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	53	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	53	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/30/1956	UTM x:	490069.1
First Beneficial Use:		UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):	15.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.583806
Static Wtr Lvl Dt:	1956/11/30	Longitude:	-105.117357
Modified:		Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KECHTER MOLLIE & CONRAD	ID Key:	9037916 22746
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037916">https://dwr.state.co.us/Tools/WellPermits/9037916</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9038347	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5784-	City:	
Permit Issued:	05/05/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	15	Coords E/W Dir:	
Bot Prf. Csng (ft):	33	Coords N/S (Feet):	

## Wells and Additional Sources Detail Report

Designated Basin:	Coords N/S Dir:
Well Constructed: 05/11/1960	UTM x: 490069.1
Frst Bneficial Use: 05/11/1960	UTM y: 4492563.1
Pump Installed:	Location: (40.583806, -105.117357)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Statc Wtr Lvl (ft): 27.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.583806
Statc Wtr Lvl Dt: 1960/05/11	Longitude: -105.117357
Modified: 04/09/2009 12:00:00 AM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: WEITZEL, LOUIS	ID Key: 9038347 93417
Counties:	
Well Name:	
Comment:	
Address:	
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/9038347">https://dwr.state.co.us/Tools/WellPermits/9038347</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt: 9039393	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 21892-	City:
Permit Issued: 10/13/1964	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 9
Permitted Area:	Q160: SE
Permtted Area Unts:	Q40: SE
Annul Approp. (AF):	Q10:
Well Depth (Feet): 33	Coords E/W (Feet):
Top Prf. Csng (ft): 24	Coords E/W Dir:
Bot Prf. Csng (ft): 33	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 10/20/1964	UTM x: 490069.1
Frst Bneficial Use: 10/20/1964	UTM y: 4492563.1
Pump Installed:	Location: (40.583806, -105.117357)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Statc Wtr Lvl (ft): 6.00	Elevation:

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Watr Lvl Dt:	1964/10/20	Longitude:	-105.117357
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	UNITED PENTECOSTEL CHURCH	ID Key:	9039393 263967
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039393">https://dwr.state.co.us/Tools/WellPermits/9039393</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	N	0.51	2,710.33	5,081.18	WATER WELLS

Receipt:	9038284	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4556-	City:	
Permit Issued:	09/25/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	27	Coords E/W (Feet):	
Top Prf. Csng (ft):	18	Coords E/W Dir:	
Bot Prf. Csng (ft):	27	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/06/1959	UTM x:	490069.1
Frst Bneficial Use:	10/06/1959	UTM y:	4492563.1
Pump Installed:		Location:	(40.583806, -105.117357)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583806
Statc Watr Lvl Dt:	1959/10/06	Longitude:	-105.117357
Modified:	02/18/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	JONES, ROBERT	ID Key:	9038284 154116
Counties:			

## Wells and Additional Sources Detail Report

Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9038284>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
100	N	0.52	2,738.94	5,074.51	WATER WELLS

Receipt:	0034744	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3142-AD	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Application Denied	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	210
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	682
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490206.2
Frst Bneficial Use:		UTM y:	4492568.6
Pump Installed:		Location:	(40.58386, -105.11574)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583860
Statc Watr Lvl Dt:		Longitude:	-105.115740
Modified:	10/14/2014 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	OLSON, HENRY H	ID Key:	0034744 30952
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0034744">https://dwr.state.co.us/Tools/WellPermits/0034744</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
101	W	0.54	2,832.06	5,106.63	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9039645	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	27949-	City:	
Permit Issued:	07/06/1966	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	
Top Prf. Csng (ft):	16	Coords E/W Dir:	
Bot Prf. Csng (ft):	25	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/25/1966	UTM x:	489255.3
Frst Bneficial Use:	07/25/1966	UTM y:	4491763.6
Pump Installed:		Location:	(40.576593, -105.12696)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	5.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576593
Statc Watr Lvl Dt:	1966/07/25	Longitude:	-105.126960
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KRIST, ROBERT	ID Key:	9039645 81143
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039645">https://dwr.state.co.us/Tools/WellPermits/9039645</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9038105	Parcel Name:	HIGHLINE ACRES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1500-	City:	
Permit Issued:	07/03/1958	County:	LARIMER

## Wells and Additional Sources Detail Report

Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	68	Coords E/W (Feet):	
Top Prf. Casing (ft):	42	Coords E/W Dir:	
Bot Prf. Casing (ft):	68	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/31/1958	UTM x:	489648.1
First Beneficial Use:	07/31/1958	UTM y:	4490955.4
Pump Installed:		Location:	(40.569317, -105.122305)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):	17.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569317
Static Wtr Lvl Dt:	1958/07/31	Longitude:	-105.122305
Modified:	09/08/2014 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FARMS CASS & CLOUSE	ID Key:	9038105 182758
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038105">https://dwr.state.co.us/Tools/WellPermits/9038105</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9039925	Parcel Name:	ELLIOTT & MILLER (FILING: 6)
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34514-	City:	
Permit Issued:	07/11/1968	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW

## Wells and Additional Sources Detail Report

Annul Approp. (AF):		Q10:	
Well Depth (Feet):	51	Coords E/W (Feet):	
Top Prf. Csng (ft):	18	Coords E/W Dir:	
Bot Prf. Csng (ft):	51	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/23/1968	UTM x:	489648.1
Frst Bneficial Use:	07/23/1968	UTM y:	4490955.4
Pump Installed:		Location:	(40.569317, -105.122305)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.569317
Statc Watr Lvl Dt:		Longitude:	-105.122305
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DAVIS, CHARLES E	ID Key:	9039925 42136
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039925">https://dwr.state.co.us/Tools/WellPermits/9039925</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9038084	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1157-	City:	FORT COLLINS
Permit Issued:	05/12/1958	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	
Top Prf. Csng (ft):	33	Coords E/W Dir:	
Bot Prf. Csng (ft):	60	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/11/1958	UTM x:	489648.1
Frst Bneficial Use:	09/11/1958	UTM y:	4490955.4

## Wells and Additional Sources Detail Report

Pump Installed:	Location: (40.569317, -105.122305)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Statc Wtr Lvl (ft): 18.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.569317
Statc Wtr Lvl Dt: 1958/09/11	Longitude: -105.122305
Modified: 04/14/2009 12:00:00 AM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: ARBOGOST, GEORGE	ID Key: 9038084 162868
Counties:	
Well Name:	
Comment:	
Address: 2800 WEST ELIZABETH STREET	
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/9038084">https://dwr.state.co.us/Tools/WellPermits/9038084</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt: 9038095	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 1327-	City:
Permit Issued: 06/05/1958	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: SE
Permtted Area Unts:	Q40: SW
Annul Approp. (AF):	Q10:
Well Depth (Feet): 70	Coords E/W (Feet):
Top Prf. Csng (ft): 40	Coords E/W Dir:
Bot Prf. Csng (ft): 70	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 07/03/1958	UTM x: 489648.1
Frst Bneficial Use: 07/03/1958	UTM y: 4490955.4
Pump Installed:	Location: (40.569317, -105.122305)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Statc Wtr Lvl (ft): 18.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.569317
Statc Wtr Lvl Dt: 1958/07/03	Longitude: -105.122305
Modified: 09/15/1958 12:00:00 AM	Mangemnt District:

## Wells and Additional Sources Detail Report

Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MCCLARY, ROBERT G	ID Key:	9038095 187989
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038095">https://dwr.state.co.us/Tools/WellPermits/9038095</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9039394	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	21970-	City:	FORT COLLINS
Permit Issued:	10/19/1964	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	59	Coords E/W (Feet):	
Top Prf. Csng (ft):	41	Coords E/W Dir:	
Bot Prf. Csng (ft):	49	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/25/1964	UTM x:	489648.1
Frst Bneficial Use:	10/25/1964	UTM y:	4490955.4
Pump Installed:		Location:	(40.569317, -105.122305)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569317
Statc Watr Lvl Dt:	1964/10/25	Longitude:	-105.122305
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MCGRAW, THURMAN	ID Key:	9039394 37082
Counties:			
Well Name:			
Comment:			
Address:	2478 WEST PROSPECT ROAD		

## Wells and Additional Sources Detail Report

More Information: <https://dwr.state.co.us/Tools/WellPermits/9039394>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9038104	Parcel Name:	HIGHLINE ACRES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1499-	City:	
Permit Issued:	07/03/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	62	Coords E/W (Feet):	
Top Prf. Csng (ft):	36	Coords E/W Dir:	
Bot Prf. Csng (ft):	62	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/29/1958	UTM x:	489648.1
Frst Bneficial Use:	07/29/1958	UTM y:	4490955.4
Pump Installed:		Location:	(40.569317, -105.122305)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	18.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569317
Statc Watr Lvl Dt:	1958/07/29	Longitude:	-105.122305
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MCCLARY CO ROBERT G	ID Key:	9038104 235318

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038104>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
102	SSW	0.54	2,834.68	5,098.15	WATER WELLS

Receipt:	9038161	Parcel Name:	HIGHLINE ACRES
WD ID:		Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2313-	City:	
Permit Issued:	11/05/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	
Top Prf. Csng (ft):	30	Coords E/W Dir:	
Bot Prf. Csng (ft):	60	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/21/1958	UTM x:	489648.1
First Beneficial Use:	11/21/1958	UTM y:	4490955.4
Pump Installed:		Location:	(40.569317, -105.122305)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):	12.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569317
Static Water Level Date:	1958/11/21	Longitude:	-105.122305
Modified:	03/18/1959 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ROSTECK, JOHN	ID Key:	9038161 284238
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038161">https://dwr.state.co.us/Tools/WellPermits/9038161</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
103	SSW	0.55	2,900.83	5,083.78	WATER WELLS

Receipt:	0039989	Parcel Name:	
WD ID:	0306989	Parcel Size (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236303-	City:	FORT COLLINS
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N

## Wells and Additional Sources Detail Report

Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	1180
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	244
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489890.2
Frst Bneficial Use:		UTM y:	4490826.6
Pump Installed:		Location:	(40.568163, -105.119446)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568163
Statc Watr Lvl Dt:		Longitude:	-105.119446
Modified:	04/30/2019 11:48:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	NAFUS, MELIA	ID Key:	0039989 404110
Counties:			
Well Name:			
Comment:			
Address:	2304 W PROSPECT RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0039989">https://dwr.state.co.us/Tools/WellPermits/0039989</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
103	SSW	0.55	2,900.83	5,083.78	WATER WELLS

Receipt:	0039989	Parcel Name:	
WD ID:	0306989	Prcl Sze (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236303-	City:	FORT COLLINS
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	1180
Top Prf. Csng (ft):		Coords E/W Dir:	E

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):		Coords N/S (Feet):	244
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489890.2
Frst Bneficial Use:		UTM y:	4490826.6
Pump Installed:		Location:	(40.568163, -105.119446)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568163
Statc Watr Lvl Dt:		Longitude:	-105.119446
Modified:	04/30/2019 11:48:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	URPSIS, ADAM	ID Key:	0039989 404109
Counties:			
Well Name:			
Comment:			
Address:	2304 W PROSPECT RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0039989">https://dwr.state.co.us/Tools/WellPermits/0039989</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
103	SSW	0.55	2,900.83	5,082.98	WATER WELLS

Receipt:	0039989	Parcel Name:	
WD ID:	0306989	Prcl Sze (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236303-	City:	
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	1180
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	244
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489890.4
Frst Bneficial Use:		UTM y:	4490826.2
Pump Installed:		Location:	(40.568149, -105.119431)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568149
Statc Wtr Lvl Dt:		Longitude:	-105.119431
Modified:	09/19/2001 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KAUFMAN, ELIZABETH	ID Key:	0039989 314139
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dnrweb.state.co.us/cdss/WellPermits/0039989">https://dnrweb.state.co.us/cdss/WellPermits/0039989</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
104	S	0.55	2,903.69	5,084.38	WATER WELLS

Receipt:	0520852	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	256146-	City:	
Permit Issued:	03/25/2004	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	710
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	160
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	490033.2
Frst Bneficial Use:	12/31/1958	UTM y:	4490799.7
Pump Installed:		Location:	(40.567922, -105.117756)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567922
Statc Wtr Lvl Dt:		Longitude:	-105.117756
Modified:	07/02/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KUNZE MATTHEW S & DANA L	ID Key:	0520852 147432

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0520852>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	S	0.55	2,910.45	5,079.93	WATER WELLS

Receipt: 0021283

WD ID:

Associated Case No:

County Parcel ID:

Permit: 93314-VE

Permit Issued: 08/10/1993

Permit Expires:

Permit Category: Unknown

Current Status: Permit Issued

Special Use:

Associated Uses: Domestic

Permitted Area:

Permitted Area Units:

Annul Approp. (AF):

Well Depth (Feet):

Top Prf. Csng (ft):

Bot Prf. Csng (ft):

Designated Basin:

Well Constructed:

Frst Bneficial Use:

Pump Installed:

Well Plugged:

Yield (GPM):

Statc Wtr Lvl (ft):

Denver Basn Aqufr: No

Statc Watr Lvl Dt:

Modified: 08/10/1993 12:00:00 AM

Associated Aqufrs: ALL UNNAMED AQUIFERS

Water District: 3

Contact Name: ROBERTS, ARCH E

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0021283>

Parcel Name:

Prcl Sze (Acres):

Lot:

Block:

City:

County: LARIMER

State:

Postal Code:

Township: 7.0 N

Range: 69.0 W

Section: 16

Q160: SE

Q40: SE

Q10:

Coords E/W (Feet): 850

Coords E/W Dir: E

Coords N/S (Feet): 170

Coords N/S Dir: S

UTM x: 489990.5

UTM y: 4490803.1

Location: (40.567948, -105.118252)

Location Type: Well (Application/Permit)

Location Accuracy: Spotted from section lines

Elevation:

Latitude: 40.567948

Longitude: -105.118252

Mangemnt District:

Division: 1

Principle Meridian: S

ID Key: 0021283 31024

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

105	S	0.55	2,910.45	5,079.93	WATER WELLS
-----	---	------	----------	----------	-------------

Receipt:	0358808A	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	175495-	City:	
Permit Issued:	12/28/1993	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	35	Coords E/W (Feet):	850
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	170
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489990.5
Frst Bneficial Use:	01/31/1960	UTM y:	4490803.1
Pump Installed:		Location:	(40.567948, -105.118252)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567948
Statc Watr Lvl Dt:		Longitude:	-105.118252
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ROBERTS LT COL ARCH E	ID Key:	0358808A 103586
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0358808A">https://dwr.state.co.us/Tools/WellPermits/0358808A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	S	0.55	2,910.45	5,079.93	WATER WELLS

Receipt:	0358808B	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	175495--A	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	12/28/1993	County:	LARIMER
Permit Expires:	12/28/1995	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	850
Top Prf. Csng (ft):	40	Coords E/W Dir:	E
Bot Prf. Csng (ft):	60	Coords N/S (Feet):	170
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	09/08/1993	UTM x:	489990.5
Frst Bneficial Use:		UTM y:	4490803.1
Pump Installed:	09/20/1993	Location:	(40.567948, -105.118252)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):	10.00	Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	18.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567948
Statc Wtr Lvl Dt:	1993/09/08	Longitude:	-105.118252
Modified:	11/05/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ROBERTS LT COL ARCH E	ID Key:	0358808B 103586
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0358808B">https://dwr.state.co.us/Tools/WellPermits/0358808B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
106	NNE	0.55	2,910.52	5,066.68	WATER WELLS

Receipt:	9038862	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	12633-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	28	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/22/1962	UTM x:	490471.9
Frst Bneficial Use:	09/22/1962	UTM y:	4492556.0
Pump Installed:		Location:	(40.583746, -105.112598)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583746
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.112598
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	JUNGE, MARLIN	ID Key:	9038862 75411
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038862">https://dwr.state.co.us/Tools/WellPermits/9038862</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
107	W	0.57	3,018.99	5,114.78	WATER WELLS

Receipt:	0362144	Parcel Name:	MOUNTAIRE
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	174843-	City:	
Permit Issued:	11/24/1993	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	1700
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2550
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489200.6

## Wells and Additional Sources Detail Report

Frst Bneficial Use:	12/31/1955	UTM y:	4491595.5
Pump Installed:		Location:	(40.575073, -105.127599)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575073
Statc Watr Lvl Dt:		Longitude:	-105.127599
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HARIRI YAHYA & ROSE ANNE	ID Key:	0362144 127496
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0362144">https://dwr.state.co.us/Tools/WellPermits/0362144</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	NW	0.57	3,030.42	5,100.50	WATER WELLS

Receipt:	9037905	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	103-RN	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	2480
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	215
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	07/31/1954	UTM x:	489512.8
Frst Bneficial Use:		UTM y:	4492434.6
Pump Installed:		Location:	(40.582645, -105.123926)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	11.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.582645
Statc Watr Lvl Dt:	1954/07/31	Longitude:	-105.123926

## Wells and Additional Sources Detail Report

Modified:	02/15/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CORNUTT, SHELLY R	ID Key:	9037905 271879
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037905">https://dwr.state.co.us/Tools/WellPermits/9037905</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
109	SSW	0.58	3,044.56	5,073.32	WATER WELLS

Receipt:	0494242	Parcel Name:	
WD ID:	0306857	Prcl Sze (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236304--A	City:	FORT COLLINS
Permit Issued:	07/22/2002	County:	LARIMER
Permit Expires:	07/22/2004	State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	901	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489941.0
Frst Bneficial Use:		UTM y:	4490770.2
Pump Installed:	02/14/2020	Location:	(40.56765, -105.118843)
Well Plugged:		Location Type:	Well (Construction Report)
Yield (GPM):	10.00	Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	3.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567650
Statc Watr Lvl Dt:	2020/02/14	Longitude:	-105.118843
Modified:	03/11/2020 08:35:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KAUFMAN, ELIZABETH	ID Key:	0494242 361138
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address: 2304 W PROSPECT RD  
More Information: <https://dwr.state.co.us/Tools/WellPermits/0494242>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
110	SSW	0.58	3,054.62	5,073.32	WATER WELLS

Receipt:	0039990	Parcel Name:	
WD ID:	0306857	Prcl Sze (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236304-	City:	FORT COLLINS
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	5	Coords E/W (Feet):	1012
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	51
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489940.7
Frst Bneficial Use:	07/10/1956	UTM y:	4490767.3
Pump Installed:		Location:	(40.567623, -105.118843)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567623
Statc Watr Lvl Dt:		Longitude:	-105.118843
Modified:	04/30/2019 11:44:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	URPSIS, ADAM	ID Key:	0039990 404109
Counties:			
Well Name:			
Comment:			
Address:	2304 W PROSPECT RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0039990">https://dwr.state.co.us/Tools/WellPermits/0039990</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
110	SSW	0.58	3,054.62	5,073.32	WATER WELLS

Receipt: 0039990 Parcel Name:

## Wells and Additional Sources Detail Report

WD ID:	0306857	Prcl Size (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236304-	City:	FORT COLLINS
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	5	Coords E/W (Feet):	1012
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	51
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489940.7
Frst Bneficial Use:	07/10/1956	UTM y:	4490767.3
Pump Installed:		Location:	(40.567623, -105.118843)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567623
Statc Watr Lvl Dt:		Longitude:	-105.118843
Modified:	04/30/2019 11:44:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	NAFUS, MELIA	ID Key:	0039990 404110
Counties:			
Well Name:			
Comment:			
Address:	2304 W PROSPECT RD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0039990">https://dwr.state.co.us/Tools/WellPermits/0039990</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
110	SSW	0.58	3,054.62	5,073.32	WATER WELLS

Receipt:	0039990	Parcel Name:	
WD ID:	0306857	Prcl Size (Acres):	
Associated Case No:	W6610	Lot:	
County Parcel ID:		Block:	
Permit:	236304-	City:	
Permit Issued:	09/19/2001	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	5	Coords E/W (Feet):	1012
Top Prf. Casing (ft):		Coords E/W Dir:	E
Bot Prf. Casing (ft):		Coords N/S (Feet):	51
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489941.0
First Beneficial Use:	07/10/1956	UTM y:	4490767.2
Pump Installed:		Location:	(40.567618, -105.118832)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.567618
Static Water Level Date:		Longitude:	-105.118832
Modified:	07/22/2002 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	KAUFMAN, ELIZABETH	ID Key:	0039990 314139
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dnrweb.state.co.us/cdss/WellPermits/0039990">https://dnrweb.state.co.us/cdss/WellPermits/0039990</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
111	NW	0.59	3,092.13	5,100.85	WATER WELLS

Receipt:	3659370	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	291438-	City:	
Permit Issued:	05/20/2013	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	23	Coords E/W (Feet):	2560

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	225
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489488.5
Frst Bneficial Use:	12/31/1935	UTM y:	4492437.9
Pump Installed:		Location:	(40.582671, -105.124222)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.582671
Statc Watr Lvl Dt:		Longitude:	-105.124222
Modified:	05/20/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HARMS, CHARLOTTE	ID Key:	3659370 224260
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3659370">https://dwr.state.co.us/Tools/WellPermits/3659370</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NNW	0.59	3,100.57	5,097.56	WATER WELLS

Receipt:	9037947	Parcel Name:	ROSTEK (FILING: 2)
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	292-RN	City:	FORT COLLINS
Permit Issued:		County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	General Purpose	Postal Code:	80521
Current Status:		Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489666.8
Frst Bneficial Use:		UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583845
Statc Watr Lvl Dt:		Longitude:	-105.122111
Modified:	09/11/2014 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GRIMM JOHN MRS	ID Key:	9037947 24851
Counties:			
Well Name:			
Comment:			
Address:	232 NORTH HOLLYWOOD STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037947">https://dwr.state.co.us/Tools/WellPermits/9037947</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NNW	0.59	3,100.57	5,097.56	WATER WELLS

Receipt:	9038048	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	788-RN	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	19	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/22/1972	UTM x:	489666.8
Frst Bneficial Use:		UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583845
Statc Watr Lvl Dt:	1972/10/22	Longitude:	-105.122111
Modified:	04/28/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: SAMUELSON, PAUL R ID Key: 9038048 139756  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9038048>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NNW	0.59	3,100.57	5,097.56	WATER WELLS

Receipt:	9039042	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	15370-	City:	
Permit Issued:	05/20/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	40	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/31/1963	UTM x:	489666.8
Frst Bneficial Use:		UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583845
Statc Wtr Lvl Dt:		Longitude:	-105.122111
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	COONTS BOB & CARMEN C	ID Key:	9039042 181600
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039042">https://dwr.state.co.us/Tools/WellPermits/9039042</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

112      NNW      0.59      3,100.57      5,097.56      WATER WELLS

Receipt:	9038005	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	524-RN	City:	
Permit Issued:	04/15/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	21	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489666.8
Frst Bneficial Use:		UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	12.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583845
Statc Watr Lvl Dt:	1997/06/16	Longitude:	-105.122111
Modified:	06/16/1997 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	METZ LAYTON E & PHYLLIS E	ID Key:	9038005 308521
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038005">https://dwr.state.co.us/Tools/WellPermits/9038005</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NNW	0.59	3,100.57	5,097.56	WATER WELLS

Receipt:	9038344	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	5746-	City:	
Permit Issued:	05/03/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	39	Coords E/W (Feet):	
Top Prf. Csng (ft):	21	Coords E/W Dir:	
Bot Prf. Csng (ft):	39	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/17/1960	UTM x:	489666.8
Frst Bneficial Use:	05/17/1960	UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	20.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583845
Statc Watr Lvl Dt:	1960/05/17	Longitude:	-105.122111
Modified:	05/20/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SPENCER, PAUL	ID Key:	9038344 95655
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038344">https://dwr.state.co.us/Tools/WellPermits/9038344</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NNW	0.59	3,100.57	5,097.56	WATER WELLS

Receipt:	9038543	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	8359-	City:	
Permit Issued:	04/20/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	29	Coords E/W (Feet):	
Top Prf. Csng (ft):	20	Coords E/W Dir:	
Bot Prf. Csng (ft):	29	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/21/1961	UTM x:	489666.8
First Beneficial Use:	04/21/1961	UTM y:	4492568.0
Pump Installed:		Location:	(40.583845, -105.122111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):	16.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.583845
Static Water Lvl Dt:	1961/04/21	Longitude:	-105.122111
Modified:	04/09/2009 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FRIEND, RICHARD	ID Key:	9038543 137420
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038543">https://dwr.state.co.us/Tools/WellPermits/9038543</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
113	WNW	0.60	3,153.76	5,109.94	WATER WELLS

Receipt:	9039179	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	18365-	City:	
Permit Issued:	12/30/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	29	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	

## Wells and Additional Sources Detail Report

Well Constructed:	12/30/1963	UTM x:	489260.1
Frst Bneficial Use:	12/30/1963	UTM y:	4492168.6
Pump Installed:		Location:	(40.580241, -105.126911)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580241
Statc Watr Lvl Dt:	2009/04/13	Longitude:	-105.126911
Modified:	12/30/1963 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ROGERS, JOE W	ID Key:	9039179 259886
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039179">https://dwr.state.co.us/Tools/WellPermits/9039179</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
114	SSW	0.60	3,186.13	5,099.93	WATER WELLS

Receipt:	9038111	Parcel Name:	HIGHLINE ACRES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1583-	City:	
Permit Issued:	07/18/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	61	Coords E/W (Feet):	1896
Top Prf. Csng (ft):	34	Coords E/W Dir:	E
Bot Prf. Csng (ft):	61	Coords N/S (Feet):	210
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	08/15/1958	UTM x:	489671.9
Frst Bneficial Use:	08/15/1958	UTM y:	4490818.2
Pump Installed:		Location:	(40.568079, -105.122021)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568079

## Wells and Additional Sources Detail Report

Statc Watr Lvl Dt:	1958/08/15	Longitude:	-105.122021
Modified:	09/19/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SHIELDS DONALD G & SUSAN P	ID Key:	9038111 92636
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038111">https://dwr.state.co.us/Tools/WellPermits/9038111</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
115	W	0.62	3,248.89	5,118.85	WATER WELLS

Receipt:	0088785	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	96729-	City:	
Permit Issued:	02/28/1978	County:	LARIMER
Permit Expires:	02/28/1980	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	1495
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2540
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489138.2
Frst Bneficial Use:		UTM y:	4491533.2
Pump Installed:		Location:	(40.574514, -105.128342)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.574514
Statc Watr Lvl Dt:		Longitude:	-105.128342
Modified:	01/09/1978 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MINATTA EVELYN & ALBERT	ID Key:	0088785 73109
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0088785>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
117	W	0.63	3,315.27	5,119.57	WATER WELLS

Receipt:	0331659	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	27949--A	City:	
Permit Issued:	12/05/1991	County:	LARIMER
Permit Expires:	12/05/1993	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	1400
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	2500
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489109.2
Frst Bneficial Use:		UTM y:	4491611.8
Pump Installed:		Location:	(40.575225, -105.128686)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.575225
Statc Watr Lvl Dt:		Longitude:	-105.128686
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PATTERSON M BRADLEY	ID Key:	0331659 52165
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0331659">https://dwr.state.co.us/Tools/WellPermits/0331659</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
118	SE	0.63	3,344.35	5,059.32	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9039202	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	19026-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	36	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	03/17/1964	UTM x:	490860.2
Frst Bneficial Use:	03/17/1964	UTM y:	4490937.8
Pump Installed:		Location:	(40.569172, -105.107985)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Stac Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569172
Stac Watr Lvl Dt:	1900/01/01	Longitude:	-105.107985
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MURKE, ELSIE P	ID Key:	9039202 169889
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039202">https://dwr.state.co.us/Tools/WellPermits/9039202</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
118	SE	0.63	3,344.35	5,059.32	WATER WELLS

Receipt:	9039870	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	32993-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	61	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/01/1968	UTM x:	490860.2
Frst Bneficial Use:	04/01/1968	UTM y:	4490937.8
Pump Installed:		Location:	(40.569172, -105.107985)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	30.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569172
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.107985
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FREE METHODIST CHURCH	ID Key:	9039870 97248
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039870">https://dwr.state.co.us/Tools/WellPermits/9039870</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
119	S	0.65	3,445.15	5,069.13	WATER WELLS

Receipt:	3629509B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	67199-F	City:	
Permit Issued:	06/02/2008	County:	LARIMER
Permit Expires:	06/02/2009	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):		Coords E/W (Feet):	65
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	370
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	06/02/2008	UTM x:	490268.7
Frst Bneficial Use:		UTM y:	4490635.8
Pump Installed:		Location:	(40.566447, -105.114966)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.566447
Statc Watr Lvl Dt:		Longitude:	-105.114966
Modified:	06/04/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	QUATERNARY ALLUVIUM	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORT COLLINS CITY OF	ID Key:	3629509B 320134
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3629509B">https://dwr.state.co.us/Tools/WellPermits/3629509B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
120	SW	0.66	3,468.65	5,106.71	WATER WELLS

Receipt:	0422312	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	206609-	City:	FORT COLLINS
Permit Issued:	11/21/1997	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80526
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2400
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	180
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	12/31/1956	UTM x:	489518.2
Frst Bneficial Use:	12/31/1956	UTM y:	4490810.4
Pump Installed:		Location:	(40.568005, -105.12384)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568005
Statc Watr Lvl Dt:		Longitude:	-105.123840
Modified:	10/28/1997 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MURRAY/PROSPECT LLC	ID Key:	0422312 161678
Counties:			
Well Name:			
Comment:			
Address:	2516 WEST PROSPECT ROAD		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0422312">https://dwr.state.co.us/Tools/WellPermits/0422312</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
121	NNW	0.66	3,471.37	5,089.02	WATER WELLS

Receipt:	0020266	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20266-MH	City:	
Permit Issued:	01/20/1993	County:	LARIMER
Permit Expires:	04/20/1993	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	15	Coords E/W (Feet):	
Top Prf. Csng (ft):	5	Coords E/W Dir:	
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/26/1993	UTM x:	489870.0
Frst Bneficial Use:		UTM y:	4492766.7
Pump Installed:		Location:	(40.585638, -105.119713)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	5068
Denver Basn Aqufr:	No	Latitude:	40.585638
Statc Watr Lvl Dt:	1993/01/26	Longitude:	-105.119713
Modified:	02/05/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	SEACOR	ID Key:	0020266 322304
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0020266">https://dwr.state.co.us/Tools/WellPermits/0020266</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
121	NNW	0.66	3,471.37	5,089.02	WATER WELLS

Receipt:	0021909	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	21909-MH	City:	
Permit Issued:	11/19/1993	County:	LARIMER
Permit Expires:	02/19/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489870.0
Frst Bneficial Use:		UTM y:	4492766.7
Pump Installed:		Location:	(40.585638, -105.119713)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.585638
Statc Watr Lvl Dt:		Longitude:	-105.119713
Modified:	11/11/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0021909 231065
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0021909">https://dwr.state.co.us/Tools/WellPermits/0021909</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">122</a>	NE	0.68	3,570.57	5,055.43	WATER WELLS

Receipt:	9038359	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5933-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/22/1960	UTM x:	490875.5
Frst Bneficial Use:	06/22/1960	UTM y:	4492546.6
Pump Installed:		Location:	(40.583666, -105.107829)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583666
Statc Watr Lvl Dt:	1900/01/01	Longitude:	-105.107829
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ATKINSON, MAUD	ID Key:	9038359 346300
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038359">https://dwr.state.co.us/Tools/WellPermits/9038359</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">122</a>	NE	0.68	3,570.57	5,055.43	WATER WELLS

Receipt:	9038099	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	1358-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/14/1958	UTM x:	490875.5
Frst Bneficial Use:	06/14/1958	UTM y:	4492546.6
Pump Installed:		Location:	(40.583666, -105.107829)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583666
Statc Watr Lvl Dt:	1900/01/01	Longitude:	-105.107829
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BATEMAN, NYMAN	ID Key:	9038099 105522
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038099">https://dwr.state.co.us/Tools/WellPermits/9038099</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
123	SSE	0.69	3,660.41	5,074.64	WATER WELLS

Receipt:	9038522	Parcel Name:	SONORAN VIEW ESTATES
WD ID:	0307015	Prcl Sze (Acres):	
Associated Case No:	W5542	Lot:	
County Parcel ID:		Block:	
Permit:	8047-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	62	Coords E/W (Feet):	1000
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	350
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	03/24/1961	UTM x:	490553.7
First Beneficial Use:	03/24/1961	UTM y:	4490636.1
Pump Installed:		Location:	(40.56645, -105.111599)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):	23.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.566450
Static Wtr Lvl Dt:	2013/04/25	Longitude:	-105.111599
Modified:		Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEANE, HAROLD	ID Key:	9038522 22566
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038522">https://dwr.state.co.us/Tools/WellPermits/9038522</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	0900877	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	8224-	City:	
Permit Issued:	03/30/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489245.8
Frst Bneficial Use:		UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Watr Lvl Dt:		Longitude:	-105.127058
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	0900877 315025
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900877">https://dwr.state.co.us/Tools/WellPermits/0900877</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038720	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	11056-	City:	
Permit Issued:	04/05/1962	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	42	Coords E/W (Feet):	
Top Prf. Csng (ft):	24	Coords E/W Dir:	
Bot Prf. Csng (ft):	42	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/13/1962	UTM x:	489245.8
Frst Bneficial Use:	04/13/1962	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	23.00	Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Watr Lvl Dt:	1962/04/13	Longitude:	-105.127058
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	9038720 209069
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038720">https://dwr.state.co.us/Tools/WellPermits/9038720</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038609	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9784-	City:	
Permit Issued:	09/19/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/27/1961	UTM x:	489245.8
Frst Bneficial Use:	09/27/1961	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Watr Lvl Dt:	1961/09/27	Longitude:	-105.127058
Modified:	10/02/1961 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	9038609 209069
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038609>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038412	Parcel Name:	VON VIHL HEIGHTS
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	6690-	City:	
Permit Issued:	08/16/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	53	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	53	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/19/1960	UTM x:	489245.8
Frst Bneficial Use:	08/19/1960	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Watr Lvl Dt:	1960/08/19	Longitude:	-105.127058
Modified:	10/24/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	9038412 77091

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038412>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9038564	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	8878-	City:	
Permit Issued:	06/12/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	44	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	44	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/21/1961	UTM x:	489245.8
Frst Bneficial Use:	06/21/1961	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	20.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Watr Lvl Dt:	1961/06/21	Longitude:	-105.127058
Modified:	09/14/1961 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	9038564 209069
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038564">https://dwr.state.co.us/Tools/WellPermits/9038564</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038599	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9625-	City:	
Permit Issued:	08/31/1961	County:	LARIMER

## Wells and Additional Sources Detail Report

Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csg (ft):	25	Coords E/W Dir:	
Bot Prf. Csg (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/09/1961	UTM x:	489245.8
First Beneficial Use:	09/09/1961	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):	18.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569344
Static Wtr Lvl Dt:	1961/09/09	Longitude:	-105.127058
Modified:	10/02/1961 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN L	ID Key:	9038599 189184
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038599">https://dwr.state.co.us/Tools/WellPermits/9038599</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038909	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	13285-	City:	
Permit Issued:	10/22/1962	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE

## Wells and Additional Sources Detail Report

Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/25/1962	UTM x:	489245.8
Frst Bneficial Use:	10/25/1962	UTM y:	4490959.0
Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Wtr Lvl Dt:	1962/10/25	Longitude:	-105.127058
Modified:	11/13/1962 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEINES, MORRIS L	ID Key:	9038909 6195
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038909">https://dwr.state.co.us/Tools/WellPermits/9038909</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SW	0.70	3,712.65	5,113.61	WATER WELLS

Receipt:	9038474	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	7615-	City:	
Permit Issued:	12/15/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	53	Coords E/W (Feet):	
Top Prf. Csng (ft):	35	Coords E/W Dir:	
Bot Prf. Csng (ft):	53	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/23/1960	UTM x:	489245.8
Frst Bneficial Use:	12/23/1960	UTM y:	4490959.0

## Wells and Additional Sources Detail Report

Pump Installed:		Location:	(40.569344, -105.127058)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	22.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569344
Statc Wtr Lvl Dt:	1960/12/23	Longitude:	-105.127058
Modified:	02/07/1961 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PIERCE, DONALD	ID Key:	9038474 202258
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038474">https://dwr.state.co.us/Tools/WellPermits/9038474</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
125	SW	0.71	3,746.96	5,108.51	WATER WELLS

Receipt:	0359226	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	173549-	City:	
Permit Issued:	10/07/1993	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	57	Coords E/W (Feet):	2365
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	105
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489403.8
Frst Bneficial Use:	12/31/1958	UTM y:	4490788.6
Pump Installed:		Location:	(40.567815, -105.125187)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567815
Statc Wtr Lvl Dt:		Longitude:	-105.125187
Modified:	10/13/2017 11:50:00 AM	Mangemnt District:	

## Wells and Additional Sources Detail Report

Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BORCHERT, JEFF	ID Key:	0359226 375421
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0359226">https://dwr.state.co.us/Tools/WellPermits/0359226</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
125	SW	0.71	3,746.96	5,108.51	WATER WELLS

Receipt:	0359226	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	173549-	City:	
Permit Issued:	10/07/1993	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	57	Coords E/W (Feet):	2365
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	105
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489403.8
Frst Bneficial Use:	12/31/1958	UTM y:	4490788.6
Pump Installed:		Location:	(40.567815, -105.125187)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567815
Statc Watr Lvl Dt:		Longitude:	-105.125187
Modified:	10/13/2017 11:50:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BORCHERT, KATIE	ID Key:	0359226 375420
Counties:			
Well Name:			
Comment:			
Address:			

## Wells and Additional Sources Detail Report

More Information: <https://dwr.state.co.us/Tools/WellPermits/0359226>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
126	NNE	0.71	3,767.11	5,057.59	WATER WELLS

Receipt:	0021908	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	21908-MH	City:	
Permit Issued:	11/19/1993	County:	LARIMER
Permit Expires:	02/19/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	10
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490674.2
Frst Bneficial Use:		UTM y:	4492752.4
Pump Installed:		Location:	(40.585518, -105.110211)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.585518
Statc Watr Lvl Dt:		Longitude:	-105.110211
Modified:	11/11/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BRADY OIL COMPANY	ID Key:	0021908 231065
Counties:			
Well Name:			
Comment:			
Address:			

More Information: <https://dwr.state.co.us/Tools/WellPermits/0021908>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
126	NNE	0.71	3,767.11	5,057.59	WATER WELLS

Receipt:	0020265	Parcel Name:	
WD ID:		Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20265-MH	City:	
Permit Issued:	01/20/1993	County:	LARIMER
Permit Expires:	04/20/1993	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	10
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):	3	Coords E/W Dir:	
Bot Prf. Csng (ft):	12	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/27/1993	UTM x:	490674.2
Frst Bneficial Use:		UTM y:	4492752.4
Pump Installed:		Location:	(40.585518, -105.110211)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	5065
Denver Basn Aquifr:	No	Latitude:	40.585518
Statc Watr Lvl Dt:		Longitude:	-105.110211
Modified:	02/05/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SEACOR	ID Key:	0020265 322304
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0020265">https://dwr.state.co.us/Tools/WellPermits/0020265</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
127	SW	0.72	3,780.37	5,108.80	WATER WELLS

Receipt:	0369198B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	173549--A	City:	
Permit Issued:	07/13/1994	County:	LARIMER
Permit Expires:	07/13/1996	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N

## Wells and Additional Sources Detail Report

Special Use:		Range:	69.0 W
Associated Uses:	Household use only	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2365
Top Prf. Casing (ft):		Coords E/W Dir:	W
Bot Prf. Casing (ft):		Coords N/S (Feet):	65
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489403.8
First Beneficial Use:		UTM y:	4490776.4
Pump Installed:		Location:	(40.567698, -105.125187)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.567698
Static Water Level Date:		Longitude:	-105.125187
Modified:	10/13/2017 11:54:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	4	Principal Meridian:	S
Contact Name:	BORCHERT, KATIE	ID Key:	0369198B 375420
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0369198B">https://dwr.state.co.us/Tools/WellPermits/0369198B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
127	SW	0.72	3,780.37	5,108.80	WATER WELLS

Receipt:	0369198B	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	173549--A	City:	
Permit Issued:	07/13/1994	County:	LARIMER
Permit Expires:	07/13/1996	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Household use only	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2365
Top Prf. Casing (ft):		Coords E/W Dir:	W

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):		Coords N/S (Feet):	65
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489403.8
Frst Bneficial Use:		UTM y:	4490776.4
Pump Installed:		Location:	(40.567698, -105.125187)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567698
Statc Wtr Lvl Dt:		Longitude:	-105.125187
Modified:	10/13/2017 11:54:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	4	Principle Meridian:	S
Contact Name:	BORCHERT, JEFF	ID Key:	0369198B 375421
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0369198B">https://dwr.state.co.us/Tools/WellPermits/0369198B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
128	ESE	0.72	3,799.12	5,042.58	WATER WELLS

Receipt:	0051436	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	51436-MH	City:	
Permit Issued:	04/16/2013	County:	LARIMER
Permit Expires:	07/15/2013	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	9	Coords E/W (Feet):	
Top Prf. Csng (ft):	4	Coords E/W Dir:	
Bot Prf. Csng (ft):	9	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/23/2013	UTM x:	491266.5
Frst Bneficial Use:		UTM y:	4491332.0
Pump Installed:		Location:	(40.572728, -105.103191)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):	5.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572728
Statc Wtr Lvl Dt:	2013/04/23	Longitude:	-105.103191
Modified:	05/13/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	KAPOOR, SAPAN	ID Key:	0051436 228559
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0051436">https://dwr.state.co.us/Tools/WellPermits/0051436</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
129	WSW	0.73	3,841.40	5,107.39	WATER WELLS

Receipt:	0900417	Parcel Name:	VON WHIL 2ND SUB DRIVE
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9273-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489067.7
Frst Bneficial Use:		UTM y:	4491161.8
Pump Installed:		Location:	(40.571169, -105.129166)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.571169
Statc Wtr Lvl Dt:		Longitude:	-105.129166
Modified:	07/21/1961 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PRINCE, DONALD	ID Key:	0900417 69037

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0900417>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
131	NW	0.74	3,884.07	5,095.37	WATER WELLS

Receipt: 9038041

WD ID:

Associated Case No:

County Parcel ID:

Permit: 760-RN

Permit Issued: 04/30/1960

Permit Expires:

Permit Category: General Purpose

Current Status: Permit Issued

Special Use:

Associated Uses: Domestic

Permitted Area:

Permitted Area Units:

Annual Approp. (AF):

Well Depth (Feet):

Top Prf. Casing (ft):

Bot Prf. Casing (ft):

Designated Basin:

Well Constructed:

First Beneficial Use:

Pump Installed:

Well Plugged:

Yield (GPM):

Static Water Level (ft):

Denver Basin Aquifer: No

Static Water Level Date:

Modified: 06/11/2014 12:00:00 AM

Associated Aquifers: ALL UNNAMED AQUIFERS

Water District: 3

Contact Name: ASTRIDE A STARSHIP LLC

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038041>

Parcel Name:

Parcel Size (Acres):

Lot:

Block:

City:

County: LARIMER

State:

Postal Code:

Township: 7.0 N

Range: 69.0 W

Section: 9

Q160: SW

Q40: SE

Q10:

Coords E/W (Feet): 1947

Coords E/W Dir: W

Coords N/S (Feet): 658

Coords N/S Dir: S

UTM x: 489278.6

UTM y: 4492572.4

Location: (40.583876, -105.126694)

Location Type: Well (Application/Permit)

Location Accuracy: Spotted from section lines

Elevation:

Latitude: 40.583876

Longitude: -105.126694

Management District:

Division: 1

Principal Meridian: S

ID Key: 9038041 290621

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

132 SSE 0.74 3,884.14 5,055.08 WATER WELLS

Receipt:	9039285	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	19554-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	63	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/07/1964	UTM x:	490452.8
Frst Bneficial Use:	07/07/1964	UTM y:	4490533.0
Pump Installed:		Location:	(40.565521, -105.112792)
Well Plugged:	11/19/1998	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565521
Statc Watr Lvl Dt:	1999/01/07	Longitude:	-105.112792
Modified:	01/05/1999 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	COOPER, JAMES W	ID Key:	9039285 195891
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039285">https://dwr.state.co.us/Tools/WellPermits/9039285</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
132	SSE	0.74	3,884.14	5,055.08	WATER WELLS

Receipt:	9037919	Parcel Name:	MICHAEL FARM
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	142-	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	08/07/1957	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	57	Coords E/W (Feet):	
Top Prf. Csng (ft):	48	Coords E/W Dir:	
Bot Prf. Csng (ft):	57	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/13/1957	UTM x:	490452.8
Frst Bneficial Use:	08/13/1957	UTM y:	4490533.0
Pump Installed:		Location:	(40.565521, -105.112792)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Stac Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565521
Stac Wtr Lvl Dt:	1957/08/13	Longitude:	-105.112792
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CARTER, FOREST C	ID Key:	9037919 248254
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037919">https://dwr.state.co.us/Tools/WellPermits/9037919</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
132	SSE	0.74	3,884.14	5,055.08	WATER WELLS

Receipt:	9039212	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	19185-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:	Q40:	NW
Annul Approp. (AF):	Q10:	
Well Depth (Feet): 69	Coords E/W (Feet):	
Top Prf. Csng (ft):	Coords E/W Dir:	
Bot Prf. Csng (ft):	Coords N/S (Feet):	
Designated Basin:	Coords N/S Dir:	
Well Constructed: 05/06/1964	UTM x:	490452.8
Frst Bneficial Use: 05/06/1964	UTM y:	4490533.0
Pump Installed:	Location:	(40.565521, -105.112792)
Well Plugged:	Location Type:	Well (Application/Permit)
Yield (GPM):	Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft): 22.00	Elevation:	
Denver Basn Aqufr: No	Latitude:	40.565521
Statc Watr Lvl Dt: 1900/01/01	Longitude:	-105.112792
Modified:	Mangemnt District:	
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division:	1
Water District: 3	Principle Meridian:	S
Contact Name: MILLER, HAROLD	ID Key:	9039212 163094
Counties:		
Well Name:		
Comment:		
Address:		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039212">https://dwr.state.co.us/Tools/WellPermits/9039212</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
132	SSE	0.74	3,884.14	5,055.08	WATER WELLS

Receipt: 9038324	Parcel Name: SONORAN VIEW ESTATES
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 5291-	City:
Permit Issued: 03/07/1960	County: LARIMER
Permit Expires:	State:
Permit Category: Residential	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 22
Permitted Area:	Q160: NW
Permitted Area Units:	Q40: NW
Annul Approp. (AF):	Q10:
Well Depth (Feet): 69	Coords E/W (Feet):
Top Prf. Csng (ft): 51	Coords E/W Dir:
Bot Prf. Csng (ft): 69	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 03/11/1960	UTM x: 490452.8

## Wells and Additional Sources Detail Report

Frst Bneficial Use:	03/11/1960	UTM y:	4490533.0
Pump Installed:		Location:	(40.565521, -105.112792)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	21.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565521
Statc Wtr Lvl Dt:	1960/03/11	Longitude:	-105.112792
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MILLSAPPS MICHAEL WILLIAM	ID Key:	9038324 66531
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038324">https://dwr.state.co.us/Tools/WellPermits/9038324</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
132	SSE	0.74	3,884.14	5,055.08	WATER WELLS

Receipt:	9039538	Parcel Name:	SONORAN VIEW ESTATES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	25498-	City:	
Permit Issued:	10/05/1965	County:	LARIMER
Permit Expires:	10/05/1967	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	64	Coords E/W (Feet):	
Top Prf. Csng (ft):	37	Coords E/W Dir:	
Bot Prf. Csng (ft):	64	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/07/1965	UTM x:	490452.8
Frst Bneficial Use:	10/07/1965	UTM y:	4490533.0
Pump Installed:		Location:	(40.565521, -105.112792)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565521
Statc Wtr Lvl Dt:	1965/10/07	Longitude:	-105.112792

## Wells and Additional Sources Detail Report

Modified:	12/06/1965 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SLANAKER, GLENN C	ID Key:	9039538 52427
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039538">https://dwr.state.co.us/Tools/WellPermits/9039538</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
133	ENE	0.74	3,888.71	5,046.92	WATER WELLS

Receipt:	9039127	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	16778-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	55	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/02/1963	UTM x:	491273.4
Frst Bneficial Use:	08/02/1963	UTM y:	4492135.2
Pump Installed:		Location:	(40.579958, -105.103111)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.579958
Statc Watr Lvl Dt:	1900/01/01	Longitude:	-105.103111
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	LINDER, B K	ID Key:	9039127 21265
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9039127>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9037950	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	304-	City:	
Permit Issued:	09/16/1957	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/16/1957	UTM x:	489264.5
Frst Bneficial Use:	09/16/1957	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:	1957/09/16	Longitude:	-105.126865
Modified:	11/25/1957 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STOUT, LOYAL	ID Key:	9037950 10306
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037950">https://dwr.state.co.us/Tools/WellPermits/9037950</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9038792	Parcel Name:	
----------	---------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	11782-	City:	
Permit Issued:	06/04/1962	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	23	Coords E/W (Feet):	
Top Prf. Csng (ft):	15	Coords E/W Dir:	
Bot Prf. Csng (ft):	24	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/14/1962	UTM x:	489264.5
Frst Bneficial Use:	06/14/1962	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:	1962/06/14	Longitude:	-105.126865
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WEITZEL, DOUGLASS L	ID Key:	9038792 138425
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038792">https://dwr.state.co.us/Tools/WellPermits/9038792</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9039332	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20587-	City:	
Permit Issued:	07/06/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	32	Coords E/W (Feet):	
Top Prf. Csng (ft):	20	Coords E/W Dir:	
Bot Prf. Csng (ft):	32	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/17/1964	UTM x:	489264.5
First Beneficial Use:	07/17/1964	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):	12.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.583884
Static Water Level Date:	1964/07/17	Longitude:	-105.126865
Modified:	04/09/2009 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	FITCH CALE & HEATHER J	ID Key:	9039332 308598
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039332">https://dwr.state.co.us/Tools/WellPermits/9039332</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9038092	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1309-	City:	
Permit Issued:	06/02/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	32	Coords E/W (Feet):	

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):	14	Coords E/W Dir:	
Bot Prf. Csng (ft):	32	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/05/1958	UTM x:	489264.5
Frst Bneficial Use:	06/05/1958	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Stac Wtr Lvl (ft):	30.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Stac Wtr Lvl Dt:	1958/06/05	Longitude:	-105.126865
Modified:	08/25/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BUTLER GRACE E & C H	ID Key:	9038092 158210
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038092">https://dwr.state.co.us/Tools/WellPermits/9038092</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9038549	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	8458-	City:	
Permit Issued:	05/01/1961	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	53	Coords E/W (Feet):	
Top Prf. Csng (ft):	23	Coords E/W Dir:	
Bot Prf. Csng (ft):	53	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/06/1961	UTM x:	489264.5
Frst Bneficial Use:	05/06/1961	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	26.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:	1961/05/06	Longitude:	-105.126865
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WELTY, MAX	ID Key:	9038549 258303
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038549">https://dwr.state.co.us/Tools/WellPermits/9038549</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	9039186	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	18652-	City:	
Permit Issued:	02/07/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	49	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	03/09/1964	UTM x:	489264.5
Frst Bneficial Use:	03/09/1964	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:		Longitude:	-105.126865
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: COFFEE, THOMAS R ID Key: 9039186 360966  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9039186>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
134	NW	0.74	3,920.02	5,099.98	WATER WELLS

Receipt:	0233249	Parcel Name:	
WD ID:		PrcI Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:		City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Application Information Requested	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489264.5
Frst Bneficial Use:		UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:		Longitude:	-105.126865
Modified:	02/14/1983 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORD, K	ID Key:	0233249 146221
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0233249">https://dwr.state.co.us/Tools/WellPermits/0233249</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

134 NW 0.74 3,920.02 5,099.98 WATER WELLS

Receipt:	9038427	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	6964-	City:	
Permit Issued:	09/12/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	53	Coords E/W (Feet):	
Top Prf. Csng (ft):	0	Coords E/W Dir:	
Bot Prf. Csng (ft):	53	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/07/1960	UTM x:	489264.5
Frst Bneficial Use:	10/07/1960	UTM y:	4492572.9
Pump Installed:		Location:	(40.583884, -105.126865)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	13.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583884
Statc Watr Lvl Dt:	1960/10/07	Longitude:	-105.126865
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MEYER, ALFRED	ID Key:	9038427 167176
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038427">https://dwr.state.co.us/Tools/WellPermits/9038427</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
135	SSW	0.75	3,966.55	5,107.94	WATER WELLS

Receipt:	0352585A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	170735-	City:	
Permit Issued:	06/28/1993	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic, Stock	Section:	21
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	30	Coords E/W (Feet):	2375
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	420
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489525.0
Frst Bneficial Use:		UTM y:	4490627.5
Pump Installed:		Location:	(40.566357, -105.123755)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.566357
Statc Watr Lvl Dt:		Longitude:	-105.123755
Modified:	06/28/1993 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PACE, BRADLEY D	ID Key:	0352585A 186769
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0352585A">https://dwr.state.co.us/Tools/WellPermits/0352585A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
135	SSW	0.75	3,966.55	5,107.94	WATER WELLS

Receipt:	0352585B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	170735--A	City:	
Permit Issued:	06/28/1993	County:	LARIMER
Permit Expires:	06/28/1995	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	21

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2375
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	420
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489525.0
First Beneficial Use:		UTM y:	4490627.5
Pump Installed:		Location:	(40.566357, -105.123755)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.566357
Static Water Lvl Dt:		Longitude:	-105.123755
Modified:	06/28/1993 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PACE, BRADLEY D	ID Key:	0352585B 186769
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0352585B">https://dwr.state.co.us/Tools/WellPermits/0352585B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
136	N	0.76	4,027.89	5,079.44	WATER WELLS

Receipt:	9040024	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	39384-	City:	
Permit Issued:	09/22/1969	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	112	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	

## Wells and Additional Sources Detail Report

Well Constructed:	09/26/1969	UTM x:	490073.2
Frst Bneficial Use:	09/26/1969	UTM y:	4492965.4
Pump Installed:		Location:	(40.58743, -105.117315)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587430
Statc Watr Lvl Dt:		Longitude:	-105.117315
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WILLIAMS, PHILIP	ID Key:	9040024 363504
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9040024">https://dwr.state.co.us/Tools/WellPermits/9040024</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
137	NE	0.77	4,084.83	5,050.27	WATER WELLS

Receipt:	0048247	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	279492-	City:	
Permit Issued:	12/16/2008	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	10
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):	10	Coords E/W Dir:	
Bot Prf. Csng (ft):	20	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/03/2007	UTM x:	490877.0
Frst Bneficial Use:		UTM y:	4492744.0
Pump Installed:		Location:	(40.585445, -105.107814)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	10.00	Elevation:	5053
Denver Basn Aqufr:	No	Latitude:	40.585445

## Wells and Additional Sources Detail Report

Statc Watr Lvl Dt:	2007/12/03	Longitude:	-105.107814
Modified:	12/16/2008 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CO DEPT OF AGRICULTURE	ID Key:	0048247 14937
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0048247">https://dwr.state.co.us/Tools/WellPermits/0048247</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
137	NE	0.77	4,084.83	5,050.27	WATER WELLS

Receipt:	0047536	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	47536-MH	City:	
Permit Issued:	11/26/2007	County:	LARIMER
Permit Expires:	02/19/2008	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	10
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	1984
Top Prf. Csng (ft):	10	Coords E/W Dir:	W
Bot Prf. Csng (ft):	20	Coords N/S (Feet):	1307
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	12/03/2007	UTM x:	490876.8
Frst Bneficial Use:		UTM y:	4492744.1
Pump Installed:		Location:	(40.585445, -105.107814)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.585445
Statc Watr Lvl Dt:	2007/12/03	Longitude:	-105.107814
Modified:	12/29/2008 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	COLORADO DEPT OF AGRICULTURE	ID Key:	0047536 342211
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0047536>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
138	S	0.77	4,085.47	5,069.54	WATER WELLS

Receipt:	0432749	Parcel Name:	SONORAN VIEW
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	19554--A	City:	
Permit Issued:	08/13/1998	County:	LARIMER
Permit Expires:	08/13/2000	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	170
Top Prf. Csng (ft):	10	Coords E/W Dir:	W
Bot Prf. Csng (ft):	40	Coords N/S (Feet):	1000
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	11/19/1998	UTM x:	490300.4
Frst Bneficial Use:		UTM y:	4490443.1
Pump Installed:		Location:	(40.564709, -105.114596)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	10.00	Elevation:	0
Denver Basn Aqufr:	No	Latitude:	40.564709
Statc Watr Lvl Dt:	1998/11/19	Longitude:	-105.114596
Modified:	12/21/1998 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCHUETZ CHARLES & ANGELA	ID Key:	0432749 196343
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0432749">https://dwr.state.co.us/Tools/WellPermits/0432749</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
139	W	0.78	4,097.85	5,120.91	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9039722	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	29344-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488869.2
Frst Bneficial Use:	11/22/1966	UTM y:	4491767.1
Pump Installed:		Location:	(40.576619, -105.131522)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576619
Statc Watr Lvl Dt:		Longitude:	-105.131522
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BARNES BRODA O M D	ID Key:	9039722 358530
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039722">https://dwr.state.co.us/Tools/WellPermits/9039722</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
139	W	0.78	4,097.85	5,120.91	WATER WELLS

Receipt:	9038806	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	11889-F	City:	
Permit Issued:	05/11/1967	County:	LARIMER
Permit Expires:		State:	

## Wells and Additional Sources Detail Report

Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic, Irrigation	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	10	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488869.2
First Beneficial Use:	07/31/1915	UTM y:	4491767.1
Pump Installed:		Location:	(40.576619, -105.131522)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):	2.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.576619
Static Water Level Date:	2009/04/13	Longitude:	-105.131522
Modified:	04/26/1967 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BARNES BRODA DR	ID Key:	9038806 122288
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038806">https://dwr.state.co.us/Tools/WellPermits/9038806</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
139	W	0.78	4,097.85	5,120.91	WATER WELLS

Receipt:	0901668	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20835-	City:	
Permit Issued:	07/21/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488869.2
Frst Bneficial Use:		UTM y:	4491767.1
Pump Installed:		Location:	(40.576619, -105.131522)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576619
Statc Watr Lvl Dt:		Longitude:	-105.131522
Modified:	07/21/1964 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CLAWSOR, LEONARD	ID Key:	0901668 108467
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0901668">https://dwr.state.co.us/Tools/WellPermits/0901668</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
141	SW	0.79	4,163.27	5,111.16	WATER WELLS

Receipt:	0505769	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	247959-	City:	
Permit Issued:	02/26/2003	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	1650
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	200
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489185.9
Frst Bneficial Use:	12/31/1954	UTM y:	4490819.5
Pump Installed:		Location:	(40.568082, -105.127763)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568082
Statc Watr Lvl Dt:		Longitude:	-105.127763
Modified:	05/27/2003 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HERMANN, DIANA	ID Key:	0505769 22261
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0505769">https://dwr.state.co.us/Tools/WellPermits/0505769</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
142	NNE	0.79	4,167.78	5,064.34	WATER WELLS

Receipt:	9039137	Parcel Name:	SETZLER EDITION
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	17315-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	83	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	09/18/1963	UTM x:	490475.1
Frst Bneficial Use:	09/18/1963	UTM y:	4492958.3
Pump Installed:		Location:	(40.58737, -105.112566)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	11.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587370
Statc Watr Lvl Dt:	2013/04/25	Longitude:	-105.112566
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	WEGNER, BRUCE	ID Key:	9039137 335249
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039137">https://dwr.state.co.us/Tools/WellPermits/9039137</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
142	NNE	0.79	4,167.78	5,064.34	WATER WELLS

Receipt:	9039330	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20551-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	39	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/11/1964	UTM x:	490475.1
Frst Bneficial Use:	07/11/1964	UTM y:	4492958.3
Pump Installed:		Location:	(40.58737, -105.112566)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587370
Statc Watr Lvl Dt:	1900/01/01	Longitude:	-105.112566
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHUBB, STANLEY	ID Key:	9039330 328045
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039330">https://dwr.state.co.us/Tools/WellPermits/9039330</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
143	SSE	0.79	4,175.81	5,065.83	WATER WELLS

Receipt:	0274476	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4850--A	City:	
Permit Issued:	05/06/1987	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	1825
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	511
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490805.1
Frst Bneficial Use:		UTM y:	4490581.9
Pump Installed:		Location:	(40.565967, -105.108633)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565967
Statc Watr Lvl Dt:		Longitude:	-105.108633
Modified:	04/08/1987 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	THAYER, NONA	ID Key:	0274476 353000
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0274476">https://dwr.state.co.us/Tools/WellPermits/0274476</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	SW	0.80	4,248.69	5,111.93	WATER WELLS

Receipt:	0062704	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	80148--A	City:	
Permit Issued:	07/29/1975	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	47	Coords E/W (Feet):	1655
Top Prf. Csng (ft):	27	Coords E/W Dir:	W
Bot Prf. Csng (ft):	47	Coords N/S (Feet):	70
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	07/18/1975	UTM x:	489187.4
Frst Bneficial Use:		UTM y:	4490779.8
Pump Installed:	07/19/1975	Location:	(40.567731, -105.12775)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567731
Statc Wtr Lvl Dt:	1975/07/18	Longitude:	-105.127750
Modified:	08/26/1975 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	QUATERNARY ALLUVIUM	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	ASLLANI, ERJON	ID Key:	0062704 174409
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0062704">https://dwr.state.co.us/Tools/WellPermits/0062704</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	SW	0.80	4,248.69	5,111.93	WATER WELLS

Receipt:	9041281	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	80148-	City:	
Permit Issued:	07/29/1975	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	29	Coords E/W (Feet):	1655
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	70
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	03/31/1960	UTM x:	489187.4
First Beneficial Use:	03/31/1960	UTM y:	4490779.8
Pump Installed:		Location:	(40.567731, -105.12775)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.567731
Static Water Level Date:		Longitude:	-105.127750
Modified:	04/14/2009 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CWACH, FRANCES	ID Key:	9041281 64491
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041281">https://dwr.state.co.us/Tools/WellPermits/9041281</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
146	WSW	0.81	4,279.46	5,118.13	WATER WELLS

Receipt:	0283126	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	150677--A	City:	
Permit Issued:	03/15/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	45	Coords E/W (Feet):	1117
Top Prf. Csng (ft):	32	Coords E/W Dir:	W
Bot Prf. Csng (ft):	42	Coords N/S (Feet):	693

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	S
Well Constructed:	11/09/1987	UTM x:	489023.3
Frst Bneficial Use:		UTM y:	4490971.2
Pump Installed:		Location:	(40.569449, -105.129691)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	18.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569449
Statc Watr Lvl Dt:	1987/11/09	Longitude:	-105.129691
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	YONKER, RICHARD E	ID Key:	0283126 108505
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0283126">https://dwr.state.co.us/Tools/WellPermits/0283126</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
146	WSW	0.81	4,279.46	5,118.13	WATER WELLS

Receipt:	0283126A	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	150677-	City:	
Permit Issued:	03/15/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Household use only	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	45	Coords E/W (Feet):	1117
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	693
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489023.3
Frst Bneficial Use:	07/21/1963	UTM y:	4490971.2
Pump Installed:		Location:	(40.569449, -105.129691)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.569449
Statc Watr Lvl Dt:		Longitude:	-105.129691
Modified:	02/29/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	YONKER RICHARD E & CAROLINE M	ID Key:	0283126A 208706
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0283126A">https://dwr.state.co.us/Tools/WellPermits/0283126A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
147	NNW	0.81	4,300.95	5,078.28	WATER WELLS

Receipt:	9038098	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	1354-	City:	
Permit Issued:	06/11/1958	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	32	Coords E/W (Feet):	
Top Prf. Csng (ft):	16	Coords E/W Dir:	
Bot Prf. Csng (ft):	32	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/23/1958	UTM x:	489670.9
Frst Bneficial Use:	07/23/1958	UTM y:	4492970.3
Pump Installed:		Location:	(40.587469, -105.122069)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587469
Statc Watr Lvl Dt:	1958/07/23	Longitude:	-105.122069
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WHARTON M F JR	ID Key:	9038098 101838
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038098>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	WNW	0.82	4,335.74	5,125.68	WATER WELLS

Receipt:	C350200	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	200-WCB	City:	
Permit Issued:	10/15/1954	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Colorado Water Conservation Board	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	33	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/26/1954	UTM x:	488871.5
Frst Bneficial Use:		UTM y:	4492172.7
Pump Installed:		Location:	(40.580273, -105.131501)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580273
Statc Watr Lvl Dt:	1954/08/26	Longitude:	-105.131501
Modified:	04/13/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GARRETT, J M	ID Key:	C350200 58245
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/C350200">https://dwr.state.co.us/Tools/WellPermits/C350200</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	WNW	0.82	4,335.74	5,125.68	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9038371	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	6105-	City:	
Permit Issued:	06/10/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	44	Coords E/W (Feet):	
Top Prf. Csng (ft):	26	Coords E/W Dir:	
Bot Prf. Csng (ft):	44	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/22/1960	UTM x:	488871.5
Frst Bneficial Use:	06/22/1960	UTM y:	4492172.7
Pump Installed:		Location:	(40.580273, -105.131501)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	7.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580273
Statc Watr Lvl Dt:	1959/12/22	Longitude:	-105.131501
Modified:	12/28/2021 10:40:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HAUPT, LINDA D	ID Key:	9038371 270356
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038371">https://dwr.state.co.us/Tools/WellPermits/9038371</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	WNW	0.82	4,335.74	5,125.68	WATER WELLS

Receipt:	9040127	Parcel Name:	SUNRISE ACRES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	42502-	City:	
Permit Issued:	08/11/1970	County:	LARIMER

## Wells and Additional Sources Detail Report

Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	24	Coords E/W (Feet):	
Top Prf. Csng (ft):	14	Coords E/W Dir:	
Bot Prf. Csng (ft):	24	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/17/1970	UTM x:	488871.5
Frst Bneficial Use:	08/17/1970	UTM y:	4492172.7
Pump Installed:		Location:	(40.580273, -105.131501)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580273
Statc Watr Lvl Dt:	1970/08/17	Longitude:	-105.131501
Modified:	11/05/1970 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BAKER, VERL	ID Key:	9040127 193715
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9040127">https://dwr.state.co.us/Tools/WellPermits/9040127</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	WNW	0.82	4,335.74	5,125.68	WATER WELLS

Receipt:	9038753	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	11336-	City:	
Permit Issued:	04/30/1962	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permitted Area Unts:		Q40:	NW

## Wells and Additional Sources Detail Report

Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	32	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/08/1962	UTM x:	488871.5
Frst Bneficial Use:	05/08/1962	UTM y:	4492172.7
Pump Installed:		Location:	(40.580273, -105.131501)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.580273
Statc Wtr Lvl Dt:	1962/05/08	Longitude:	-105.131501
Modified:	07/20/1962 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WILHITE, H L	ID Key:	9038753 308968
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038753">https://dwr.state.co.us/Tools/WellPermits/9038753</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	WNW	0.82	4,335.74	5,125.68	WATER WELLS

Receipt:	9038975	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	14340-R	City:	
Permit Issued:	04/19/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	16
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488871.5
Frst Bneficial Use:	12/31/1954	UTM y:	4492172.7

## Wells and Additional Sources Detail Report

Pump Installed:	Location: (40.580273, -105.131501)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Staic Wtr Lvl (ft): 10.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.580273
Staic Wtr Lvl Dt: 2009/04/13	Longitude: -105.131501
Modified: 04/19/1960 12:00:00 AM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: CHESNUT, DAN E	ID Key: 9038975 281713
Counties:	
Well Name:	
Comment:	
Address:	
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038975">https://dwr.state.co.us/Tools/WellPermits/9038975</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
149	SSE	0.82	4,343.20	5,050.99	WATER WELLS

Receipt: 3629509A	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 67198-F	City:
Permit Issued: 06/10/2008	County: LARIMER
Permit Expires: 06/10/2009	State:
Permit Category: General Purpose	Postal Code:
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Other	Section: 22
Permitted Area:	Q160: NW
Permtted Area Unts:	Q40: NW
Annul Approp. (AF):	Q10:
Well Depth (Feet):	Coords E/W (Feet): 1230
Top Prf. Csng (ft):	Coords E/W Dir: W
Bot Prf. Csng (ft):	Coords N/S (Feet): 990
Designated Basin:	Coords N/S Dir: N
Well Constructed: 06/02/2008	UTM x: 490623.5
Frst Bneficial Use:	UTM y: 4490439.5
Pump Installed:	Location: (40.564685, -105.110769)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Staic Wtr Lvl (ft):	Elevation:
Denver Basn Aqufr: No	Latitude: 40.564685
Staic Wtr Lvl Dt:	Longitude: -105.110769
Modified: 01/12/2010 12:00:00 AM	Mangemnt District:

## Wells and Additional Sources Detail Report

Associated Aqufrs:	QUATERNARY ALLUVIUM	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORT COLLINS CITY OF	ID Key:	3629509A 320134
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3629509A">https://dwr.state.co.us/Tools/WellPermits/3629509A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
150	SE	0.83	4,370.25	5,050.24	WATER WELLS

Receipt:	9039015	Parcel Name:	
WD ID:	0305053	Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	14733-	City:	
Permit Issued:	04/11/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	16	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/14/1963	UTM x:	491262.5
Frst Bneficial Use:	06/14/1963	UTM y:	4490929.7
Pump Installed:		Location:	(40.569104, -105.103233)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569104
Statc Watr Lvl Dt:	1963/06/14	Longitude:	-105.103233
Modified:	06/18/1963 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	LDS CHURCH	ID Key:	9039015 99014
Counties:			
Well Name:			
Comment:			
Address:			

## Wells and Additional Sources Detail Report

More Information: <https://dwr.state.co.us/Tools/WellPermits/9039015>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
151	SW	0.83	4,404.90	5,115.52	WATER WELLS

Receipt:	0300471B	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	154182--A	City:	
Permit Issued:	05/23/1989	County:	LARIMER
Permit Expires:	05/23/1991	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	47	Coords E/W (Feet):	1360
Top Prf. Csng (ft):	28	Coords E/W Dir:	W
Bot Prf. Csng (ft):	47	Coords N/S (Feet):	155
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	05/23/1989	UTM x:	489097.5
Frst Bneficial Use:		UTM y:	4490806.5
Pump Installed:		Location:	(40.567973, -105.128802)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.567973
Statc Watr Lvl Dt:	1989/05/23	Longitude:	-105.128802
Modified:	04/14/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STREICHER, PETE	ID Key:	0300471B 204349
Counties:			
Well Name:			
Comment:			
Address:			

More Information: <https://dwr.state.co.us/Tools/WellPermits/0300471B>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
151	SW	0.83	4,404.90	5,115.52	WATER WELLS

Receipt:	0300471A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	154182-	City:	
Permit Issued:	05/23/1989	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	47	Coords E/W (Feet):	1360
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	155
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489097.5
First Beneficial Use:	12/31/1920	UTM y:	4490806.5
Pump Installed:		Location:	(40.567973, -105.128802)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.567973
Static Wtr Lvl Dt:		Longitude:	-105.128802
Modified:	05/17/1989 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STREICHER, PETE	ID Key:	0300471A 204349
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0300471A">https://dwr.state.co.us/Tools/WellPermits/0300471A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
152	SSE	0.84	4,419.44	5,047.54	WATER WELLS

Receipt:	9038649	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	10271-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N

## Wells and Additional Sources Detail Report

Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	61	Coords E/W (Feet):	
Top Prf. Casing (ft):		Coords E/W Dir:	
Bot Prf. Casing (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	11/30/1961	UTM x:	490857.2
First Beneficial Use:	11/30/1961	UTM y:	4490526.7
Pump Installed:		Location:	(40.565469, -105.108015)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):	20.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.565469
Static Water Level Date:	1900/01/01	Longitude:	-105.108015
Modified:		Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BUECHNER, CHUCK	ID Key:	9038649 366326
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038649">https://dwr.state.co.us/Tools/WellPermits/9038649</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
152	SSE	0.84	4,419.44	5,047.54	WATER WELLS

Receipt:	9038290	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	4850-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	22
Permitted Area:		Q160:	NW
Permitted Area Units:		Q40:	NE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	61	Coords E/W (Feet):	
Top Prf. Casing (ft):		Coords E/W Dir:	

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/01/1959	UTM x:	490857.2
Frst Bneficial Use:	12/01/1959	UTM y:	4490526.7
Pump Installed:		Location:	(40.565469, -105.108015)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	18.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.565469
Statc Watr Lvl Dt:	1991/11/14	Longitude:	-105.108015
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SMITH ROBERT T DR	ID Key:	9038290 207829
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038290">https://dwr.state.co.us/Tools/WellPermits/9038290</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
153	SW	0.84	4,450.58	5,118.90	WATER WELLS

Receipt:	9038333	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5542-	City:	
Permit Issued:	04/14/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	59	Coords E/W (Feet):	1144
Top Prf. Csng (ft):	41	Coords E/W Dir:	W
Bot Prf. Csng (ft):	59	Coords N/S (Feet):	351
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	06/23/1960	UTM x:	489031.6
Frst Bneficial Use:	06/23/1960	UTM y:	4490866.9
Pump Installed:		Location:	(40.568513, -105.129583)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):	26.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568513
Statc Wtr Lvl Dt:	1960/06/23	Longitude:	-105.129583
Modified:	08/03/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GREENLEE, ROBERT R	ID Key:	9038333 334408
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038333">https://dwr.state.co.us/Tools/WellPermits/9038333</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
154	NW	0.86	4,549.49	5,088.02	WATER WELLS

Receipt:	9041362	Parcel Name:	
WD ID:	0307012	Prcl Sze (Acres):	
Associated Case No:	W5089	Lot:	
County Parcel ID:		Block:	
Permit:	82277-	City:	
Permit Issued:	01/21/1976	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2001
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	1591
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489299.7
Frst Bneficial Use:	02/03/1961	UTM y:	4492856.6
Pump Installed:		Location:	(40.586444, -105.12645)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.586444
Statc Wtr Lvl Dt:		Longitude:	-105.126450
Modified:	01/19/1976 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	TEMPLETON, HAZEL	ID Key:	9041362 324627

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9041362>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
155	WNW	0.87	4,580.99	5,124.63	WATER WELLS

Receipt:	9042050	Parcel Name:	MOUNTAIN VIEW
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	106309-	City:	
Permit Issued:	05/10/1979	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	40	Coords E/W (Feet):	560
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	162
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	488852.7
Frst Bneficial Use:	10/23/1967	UTM y:	4492327.6
Pump Installed:		Location:	(40.581672, -105.131723)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581672
Statc Watr Lvl Dt:		Longitude:	-105.131723
Modified:	04/17/1979 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STOVALL GEORGE C & HELEN M	ID Key:	9042050 330777
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9042050">https://dwr.state.co.us/Tools/WellPermits/9042050</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

155      WNW      0.87      4,580.99      5,124.63      WATER WELLS

Receipt:	0105394	Parcel Name:	MOUNTAIN VIEW
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	106309--A	City:	
Permit Issued:	05/10/1979	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Expired	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW
Permttd Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	566
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	162
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	488854.5
Frst Bneficial Use:		UTM y:	4492327.6
Pump Installed:		Location:	(40.581672, -105.1317)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581672
Statc Watr Lvl Dt:		Longitude:	-105.131700
Modified:	04/17/1979 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	STOVALL GEORGE C & HELEN M	ID Key:	0105394 330777
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0105394">https://dwr.state.co.us/Tools/WellPermits/0105394</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
156	N	0.87	4,608.95	5,067.32	WATER WELLS

Receipt:	0479377	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	330-G	City:	

## Wells and Additional Sources Detail Report

Permit Issued:	08/09/2001	County:	LARIMER
Permit Expires:	08/09/2002	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Geothermal	Section:	9
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	0	Coords E/W (Feet):	1100
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	2750
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	489940.9
First Beneficial Use:		UTM y:	4493132.4
Pump Installed:		Location:	(40.588929, -105.11888)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.588929
Static Water Level Date:		Longitude:	-105.118880
Modified:	07/17/2001 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	POUDRE SCHOOL DISTRICT	ID Key:	0479377 80033
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0479377">https://dwr.state.co.us/Tools/WellPermits/0479377</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
157	WNW	0.88	4,644.74	5,125.18	WATER WELLS

Receipt:	0441132	Parcel Name:	MOUNTAIN VIEW ACRES
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	215887-	City:	
Permit Issued:	02/24/1999	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	25	Coords E/W (Feet):	500
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	150
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	488834.4
Frst Bneficial Use:	12/31/1946	UTM y:	4492331.5
Pump Installed:		Location:	(40.581699, -105.131948)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581699
Statc Watr Lvl Dt:		Longitude:	-105.131948
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	COUTURE, TAD	ID Key:	0441132 262427
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0441132">https://dwr.state.co.us/Tools/WellPermits/0441132</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
158	ESE	0.88	4,646.04	5,044.67	WATER WELLS

Receipt:	0022656	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	22656-MH	City:	
Permit Issued:	04/12/1994	County:	LARIMER
Permit Expires:	07/12/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	
Top Prf. Csng (ft):	9	Coords E/W Dir:	
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/11/1994	UTM x:	491465.6

## Wells and Additional Sources Detail Report

Frst Bneficial Use:		UTM y:	4491126.8
Pump Installed:		Location:	(40.570882, -105.100836)
Well Plugged:	04/14/1994	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	11.00	Elevation:	5100
Denver Basn Aqufr:	No	Latitude:	40.570882
Statc Wtr Lvl Dt:	1994/04/11	Longitude:	-105.100836
Modified:	05/18/1994 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	RESOLUTION TRUST COMPANY	ID Key:	0022656 223177
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0022656">https://dwr.state.co.us/Tools/WellPermits/0022656</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
159	NNE	0.88	4,652.68	5,049.06	WATER WELLS

Receipt:	9038588	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	9474-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/18/1961	UTM x:	490877.8
Frst Bneficial Use:	08/18/1961	UTM y:	4492948.9
Pump Installed:		Location:	(40.587291, -105.107807)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587291
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.107807

## Wells and Additional Sources Detail Report

Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	LEHMKUHLER, CHAS	ID Key:	9038588 296610
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038588">https://dwr.state.co.us/Tools/WellPermits/9038588</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
159	NNE	0.88	4,652.68	5,049.06	WATER WELLS

Receipt:	9038042	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	768-RN	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/30/1927	UTM x:	490877.8
Frst Bneficial Use:		UTM y:	4492948.9
Pump Installed:		Location:	(40.587291, -105.107807)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587291
Statc Watr Lvl Dt:	1927/06/30	Longitude:	-105.107807
Modified:	04/30/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SMITH, L E	ID Key:	9038042 349260
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038042>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
160	NNE	0.88	4,670.32	5,051.67	WATER WELLS

Receipt:	3671600	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	299148-	City:	ENGLEWOOD
Permit Issued:	10/14/2015	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	Residential	Postal Code:	80110
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	10
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	15	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490821.7
Frst Bneficial Use:	12/31/1949	UTM y:	4492985.5
Pump Installed:	04/16/2018	Location:	(40.587624, -105.108467)
Well Plugged:		Location Type:	Well (Construction Report)
Yield (GPM):	15.00	Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	11.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587624
Statc Watr Lvl Dt:	2018/04/16	Longitude:	-105.108467
Modified:	06/07/2018 01:08:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BOECHE, STEVE	ID Key:	3671600 208646
Counties:			
Well Name:			
Comment:			
Address:	1734 W MOUNTAIN AVE		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3671600">https://dwr.state.co.us/Tools/WellPermits/3671600</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
161	WSW	0.89	4,693.45	5,117.49	WATER WELLS

Receipt:	0291906	Parcel Name:	
----------	---------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20834--A	City:	
Permit Issued:	09/06/1988	County:	LARIMER
Permit Expires:	09/06/1990	State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	45	Coords E/W (Feet):	570
Top Prf. Csng (ft):	25	Coords E/W Dir:	W
Bot Prf. Csng (ft):	45	Coords N/S (Feet):	795
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	07/10/1988	UTM x:	488856.6
Frst Bneficial Use:		UTM y:	4491003.8
Pump Installed:		Location:	(40.569744, -105.131653)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):	20.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569744
Statc Watr Lvl Dt:	1988/07/10	Longitude:	-105.131653
Modified:	01/18/1989 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MESTAS, SAM	ID Key:	0291906 856
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0291906">https://dwr.state.co.us/Tools/WellPermits/0291906</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
162	SW	0.89	4,701.22	5,120.96	WATER WELLS

Receipt:	0481541	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	236474-	City:	
Permit Issued:	09/25/2001	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	0	Coords E/W (Feet):	800
Top Prf. Casing (ft):		Coords E/W Dir:	W
Bot Prf. Casing (ft):		Coords N/S (Feet):	400
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	488926.8
First Beneficial Use:	12/31/1967	UTM y:	4490882.7
Pump Installed:		Location:	(40.568655, -105.130823)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.568655
Static Water Level Date:		Longitude:	-105.130823
Modified:	08/29/2001 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	MACPHERSON, JANET E	ID Key:	0481541 316891
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0481541">https://dwr.state.co.us/Tools/WellPermits/0481541</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038338	Parcel Name:	VON VIHL
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5606-	City:	
Permit Issued:	04/20/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	49	Coords E/W (Feet):	

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):	31	Coords E/W Dir:	
Bot Prf. Csng (ft):	49	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/12/1960	UTM x:	488864.5
Frst Bneficial Use:	05/12/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:		Longitude:	-105.131564
Modified:	05/20/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VONVIHL, GEO C	ID Key:	9038338 79862
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038338">https://dwr.state.co.us/Tools/WellPermits/9038338</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	C350267	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	267-WCB	City:	
Permit Issued:	05/02/1957	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Colorado Water Conservation Board	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/16/1957	UTM x:	488864.5
Frst Bneficial Use:		UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	19.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:	1957/06/16	Longitude:	-105.131564
Modified:	05/02/1957 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MAYER, S M	ID Key:	C350267 276811
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/C350267">https://dwr.state.co.us/Tools/WellPermits/C350267</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	0900649	Parcel Name:	VONVIL HIGHTS SUB
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5405-	City:	
Permit Issued:	03/30/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488864.5
Frst Bneficial Use:		UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:		Longitude:	-105.131564
Modified:	03/30/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	4	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: DEEMING, LEONARD ID Key: 0900649 32278  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/0900649>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038309	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5079-	City:	
Permit Issued:	01/04/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	32	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/07/1960	UTM x:	488864.5
Frst Bneficial Use:	01/07/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	29.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:	1960/01/07	Longitude:	-105.131564
Modified:	01/18/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PIERCE, DONALD	ID Key:	9038309 171957

Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9038309>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

163 WSW 0.90 4,738.18 5,117.51 WATER WELLS

Receipt:	9038835	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	12297-	City:	
Permit Issued:	07/25/1962	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	49	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/30/1962	UTM x:	488864.5
Frst Bneficial Use:	07/30/1962	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	21.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1962/07/30	Longitude:	-105.131564
Modified:	09/17/1962 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEEMING, LEONARD	ID Key:	9038835 360090
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038835">https://dwr.state.co.us/Tools/WellPermits/9038835</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039773	Parcel Name:	VON VILAL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	30393-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	46	Coords E/W (Feet):	
Top Prf. Csng (ft):	37	Coords E/W Dir:	
Bot Prf. Csng (ft):	46	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488864.5
Frst Bneficial Use:	04/22/1967	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	21.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	2013/04/25	Longitude:	-105.131564
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEEMING, LENARD M	ID Key:	9039773 4126
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039773">https://dwr.state.co.us/Tools/WellPermits/9039773</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	0900690	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5608-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488864.5
First Beneficial Use:		UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Wtr Lvl (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569370
Static Wtr Lvl Dt:		Longitude:	-105.131564
Modified:	04/20/1960 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VON VIHL GEO C	ID Key:	0900690 315652
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0900690">https://dwr.state.co.us/Tools/WellPermits/0900690</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038224	Parcel Name:	MCLEARY
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3389-	City:	
Permit Issued:	05/14/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	51	Coords E/W (Feet):	
Top Prf. Csng (ft):	33	Coords E/W Dir:	
Bot Prf. Csng (ft):	51	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	

## Wells and Additional Sources Detail Report

Well Constructed:	06/11/1959	UTM x:	488864.5
Frst Bneficial Use:	06/11/1959	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1959/06/11	Longitude:	-105.131564
Modified:	07/08/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEEMING, LEONARD M	ID Key:	9038224 283953
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038224">https://dwr.state.co.us/Tools/WellPermits/9038224</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039343	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	20834-	City:	
Permit Issued:	07/21/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	44	Coords E/W (Feet):	
Top Prf. Csng (ft):	32	Coords E/W Dir:	
Bot Prf. Csng (ft):	44	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/17/1964	UTM x:	488864.5
Frst Bneficial Use:	07/17/1964	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	12.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370

## Wells and Additional Sources Detail Report

Statc Watr Lvl Dt:	1964/07/17	Longitude:	-105.131564
Modified:	08/10/1964 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VONVEHL, GEO	ID Key:	9039343 267711
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039343">https://dwr.state.co.us/Tools/WellPermits/9039343</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039055	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	15628-	City:	
Permit Issued:	06/03/1963	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	33	Coords E/W (Feet):	
Top Prf. Csng (ft):	24	Coords E/W Dir:	
Bot Prf. Csng (ft):	33	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/19/1963	UTM x:	488864.5
Frst Bneficial Use:	06/19/1963	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	16.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1963/06/19	Longitude:	-105.131564
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCHMIDT HARVEY E & JUDITH LEA	ID Key:	9039055 54146
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9039055>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038326	Parcel Name:	VOHN VIHL HEIGHTS
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5404-	City:	
Permit Issued:	03/30/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	48	Coords E/W (Feet):	
Top Prf. Csng (ft):	30	Coords E/W Dir:	
Bot Prf. Csng (ft):	48	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/13/1960	UTM x:	488864.5
Frst Bneficial Use:	04/13/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	28.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1960/04/13	Longitude:	-105.131564
Modified:	04/15/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CHAVEZ, BEN	ID Key:	9038326 169405
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038326">https://dwr.state.co.us/Tools/WellPermits/9038326</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9038340	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5609-	City:	
Permit Issued:	04/20/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/13/1960	UTM x:	488864.5
Frst Bneficial Use:	05/13/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	22.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1960/05/13	Longitude:	-105.131564
Modified:	05/20/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VONVIHL, GEO C	ID Key:	9038340 79862

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038340>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	0029613	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	29613-MH	City:	
Permit Issued:	11/05/1996	County:	LARIMER
Permit Expires:	02/05/1997	State:	

## Wells and Additional Sources Detail Report

Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488864.5
First Beneficial Use:		UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569370
Static Water Level Date:		Longitude:	-105.131564
Modified:	11/04/1996 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	PEERLESS TYRE CO	ID Key:	0029613 210306
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0029613">https://dwr.state.co.us/Tools/WellPermits/0029613</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038313	Parcel Name:	VON NIHL HEIGHTS
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5145-	City:	
Permit Issued:	01/26/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	

## Wells and Additional Sources Detail Report

Well Depth (Feet):	50	Coords E/W (Feet):	
Top Prf. Csng (ft):	32	Coords E/W Dir:	
Bot Prf. Csng (ft):	50	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	02/02/1960	UTM x:	488864.5
Frst Bneficial Use:	02/02/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	27.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1960/02/02	Longitude:	-105.131564
Modified:	04/15/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DEEMING, LEONARD	ID Key:	9038313 193466
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038313">https://dwr.state.co.us/Tools/WellPermits/9038313</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039399	Parcel Name:	VON VIHL HEIGHTS
WD ID:	0307175	Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	22041-	City:	
Permit Issued:	10/26/1964	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	39	Coords E/W (Feet):	
Top Prf. Csng (ft):	22	Coords E/W Dir:	
Bot Prf. Csng (ft):	40	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	01/15/1965	UTM x:	488864.5
Frst Bneficial Use:	01/15/1965	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)

## Wells and Additional Sources Detail Report

Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	22.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:	1965/01/15	Longitude:	-105.131564
Modified:	04/25/2013 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	POST, GEORGE	ID Key:	9039399 63163
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039399">https://dwr.state.co.us/Tools/WellPermits/9039399</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9038339	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	5607-	City:	
Permit Issued:	04/20/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	48	Coords E/W (Feet):	
Top Prf. Csng (ft):	30	Coords E/W Dir:	
Bot Prf. Csng (ft):	48	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/13/1960	UTM x:	488864.5
Frst Bneficial Use:	05/13/1960	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	26.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:	1960/05/13	Longitude:	-105.131564
Modified:	05/20/1960 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1

## Wells and Additional Sources Detail Report

Water District:	3	Principle Meridian:	S
Contact Name:	VONVIHL, GEO C	ID Key:	9038339 79862
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038339">https://dwr.state.co.us/Tools/WellPermits/9038339</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039565	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	26109-	City:	
Permit Issued:	12/20/1965	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	46	Coords E/W (Feet):	
Top Prf. Csng (ft):	28	Coords E/W Dir:	
Bot Prf. Csng (ft):	46	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	12/30/1965	UTM x:	488864.5
Frst Bneficial Use:	12/30/1965	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1965/12/30	Longitude:	-105.131564
Modified:	02/04/1966 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	BENDER, CARL	ID Key:	9039565 339078
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039565">https://dwr.state.co.us/Tools/WellPermits/9039565</a>		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039873	Parcel Name:	VON VIHL
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	33014-	City:	
Permit Issued:	02/26/1968	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	03/06/1968	UTM x:	488864.5
Frst Bneficial Use:	03/06/1968	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	24.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Watr Lvl Dt:	1968/03/06	Longitude:	-105.131564
Modified:	09/24/2015 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SWAN, TRAVIS D	ID Key:	9039873 257470
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039873">https://dwr.state.co.us/Tools/WellPermits/9039873</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	9039799	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	

## Wells and Additional Sources Detail Report

County Parcel ID:		Block:	
Permit:	30914-	City:	
Permit Issued:	05/22/1967	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	43	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	43	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/08/1967	UTM x:	488864.5
Frst Bneficial Use:	06/08/1967	UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	23.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.569370
Statc Wtr Lvl Dt:	1967/06/08	Longitude:	-105.131564
Modified:	06/26/1967 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VONVIHL, GEORGE	ID Key:	9039799 265954
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039799">https://dwr.state.co.us/Tools/WellPermits/9039799</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	WSW	0.90	4,738.18	5,117.51	WATER WELLS

Receipt:	0284097	Parcel Name:	VON VIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	87452-VE	City:	
Permit Issued:	01/25/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W

## Wells and Additional Sources Detail Report

Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	488864.5
First Beneficial Use:		UTM y:	4490962.5
Pump Installed:		Location:	(40.56937, -105.131564)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.569370
Static Water Level Date:		Longitude:	-105.131564
Modified:	02/29/1988 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	YONKER, RICHARD E	ID Key:	0284097 43064
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0284097">https://dwr.state.co.us/Tools/WellPermits/0284097</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
164	NNE	0.90	4,756.83	5,050.78	WATER WELLS

Receipt:	0901341	Parcel Name:	FREYS
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	16776-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	

## Wells and Additional Sources Detail Report

Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	490848.0
Frst Bneficial Use:		UTM y:	4493002.0
Pump Installed:		Location:	(40.587769, -105.10816)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587769
Statc Watr Lvl Dt:		Longitude:	-105.108160
Modified:	08/02/1963 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SINDEN, JOHN	ID Key:	0901341 38103
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0901341">https://dwr.state.co.us/Tools/WellPermits/0901341</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	N	0.90	4,756.89	5,059.73	WATER WELLS

Receipt:	0541703	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	265159-	City:	
Permit Issued:	08/22/2005	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Monitoring/Observation	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	10
Permitted Area:		Q160:	NW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	14	Coords E/W (Feet):	200
Top Prf. Csng (ft):	4	Coords E/W Dir:	W
Bot Prf. Csng (ft):	14	Coords N/S (Feet):	2600
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	07/15/2005	UTM x:	490337.6
Frst Bneficial Use:		UTM y:	4493172.2
Pump Installed:		Location:	(40.589294, -105.114189)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	

## Wells and Additional Sources Detail Report

Denver Basn Aqufr:	No	Latitude:	40.589294
Statc Watr Lvl Dt:		Longitude:	-105.114189
Modified:	07/29/2005 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SHELL OIL PRODUCTS	ID Key:	0541703 256587
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0541703">https://dwr.state.co.us/Tools/WellPermits/0541703</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
166	SSW	0.90	4,769.15	5,097.35	WATER WELLS

Receipt:	3613396K	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	17-GX	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Geoexchange System Loop Fields	Postal Code:	
Current Status:	NA	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Geothermal	Section:	21
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	240	Coords E/W (Feet):	2378
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	1317
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	04/20/2007	UTM x:	489523.7
Frst Bneficial Use:		UTM y:	4490354.0
Pump Installed:		Location:	(40.563897, -105.123762)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.563897
Statc Watr Lvl Dt:		Longitude:	-105.123762
Modified:	05/25/2007 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SMITH, GORDON	ID Key:	3613396K 353175
Counties:			

## Wells and Additional Sources Detail Report

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/3613396K>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
167	N	0.91	4,792.46	5,057.34	WATER WELLS

Receipt:	0047867A	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2008299-AB	City:	
Permit Issued:		County:	LARIMER
Permit Expires:	12/05/2007	State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Well Abandoned	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	9
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	105
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	2530
Designated Basin:		Coords N/S Dir:	N
Well Constructed:		UTM x:	490244.8
Frst Bneficial Use:		UTM y:	4493194.4
Pump Installed:		Location:	(40.589491, -105.115289)
Well Plugged:	11/29/2007	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589491
Statc Watr Lvl Dt:		Longitude:	-105.115289
Modified:	12/05/2007 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	LARIMER COUNTY (BRAGG, DAVID)	ID Key:	0047867A 249718

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0047867A>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
168	NNE	0.91	4,804.41	5,048.80	WATER WELLS

## Wells and Additional Sources Detail Report

Receipt:	9038051	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	816-RN	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	10
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	10/23/1951	UTM x:	490871.0
Frst Bneficial Use:	12/31/1930	UTM y:	4493006.0
Pump Installed:		Location:	(40.587805, -105.107888)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587805
Statc Watr Lvl Dt:	1951/10/23	Longitude:	-105.107888
Modified:	03/11/2015 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MAPES SR J A & MAUDE	ID Key:	9038051 303366
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038051">https://dwr.state.co.us/Tools/WellPermits/9038051</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
169	WNW	0.91	4,815.43	5,126.03	WATER WELLS

Receipt:	0083166	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	91890--A	City:	FORT COLLINS
Permit Issued:	07/22/1977	County:	LARIMER

## Wells and Additional Sources Detail Report

Permit Expires:	State: CO
Permit Category: Residential	Postal Code: 80521
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: NW
Permitted Area Unts:	Q40: NW
Annul Approp. (AF):	Q10:
Well Depth (Feet): 30	Coords E/W (Feet): 280
Top Prf. Csng (ft):	Coords E/W Dir: W
Bot Prf. Csng (ft):	Coords N/S (Feet): 230
Designated Basin:	Coords N/S Dir: N
Well Constructed: 08/20/1977	UTM x: 488767.4
Frst Bneficial Use:	UTM y: 4492307.9
Pump Installed:	Location: (40.581491, -105.132739)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Statc Wtr Lvl (ft):	Elevation:
Denver Basn Aqufr: No	Latitude: 40.581491
Statc Watr Lvl Dt:	Longitude: -105.132739
Modified: 10/13/1977 12:00:00 AM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: NELSON, FINLEY J	ID Key: 0083166 67600
Counties:	
Well Name:	
Comment:	
Address: 2919 WEST MULBERRY STREET	
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/0083166">https://dwr.state.co.us/Tools/WellPermits/0083166</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
169	WNW	0.91	4,815.43	5,126.03	WATER WELLS

Receipt: 9041700	Parcel Name:
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 91890-	City: FORT COLLINS
Permit Issued: 07/22/1977	County: LARIMER
Permit Expires:	State: CO
Permit Category: Residential	Postal Code: 80521
Current Status: Well Abandoned	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: NW
Permitted Area Unts:	Q40: NW

## Wells and Additional Sources Detail Report

Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	280
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	230
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	07/31/1947	UTM x:	488767.4
Frst Bneficial Use:	07/31/1947	UTM y:	4492307.9
Pump Installed:		Location:	(40.581491, -105.132739)
Well Plugged:	08/20/1977	Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.581491
Statc Watr Lvl Dt:		Longitude:	-105.132739
Modified:	02/02/2022 11:17:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	NELSON, FINLEY	ID Key:	9041700 262940
Counties:			
Well Name:			
Comment:			
Address:	2919 WEST MULBERRY STREET		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9041700">https://dwr.state.co.us/Tools/WellPermits/9041700</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
170	WSW	0.92	4,848.80	5,120.63	WATER WELLS

Receipt:	0292717B	Parcel Name:	VON NIHL HEIGHTS
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	152559--A	City:	FORT COLLINS
Permit Issued:	09/30/1988	County:	LARIMER
Permit Expires:	09/30/1990	State:	CO
Permit Category:	Residential	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	60	Coords E/W (Feet):	650
Top Prf. Csng (ft):	25	Coords E/W Dir:	W
Bot Prf. Csng (ft):	55	Coords N/S (Feet):	360
Designated Basin:		Coords N/S Dir:	S
Well Constructed:	09/07/1988	UTM x:	488881.1
Frst Bneficial Use:		UTM y:	4490871.0

## Wells and Additional Sources Detail Report

Pump Installed:	Location: (40.568547, -105.131367)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Statc Wtr Lvl (ft): 22.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.568547
Statc Wtr Lvl Dt: 1988/09/07	Longitude: -105.131367
Modified: 08/07/2018 06:55:00 PM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: SECREST, JUSTIN	ID Key: 0292717B 391933
Counties:	
Well Name:	
Comment:	
Address: 3001 W LAKE ST	
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/0292717B">https://dwr.state.co.us/Tools/WellPermits/0292717B</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
170	WSW	0.92	4,848.80	5,120.63	WATER WELLS

Receipt: 0292717B	Parcel Name: VON NIHL HEIGHTS
WD ID:	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 152559--A	City: FORT COLLINS
Permit Issued: 09/30/1988	County: LARIMER
Permit Expires: 09/30/1990	State: CO
Permit Category: Residential	Postal Code: 80521
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 16
Permitted Area:	Q160: SW
Permttd Area Unts:	Q40: SW
Annul Approp. (AF):	Q10:
Well Depth (Feet): 60	Coords E/W (Feet): 650
Top Prf. Csng (ft): 25	Coords E/W Dir: W
Bot Prf. Csng (ft): 55	Coords N/S (Feet): 360
Designated Basin:	Coords N/S Dir: S
Well Constructed: 09/07/1988	UTM x: 488881.1
Frst Bneficial Use:	UTM y: 4490871.0
Pump Installed:	Location: (40.568547, -105.131367)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from section lines
Statc Wtr Lvl (ft): 22.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.568547
Statc Wtr Lvl Dt: 1988/09/07	Longitude: -105.131367
Modified: 08/07/2018 06:55:00 PM	Mangemnt District:

## Wells and Additional Sources Detail Report

Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SECREST, MEGHAN	ID Key:	0292717B 391934
Counties:			
Well Name:			
Comment:			
Address:	3001 W LAKE ST		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0292717B">https://dwr.state.co.us/Tools/WellPermits/0292717B</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
170	WSW	0.92	4,848.80	5,120.63	WATER WELLS

Receipt:	0292717A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	152559-	City:	
Permit Issued:	09/30/1988	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	16
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	650
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	360
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	488881.1
Frst Bneficial Use:	01/31/1962	UTM y:	4490871.0
Pump Installed:		Location:	(40.568547, -105.131367)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.568547
Statc Watr Lvl Dt:		Longitude:	-105.131367
Modified:	09/26/1988 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WIGHTMAN, JEAN	ID Key:	0292717A 283818
Counties:			
Well Name:			
Comment:			
Address:			

## Wells and Additional Sources Detail Report

More Information: <https://dwr.state.co.us/Tools/WellPermits/0292717A>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
171	NW	0.93	4,925.35	5,091.02	WATER WELLS

Receipt:	9037989	Parcel Name:	WEST ACRES
WD ID:	0306653	Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	488-RN	City:	FORT COLLINS
Permit Issued:	04/29/1960	County:	LARIMER
Permit Expires:		State:	CO
Permit Category:	General Purpose	Postal Code:	80521
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/31/1953	UTM x:	489268.6
Frst Bneficial Use:	05/31/1953	UTM y:	4492975.2
Pump Installed:		Location:	(40.587508, -105.126824)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	14.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587508
Statc Watr Lvl Dt:	1953/05/31	Longitude:	-105.126824
Modified:	07/19/2018 03:57:00 PM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	LINDWALL, DAVIN	ID Key:	9037989 390915
Counties:			
Well Name:			
Comment:			
Address:	121 N SUNSET ST		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037989">https://dwr.state.co.us/Tools/WellPermits/9037989</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
171	NW	0.93	4,925.35	5,091.02	WATER WELLS

Receipt:	9037989	Parcel Name:	WEST ACRES
WD ID:	0306653	Prcl Sze (Acres):	

## Wells and Additional Sources Detail Report

Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 488-RN	City: FORT COLLINS
Permit Issued: 04/29/1960	County: LARIMER
Permit Expires:	State: CO
Permit Category: General Purpose	Postal Code: 80521
Current Status: Well Constructed	Township: 7.0 N
Special Use:	Range: 69.0 W
Associated Uses: Domestic	Section: 9
Permitted Area:	Q160: SW
Permitted Area Units:	Q40: NE
Annul Approp. (AF):	Q10:
Well Depth (Feet): 20	Coords E/W (Feet):
Top Prf. Csng (ft):	Coords E/W Dir:
Bot Prf. Csng (ft):	Coords N/S (Feet):
Designated Basin:	Coords N/S Dir:
Well Constructed: 05/31/1953	UTM x: 489268.6
Frst Bneficial Use: 05/31/1953	UTM y: 4492975.2
Pump Installed:	Location: (40.587508, -105.126824)
Well Plugged:	Location Type: Well (Application/Permit)
Yield (GPM):	Location Accuracy: Spotted from quarters
Statc Wtr Lvl (ft): 14.00	Elevation:
Denver Basn Aqufr: No	Latitude: 40.587508
Statc Watr Lvl Dt: 1953/05/31	Longitude: -105.126824
Modified: 07/19/2018 03:57:00 PM	Mangemnt District:
Associated Aqufrs: ALL UNNAMED AQUIFERS	Division: 1
Water District: 3	Principle Meridian: S
Contact Name: LINDWALL, HOLLY	ID Key: 9037989 390916
Counties:	
Well Name:	
Comment:	
Address: 121 N SUNSET ST	
More Information: <a href="https://dwr.state.co.us/Tools/WellPermits/9037989">https://dwr.state.co.us/Tools/WellPermits/9037989</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
171	NW	0.93	4,925.35	5,091.02	WATER WELLS

Receipt: 9037989	Parcel Name: WEST ACRES
WD ID: 0306653	Prcl Sze (Acres):
Associated Case No:	Lot:
County Parcel ID:	Block:
Permit: 488-RN	City: FORT COLLINS
Permit Issued: 04/29/1960	County: LARIMER
Permit Expires:	State: CO
Permit Category: General Purpose	Postal Code: 80521
Current Status: Well Constructed	Township: 7.0 N

## Wells and Additional Sources Detail Report

Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	NE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	20	Coords E/W (Feet):	
Top Prf. Casing (ft):		Coords E/W Dir:	
Bot Prf. Casing (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/31/1953	UTM x:	489268.6
First Beneficial Use:	05/31/1953	UTM y:	4492975.2
Pump Installed:		Location:	(40.587508, -105.126824)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):	14.00	Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.587508
Static Water Level Date:	1953/05/31	Longitude:	-105.126824
Modified:	07/19/2018 03:57:00 PM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	YOUNG, CLETUS L.	ID Key:	9037989 390917
Counties:			
Well Name:			
Comment:			
Address:	121 N SUNSET ST		
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9037989">https://dwr.state.co.us/Tools/WellPermits/9037989</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
171	NW	0.93	4,925.35	5,091.02	WATER WELLS

Receipt:	9039919	Parcel Name:	
WD ID:		Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	34261-	City:	
Permit Issued:	06/20/1968	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permitted Area Units:		Q40:	NE
Annual Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Casing (ft):	18	Coords E/W Dir:	

## Wells and Additional Sources Detail Report

Bot Prf. Csng (ft):	35	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	07/08/1968	UTM x:	489268.6
Frst Bneficial Use:	07/08/1968	UTM y:	4492975.2
Pump Installed:		Location:	(40.587508, -105.126824)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.587508
Statc Watr Lvl Dt:	1968/07/08	Longitude:	-105.126824
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	MEIN, FLORENCE E	ID Key:	9039919 271022
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039919">https://dwr.state.co.us/Tools/WellPermits/9039919</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
172	NW	0.93	4,928.07	5,103.79	WATER WELLS

Receipt:	9038193	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	2811-	City:	
Permit Issued:	02/20/1959	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	34	Coords E/W (Feet):	
Top Prf. Csng (ft):	25	Coords E/W Dir:	
Bot Prf. Csng (ft):	34	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	04/17/1959	UTM x:	488873.9
Frst Bneficial Use:	04/17/1959	UTM y:	4492577.6
Pump Installed:		Location:	(40.583921, -105.131481)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters

## Wells and Additional Sources Detail Report

Statc Wtr Lvl (ft):	20.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583921
Statc Wtr Lvl Dt:	1959/04/17	Longitude:	-105.131481
Modified:	05/25/1959 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	DAZY, VERNON	ID Key:	9038193 122861
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038193">https://dwr.state.co.us/Tools/WellPermits/9038193</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
172	NW	0.93	4,928.07	5,103.79	WATER WELLS

Receipt:	9038397	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	6463-	City:	
Permit Issued:	07/22/1960	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	31	Coords E/W (Feet):	
Top Prf. Csng (ft):	4	Coords E/W Dir:	
Bot Prf. Csng (ft):	31	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/08/1960	UTM x:	488873.9
Frst Bneficial Use:	08/08/1960	UTM y:	4492577.6
Pump Installed:		Location:	(40.583921, -105.131481)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.583921
Statc Wtr Lvl Dt:	1960/08/08	Longitude:	-105.131481
Modified:	04/09/2009 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	PORTER, BEN H	ID Key:	9038397 4051

## Wells and Additional Sources Detail Report

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038397>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
172	NW	0.93	4,928.07	5,103.79	WATER WELLS

Receipt: 9038358

WD ID:

Associated Case No:

County Parcel ID:

Permit: 5908-

Permit Issued: 05/18/1960

Permit Expires:

Permit Category: Residential

Current Status: Well Constructed

Special Use:

Associated Uses: Domestic

Permitted Area:

Permitted Area Units:

Annul Approp. (AF):

Well Depth (Feet): 34

Top Prf. Csng (ft): 16

Bot Prf. Csng (ft): 34

Designated Basin:

Well Constructed: 05/24/1960

Frst Bneficial Use: 05/24/1960

Pump Installed:

Well Plugged:

Yield (GPM):

Statc Wtr Lvl (ft): 20.00

Denver Basn Aqufr: No

Statc Watr Lvl Dt: 1960/05/24

Modified: 08/03/1960 12:00:00 AM

Associated Aqufrs: ALL UNNAMED AQUIFERS

Water District: 3

Contact Name: FALLS, C O

Counties:

Well Name:

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/9038358>

Parcel Name:

Prcl Sze (Acres):

Lot:

Block:

City:

County: LARIMER

State:

Postal Code:

Township: 7.0 N

Range: 69.0 W

Section: 9

Q160: SW

Q40: SW

Q10:

Coords E/W (Feet):

Coords E/W Dir:

Coords N/S (Feet):

Coords N/S Dir:

UTM x: 488873.9

UTM y: 4492577.6

Location: (40.583921, -105.131481)

Location Type: Well (Application/Permit)

Location Accuracy: Spotted from quarters

Elevation:

Latitude: 40.583921

Longitude: -105.131481

Mangemnt District:

Division: 1

Principle Meridian: S

ID Key: 9038358 292276

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

173      NNW      0.93      4,934.49      5,083.73      WATER WELLS

Receipt:	0026980A	Parcel Name:	WEST ACRES
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:		City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Unknown	Postal Code:	
Current Status:	Application Information Requested	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	9
Permitted Area:		Q160:	SW
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2800
Top Prf. Csng (ft):		Coords E/W Dir:	E
Bot Prf. Csng (ft):		Coords N/S (Feet):	2300
Designated Basin:		Coords N/S Dir:	S
Well Constructed:		UTM x:	489422.0
Frst Bneficial Use:		UTM y:	4493071.2
Pump Installed:		Location:	(40.588373, -105.125012)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.588373
Statc Watr Lvl Dt:		Longitude:	-105.125012
Modified:	06/07/1982 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	VAN GORDER JOHN H AND CONNIE MURRAY	ID Key:	0026980A 155535
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0026980A">https://dwr.state.co.us/Tools/WellPermits/0026980A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
174	E	0.94	4,956.25	5,035.60	WATER WELLS

Receipt:	9038241	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	3636-F	City:	

## Wells and Additional Sources Detail Report

Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Commercial	Section:	15
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	46	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	06/11/1962	UTM x:	491672.8
Frst Bneficial Use:	06/11/1962	UTM y:	4491726.3
Pump Installed:		Location:	(40.576284, -105.098397)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	6.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.576284
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.098397
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WESTMOOR BEACH & BLADE C	ID Key:	9038241 354684
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9038241">https://dwr.state.co.us/Tools/WellPermits/9038241</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
177	SSE	0.95	5,029.96	5,041.35	WATER WELLS

Receipt:	3622110	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	67174-F	City:	
Permit Issued:	05/22/2008	County:	LARIMER
Permit Expires:	05/22/2009	State:	
Permit Category:	General Purpose	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Other	Section:	22
Permitted Area:		Q160:	NW

## Wells and Additional Sources Detail Report

Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	2320
Top Prf. Csng (ft):		Coords E/W Dir:	W
Bot Prf. Csng (ft):		Coords N/S (Feet):	1200
Designated Basin:		Coords N/S Dir:	N
Well Constructed:	06/02/2008	UTM x:	490955.7
Frst Bneficial Use:		UTM y:	4490368.7
Pump Installed:		Location:	(40.564049, -105.106846)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from section lines
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.564049
Statc Watr Lvl Dt:		Longitude:	-105.106846
Modified:	01/12/2010 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	QUATERNARY ALLUVIUM	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	FORT COLLINS CITY OF	ID Key:	3622110 320134
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/3622110">https://dwr.state.co.us/Tools/WellPermits/3622110</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0025971	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	25971-MH	City:	
Permit Issued:	06/20/1995	County:	LARIMER
Permit Expires:	09/20/1995	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491668.8

## Wells and Additional Sources Detail Report

Frst Bneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572660
Statc Watr Lvl Dt:		Longitude:	-105.098439
Modified:	06/14/1995 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WERTH, GLEN	ID Key:	0025971 260949
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0025971">https://dwr.state.co.us/Tools/WellPermits/0025971</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0024598A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	24598-MH	City:	
Permit Issued:	10/14/1994	County:	LARIMER
Permit Expires:	01/14/1995	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491668.8
Frst Bneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572660
Statc Watr Lvl Dt:		Longitude:	-105.098439

## Wells and Additional Sources Detail Report

Modified:	10/07/1994 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	WERTH, GLEN	ID Key:	0024598A 260949
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0024598A">https://dwr.state.co.us/Tools/WellPermits/0024598A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0039786A	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	39786-MH	City:	
Permit Issued:	06/26/2001	County:	LARIMER
Permit Expires:	09/26/2001	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491668.8
Frst Bneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572660
Statc Watr Lvl Dt:		Longitude:	-105.098439
Modified:	06/26/2001 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCHRADER OIL CO	ID Key:	0039786A 324810
Counties:			
Well Name:			
Comment:			

## Wells and Additional Sources Detail Report

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0039786A>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0043111	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	43111-MH	City:	
Permit Issued:	02/13/2004	County:	LARIMER
Permit Expires:	05/11/2004	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	15	Coords E/W (Feet):	
Top Prf. Csng (ft):	5	Coords E/W Dir:	
Bot Prf. Csng (ft):	15	Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	02/23/2004	UTM x:	491668.8
Frst Bneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572660
Statc Watr Lvl Dt:		Longitude:	-105.098439
Modified:	12/29/2004 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	CAMPUS WEST TEXACO	ID Key:	0043111 175014
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0043111">https://dwr.state.co.us/Tools/WellPermits/0043111</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0023169A	Parcel Name:	
----------	----------	--------------	--

## Wells and Additional Sources Detail Report

WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	23169-MH	City:	
Permit Issued:	07/12/1994	County:	LARIMER
Permit Expires:	10/12/1994	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491668.8
Frst Bneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.572660
Statc Watr Lvl Dt:		Longitude:	-105.098439
Modified:	07/08/1994 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	8	Principle Meridian:	S
Contact Name:	WERTH, GLEN	ID Key:	0023169A 263341
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0023169A">https://dwr.state.co.us/Tools/WellPermits/0023169A</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	0014574	Parcel Name:	
WD ID:		Prcl Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	14574-MH	City:	
Permit Issued:	10/25/1988	County:	LARIMER
Permit Expires:	01/23/1989	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	

## Wells and Additional Sources Detail Report

Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	15
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491668.8
First Beneficial Use:		UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Static Water Level (ft):		Elevation:	
Denver Basin Aquifer:	No	Latitude:	40.572660
Static Water Level Date:		Longitude:	-105.098439
Modified:	01/20/2004 12:00:00 AM	Management District:	
Associated Aquifers:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principal Meridian:	S
Contact Name:	CO DEPT HEALTH	ID Key:	0014574 92117
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0014574">https://dwr.state.co.us/Tools/WellPermits/0014574</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	ESE	0.96	5,079.04	5,033.19	WATER WELLS

Receipt:	9039654	Parcel Name:	
WD ID:	0306496	Parcel Size (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	28234-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	SE
Permitted Area Units:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	23	Coords E/W (Feet):	

## Wells and Additional Sources Detail Report

Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	08/04/1966	UTM x:	491668.8
Frst Bneficial Use:	08/04/1966	UTM y:	4491324.0
Pump Installed:		Location:	(40.57266, -105.098439)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	8.00	Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.572660
Statc Wtr Lvl Dt:	1989/06/16	Longitude:	-105.098439
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	HILL, ALDEN T	ID Key:	9039654 236687
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039654">https://dwr.state.co.us/Tools/WellPermits/9039654</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
179	ENE	0.97	5,142.06	5,039.83	WATER WELLS

Receipt:	9039465	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	23948-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	24	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/25/1965	UTM x:	491676.8
Frst Bneficial Use:	05/25/1965	UTM y:	4492127.4
Pump Installed:		Location:	(40.579898, -105.098355)
Well Plugged:		Location Type:	Well (Application/Permit)

## Wells and Additional Sources Detail Report

Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	12.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.579898
Statc Wtr Lvl Dt:	1990/03/27	Longitude:	-105.098355
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SMITH, RICHARD L	ID Key:	9039465 54471
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039465">https://dwr.state.co.us/Tools/WellPermits/9039465</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
179	ENE	0.97	5,142.06	5,039.83	WATER WELLS

Receipt:	9039466	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	23955-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NE
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	22	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/25/1965	UTM x:	491676.8
Frst Bneficial Use:	05/25/1965	UTM y:	4492127.4
Pump Installed:		Location:	(40.579898, -105.098355)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	9.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.579898
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.098355
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S

## Wells and Additional Sources Detail Report

Contact Name: SMITH, RICHARD L ID Key: 9039466 54471  
 Counties:  
 Well Name:  
 Comment:  
 Address:  
 More Information: <https://dwr.state.co.us/Tools/WellPermits/9039466>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
179	ENE	0.97	5,142.06	5,039.83	WATER WELLS

Receipt:	9039467	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	23956-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	15
Permitted Area:		Q160:	NE
Permitted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	24	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	05/28/1965	UTM x:	491676.8
Frst Bneficial Use:	05/28/1965	UTM y:	4492127.4
Pump Installed:		Location:	(40.579898, -105.098355)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	10.00	Elevation:	
Denver Basn Aquifr:	No	Latitude:	40.579898
Statc Wtr Lvl Dt:	1900/01/01	Longitude:	-105.098355
Modified:		Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SMITH, RICHARD L	ID Key:	9039467 54471
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/9039467">https://dwr.state.co.us/Tools/WellPermits/9039467</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----

## Wells and Additional Sources Detail Report

180      NNW      0.98      5,155.29      5,085.60      WATER WELLS

Receipt:	0063543	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	63543-MH	City:	
Permit Issued:	06/17/2022	County:	LARIMER
Permit Expires:	09/15/2022	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9
Permitted Area:		Q160:	
Permttd Area Unts:		Q40:	
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489483.5
Frst Bneficial Use:		UTM y:	4493175.3
Pump Installed:		Location:	(40.589314, -105.124287)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589314
Statc Watr Lvl Dt:		Longitude:	-105.124287
Modified:	06/22/2022 11:43:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	POUDRE R-1 SCHOOL DISTRICT	ID Key:	0063543 462307
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0063543">https://dwr.state.co.us/Tools/WellPermits/0063543</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
180	NNW	0.98	5,155.29	5,085.60	WATER WELLS

Receipt:	0061979	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	

## Wells and Additional Sources Detail Report

Permit:	61979-MH	City:	
Permit Issued:	05/03/2021	County:	LARIMER
Permit Expires:	08/01/2021	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9
Permitted Area:		Q160:	
Permitted Area Unts:		Q40:	
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489483.5
Frst Bneficial Use:		UTM y:	4493175.3
Pump Installed:		Location:	(40.589314, -105.124287)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589314
Statc Watr Lvl Dt:		Longitude:	-105.124287
Modified:	05/03/2021 04:58:00 PM	Mangemnt District:	
Associated Aqufrs:		Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	POUDRE R-1 SCHOOL DISTRICT	ID Key:	0061979 442075
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0061979">https://dwr.state.co.us/Tools/WellPermits/0061979</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
180	NNW	0.98	5,155.29	5,085.60	WATER WELLS

Receipt:	0062566	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	62566-MH	City:	
Permit Issued:	10/04/2021	County:	LARIMER
Permit Expires:	01/02/2022	State:	
Permit Category:	Monitoring Hole (Notice of Intent)	Postal Code:	
Current Status:	Permit Issued	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Monitoring/Sampling	Section:	9

## Wells and Additional Sources Detail Report

Permitted Area:		Q160:	
Permitted Area Units:		Q40:	
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	489483.5
Frst Bneficial Use:		UTM y:	4493175.3
Pump Installed:		Location:	(40.589314, -105.124287)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589314
Statc Wtr Lvl Dt:		Longitude:	-105.124287
Modified:	10/04/2021 03:23:00 PM	Mangemnt District:	
Associated Aqufrs:	ALLUVIAL	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	POUDRE R-1 SCHOOL DISTRICT	ID Key:	0062566 442075
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/0062566">https://dwr.state.co.us/Tools/WellPermits/0062566</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
180	NNW	0.98	5,155.29	5,085.60	WATER WELLS

Receipt:	C350138	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	138-WCB	City:	
Permit Issued:	08/22/1955	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Colorado Water Conservation Board	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	9
Permitted Area:		Q160:	NE
Permitted Area Units:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	30	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	

## Wells and Additional Sources Detail Report

Well Constructed:	08/17/1955	UTM x:	489483.5
Frst Bneficial Use:		UTM y:	4493175.3
Pump Installed:		Location:	(40.589314, -105.124287)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	15.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589314
Statc Wtr Lvl Dt:	1955/08/17	Longitude:	-105.124287
Modified:	08/22/1955 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SCOTT, WILBUR S	ID Key:	C350138 165170
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/C350138">https://dwr.state.co.us/Tools/WellPermits/C350138</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
180	NNW	0.98	5,155.29	5,085.60	WATER WELLS

Receipt:	C350154	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	154-WCB	City:	
Permit Issued:	02/15/1956	County:	LARIMER
Permit Expires:		State:	
Permit Category:	Colorado Water Conservation Board	Postal Code:	
Current Status:	Well Constructed	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Irrigation	Section:	9
Permitted Area:		Q160:	NE
Permttd Area Unts:		Q40:	SW
Annul Approp. (AF):		Q10:	
Well Depth (Feet):	26	Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:	02/13/1956	UTM x:	489483.5
Frst Bneficial Use:		UTM y:	4493175.3
Pump Installed:		Location:	(40.589314, -105.124287)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	Spotted from quarters
Statc Wtr Lvl (ft):	19.00	Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.589314

## Wells and Additional Sources Detail Report

Statc Watr Lvl Dt:	1956/02/13	Longitude:	-105.124287
Modified:	02/15/1956 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	SHARP, CARL	ID Key:	C350154 149581
Counties:			
Well Name:			
Comment:			
Address:			
More Information:	<a href="https://dwr.state.co.us/Tools/WellPermits/C350154">https://dwr.state.co.us/Tools/WellPermits/C350154</a>		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
181	NNE	0.99	5,214.06	5,042.00	WATER WELLS

Receipt:	0900143	Parcel Name:	
WD ID:		Prcl Sze (Acres):	
Associated Case No:		Lot:	
County Parcel ID:		Block:	
Permit:	895-	City:	
Permit Issued:		County:	LARIMER
Permit Expires:		State:	
Permit Category:	Residential	Postal Code:	
Current Status:	Permit Canceled	Township:	7.0 N
Special Use:		Range:	69.0 W
Associated Uses:	Domestic	Section:	10
Permitted Area:		Q160:	SW
Permtted Area Unts:		Q40:	NE
Annul Approp. (AF):		Q10:	
Well Depth (Feet):		Coords E/W (Feet):	
Top Prf. Csng (ft):		Coords E/W Dir:	
Bot Prf. Csng (ft):		Coords N/S (Feet):	
Designated Basin:		Coords N/S Dir:	
Well Constructed:		UTM x:	491030.0
Frst Bneficial Use:		UTM y:	4493056.0
Pump Installed:		Location:	(40.588257, -105.10601)
Well Plugged:		Location Type:	Well (Application/Permit)
Yield (GPM):		Location Accuracy:	User supplied
Statc Wtr Lvl (ft):		Elevation:	
Denver Basn Aqufr:	No	Latitude:	40.588257
Statc Watr Lvl Dt:		Longitude:	-105.106010
Modified:	10/03/1958 12:00:00 AM	Mangemnt District:	
Associated Aqufrs:	ALL UNNAMED AQUIFERS	Division:	1
Water District:	3	Principle Meridian:	S
Contact Name:	GREENWALT, A C	ID Key:	0900143 48841
Counties:			
Well Name:			

## Wells and Additional Sources Detail Report

Comment:

Address:

More Information: <https://dwr.state.co.us/Tools/WellPermits/0900143>

# Radon Information

This section lists any relevant radon information found for the target property.

Federal EPA Radon Zone for *LARIMER* County: 1

- Zone 1: Counties with predicted average indoor radon screening levels greater than 4 pCi/L*
- Zone 2: Counties with predicted average indoor radon screening levels from 2 to 4 pCi/L*
- Zone 3: Counties with predicted average indoor radon screening levels less than 2 pCi/L*

Federal Area Radon Information for *LARIMER* County

No Measures/Homes:	96
Geometric Mean:	3.2
Arithmetic Mean:	5.5
Median:	3.5
Standard Deviation:	5.2
Maximum:	25.1
% >4 pCi/L:	43
% >20 pCi/L:	3
Notes on Data Table:	TABLE 1. Screening indoor radon data from the EPA/State Residential Radon Survey of Colorado conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

## Federal Sources

### FEMA National Flood Hazard Layer

FEMA FLOOD

The National Flood Hazard Layer (NFHL) data incorporates Flood Insurance Rate Map (FIRM) databases published by the Federal Emergency Management Agency (FEMA), and any Letters Of Map Revision (LOMRs) that have been issued against those databases since their publication date. The FIRM Database is the digital, geospatial version of the flood hazard information shown on the published paper FIRMs. The FIRM Database depicts flood risk information and supporting data used to develop the risk data. The FIRM Database is derived from Flood Insurance Studies (FISs), previously published FIRMs, flood hazard analyses performed in support of the FISs and FIRMs, and new mapping data, where available.

### Indoor Radon Data

INDOOR RADON

Indoor radon measurements tracked by the Environmental Protection Agency(EPA) and the State Residential Radon Survey.

### Public Water Systems Violations and Enforcement Data

PWSV

List of drinking water violations and enforcement actions from the Safe Drinking Water Information System (SDWIS) made available by the Drinking Water Protection Division of the US EPA's Office of Groundwater and Drinking Water. Enforcement sensitive actions are not included in the data released by the EPA. Address information provided in SWDIS may correspond either with the physical location of the water system, or with a contact address.

### Radon Zone Level

RADON ZONE

Areas showing the level of Radon Zones (level 1, 2 or 3) by county. This data is maintained by the Environmental Protection Agency (EPA).

### Safe Drinking Water Information System (SDWIS)

SDWIS

The Safe Drinking Water Information System (SDWIS) contains information about public water systems as reported to US Environmental Protection Agency (EPA) by the states. Addresses may correspond with the location of the water system, or with a contact address.

### Soil Survey Geographic database

SSURGO

The Soil Survey Geographic database (SSURGO) contains information about soil as collected by the National Cooperative Soil Survey at the Natural Resources Conservation Service (NRCS). Soil maps outline areas called map units. The map units are linked to soil properties in a database. Each map unit may contain one to three major components and some minor components.

### U.S. Fish & Wildlife Service Wetland Data

US WETLAND

The U.S. Fish & Wildlife Service Wetland layer represents the approximate location and type of wetlands and deepwater habitats in the United States.

### USGS Current Topo

US TOPO

US Topo topographic maps are produced by the National Geospatial Program of the U.S. Geological Survey (USGS). The project was launched in late 2009, and the term "US Topo" refers specifically to quadrangle topographic maps published in 2009 and later.

### USGS Geology

US GEOLOGY

Seamless maps depicting geological information provided by the United States Geological Survey (USGS).

### USGS National Water Information System

FED USGS

The U.S. Geological Survey (USGS)'s National Water Information System (NWIS) is the nation's principal repository of water resources data. This database includes comprehensive information of well-construction details, time-series data for gage height, streamflow, groundwater level, and precipitation and water use data.

### Wells from NWIS

FED USGS

The U.S. Geological Survey's National Water Information System (NWIS) is the nation's principal repository of water resources data. The NWIS includes comprehensive information of well-construction details, time-series data for gage height, streamflow, groundwater level, and precipitation and water use data. This NWIS dataset contains select Site Types from the overall NWIS Sites data, limited to the following Group Site Types only: Groundwater Group Site Types: Well, Collector or Ranney type well, Hyporheic-zone well,

# Appendix

Interconnected Wells, Multiple wells; Spring Group Site Type: Spring; and Other Group Site Types: Aggregate groundwater use, Cistern.

## State Sources

### Oil and Gas Pit Locations

PITS

The Colorado Oil and Gas Conservation Commission (COGCC) maintains this list of oil and gas pit locations within Colorado. This data contains over 10,000 oil and gas related pit locations. The Colorado Department of Natural Resources (DNR) notes that data and information provided by the DNR is provided as is without warranty of any kind, and that DNR is not responsible and shall not be liable for damages of any kind arising out of the use of data or information provided herein.

### Oil and Gas Wells

OGW

A list of active and plugged wells - including active and expired well permits provided by Department of Natural Resources, Oil & Gas Conservation Commission.

### Public Water Wells

WATER WELLS

The statewide water wells data consists of water levels information for each well. The data was made available by Colorado Decision Supports System under the development and improvement by the Colorado Water Conservation Board (CWCB) and the Colorado Division of Water Resources (DWR). The well latitude and longitude information represents physical location of the wells.

### Water Wells Permit Database

WATER WELLS

Water wells application and permit database maintained by the Colorado Department of Natural Resources' Division of Water Resources. This database includes statewide well applications and permits issued by the department.

## Liability Notice

**Reliance on information in Report:** The Physical Setting Report (PSR) DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a review of environmental databases and physical characteristics for the site or adjacent properties.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS Information Inc. disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.



OFFICE OF THE CITY CLERK  
CITY OF LOS ANGELES  
120 N. GARDEN STREET  
LOS ANGELES, CALIF. 90012

# BUILDING PERMIT

## APPLICANT INFORMATION

NAME	ADDRESS	CITY	STATE	ZIP
LAST FIRST MI	ST	CA	US	90000
PHONE	FAX	EMAIL		
DAY	NIGHT			
PROJECT NAME	PROJECT ADDRESS	CITY	STATE	ZIP
PROJECT TYPE	PROJECT DESCRIPTION			
PERMIT TYPE	PERMIT VALUE	PERMIT FEE	REVIEW FEE	ISSUANCE FEE
OTHER FEES	TOTAL FEES			

## PROJECT INFORMATION

PROJECT NAME	PROJECT ADDRESS	CITY	STATE	ZIP
PROJECT TYPE	PROJECT DESCRIPTION			
PERMIT TYPE	PERMIT VALUE	PERMIT FEE	REVIEW FEE	ISSUANCE FEE
OTHER FEES	TOTAL FEES			

DATE	TIME
1/1/20	10:00

APPROVED BY: *[Signature]*

## APPLICANT'S DECLARATION

I, the undersigned, hereby declare that the information provided on this permit application is true and correct to the best of my knowledge and belief. I understand that providing false information is a violation of the Building Code and may result in the denial of this permit and/or criminal prosecution.

## APPROVED BY

NAME	ADDRESS	CITY	STATE	ZIP
LAST FIRST MI	ST	CA	US	90000
PHONE	FAX	EMAIL		
DAY	NIGHT			

DATE	TIME
1/1/20	10:00

DATE	TIME
1/1/20	10:00

DATE	TIME
1/1/20	10:00

# City of Fort Collins

Engineering Department & Neighborhood Services  
2001 Ridgeway, Fort Collins, Colorado  
970-221-2200 ext. 2200

Building Permit # 01004200  
Issued For 01004200

Permit Type Residential Mechanical

Site Address 1200 N. PLUM ST

Job Location 0100 Category Residential

Owner 1200 N. PLUM ST, FORT COLLINS, CO 80521  
Phone 970-221-2200

Design Information: \_\_\_\_\_  
Description: \_\_\_\_\_  
Design Notes: \_\_\_\_\_

Project Information: \_\_\_\_\_  
Project # \_\_\_\_\_  
Project Name \_\_\_\_\_

Code: \_\_\_\_\_  
Description: \_\_\_\_\_  
Project # \_\_\_\_\_

Contractor: \_\_\_\_\_  
Contract # \_\_\_\_\_  
Contract Value \_\_\_\_\_

Inspector: \_\_\_\_\_  
Inspector # \_\_\_\_\_  
Inspector Name \_\_\_\_\_

Notes: \_\_\_\_\_  
Date: \_\_\_\_\_  
Signature: \_\_\_\_\_

1. I, the undersigned, hereby certify that the information furnished on this form is true and correct to the best of my knowledge and belief, and that I am not aware of any false or misleading information being furnished by me.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

It is understood that the undersigned hereby certifies that the information furnished on this form is true and correct to the best of my knowledge and belief, and that I am not aware of any false or misleading information being furnished by me. The undersigned also certifies that the information furnished on this form is true and correct to the best of my knowledge and belief, and that I am not aware of any false or misleading information being furnished by me.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_



# City of Fort Collins

Community Development & Neighborhood Services  
 200 N. College Ave. Fort Collins, CO 80501  
 970.221.4000 ext. 4000

Building Permit # **2018000000**

Issued For **REPAIRS**

Permit Type **Commercial Building**

Site Address **200 N. FULTON**

Lot Number **000000** Occupancy **Class 1 - Office/Bldg**

Owner **200 N. FULTON, LLC**  
 200 N. FULTON, LLC  
 200 N. FULTON, LLC  
 Phone **970-221-4000**

Design Information: \_\_\_\_\_ Size (sq. ft.) \_\_\_\_\_ Significance \_\_\_\_\_ Information \_\_\_\_\_  
 How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_  
 How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_

Legal Subdivision: \_\_\_\_\_ Parcel \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_

Code: How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_  
 How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_  
 How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_ How many? \_\_\_\_\_

Contractor **200 N. FULTON, LLC** License # **123456789** Phone **970-221-4000**  
 200 N. FULTON, LLC  
 200 N. FULTON, LLC  
 200 N. FULTON, LLC

Subcontractor \_\_\_\_\_ License # \_\_\_\_\_ Phone \_\_\_\_\_

**Work Description:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Permit Fee Schedule:** \_\_\_\_\_

**Permit Fee:** \_\_\_\_\_

**TOTAL PERMIT FEE (OF \$1000) \$1000 Payment Method:** \_\_\_\_\_

**Permit Conditions:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_  
 City Engineer/Inspector





RESEARCH SUPPORTED BY THE OFFICE OF THE SECRETARY OF DEFENSE, THE ARMY, THE NAVY, AND THE AIR FORCE.

100



**Farr Collins**

Author of the award-winning novel *The Road to Nowhere*  
 and the bestselling book *The Road to Nowhere*  
 and the bestselling book *The Road to Nowhere*

1. **Author(s)**: [Name(s)]  
 2. **Title**: [Title]  
 3. **Journal**: [Journal Name]  
 4. **Volume**: [Volume]  
 5. **Issue**: [Issue]  
 6. **Pages**: [Page Range]  
 7. **Year**: [Year]

Therapist authorized under the state statute has been reported for compliance with applicable rules of the State of New Mexico.

Modeling Approach	1990s	2000s	2010s	2020s
Traditional	Linear Regression	Logistic Regression	Support Vector Machines	Deep Learning
Machine Learning	Decision Trees	Random Forests	Gradient Boosting	Neural Networks
Bayesian	Naive Bayes	Bayesian Networks	Markov Chain Monte Carlo	Bayesian Deep Learning
Ensemble	Adaboost	XGBoost	LightGBM	CatBoost
Deep Learning	Artificial Neural Networks	Convolutional Neural Networks	Recurrent Neural Networks	Generative Adversarial Networks
Reinforcement Learning	Q-Learning	Deep Q-Networks	Proximal Policy Optimization	Actor-Critic Architectures
Transfer Learning	Pre-trained Models	Domain Adaptation	Multi-Task Learning	Meta-Learning
Explainable AI	Feature Importance	LIME	SHapley	Model Interpretability
Robustness	Adversarial Training	Robust Optimization	Adversarial Perturbations	Robust Deep Learning
Privacy	Differential Privacy	Secure Multi-Party Computation	Homomorphic Encryption	Federated Learning
Scalability	MapReduce	Spark	TensorFlow	PyTorch
Deployment	Model Export	Model Serving	Model Monitoring	Model Maintenance
Evaluation	Cross-Validation	Hyperparameter Tuning	Model Benchmarking	Model Performance Analysis
Integration	APIs	Web Services	Cloud Platforms	Edge Computing
Interpretability	Model Explainability	Model Transparency	Model Accountability	Model Trustworthiness
Security	Model Security	Model Integrity	Model Reliability	Model Resilience
Compliance	Model Governance	Model Auditing	Model Certification	Model Accreditation
Collaboration	Model Sharing	Model Collaboration	Model Community	Model Ecosystem
Future	Model Innovation	Model Research	Model Development	Model Deployment

# Certificate of Occupancy

This certificate is a statement of occupancy. The building identification and occupancy information on this certificate are for informational purposes only. The information on this certificate is not intended to be used for any other purpose.

Building: 100 Main St. City: Boston, MA 02101

Address: 100 Main St. City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

Room: 100 City: Boston, MA 02101

# **Appendix F**

## **Qualifications Of Environmental Professionals**

**SUMMARY AND QUALIFICATIONS:**

Technically proficient Licensed Engineer with strong academic and work credentials. Career-minded individual with dynamic experience contributing Environmental Engineering focused results across a diversity of businesses. Key strengths include:

- **Eleven plus years** of experience with Environmental Consultants and Engineering firms as an Environmental Engineer on various projects performing **Environmental Litigation Support, Audits, permitting, Phase I ESAs and PCAs**.
- Perform environmental impact studies; air, noise, water, and soil pollution mitigation system design for Refinery, LNG, and various Petrochemical Projects.
- Responsible for preparing various Air Permits- Title V, NSR, PBR and maintaining them for Oil and Gas facilities onshore and offshore in Texas, Florida and Louisiana

**EDUCATION:**

MASTER OF ENGINEERING IN **ENVIRONMENTAL**  
LAMAR UNIVERSITY

December 2002  
BEAUMONT, TX

BACHELOR OF ENGINEERING IN **CIVIL**  
UNIVERSITY OF PUNE

May 2000  
PUNE, INDIA

**PROFESSIONAL EXPERIENCE:**

**ENVIRONMENTAL CONSULTANT**  
RSB ENVIRONMENTAL

**2005– PRESENT**

- Prepare 200 plus **Environmental Sites Assessments (ESAs) Property Conditions Assessments (PCAs)** and to determine the potential for liability from environmental impairment utilizing reviews of State and Federal environmental record sources, physical setting sources, historical information, site reconnaissance, and interviews, per ASTM Standards.
- Experience has included the completion of 50 ASTM E 2018 Property Condition Assessments (PCAs) and more than 50 ASTM E 1527 Phase 1 Environmental Site Assessments (ESAs). Services have also included the ability to generate ASTM E 2026-99 Seismic Risk Assessment Checklists. Assignments have included projects for leading financial institutions, Fannie Mae, Freddie Mac and the Department of Housing and Urban Development (HUD). Additional specialties have included construction monitoring, building code compliance surveys, anchor testing, roof system analyses and engineering design support. Relationships are maintained with professional organizations that include the Structural Engineers Association of Washington State (SEAW), the American Institute of Architects (AIA) and the Construction Specifications Institute (CSI).

**HSE MANAGER**  
KBR

**2007–2012**  
HOUSTON, TX

- Review and finalize **Due Diligence** reports prepared in the country to minimize corporate liability and reduce potential exposure to future litigations.
- Complete ASTM based Property Condition Assessments (PCA), Phase 1 Environmental Site Assessments (ESA) and Construction Monitoring (CM) for the commercial real estate market.
- Primary responsibilities include commercial real estate site assessments and detailed engineering reports for properties that have included retail centers, office complexes, hotels, assisted living facilities, industrial plants and multi-family housing communities.

**PROJECT MANAGER**  
CAMP DRESSER MCKEE, INC.

**2006–2007**  
VERO BEACH, FL

- Engineering analysis, design, permitting related to Landfills, Water and Wastewater facilities.
- Perform engineering analyses, grading plan, design/modeling pertaining to landfill and landfill gas systems

**Your Environmental Business Partners**



- Oversee operation and maintenance of Landfill gas collection and landfill gas to energy projects.
- Perform Environmental Sites Assessments to determine the potential for liability from environmental impairment utilizing reviews of State and Federal environmental record sources, physical setting sources, historical information, site reconnaissance, and interviews, per ASTM Standards.
- Preparation of Water Use Permit and Water Conservation Plan for St. Lucie County Utilities
- Prepared various Title V compliance reports for St. Lucie County and Martin County landfills: Semi-Annual Report, Annual Operating Report, Statement of Compliance, Major Air Pollution Source Annual Emissions Fee Form

**ENVIRONMENTAL ENGINEER**

**2003–2006**

S I GROUP, LP

BEAUMONT & COLLEGE STATION, TX

- Provided Clean Air Act (CAA) regulatory compliance services for metal manufacturing industry in Beaumont, Texas. Analyzed production data at the various plants and determined appropriate emission factors from available Federal (AP-42) and metal industry trade associations.
- Calculated annual and hourly emissions for particulate, VOC's, NOx, SO2, CO, and other appropriate parameters. Performed a regulatory compliance review for all applicable regulations (i.e. MACT, NESHAP, etc.)
- Perform Phase II Environmental Site Assessments to sample groundwater and analyze soils, sediments, surface water, and groundwater.
- Prepare SPCC plans, SWPPP application, NEPA Compliance, UST Closure, Remediation Design, Subsurface Investigation plans.
- Perform HON Compliance Sampling, Subpart FF Compliance Sampling, LDAR Field and Records Auditing, El Paso Method Monitoring, Cooling Tower Emissions Monitoring, Remediation Planning and Oversight.

**COMPUTER SKILLS:**

Software Packages:

MS Word, Access, PowerPoint and Excel;

Design Tools:

AutoCAD2000, Micro station, HEC-RAS/HMS, GIS, and STAAD-PRO, Pipe2000, LANDGEM, HELP MODEL, PCSTABLE, AutoDesk Civil Series, VIZIO

**CERTIFICATIONS AND TRAINING:**

- Professional Engineer, Texas, License No: 98514, (December 2006)
- Engineer-In-Training, Texas, License No: 36936, (January 2006)
- Landfill Gas Design Training- Landtec, Chicago, IL
- OSHA 40 HR. HAZWOPER
- AutoDesk Land Development and 3D solid Training
- American Red Cross Standard First Aid and CPR w/AED Training

**Your Environmental Business Partners**

**Appendix G**  
**HUD Form 4128-OHF**

# Environmental Assessment and Compliance Findings for the Related Laws

U.S. Department of Housing and Urban Development

1. Project Number

HUD Program

2. Date Received

RMS: HI-00487R

**Findings and Recommendations** are to be prepared **after** the environmental analysis is completed. Complete items 1 through 15 as appropriate for all projects. For projects requiring an environmental assessment, also complete Parts A and B. For projects categorically excluded under 24 CFR 50.20, complete Part A. Attach notes and source documentation that support the findings.

3. Project Name and Location (Street, City, County, State)

4. Applicant Name and Address (Street, City, State, Zip Code), and Phone

5. ☐ Multifamily ☐ Elderly ☐ Other  
If Other, explain.

6. Number of  
\_\_\_\_\_ Dwelling Units \_\_\_\_\_ Buildings  
\_\_\_\_\_ Stories \_\_\_\_\_ Acres

7. Displacement ☐ No ☐ Yes  
If Yes, explain.

8. ☐ New Construction ☐ Rehabilitation ☐ Other  
(if Other, explain)

9. Has an environmental report (Federal, State, or local) been used in completing this form? ☐ No ☐ Yes

If Yes, identify: \_\_\_\_\_

11. Environmental Finding (check one)  
☐ Categorical exclusion is made in accordance with § 50.20 or  
☐ Environmental Assessment and a **Finding of No Significant Impact** (FONSI) is made in accordance with § 50.33 or  
☐ Environmental Assessment and a **Finding of Significant Impact** is made, and an Environmental Impact Statement is required in accordance with §§ 50.33(d) and 50.41.

10. Planning Findings. Is the project in compliance or conformance with the following plans?

Local Zoning ☐ Yes ☐ No ☐ Not Applicable  
Coastal Zone ☐ Yes ☐ No ☐ Not Applicable  
Air Quality (SIP) ☐ Yes ☐ No ☐ Not Applicable

Explain any "No" answer: \_\_\_\_\_

Are there any unresolved conflicts concerning the use of the site?

☐ No ☐ Yes (explain): \_\_\_\_\_

☐ Project is recommended for approval (List any conditions and requirements) ☐ Project is recommended for rejection (State reasons)

12. Preparer (signature)

Date

13. Supervisor (signature)

Date

14. Comments by Environmental Clearance Officer (ECO)  
(required for projects over 200 lots/units)

ECO (signature)

X

Date

15. Comments (if any) by HUD Approving Official

HUD Approving Official (signature)

X

Date

**Part A. Compliance Findings for §50.4 Related Laws and Authorities**

§ 50.4 Laws and Authorities	Project is in Compliance		Source Documentation and Requirements for Approval
	Yes	No	
16. Coastal Barrier Resources			
17. Floodplain Management (24 CFR Part 55)			
18. Historic Preservation (36 CFR Part 800)			
19. Noise Abatement (24 CFR Part 51 Subpart B)			
20. Hazardous Operations (24 CFR Part 51 Subpart C)			
21. Airport Hazards (24 CFR Part 51 Subpart D)			
22. Protection of Wetlands (E. O. 11990)			
23. Toxic Chemicals & Radioactive Materials (§ 50.3(i))			
24. Other § 50.4 authorities (e.g., endangered species, sole source aquifers, farmlands protection, flood, insurance, environmental justice)			

**Part B. Environmental/Program Factors**

Factors	Anticipated Impact/Deficiencies			Source Documentation and Requirements for Approval
	None	Minor	Major	
25. Unique Natural Features and Areas				
26. Site Suitability, Access, and Compatibility with Surrounding Development				
27. Soil Stability, Erosion, and Drainage				
28. Nuisances and Hazards (natural and built)				
29. Water Supply / Sanitary Sewers				
30. Solid Waste Disposal				
31. Schools, Parks, Recreation, and Social Services				
32. Emergency Health Care, Fire and Police Services				
33. Commercial / Retail and Transportation				
34. Other				

Public reporting burden for this collection of information is estimated to average 1 hour. This includes the time for collecting, reviewing, and reporting the data. Response to this request for information is required in order to receive the benefits to be derived. Section 232 of the National Housing Act authorizes mortgage insurance for the development of nursing homes and intermediate care facilities. This agency may not collect this information, and you are not required to complete this form unless it displays a currently valid OMB control number. While no assurance of confidentiality is pledged to respondents, HUD generally discloses this data only in response to a Freedom of Information Act request.

# Sample Field Notes Checklist

Project Number	HUD Program
----------------	-------------

Project Name:

Location (street, city, county/State, & zip code)

Number of Dwelling Units	Project site is in a location described as
<input type="checkbox"/> New construction <input type="checkbox"/> Rehabilitation	<input type="checkbox"/> Central city <input type="checkbox"/> Suburban <input type="checkbox"/> Infill urban development <input type="checkbox"/> In developing rural area <input type="checkbox"/> In undeveloped area

**Note to Reader:** An Environmental Assessment (EA) is a concise public document that a Federal agency must prepare in order to comply with the National Environmental Policy Act (NEPA) and the related Federal environmental laws and authorities. The EA must support decision making process and provide a clear rationale, justification, and documentation for ratings assigned.

## Instructions

It is recommended that this checklist be used by HUD staff who prepare the Environmental Assessment (EA; form HUD-4128). It will constitute full documentation for many factors on the EA, and partial documentation for others. It will avoid narrative reports and expedite the environmental review process. This checklist, which is a slightly revised version of Appendix C of Handbook 1390.2, should be used pending revision of Handbook 1390.2.

The number for each checksheet topic is the number that appears on form HUD-4128. Also, each checklist title/heading is followed by a reference to where the topic appears in the current Handbook 1390.2.

Before the site visit, review the Phase I and all background information submitted with the application (if applicable). During the site visit, the preparers of form HUD-4128 are to: (i) answer all relevant questions on this checklist; (ii) use the spaces provided for comments to include supplemental information as well as to record any recommended mitigation measures or requirements for project approval; (iii) key your answers to the relevant questions (using additional sheets of paper to provide more detailed information); and (iv) use the spaces provided for source documentation to cite the information source used (e.g., title of

a technical report, map, or special study; site inspection/field observation; name and location of the qualified data source(s) that provided the information, for example, the local planning agency, the local housing and/or community development agency, the State environmental protection agency, the State Historic Preservation Officer, or other qualified data source.)

Preparers are to obtain and use, as appropriate, any environmental report (Federal, State, or local) that may have already been prepared for the property or area in which the property is located.

Several different types of maps will be useful in completing the review, such as the project plan or plot map, a location map showing major features and facilities in the vicinity, the USGS topographic map and FEMA flood map for the site area, and zoning/land use maps. **Many of the conditions can and should be recorded directly on the project plan.** Distances to major features and facilities (e.g., schools and fire stations) and a description of the surrounding area are examples. The plan can then be referenced as "source documentation" on form HUD-4128.

## 9. Environmental Report

List the Federal, State, or local agencies contacted to obtain their existing environmental reports and other data for the HUD environmental review for the proposed project.

List the major reports obtained. (attach the report(s) or otherwise list the title, author, publication date)

## 10. Planning Findings

Is the project in compliance or conformance with the local zoning?  
☐ Yes    ☐ No    ☐ Not Applicable    If No or Not Applicable, explain.

Is the project located within a coastal management zone (CZM)?

☐ Yes    ☐ No    ☐ Not Applicable

If your answer is Yes, the State Coastal Zone Management (CZM) Agency must make a finding that the project is consistent with the approved State CZM program.

Is the State's finding attached to this checksheet?

☐ Yes    ☐ No

Is the project in compliance with the air quality State Implementation Plan (SIP)?

☐ Yes    ☐ No    ☐ Not Applicable

---

Comments:

Source documentation:

Are there any unresolved conflicts concerning the use of the site?

☐ Yes ☐ No If your answer is Yes, briefly explain:

**16. Coastal Barrier Resources**

Is the project located within a coastal barrier designated on a current FEMA flood map or Department of Interior coastal barrier resources map?

☐ Yes ☐ No If your answer is Yes, the law prohibits Federal funding of projects in designated coastal barriers.

**17. Flood Management** (24 CFR Part 55) (see CF 3 and 4 of Handbook 1390.2)

Is the project located within a floodplain designated on a current FEMA flood map?

☐ Yes ☐ No Identify FEMA flood map used to make this finding:

Community Name and Number: \_\_\_\_\_

Map Panel Number and Date of Map Panel: \_\_\_\_\_

If your answer is Yes, use § 55.12 and the floodplain management decisionmaking process (§ 55.20) to comply with 24 CFR Part 55.

Comments:

Source documentation: (attach § 55.20 analysis)

**18. Historic Preservation** (see CF 2 of Handbook 1390.2)

Has the SHPO been notified of the project and requested to provide comments?

☐ Yes ☐ No

Is the property listed on or eligible for listing on the National Register of Historic Places?

☐ Yes ☐ No

Is the property located within or directly adjacent to an historic district?

☐ Yes ☐ No

Does the property's area of potential effects include an historic district or property?

☐ Yes ☐ No

If your answer is Yes to any of the above questions, consult with the State Historic Preservation Officer (SHPO) and comply with 36 CFR part 800.

Has the SHPO been or is being advised of HUD's finding?

☐ Yes ☐ No

Comments:

Source documentation:

**19. Noise Abatement** (see CF 1 of Handbook 1390.2)

Is the project located near a major noise source, i.e., civil airports (within 5 miles), military airfields (15 miles), major highways or busy roads (within 1000 feet), or railroads (within 3000 feet)?

☐ Yes ☐ No If your answer is Yes, comply with 24 CFR 51, Subpart B which requires a noise assessment for proposed new construction. Use adopted DNL contours if the noise source is an airport.

Comments:

Source documentation: (attach NAG worksheets)

---

**20. Hazardous Industrial Operations** (see CF 5 of Handbook 1390.2)

Are industrial facilities handling explosive or fire-prone materials such as liquid propane, gasoline or other storage tanks adjacent to or visible from the project site?

☐ Yes ☐ No If your answer is Yes, use HUD Hazards Guide and comply with 24 CFR Part 51, Subpart C.

Comments:

Source documentation: (attach ASD worksheets)

**21. Airport Hazards** (see CF 5 of Handbook 1390.2)

Is the project within 3,000 feet from the end of a runway at a civil airport?

☐ Yes ☐ No

Is the project within 2-1/2 miles from the end of a runway at a military airfield?

☐ Yes ☐ No If your answer is Yes to either of the above questions, comply with 24 CFR Part 51, Subpart D.

Comments:

Source documentation:

**22. Protection of Wetlands** (E.O. 11990) (see CF 3 and 4 of Handbook 1390.2)

Are there drainage ways, streams, rivers, or coastlines on or near the site?

☐ Yes ☐ No

Are there ponds, marshes, bogs, swamps or other wetlands on or near the site?

☐ Yes ☐ No

For projects proposing new construction and/or filling, the following applies:

Is the project located within a wetland designated on a National Wetlands Inventory map of the Department of the Interior (DOI)?

☐ Yes ☐ No If your answer is Yes, E.O. 11990, Protection of Wetlands, discourages Federal funding of new construction or filling in wetlands and compliance is required with the wetlands decisionmaking process (§ 55.20 of 24 CFR Part 55. Use proposed Part 55 published in the Federal Register on January 1, 1990 for wetland procedures).

Comments:

Source documentation: (attach § 55.20 analysis for new construction and/or filling)

**23. Toxic Chemicals and Radioactive Materials** (see CF 5 of Handbook 1390.2)

Has a Phase I (ASTM) Report been submitted and reviewed?

☐ Yes ☐ No If your answer is No, is a Phase I (ASTM) report needed?

☐ Yes ☐ No

Are there issues that require a special/specific Phase II report before completing the environmental assessment?

☐ Yes ☐ No

Is the project site near an industry disposing of chemicals or hazardous wastes?

☐ Yes ☐ No

Is the site listed on an EPA Superfund National Priorities or CERCLA, or equivalent State list?

☐ Yes ☐ No

Is the site located within 3,000 feet of a toxic or solid waste landfill site?

☐ Yes ☐ No

Does the site have an underground storage tank?

☐ Yes ☐ No

If your answer is Yes to any of the above questions, use current techniques by qualified professionals to undertake investigations determined necessary and comply with § 50.3(i).

Are there any unresolved concerns that could lead to HUD being determined to be a Potential Responsible Party (PRP)?

☐ Yes ☐ No

Comments:

Source documentation: (attach Phase I (ASTM) Report)

---

## 24. Other

### a. Endangered Species (see EF 3.4 of Handbook 1390.2)

Has the Department of Interior list of Endangered Species and Critical Habitats been reviewed?

☐ Yes ☐ No

Is the project likely to affect any listed or proposed endangered or threatened species or critical habitats?

☐ Yes ☐ No If your answer is Yes, compliance is required with Section 7 of the Endangered Species Act, which mandates consultation with the Fish and Wildlife Service in order to preserve the species.

Comments:

Source documentation

### b. Sole Source aquifers

Will the proposed project affect a sole source or other aquifer?

☐ Yes ☐ No

Comments

Source documentation

### c. Farmlands Protection (see EF 3.3 of Handbook 1390.2)

If the site or area is presently being farmed, does the project conform with the Farmland Protection Policy Act and HUD policy memo?

☐ Yes ☐ No If your answer is Yes, compliance is required with 7 CFR Part 658, Department of Agriculture regulations implementing the Act.

Comments:

Source documentation:

### d. Flood Insurance

Is the building located or to be located within a Special Flood Hazard Area identified on a current Flood Insurance Rate Map (FIRM)?

☐ Yes ☐ No If your answer is Yes, flood insurance protection is required for buildings located or to be located within a Special Flood Hazard Area as a condition of approval of the project. In addition, compliance with § 55.12 and the floodplain management decisionmaking process (§ 55.20) is required (refer to item #17 above). Document the map used to determine Special Flood Hazard Area in above item #17 pertaining to community name and number, map panel number and date of map panel.

### e. Environmental Justice

Is the project located in a predominantly minority and low-income neighborhood?

☐ Yes ☐ No

Does the project site or neighborhood suffer from disproportionately adverse environmental effects on minority and low-income populations relative to the community-at-large?

☐ Yes ☐ No If your answer is Yes, compliance is required with E.O. 12898, Federal Actions to Address Environmental Justice.

Comments:

Source documentation:

## 25. Unique Natural Features and Areas (see EF 3.2 of Handbook 1390.2)

Is the site near natural features (i.e., bluffs or cliffs) or near public or private scenic areas?

☐ Yes ☐ No

Are other natural resources visible on site or in vicinity? Will any such resources be adversely affected or will they adversely affect the project?

☐ Yes ☐ No

Comments:

**26. Site Suitability, Access, and Compatibility with Surrounding Development** (see EF 1.1 and 1.3 of Handbook 1390.2)

Has the site has been used as a dump, sanitary landfill or mine waste disposal area? ☐ Yes ☐ No  
Is there paved access to the site? ☐ Yes ☐ No  
Are there other unusual conditions on site? ☐ Yes ☐ No

Is there indication of:	Yes	No		Yes	No
distressed vegetation	<input type="checkbox"/>	<input type="checkbox"/>	oil/chemical spills	<input type="checkbox"/>	<input type="checkbox"/>
waste material/containers	<input type="checkbox"/>	<input type="checkbox"/>	abandoned machinery, cars, refrigerators, etc.	<input type="checkbox"/>	<input type="checkbox"/>
soil staining, pools of liquid	<input type="checkbox"/>	<input type="checkbox"/>	transformers, fill/vent pipes, pipelines, drainage structures	<input type="checkbox"/>	<input type="checkbox"/>
loose/empty drums, barrels	<input type="checkbox"/>	<input type="checkbox"/>			

Is the project compatible with surrounding area in terms of:

	Yes	No		Yes	No
Land use	<input type="checkbox"/>	<input type="checkbox"/>	Building type (low/high-rise)	<input type="checkbox"/>	<input type="checkbox"/>
Height, bulk, mass	<input type="checkbox"/>	<input type="checkbox"/>	Building density	<input type="checkbox"/>	<input type="checkbox"/>

Will the project be unduly influenced by:

	Yes	No		Yes	No
Building deterioration	<input type="checkbox"/>	<input type="checkbox"/>	Transition of land uses	<input type="checkbox"/>	<input type="checkbox"/>
Postponed maintenance	<input type="checkbox"/>	<input type="checkbox"/>	Incompatible land uses	<input type="checkbox"/>	<input type="checkbox"/>
Obsolete public facilities	<input type="checkbox"/>	<input type="checkbox"/>	Inadequate off-street parking	<input type="checkbox"/>	<input type="checkbox"/>

Are there air pollution generators nearby which would adversely affect the site:

	Yes	No		Yes	No
Heavy industry	<input type="checkbox"/>	<input type="checkbox"/>	Large parking facilities (1000 or more cars)	<input type="checkbox"/>	<input type="checkbox"/>
Incinerators	<input type="checkbox"/>	<input type="checkbox"/>	Heavy travelled highway (6 or more lanes)	<input type="checkbox"/>	<input type="checkbox"/>
Power generating plants	<input type="checkbox"/>	<input type="checkbox"/>	Oil refineries	<input type="checkbox"/>	<input type="checkbox"/>
Cement plants	<input type="checkbox"/>	<input type="checkbox"/>	Other(specify)	<input type="checkbox"/>	<input type="checkbox"/>

Comments:

Source documentation:

**27. Soil Stability, Erosion, and Drainage** (see EF 1.2 of Handbook 1390.2)

Slopes: ☐ Not Applicable ☐ Steep ☐ Moderate ☐ Slight

Is there evidence of slope erosion or unstable slope conditions on or near the site? ☐ Yes ☐ No

Is there evidence of ground subsidence, high water table, or other unusual conditions on the site? ☐ Yes ☐ No

Is there any visible evidence of soil problems (foundations cracking or settling, basement flooding, etc.) in the neighborhood of the site? ☐ Yes ☐ No

Have soil studies or borings been made for the project site or the area? ☐ Yes ☐ No ☐ Unknown

Do the soil studies or borings indicate marginal or unsatisfactory soil conditions? ☐ Yes ☐ No

Is there indication of cross-lot runoff, swales, drainage flows on the property? ☐ Yes ☐ No

Are there visual indications of filled ground? ☐ Yes ☐ No

If your answer is Yes, was a 79(g) report/analysis submitted? ☐ Yes ☐ No

Are there active rills and gullies on site? ☐ Yes ☐ No

If the site is not to be served by a municipal waste water disposal system, has a report of the soil conditions suitable for on-site septic systems been submitted? ☐ Yes ☐ No ☐ N.A.

Is a soils report (other than structural) needed? ☐ Yes ☐ No

Are structural borings or a dynamic soil analysis/geological study needed? ☐ Yes ☐ No

Comments:

Source documentation:

---

**28. Nuisances and Hazards** (see EF 1.3 and 1.4 of Handbook 1390.2)

Will the project be affected by natural hazards:

	Yes	No		Yes	No
Faults, fracture	<input type="checkbox"/>	<input type="checkbox"/>	Fire hazard materials	<input type="checkbox"/>	<input type="checkbox"/>
Cliffs, bluffs, crevices	<input type="checkbox"/>	<input type="checkbox"/>	Wind/sand storm concerns	<input type="checkbox"/>	<input type="checkbox"/>
Slope-failures from rains	<input type="checkbox"/>	<input type="checkbox"/>	Poisonous plants, insects, animals	<input type="checkbox"/>	<input type="checkbox"/>
Unprotected water bodies	<input type="checkbox"/>	<input type="checkbox"/>	Hazardous terrain features	<input type="checkbox"/>	<input type="checkbox"/>

Will the project be affected by built hazards and nuisances:

	Yes	No		Yes	No
Hazardous street	<input type="checkbox"/>	<input type="checkbox"/>	Inadequate screened drainage catchments	<input type="checkbox"/>	<input type="checkbox"/>
Dangerous intersection	<input type="checkbox"/>	<input type="checkbox"/>	Hazards in vacant lots	<input type="checkbox"/>	<input type="checkbox"/>
Through traffic	<input type="checkbox"/>	<input type="checkbox"/>	Chemical tank-car terminals	<input type="checkbox"/>	<input type="checkbox"/>
Inadequate separation of pedestrian/vehicle traffic	<input type="checkbox"/>	<input type="checkbox"/>	Other hazardous chemical storage	<input type="checkbox"/>	<input type="checkbox"/>
Children's play areas located next to freeway or other high traffic way	<input type="checkbox"/>	<input type="checkbox"/>	High-pressure gas or liquid petroleum transmission lines on site	<input type="checkbox"/>	<input type="checkbox"/>
Inadequate street lighting	<input type="checkbox"/>	<input type="checkbox"/>	Overhead transmission lines	<input type="checkbox"/>	<input type="checkbox"/>
Quarries or other excavations	<input type="checkbox"/>	<input type="checkbox"/>	Hazardous cargo transportation routes	<input type="checkbox"/>	<input type="checkbox"/>
Dumps/sanitary landfills or mining	<input type="checkbox"/>	<input type="checkbox"/>	Oil or gas wells	<input type="checkbox"/>	<input type="checkbox"/>
Railroad crossing	<input type="checkbox"/>	<input type="checkbox"/>	Industrial operations	<input type="checkbox"/>	<input type="checkbox"/>

Will the project be affected by nuisances:

	Yes	No	Yes	No
Gas, smoke, fumes	<input type="checkbox"/>	<input type="checkbox"/>	Unightly land uses	<input type="checkbox"/>
Odors	<input type="checkbox"/>	<input type="checkbox"/>	Front-lawn parking	<input type="checkbox"/>
Vibration	<input type="checkbox"/>	<input type="checkbox"/>	Abandoned vehicle	<input type="checkbox"/>
Glare from parking area	<input type="checkbox"/>	<input type="checkbox"/>	Vermin infestation	<input type="checkbox"/>
Vacant/boarded-up buildings	<input type="checkbox"/>	<input type="checkbox"/>	Industrial nuisances	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	Other (specify)	<input type="checkbox"/>

Comments:

Source documentation:

**29. Water, Supply, Sanitary Sewers, and Solid Waste Disposal** (see EF 2.1, 2.2, and 2.4 of Handbook 1390.2)

Is the site served by an adequate and acceptable:

water supply

☐ Yes ☐ No ☐ Municipal ☐ Private

sanitary sewers and waste water disposal systems

☐ Yes ☐ No ☐ Municipal ☐ Private

trash collection and solid waste disposal

☐ Yes ☐ No ☐ Municipal ☐ Private

If the water supply is non-municipal, has an acceptable "system" been approved by appropriate authorities and agencies?

☐ Yes ☐ No

If the sanitary sewers and waste water disposal systems are non-municipal, has an acceptable "system" been approved by appropriate authorities and agencies?

☐ Yes ☐ No

Comments:

Source documentation:

---

**31. Schools, Parks, Recreation, and Social Services** (see U/EF 4, 5, and 6 of Handbook 1390.2)

Will the local school system have the capability to service the potential school age children from the project?

☐ Yes ☐ No

Are parks and play spaces available on site or nearby?

☐ Yes ☐ No

Will social services be available on site or nearby for residents of the proposed project?

☐ Yes ☐ No

Comments:

Source documentation:

**32. Emergency Health Care, Fire and Police Services** (see U/EF 7, 8, and 9 of Handbook 1390.2)

Are emergency health care providers located within reasonable proximity to the proposed project?

☐ Yes ☐ No Approximate response time: \_\_\_\_\_

Are police services located within reasonable proximity to the proposed project?

☐ Yes ☐ No Approximate response time: \_\_\_\_\_

Is fire fighting protection ☐ municipal ☐ volunteer adequate and equipped to service the project?

☐ Yes ☐ No Approximate/estimated response time: \_\_\_\_\_

Comments:

Source documentation:

**33. Commercial/Retail and Transportation** (see U/EF 10 and 11 of Handbook 1390.2)

Are commercial/retail shopping services nearby?

☐ Yes ☐ No

Is the project accessible to employment, shopping and services by

☐ public transportation or ☐ private vehicle?

Is adequate public transportation available from the project to these facilities?

☐ Yes ☐ No

Are the approaches to the project convenient, safe and attractive?

☐ Yes ☐ No

---

**11. Conditions and Requirements for Approval**

Are mitigation measures required?

☐ Yes ☐ No

If your answer is Yes, list and describe:

Brief Description of the Project:

Field Inspection on (date) \_\_\_\_\_

By (signature) \_\_\_\_\_

## WEECYCLE ENVIRONMENTAL CONSULTING, INC.

---

1208 Commerce Court, Suite 5B  
Lafayette, Colorado 80026  
(303) 413-0452

February 3, 2023 & July 21, 2023

Housing Catalyst  
Preston Nakayama  
1715 W Mountain Ave  
Fort Collins, CO 80521

***Re: PLM analysis for 2155 W Plum St., Ft. Collins, CO 80521 (the property) – Limited Survey – (Bathrooms, Kitchens, Flooring)***

Dear Mr. Nakayama,

On January 25, 2022 & July 13, 2023, David Sawitsky # 13463, a Building Inspector, certified and accredited by the Colorado Department of Public Health and Environment (CDPHE), collected and submitted for analysis thirty (30) samples of suspected asbestos-containing material (ACM) from the property.

As required in regulation 8 5 CCR 1001-10 III.A.3.e (III); The Asbestos Inspector visually inspected the area to identify all suspected ACM and asbestos containing building materials (ACBM). All building materials were touched to determine friability.

The results of this Asbestos Containing Building Materials Survey determined that Asbestos Containing Building Materials are **not** present in the area tested. The Homogenous Areas with corresponding Analytical Results are located on Table 1.

### ANALYTICAL PROCEDURES

As required in regulation 8 5 CCR 1001-10 III.A.3.e (IV) C; The inspection, conducted on January 25, 2022 & July 13, 2023, consisted of a building walk-through, delineation and quantification of homogenous areas, sample locations were selected randomly within each homogeneous area, collection of representative bulk samples, and delivery of bulk samples of suspect ACBM to an independent analytical laboratory.

The bulk samples collected of suspect asbestos containing materials were delivered to Eurofins CEI Labs, a National Voluntary Laboratory Accreditation Program (NVLAP) asbestos laboratory, located in Cary, North Carolina for analysis. All bulk samples are archived for six months, unless otherwise stipulated by the client.

According to the laboratory, the bulk samples were analyzed in accordance with EPA Method 600/R-93/116. Small portions of the sample were placed in Series: E High Dispersion Refractive Index Liquid on a microscope slide. The prepared samples were observed at 100X (power) under polarized light using a McCrone Dispersion Staining Objective. The characteristics of the fibers were compared to the known properties of asbestos fibers for dispersion, color, polarity, extinction, and general morphology. Sample content (percentage) was made by visual estimates comparing of asbestos fibers to total sample material.

If the laboratory detects asbestos in a sample of a particular homogeneous material, the remaining samples in that batch are not analyzed and are assumed to contain asbestos. Samples returning Trace Asbestos (TR) results were resubmitted for Point Count analysis. Samples with Point Count results of less than one percent (1%) are not considered to be ACM.

Housing Catalyst  
2155 W Plum St., Ft. Collins, CO 80521 – Asbestos Report

**TABLE 1: Homogeneous Areas and Analytical Results**

Homogeneous Areas				Material Category	Friable (Y or N)	Samples		Location of Sampled Material	Asbestos Content	Total Square Feet
Area	Condition	Material	Location of Material			Number	ID			
DT1	5	Drywall & Texture	15 Units + Hallways, Laundry & Office	S	Y	1	DT1-1 DT1-8 DT1-20 DT1-23 DT1-24	Unit 1 Kitchen E Wall Unit 3 Kitchen W Wall Unit 11 Kitchen E Wall Unit 9 Kitchen E Wall Office Kitchen N Wall	ND	3300
JC1	5	Joint Compound	15 Units + Hallways, Laundry & Office	S	Y	1	JC1-2 JC1-17	Unit 1 Kitchen NE Corner Unit 13 Kitchen SE Corner	ND	330
SF1	5	Sheet Flooring	Units 1,2, Kitchen & Bath	M	N	1	SF1-3 SF1-12	Unit 1 Kitchen Floor Unit 4 Bathroom	ND	89
CTM1	5	Ceramic Tile Mastic	Unit 1,2,3,7 Bath Shower, Unit 6, Office, Kitchen Backsplash, Unit 5,8,9,12,13,15 Bath Shower & Backsplash	M	N	1	CTM1-4 CTM1-15	Unit 1 Bathroom E Wall Unit 13 Kitchen Backsplash	ND	700
CTG1	5	Ceramic Tile Grout	Unit 1,2,3,7 Bath Shower, Unit 6, Office, Kitchen Backsplash, Unit 5,8,9,12,13,15 Bath Shower & Backsplash	M	N	1	CTG1-5 CTG1-16	Unit 1 Bathroom E Wall Unit 13 Kitchen Backsplash	ND	700
C1	5	Carpet & Mastic	Units 1,2,3,4,5,6,8,14, Office	M	N	1	C1-6 C1-10 C1-19	Unit 1 Living Room E Wall Unit 3 Living Room E Wall Unit 14 Living Room	ND	1,600
SF2	5	Sheet Flooring	Unit 7 Whole Apt, Unit 13 Bath	M	N	1	SF2-7 SF2-13	Unit 7 Kitchen Floor Unit 13 Bathroom	ND	485
SF3	5	Sheet Flooring	Units 3,11 Kitchen	M	N		SF3-9 SF3-11	Unit 3 Bath Floor Unit 6 Kitchen Floor	ND	128
SF4	5	Sheet Flooring	Unit 14 Kitchen & Bath, Unit 13 Bath	M	N		SF4-14 SF4-18	Unit 13 Kitchen Unit 14 Bathroom	ND	153

Homogeneous Areas				Material Category	Friable (Y or N)	Samples		Location of Sampled Material	Asbestos Content	Total Square Feet
Area	Condition	Material	Location of Material			Number	ID			
SF5	5	Sheet Flooring	Unit 11 Bath, Unit 10 Bath	M	N		SF5-21 SF5-25	Unit 11 Bathroom Unit 10 Bathroom	ND	50
SF6	5	Sheet Flooring	Unit 10 Kitchen	M	N		SF6-22 SF6-26	Unit 10 Kitchen Unit 10 Kitchen	ND	64
<b>Samples Taken: 7/13/2023</b>										
RF1	5	Membrane Roofing 2 Layer	Roof	M	N	2	RF1-1 RF1-2	Roof NW Area by Hatch Roof NW Area by Hatch	ND	1500
MSC1	5	Landscape Felt	Roof Under River Rock	M	N	2	MSC1-3 MSC1-4	Roof NW Area by Hatch Roof NW Area by Hatch	ND	1500

Conditions: 1: Damaged or Significantly Damaged TSI ACM; 2: Damaged Friable Surfacing ACM; 3: Significantly Damaged Friable Surfacing ACM.  
4: Damaged or Significantly Damaged Miscellaneous ACM; 5: ACM with potential for Damage; 6: ACM with Potential for Significant Damage;  
7: Any Remaining Friable AMC or Friable Suspect ACM

\*Material Category: S-Surfacing, M-Miscellaneous, TSI-Thermal System Insulation

## RECOMMENDATIONS AND SUMMARY

**None** of the building materials that were submitted for analysis were determined to be asbestos containing. No further action is required.

Suspect materials are sometimes located behind walls and above ceilings and were considered inaccessible during the onsite survey. Therefore, all materials that contain asbestos may not have been observed or sampled. If additional suspect asbestos containing materials are identified during periods of disturbances, all activities must stop until these materials are sampled. Work shall not resume until the results are reported and removal by a licensed asbestos abatement contractor.

Weecycle has assigned Job #23-19416 and Eurofins CEI Labs Report #B232287 & #B2314982 to this study.

Weecycle Environmental Consulting, Inc. appreciates the opportunity to assist you with your asbestos sampling needs. If you have questions regarding this report, please contact our office at (303) 413-0452

This is not a complete AHERA Asbestos Survey for renovation or demolition.

The laboratory report is enclosed.

Submitted By:



Judith Sawitsky, President  
State of Colorado Asbestos Inspector #672



Typical CTM 1, CTG 1




Typical CTM 1, CTG 1



Typical CTM 1, CTG 1



Typical SF 1




Typical SF 1



Typical SF 2



Typical SF 2



Typical C 1



Typical C 1




Typical SF 3



Typical SF 5



SF 6



Address: 2155 W Plum St Fort Collins CO 80521

Material Category: Surfacing  
(Surfacing, TSI, Misc)

Date: 1/25/23

Project Number: 23-19416

Page: \_\_\_\_\_

ID (i.e. DT-1)	Material Description	Homogenous Locations	Sq. Footage	Material Assessment
DT 1	Drywall & Texture	15 Units plus Hallways & Laundry, & Office	3,300	5

ACM Assessment: 1: Damaged or Significantly Damaged Thermal System Insulation ACM 2: Damaged Friable Surfacing ACM  
3: Significantly Damaged Friable Surfacing ACM 4: Damaged or Significantly Damaged Friable Miscellaneous ACM  
5: ACM with Potential For Damage 6: ACM with Potential For Significant Damage 7: Any Remaining Friable ACM or Friable Suspected ACM

Address: 2155 W Plum St Fort Collins CO  
 Project Number: 23-19416

Material Category: MISC.  
 (Surfacing, TSI, Misc)

Date: 1/25/23  
 Page:

ID (i.e. DT-1)	Material Description	Homogenous Locations	Sq. Footage	Material Assessment
JC 1	Joint Compound	15 Units plus Hallways & Laundry, & Office	330	5
CTM 1	Ceramic Tile Mastic	Unit 1, 2, 3, 7 Bath Shower, Unit # 6, Office, Kit Backsplash, Unit # 5, 8, 9, 12, 13, 15 Bath Shower & Backsplash	700	5
CTG 1	Ceramic Tile Grout	Unit 1, 2, 3, 7 Bath Shower, Unit # 6, Office, Kit Backsplash, Unit # 5, 8, 9, 12, 13, 15 Bath Shower & Backsplash	700	5
SF 1	Sheet Flooring	Units 1, 2, Kitchen & Bath,	89	5
SF 2	Sheet Flooring	Units 7 Whole Apt, # 13 Bath	485	5
SF 3	Sheet Flooring	Units 3, 11 Kitchen	128	5
SF 4	Sheet Flooring	Units 14 Kitchen & Bathroom, # 13 Kitchen	153	5
SF 5	Sheet Flooring	Unit 11 Bathroom, # 10 Bathroom	50	5
SF 6	Sheet Flooring	Unit 10 Kitchen	64	5
C 1	Carpet & Mastic	Units 1, 2, 3, 4, 5, 6, 8, 14, Office	1,600	5

ACM Assessment: 1: Damaged or Significantly Damaged Thermal System Insulation ACM 2: Damaged Friable Surfacing ACM  
 3: Significantly Damaged Friable Surfacing ACM 4: Damaged or Significantly Damaged Friable Miscellaneous ACM  
 5: ACM with Potential For Damage 6: ACM with Potential For Significant Damage 7: Any Remaining Friable ACM or Friable Suspected ACM

**Asbestos Sample Sheet - Weecycle Environmental Consulting, INC.****Date** 1/25/23**Project Address:** 2155 W Plum St Fort Collins CO 80521**Project Number:** 23-19416**Inspector:** David Sawitsky**Page 1**

Sample Area Identification	Sample Description	Sample Location
DT 1-1	Drywall & Texture	Unit 1 Kitchen E Wall
JC 1-2	Joint Compound	Unit 1 Kitchen NE Corner
SF 1-3	Sheet Flooring	Unit 1 Kitchen Floor
CTM 1-4	Ceramic Tile Mastic	Unit 1 Bathroom E Wall
CTG 1-5	Ceramic Tile Grout	Unit 1 Bathroom E Wall
C 1-6	Carpet & Mastic	Unit 1 Living Room E Wall
SF 2-7	Sheet Flooring	Unit 7 Kitchen Floor
DT 1-8	Drywall & Texture	Unit 3 Kitchen W Wall
SF 3-9	Sheet Flooring	Unit 3 Bath Floor
C 1-10	Carpet & Mastic	Unit 3 Living Room e Wall
SF 3-11	Sheet Flooring	Unit 6 Kitchen Floor
SF 1-12	Sheet Flooring	Unit 4 Bathroom
SF 2-13	Sheet Flooring	Unit 13 Bathroom
SF 4-14	Sheet Flooring	Unit 13 Kitchen
CTM 1-15	Ceramic Tile Mastic	Unit 13 Kitchen Backsplash

**Inspector Signature****Date:** 1/25/23

Asbestos Sample Sheet - Weecycle Environmental Consulting, INC.

Date 1/25/23

Project Address: 2155 W Plum St Fort Collins CO 80521

Project Number: 23-19416

Inspector: David Sawitsky

Page 2

Sample Area Identification	Sample Description	Sample Location
CTG 1-16	Ceramic Tile Grout	Unit 13 Kitchen Backsplash
JC 1-17	Joint Compound	Unit 13 Kitchen SE Corner
SF 4-18	Sheet Flooring	Unit 14 Bathroom
C 1-19	Carpet & Mastic	Unit 14 Living
DT 1-20	Drywall & Texture	Unit 11 Kitchen E Wall
SF 5-21	Sheet Flooring	Unit 11 Bathroom
SF 6-22	Sheet Flooring	Unit 10 Kitchen
DT 1-23	Drywall & Texture	Unit 9 Kitchen E Wall
DT 1-24	Drywall & Texture	Office Kitchen N Wall
SF 5-24	Sheet Flooring	Unit 10 Bathroom
SF 6-26	Sheet Flooring	Unit 10 Kitchen

Inspector Signature: 

Date: 1/25/23



[illegible]

Figure 1

Figure 1: A diagram showing a rectangular structure with a central vertical line and a horizontal line intersecting it. The structure is divided into four quadrants by these lines. The top-left quadrant is labeled 'A', the top-right 'B', the bottom-left 'C', and the bottom-right 'D'. The central vertical line is labeled 'E' and the horizontal line is labeled 'F'. The entire structure is enclosed in a rectangular frame.





---

February 2, 2023

**Weecycle Environmental Consulting, Inc**

1208 Commerce Court, 5B  
Lafayette, CO 80026

**CLIENT PROJECT:** W Plum St, 2155, 23-19416  
**CEI LAB CODE:** B232287

Dear Customer:

Enclosed are asbestos analysis results for PLM Bulk samples received at our laboratory on January 30, 2023. The samples were analyzed for asbestos using polarizing light microscopy (PLM) per the EPA 600 Method.

Sample results containing >1% asbestos are considered asbestos-containing materials (ACMs) per EPA regulatory requirements. The detection limit for the EPA 600 Method is <1% asbestos by weight as determined by visual estimation.

Thank you for your business and we look forward to continuing good relations.

Kind Regards,



Tianbao Bai, Ph.D., CIH  
Laboratory Director





---

# **ASBESTOS ANALYTICAL REPORT**

## **By: Polarized Light Microscopy**

Prepared for

**Weecycle Environmental Consulting, Inc**

---

CLIENT PROJECT: W Plum St, 2155, 23-19416

LAB CODE: B232287

TEST METHOD: EPA 600 / R93 / 116 and EPA 600 / M4-82 / 020

REPORT DATE: 02/02/23

TOTAL SAMPLES ANALYZED: 26

# SAMPLES >1% ASBESTOS:



# Asbestos Report Summary

By: POLARIZING LIGHT MICROSCOPY

**PROJECT:** W Plum St, 2155, 23-19416

**LAB CODE:** B232287

**METHOD:** EPA 600 / R93 / 116 and EPA 600 / M4-82 / 020

Client ID	Layer	Lab ID	Color	Sample Description	ASBESTOS %
DT1-1	Layer 1	B232287.01	Off-white	Texture	None Detected
	Layer 2	B232287.01	White,Tan	Drywall	None Detected
JC1-2		B232287.02	White,Tan	Drywall/Joint Compound	None Detected
SF1-3		B232287.03A	Tan,White	Sheet Flooring	None Detected
		B232287.03B	Tan	Mastic	None Detected
		B232287.03C	Yellow,Gray	Sheet Flooring	None Detected
		B232287.03D	Tan	Mastic	None Detected
CTM1-4		B232287.04	Tan	Mastic	None Detected
CTG1-5		B232287.05	White	Grout	None Detected
C1-6		B232287.06A	Gray,Off-white	Carpet	None Detected
		B232287.06B	Tan	Mastic	None Detected
SF2-7		B232287.07A	Tan,Black	Sheet Flooring	None Detected
		B232287.07B	Clear	Mastic	None Detected
		B232287.07C	Yellow,Gray	Sheet Flooring	None Detected
		B232287.07D	Tan	Mastic	None Detected
DT1-8	Layer 1	B232287.08	Off-white	Texture	None Detected
	Layer 2	B232287.08	White,Tan	Drywall	None Detected
SF3-9		B232287.09A	Tan,Gray	Sheet Flooring	None Detected
		B232287.09B	Tan	Mastic	None Detected
C1-10		B232287.10A	Gray,Blue	Carpet	None Detected
		B232287.10B	Tan	Mastic	None Detected
SF3-11		B232287.11	Gray	Sheet Flooring	None Detected
SF1-12		B232287.12A	Tan,White	Sheet Flooring	None Detected
		B232287.12B	Blue	Mastic	None Detected
SF2-13		B232287.13A	Tan,Black	Sheet Flooring	None Detected
		B232287.13B	Clear	Mastic	None Detected
SF4-14		B232287.14A	Tan,Gray	Sheet Flooring	None Detected
		B232287.14B	Tan	Mastic	None Detected
CTM1-15		B232287.15	Tan	Mastic	None Detected
CTG1-16		B232287.16	White	Grout	None Detected
JC1-17		B232287.17	White,Tan	Drywall/Joint Compound	None Detected



# Asbestos Report Summary

By: POLARIZING LIGHT MICROSCOPY

**PROJECT:** W Plum St, 2155, 23-19416

**LAB CODE:** B232287

**METHOD:** EPA 600 / R93 / 116 and EPA 600 / M4-82 / 020

Client ID	Layer	Lab ID	Color	Sample Description	ASBESTOS %
SF4-18		B232287.18A	Tan,White	Sheet Flooring	None Detected
		B232287.18B	Clear	Mastic	None Detected
		B232287.18C	Tan,Gray	Sheet Flooring	None Detected
		B232287.18D	Tan	Mastic	None Detected
C1-19		B232287.19A	Brown,Gray	Carpet	None Detected
		B232287.19B	Tan	Mastic	None Detected
DT1-20	Layer 1	B232287.20	Off-white	Texture	None Detected
	Layer 2	B232287.20	White,Tan	Drywall	None Detected
SF5-21		B232287.21	Brown,Gray	Sheet Flooring	None Detected
SF6-22		B232287.22A	Gray,White	Sheet Flooring	None Detected
		B232287.22B	Tan	Mastic	None Detected
DT1-23	Layer 1	B232287.23	Off-white	Texture	None Detected
	Layer 2	B232287.23	White,Tan	Drywall	None Detected
DT1-24	Layer 1	B232287.24	Off-white	Texture	None Detected
	Layer 2	B232287.24	White,Tan	Drywall	None Detected
SF5-25		B232287.25A	Brown,Gray	Sheet Flooring	None Detected
		B232287.25B	Clear	Mastic	None Detected
SF6-26		B232287.26A	Gray	Sheet Flooring	None Detected
		B232287.26B	Clear	Mastic	None Detected



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID	Lab	Lab	NON-ASBESTOS COMPONENTS				ASBESTOS
Lab ID	Description	Attributes	Fibrous		Non-Fibrous		%
DT1-1 Layer 1 B232287.01	Texture	Heterogeneous			60%	Binder	None Detected
		Off-white		35%	Calc Carb		
		Non-fibrous		5%	Paint		
		Bound					
Layer 2 B232287.01	Drywall	Heterogeneous	20%	Cellulose	80%	Gypsum	None Detected
		White,Tan					
		Fibrous					
		Bound					
JC1-2 B232287.02	Drywall/Joint Compound	Heterogeneous	15%	Cellulose	75%	Gypsum	None Detected
		White,Tan	5%	Fiberglass	5%	Calc Carb	
		Fibrous			<1%	Paint	
		Bound					
SF1-3 B232287.03A	Sheet Flooring	Heterogeneous	5%	Fiberglass	50%	Vinyl	None Detected
		Tan,White			45%	Foam	
		Fibrous					
		Bound					
B232287.03B	Mastic	Heterogeneous	3%	Cellulose	97%	Mastic	None Detected
		Tan					
		Fibrous					
		Bound					
B232287.03C	Sheet Flooring	Heterogeneous	50%	Cellulose	50%	Vinyl	None Detected
		Yellow,Gray					
		Fibrous					
		Bound					
B232287.03D	Mastic	Heterogeneous	3%	Cellulose	97%	Mastic	None Detected
		Tan					
		Fibrous					
		Bound					



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID Lab ID	Lab Description	Lab Attributes	NON-ASBESTOS COMPONENTS				ASBESTOS %
			Fibrous		Non-Fibrous		
CTM1-4 B232287.04	Mastic	Heterogeneous Tan Non-fibrous Bound		97% 3%	Mastic Binder	None Detected	
CTG1-5 B232287.05	Grout	Heterogeneous White Non-fibrous Bound		65% 35%	Binder Silicates	None Detected	
C1-6 B232287.06A	Carpet	Heterogeneous Gray,Off-white Fibrous Bound	80%	Synthetic Fiber 20%	Binder	None Detected	
B232287.06B	Mastic	Heterogeneous Tan Fibrous Bound	3%	Synthetic Fiber 97%	Mastic	None Detected	
SF2-7 B232287.07A	Sheet Flooring	Heterogeneous Tan,Black Non-fibrous Bound		100%	Vinyl	None Detected	
B232287.07B	Mastic	Heterogeneous Clear Non-fibrous Bound		100%	Mastic	None Detected	
B232287.07C	Sheet Flooring	Heterogeneous Yellow,Gray Fibrous Bound	50%	Cellulose 50%	Vinyl	None Detected	



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID Lab ID	Lab Description	Lab Attributes	NON-ASBESTOS COMPONENTS				ASBESTOS %
			Fibrous		Non-Fibrous		
B232287.07D	Mastic	Heterogeneous Tan Fibrous Bound	3%	Cellulose	97%	Mastic	None Detected
<b>DT1-8</b> Layer 1 B232287.08	Texture	Heterogeneous Off-white Non-fibrous Bound			60% 35% 5%	Binder Calc Carb Paint	None Detected
Layer 2 B232287.08	Drywall	Heterogeneous White,Tan Fibrous Bound	20%	Cellulose	80%	Gypsum	None Detected
<b>SF3-9</b> B232287.09A	Sheet Flooring	Heterogeneous Tan,Gray Fibrous Bound	50%	Cellulose	50%	Vinyl	None Detected
B232287.09B	Mastic	Heterogeneous Tan Fibrous Bound			95% 5%	Mastic Binder	None Detected
<b>C1-10</b> B232287.10A	Carpet	Heterogeneous Gray,Blue Fibrous Bound	80%	Synthetic Fiber	20%	Binder	None Detected
B232287.10B	Mastic	Heterogeneous Tan Fibrous Bound	3%	Synthetic Fiber	97%	Mastic	None Detected



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID Lab ID	Lab Description	Lab Attributes	NON-ASBESTOS COMPONENTS				ASBESTOS %
			Fibrous		Non-Fibrous		
SF3-11 B232287.11	Sheet Flooring	Heterogeneous Gray Fibrous Bound	50%	Cellulose	50%	Vinyl	None Detected
SF1-12 B232287.12A	Sheet Flooring	Heterogeneous Tan,White Fibrous Bound	5%	Fiberglass	50% 45%	Vinyl Foam	None Detected
B232287.12B	Mastic	Heterogeneous Blue Non-fibrous Bound			100%	Mastic	None Detected
SF2-13 B232287.13A	Sheet Flooring	Heterogeneous Tan,Black Non-fibrous Bound			100%	Vinyl	None Detected
B232287.13B	Mastic	Heterogeneous Clear Non-fibrous Bound			95% 5%	Mastic Binder	None Detected
SF4-14 B232287.14A	Sheet Flooring	Heterogeneous Tan,Gray Fibrous Bound	50%	Cellulose	50%	Vinyl	None Detected
B232287.14B	Mastic	Heterogeneous Tan Fibrous Bound	3%	Cellulose	97%	Mastic	None Detected



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID	Lab	Lab	NON-ASBESTOS COMPONENTS				ASBESTOS
Lab ID	Description	Attributes	Fibrous		Non-Fibrous		%
CTM1-15 B232287.15	Mastic	Heterogeneous			97%	Mastic	None Detected
		Tan		3%	Binder		
		Non-fibrous					
		Bound					
CTG1-16 B232287.16	Grout	Heterogeneous			65%	Binder	None Detected
		White		35%	Silicates		
		Non-fibrous					
		Bound					
JC1-17 B232287.17	Drywall/Joint Compound	Heterogeneous	15%	Cellulose	75%	Gypsum	None Detected
		White,Tan	5%	Fiberglass	5%	Calc Carb	
		Fibrous			<1%	Paint	
		Bound					
SF4-18 B232287.18A	Sheet Flooring	Heterogeneous	5%	Fiberglass	50%	Vinyl	None Detected
		Tan,White			45%	Foam	
		Fibrous					
		Bound					
B232287.18B	Mastic	Heterogeneous			100%	Mastic	None Detected
		Clear					
		Fibrous					
		Bound					
B232287.18C	Sheet Flooring	Heterogeneous	50%	Cellulose	50%	Vinyl	None Detected
		Tan,Gray					
		Fibrous					
		Bound					
B232287.18D	Mastic	Heterogeneous	3%	Cellulose	97%	Mastic	None Detected
		Tan					
		Fibrous					
		Bound					



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID Lab ID	Lab Description	Lab Attributes	NON-ASBESTOS COMPONENTS				ASBESTOS %
			Fibrous		Non-Fibrous		
C1-19 B232287.19A	Carpet	Heterogeneous Brown,Gray Fibrous Bound	80%	Synthetic Fiber	20%	Binder	None Detected
B232287.19B	Mastic	Heterogeneous Tan Fibrous Bound	3%	Synthetic Fiber	97%	Mastic	None Detected
DT1-20 Layer 1 B232287.20	Texture	Heterogeneous Off-white Non-fibrous Bound			60% 35% 5%	Binder Calc Carb Paint	None Detected
Layer 2 B232287.20	Drywall	Heterogeneous White,Tan Fibrous Bound	20%	Cellulose	80%	Gypsum	None Detected
SF5-21 B232287.21	Sheet Flooring	Heterogeneous Brown,Gray Fibrous Bound	5%	Fiberglass	50% 45%	Vinyl Foam	None Detected
SF6-22 B232287.22A	Sheet Flooring	Heterogeneous Gray,White Fibrous Bound	5%	Fiberglass	50% 45%	Vinyl Foam	None Detected
B232287.22B	Mastic	Heterogeneous Tan Non-fibrous Bound			97% 3%	Mastic Binder	None Detected



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** **Weecycle Environmental Consulting, Inc**  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID	Lab	Lab	NON-ASBESTOS COMPONENTS				ASBESTOS
Lab ID	Description	Attributes	Fibrous		Non-Fibrous		%
DT1-23 Layer 1 B232287.23	Texture	Heterogeneous			60%	Binder	None Detected
		Off-white		35%	Calc Carb		
		Non-fibrous		5%	Paint		
		Bound					
Layer 2 B232287.23	Drywall	Heterogeneous	20%	Cellulose	80%	Gypsum	None Detected
		White,Tan					
		Fibrous					
		Bound					
DT1-24 Layer 1 B232287.24	Texture	Heterogeneous			60%	Binder	None Detected
		Off-white		35%	Calc Carb		
		Non-fibrous		5%	Paint		
		Bound					
Layer 2 B232287.24	Drywall	Heterogeneous	20%	Cellulose	80%	Gypsum	None Detected
		White,Tan					
		Fibrous					
		Bound					
SF5-25 B232287.25A	Sheet Flooring	Heterogeneous	5%	Fiberglass	50%	Vinyl	None Detected
		Brown,Gray			45%	Foam	
		Fibrous					
		Bound					
B232287.25B	Mastic	Heterogeneous			97%	Mastic	None Detected
		Clear			3%	Binder	
		Non-fibrous					
		Bound					
SF6-26 B232287.26A	Sheet Flooring	Heterogeneous	5%	Fiberglass	50%	Vinyl	None Detected
		Gray			45%	Foam	
		Fibrous					
		Bound					



# ASBESTOS BULK ANALYSIS

By: POLARIZING LIGHT MICROSCOPY

**Client:** Weecycle Environmental Consulting, Inc  
1208 Commerce Court, 5B  
Lafayette, CO 80026

**Lab Code:** B232287  
**Date Received:** 01-30-23  
**Date Analyzed:** 02-02-23  
**Date Reported:** 02-02-23

**Project:** W Plum St, 2155, 23-19416

## ASBESTOS BULK PLM, EPA 600 METHOD

Client ID Lab ID	Lab Description	Lab Attributes	NON-ASBESTOS COMPONENTS		ASBESTOS %
			Fibrous	Non-Fibrous	
B232287.26B	Mastic	Heterogeneous		97% Mastic	None Detected
		Clear		3% Binder	
		Non-fibrous			
		Bound			



---

**LEGEND:**      Non-Anth      = Non-Asbestiform Anthophyllite  
                 Non-Trem      = Non-Asbestiform Tremolite  
                 Calc Carb      = Calcium Carbonate

---

**METHOD:** EPA 600 / R93 / 116 and EPA 600 / M4-82 / 020

---

**REPORTING LIMIT:** <1% by visual estimation

---

**REPORTING LIMIT FOR POINT COUNTS:** 0.25% by 400 Points or 0.1% by 1,000 Points

---

**REGULATORY LIMIT:** >1% by weight

---

Due to the limitations of the EPA 600 method, nonfriable organically bound materials (NOBs) such as vinyl floor tiles can be difficult to analyze via polarized light microscopy (PLM). EPA recommends that all NOBs analyzed by PLM, and found not to contain asbestos, be further analyzed by Transmission Electron Microscopy (TEM). Please note that PLM analysis of dust and soil samples for asbestos is not covered under NVLAP accreditation. *Estimated measurement of uncertainty is available on request.*


This report relates only to the samples tested or analyzed and may not be reproduced, except in full, without written approval by Eurofins CEI. Eurofins CEI makes no warranty representation regarding the accuracy of client submitted information in preparing and presenting analytical results. Interpretation of the analytical results is the sole responsibility of the client. Samples were received in acceptable condition unless otherwise noted. This report may not be used by the client to claim product endorsement by NVLAP or any other agency of the U.S. Government.

Information provided by customer includes customer sample ID and sample description.

**ANALYST:**

  
\_\_\_\_\_  
Jacob Morgan

**APPROVED BY:**

  
\_\_\_\_\_  
Tianbao Bai, Ph.D., CIH  
Laboratory Director

  
\_\_\_\_\_  
Scott Minyard




100











**AMERICAN  
CIVIL ENGINEERS**

**David P. [Name]**

**Member**

**Member Since** 1985

**Expiring** 1995

**Member Since** 1985

**Member Since** 1985



UNIVERSITY OF THE PHILIPPINES

SCHOOL OF EDUCATION

DEPARTMENT OF EDUCATION

OFFICE OF THE DEAN

UNIVERSITY OF THE PHILIPPINES

MANILA



**SUMMARY**

**This report describes the methods and results for the radon testing survey that was conducted at the condominium complex known at location 2155 West Plum in on January 31 to February 2, 2023. It describes applicable recommendations for follow up testing and mitigation. A total of 9 radon test locations were selected, which with the additional quality control requirements in the Standard results in a total of 11 test devices were used for the complete survey.**

**The applicable standard followed for the radon testing is the ANSI/AARST MAMF 2017, rev. January 2021, which is an ANSI Industry Standard for radon testing of multifamily buildings comprised of more than three attached dwellings. All ground floor units, offices, and accessible areas of this building to the public as well as 10% of the units and public areas on second floor consistent with this Standard were tested.**

**Integrating test devices were exposed to interior air of the building at each location for 2 days to assess average radon concentrations. The building was kept in closed building condition from 12 hours before the radon testing started to when the radon tests were picked up following the Standard.**

**Six of the Seven (valid tests) of the ground floor apartment units were found to have a measured two-day average radon concentration larger than the EPA guidance for mitigation. The one second floor unit tested was below the AEPA guidance of 4.0 pCi/L. On the Quality Control: One double test device was used, that tested sufficiently close to its primary equivalent test, and a single blank test showed a value corresponding with no exposure. A spiking test was not done during this limited survey (9 locations, or 11 test devices), in lieu of previous spikes done in during the regular maintenance of the laboratory.**

**Following the exact MAMF recommendation for extended testing we would recommend new tests to be conducted at all locations with high radon values and decide for the recommendation on mitigation based on the average of the two tests at each location. However, because three ground floor units (out of seven valid tests) had a radon concentration larger than 8.0 pCi/L, averaging of any of these test results with the radon concentration of a second test would result in an average of both tests at the same location to be larger than 4.0 pCi/L, this would result in a recommendation to mitigate with an active system.**

**Only one (valid test) of the ground unit had an average radon concentration test result smaller than the EPA guidance level. Thus, there seems to be an overwhelming evidence all ground units should be mitigated in the planned renovation of the buildings, without any further radon testing needed at this time, and with a recommendation to fully test the buildings for radon following the complete MAMF protocol after the renovation is complete.**

---

## 1) INTRODUCTION

---

Radon Home Measurement and Mitigation (RHMM) was asked to provide a survey for radon testing at the two story condominium complex at the 2155 West Plum in Fort Collins. Radon testing was scheduled during January 31-February 2 with the inspector, Dr. L. Moorman. The proposed testing involved 2-day integrating testing for the presence of radon using E-PERM integrating radon detectors.

The testing reported here follows ANSI/AARST MAMF 2017, rev. January 2021, which is an ANSI Industry Standard for radon testing of multifamily buildings comprised of more than three attached dwellings <sup>2</sup>.

The ventilation and heating of this building consists of individual heating and ventilation system for each unit, and separate for the community area.

E-PERM radon test devices were exposed over a two-day period to the indoor air in the building at 9 pre-selected locations from the building plans.

The selection of locations chosen was guided by the protocol. This is a two-story buildings without basement.

A radon test was placed in all units on the first floor, 10% of those locations were chosen on the second floor. In total 9 locations were identified in the building for testing following the protocol in the Standard.

Quality control involved an additional prescribed minimum percentage of double EPERM test devices, blank test, and spiking of test devices at an outside radon laboratory completed during previous measurements.

---

## 2) LOGISTICS

---

RHMM's inspector deployed all test devices and a Housing Catalyst staff member aided in opening public areas and living units for the inspector during the deployment and recovery of the radon test devices. In each selected location a written note was left with the device, making the occupant aware a radon test was in progress. One workday (Friday) before we deployed the test devices staff had made occupants aware to keep all windows and doors closed starting that evening until the test was completed two days later. Two days after the E-PERM integrating test devices were deployed they were retrieved from all public areas and living units. Dr. Moorman was the inspector who placed and retrieved all detectors in all tested locations and recovered the test devices. A total of 9 test locations were identified which, including applicable quality control measures, resulted in the deployment of 11 EPERM, integrating radon test devices.

Each test device was left at each test location with a note by the inspector letting occupant know the radon testing was being conducted, to request that the tests would not be disturbed and windows would remain closed throughout the testing period.

---

<sup>2</sup> Protocol for Conducting Measurements of Radon and Radon Decay Product in Multifamily Buildings, ANSI/AARST MAMF 2021 by AARST Consortium on National Radon Standards.

The radon inspector noted the sequence of the placements of the tests in each location by serial number on a prepared log sheet. The tests were picked up in the same sequence as they were deployed, and this was noted on the log sheet, as well as any deviations of closed building conditions, if applicable.

Each location where a test was set up was recorded on the log sheet/drawing. Most locations were on a shelf inside the living units near an interior wall, at least two feet away from an exterior wall and out of reach of children and animals. Starting time of the first test device set up is shown in the table below. The sequence to set up tests and pick up tests followed the same order to have minimal exposure time differences for the various devices.

Test device placements:

Monday 1/31/23 8:10 a.m.-9:10 p.m.  
Wednesday 2/2/23 1:06 p.m. -2:06 p.m.

*Table 1: Timing of the test devices, that had one Blanks and one Double distributed at various test locations.*

All integrating tests were short term devices appropriate for 2-day testing and appropriate corrections were made for the time differences following a manufacturer provided Microsoft Excel spreadsheet provided by the manufacturer, Rad Elec. The radon test devices used are not prone to be affected by moisture in the air. The elevation of the buildings are 5000 feet above sea level. The average gamma radiation exposure in Colorado was used, which following Rad Elec recommended State table as given in their manual and reproduced in Appendix A is 11.8  $\mu\text{R/h}$ .

The test device for this type of radon testing is a standard combination of chambers and electrets read off with a certified, calibrated electret reader typically used for determination of short, intermediate, or long-term radon concentrations from homes during real estate transactions or for concerned home owners to determine mitigation recommendations. The serial number of the electret reader is #1087, and next calibration due on the device is indicated on the manufacturer's sticker is 5/13/23. The air drying crystals in the case for the device were blue (not pink) , indicating an appropriate low humid reader environment, as is required for accurate readings.

The accuracy of all devices is appropriate to determine whether the radon concentration is below or above the EPA threshold for mitigation and whether corrective action (remediation) is recommended. The extended protocol recommends when a test is at or above 4.0 pCi/L to



*Fig 1: Diagram of the apartment units in the single building layout. The view is oriented from the street at the top of the diagram. Level 1 (top) and Level 2 (bottom) are indicated separately. The unit on right top of this diagram on level 1 is the Community Area (CA).*

## **RE5295**

repeat the test with a second test at the same location. The test duration follows the “extended protocol” described as the testing protocol page 5.4 of the Standard. Following this paragraph and the flow diagram Figure 5.4 in this Standard if areas with levels test below 4.0 pCi/L this is the only testing that needs to be done. This means, that during Phase 1 testing a single test is set up per designated location.

Any test results at or above 4.0 pCi/L requires a second test to be set up (Second Phase) following this Standard, upon which the average of the two tests is decisive on the recommendation for corrective action (mitigation).

### 3) QUALITY CONTROL

The following survey specific precautions were taken to assure validity of the measurements: An appropriate number of double tests (10%) and blanks (5%) distributed over the various areas tested. Due to the small number of tests no separate spiking test was done, but spiking was done during previous tests as part of the normal radon test quality control. Nevertheless, this means that the total measurements in this PHASE 1 testing requires more detectors than locations.

#### Double Radon Tests

In at least 10% of the locations spread out throughout the survey a second test device was set up in addition to the primary test device. The purpose of this double is to assure consistency of the measurements. Three doubles measured values sufficiently close to the original tests (2 standard deviations) to trust the measured values. See Table 2.

The standard deviation of a radon test result with EPERMs depends on the average value that is measured and a calculation based on the manufacturer's manual gives the values listed in the last column of figure 2 for the measurement of the primary value in the second column.

Chosen Random Locations	Primary Radon Concentration (pCi/L)	Double Radon Concentration (pCi/L)	Standard Deviation (pCi/L)
CA-double	4.3	4.2	0.4

*Table 2: All radon concentration test values of the Double test devices (3<sup>rd</sup> column) that were deployed side by side in the same room with the Primary (2<sup>nd</sup> column) were very close to the radon concentrations of the corresponding Primary radon concentration.*

#### Blank Radon Tests

In a minimum of 5% of the locations spread out throughout the survey a blank test device was set up in addition to the primary test device. The purpose of this blank test is to assure consistency of the measurement with a measurement without exposure at the field site including any identical transportation from and to the laboratory where the analysis occurs. Thus, this assures a zero exposure results in a zero measurement within a single test standard deviation that can be expected from the device's measurement. The analysis for these tests is different since the chambers have not been opened during the exposure of the regular test devices, thus a correction for gamma radiation is not to be applied to these measurements.

When keeping the gamma radiation correction in the formula the radon concentration for equal voltages would be -1.1 pCi/L. This means that values close to this value would indicate the test was not exposed to the air of the building.

The field Blank test was with -0.8 pCi/L within the standard deviation (st.dev = 0.4 pCi/L) from the uncorrected value -1.1 pCi/L. For such a test the uncorrected value would be equally close to 0 pCi/L, Thus in the Blank test the radon values was close enough to 0.0 pCi/L. The Blank values was therefore interpreted as measured a value consistent with zero and assigned the value for the minimum level of detection, which is 0.4 pCi/L.

Location	Blank test result with gamma correction (pCi/L)	Blank test result without gamma correction (pCi/L)	
CA-blank	-0.8	0.3	Field Blank

*Table 3: One Field Blank tests confirmed a good zero value for the survey EPERM device measurements.*

### Spiked Tests

No specific spiked measurement was done for this survey due to the limited nature of this survey (9 tests only). This is justified because spiking is done during normal quality control of measurements in this laboratory.

## 4) BUILDING CONDITIONS DURING TESTING

Temperatures were normal for the time of the year (winter) at this location. Test results in our measured radon concentration table are given for all test devices and locations. Occupants had been informed by Staff at least one day before when the test were going to be set up and a written note was left with each test device not to touch or move it. No test devices were found to have been disturbed when they were picked up.

### POSITIONING

The 1<sup>st</sup> floor of the building was the lowest level of the building, where all locations were tested. There are no occupied units and public areas below ground. These buildings do not have storage basement or crawl space below grade. Radon test devices were also deployed in 10% of the units on the second floor. The detectors were set up more than 20 inches from the floor and more than 3 feet from exterior walls in the living units on a shelf or on top of cabinets, further than 3 feet from exterior walls and windows. The positioning of the detectors was consistent with the ANSI/AARST protocol.

### MEASUREMENT CONDITIONS

These measurements were conducted with E-PERM standard chambers-with-electret combinations, manufactured by Rad Elec Inc.

Temperature: The outside temperatures during this test was cold during the day (Winter) and cold at night, normal for this time of the year at this elevation (5000 ft. above sea level). Most units tested were occupied, but some were unoccupied.

## 5) RADON TEST METHOD AND RESULTS

Info about radon testing devices:

Testing Type: Short Term = 2-day, testing.  
 Detector(s) used: E-PERM electrets, manufacturer: Rad Elec, Inc.  
 2-day, short term, integrating chamber-electret  
 combinations: SST

### 5A) PARAMETERS AND CALCULATIONS

This section presents the results of the measurements, meaning the calculations based on the raw data from the devices using the manufacturer's provided formula, and shows the values of relevant parameters that are used in these calculations. In Table 4 we show all parameters involved in the calculation and interpretation of the Final radon concentrations that are given in the last column of the table.


In the first column from the left an order number in which the tests were set up, the room number, a description of the room if it was anything else than a living unit, the individual device serial numbers, a designation whether the test was set up as a Double (D) or Blank (B) test, start times

*Table 4: Relevant information on the integrating tests as calculated following the manufacturer provided formula. In columns:(1): Test order number, (2): Room number, (3) description of room, (4): Electret Serial Number, (5): D=Double, B= Blank, (6) & (7) initial and final voltages measured, (8) Elevation in feet, (9) Calibration factor, (10): 48 = hours duration of test, (11) elevation factor, (12) Gamma radiation rate for Colorado from State Table (See Table 4), (13) Average radon concentration calculated (14) those measurements that were 0.0 pCi/L within one standard deviation, (15) Final calculated Radon concentration values, excluding the values of Blank tests and with those that were interpreted as zero measurements from column (14).*

and end times of the measurement, elevation in feet, a calculated calibration factor from the values in the columns to the left of it, hours of the test duration, the calculated elevation factor. The gamma radiation rate for Colorado included in the calculation. In the last three columns are the

directly calculated radon concentration value, the values that were within one standard deviation to zero and therefore identified with zero. In the last column are the final radon concentration values, leaving out any Blank tests, and setting the tests within one standard deviation from zero to 0.0 pCi/L.

The values in the last second column from the right of table 4 are graphically displayed in figure 2 below.



*Fig 2: Relevant information on the integrating tests. The blue squares are the results in column (14) in Table 4. CA on the horizontal axis is the abbreviation for the Community Area. Horizontal red line at 4.0 pCi/l indicates the EPA radon guidance level above which mitigation is recommended. The green horizontal line is the 2.0 pCi/L EPA value for considering mitigation, and the two purple horizontal lines show a band of 1 standard deviation above and below 0.0 pCi/L.*

## **5B) PRESENTATION OF ALL FINAL RADON TEST RESULTS BY ROOM NUMBER**


This section presents the results of the measurements based on the averages over 2 days in Table 5, and for easy comparison of results the same data are summarized graphically in Fig. 3.

## RE5295

The first column in the table indicates the room number where the test was conducted in increasing order, starting with the Community Area (CA). Unit 11 was the only unit on the second floor. (See the bottom diagram in Fig. 2)

Table 5: Relevant information of all tests ranked in order the tests were set up in the building. The first column indicates the location unit number, and whether the test was a double, or a blank. The second column gives the final radon level.

In Figure 3 the measured data averaged over 2 days are shown in a graph to be able to see if there are trends with the location of the data.



*Fig 3: Measured averages of the radon concentration over 2 days against room number as per Table 5. The vertical axis is in pCi/L. One double test was done as indicated in table 2, which agrees within the error bar with its primary concentration in the same room, and one field blank as presented in table 3, that agrees well with zero.*

Summarizing the test results we come to the following final conclusions. These conclusions can be verified by looking at the tables given before, and can be compared with the location sketch in Fig. 2. On the first floor, only unit #1 and #7 were below 4.0 pCi/L. The inspector was told during the recovery of the radon tests that in one of the units the occupant had not adhere to closed window dconditions. That leaves at most one legitimate low radon test over on the first floor.

- 1) Almost all radon results in the ground floor units were over the EPA guidance for mitigation, 4.0 pCi/L. To be precise 6 Units out of the 8 Units on the ground level measured values at or above the EPA guidance for mitigation, and suspicion that one unit was not properly measured due to open window during the testing. That means we measured 6 units out of 7 units high. That means 86% of the valid tests on the first floor are over the recommended value for mitigation.

- 2) Three units out of seven correctly tested ground units were over 8.0 pCi/L. This means that for these units applying a second test and averaging the result will be at or above the EPA guidance. That means without testing we know these would have to be mitigated with an active system to result in radon concentrations below 4.0 pCi/L. That is 43% of the properly tested ground floor units were over double the EPA guidance value.
- 3) The one second floor unit tested was below the EPA guidance level, and was located above unit #3, that was above the radon EPA guidance level (5.6 pCi/L).

On the measurements conducted for quality control, the double tests was sufficiently close to the primary tests, and the blank test corresponded to a value that was close to zero, verifying the survey's integrity. Spiked tests were not done for this limited survey (9 test locations only). Spiked tests are done during the regular maintenance of the laboratory.

## **6) CONCLUSIONS AND RECOMMENDATIONS**

Based on these 2-day (short term) measurements, measured during the period indicated and detectors deployed in the locations indicated in Fig 1, which followed the ANSI/AARST standard for Multifamily buildings, 86% of the (trustworthy) measured radon levels on the ground floor are above the EPA guideline value of 4.0 pCi/L with room numbers detailed in Table 5. At least one ground level measurement below the guideline was reported to have had open conditions during the testing, and should be ignored. Retesting is not useful, because it is not likely we will see closed apartment conditions during a second test.

Following the exact MAMF recommendation for extended testing we would recommend new tests to be conducted at all locations with high radon values (Phase 2 testing) and decide for the recommendation on mitigation based on the average of the two tests at each location. However, because three out of seven ground floor units had a radon concentration larger than 8.0 pCi/L, averaging of any of these test results with the radon concentration of a second test would result in an average of both tests to be larger than 4.0 pCi/L at each location. This would result in a recommendation to mitigate for these three locations with an active radon mitigation system. Only two ground units out of eight had an average radon concentration test result smaller than the EPA guidance level, with one test suspected to be invalid of these two. Thus, there seems to be an overwhelming evidence all ground units should be mitigated in the planned renovation of the buildings in the future, without any further radon testing needed at this time, but with a recommendation to fully test the buildings for radon following the complete MAMF protocol after this renovation is complete.

The recommendation from these measurement results and considerations is that all units should be mitigation based on this study. An appropriate future study that targets all rooms is recommended when that is due based on the timing of previous study, or whenever an update of the heating and ventilation system is installed, as directed per the appropriate radon authority, the State Health Department, in Colorado.

## Appendix A: Gamma Correction table by State

Table 6 shows the gamma radiation averages that vary by State used to calculate correction factors recommended in the EPERM manual by Rad Elec. This copy of the page in the manual shows with a reference to a paper from 1981, that the value for Colorado is 11.8  $\mu\text{R/hr}$ .

*Table 6. Rad Elec Inc. table of gamma radiation corrections for the devices used in this survey.*

**RE5295**

# **APPENDIX H**

## **ENDANGERED SPECIES ACT**

# IPaC resource list


This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the



## Local office

Colorado Ecological Services Field Office

☎ (303) 236-4773

 (303) 236-4005

MAILING ADDRESS

Denver Federal Center  
P.O. Box 25486  
Denver, CO 80225-0486

PHYSICAL ADDRESS

134 Union Boulevard, Suite 670  
Lakewood, CO 80228-1807

NOT FOR CONSULTATION

# Endangered species

**This resource list is for informational purposes only and does not constitute an analysis of project level impacts.**

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can

of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).


Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact [NOAA Fisheries](#) for [species under their jurisdiction](#).

1. Species listed under the Endangered Species Act are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the [listing status page](#) for more information. IPaC only shows species that are regulated by USFWS (see FAQ).
2. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an

office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

## Mammals

NAME	STATUS
<b>Gray Wolf</b> <i>Canis lupus</i> There is <b>final</b> critical habitat for this species. <a href="https://ecos.fws.gov/ecp/species/4488">https://ecos.fws.gov/ecp/species/4488</a>	<b>Endangered</b>
	
There is <b>final</b> critical habitat for this species. Your location does not overlap the critical habitat. <a href="https://ecos.fws.gov/ecp/species/758">https://ecos.fws.gov/ecp/species/758</a>	

## Fishes

NAME	STATUS
<b>Greenback Cutthroat Trout</b> <i>Oncorhynchus clarkii stomias</i> Wherever found No critical habitat has been designated for this species. <a href="https://ecos.fws.gov/ecp/species/2775">https://ecos.fws.gov/ecp/species/2775</a>	<b>Threatened</b>

## Pallid Sturgeon *Scaphirhynchus albus*

Endangered

Wherever found

This species only needs to be considered if the following condition applies:

- Project includes water-related activities and/or use in the N. Platte, S. Platte, and Laramie River Basins which may affect listed species in Nebraska.

No critical habitat has been designated for this species.

<https://ecos.fws.gov/ecp/species/7162>



## Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

There are no critical habitats at this location.

You are still required to determine if your project(s) may have effects on

all above listed species.

## Bald & Golden Eagles

There are no documented cases of eagles being present at this location. However, if you believe eagles may be using your site, please reach out to the local Fish and Wildlife Service office.



what does IPAC use to generate the probability of presence graphs of bald and golden eagles in my specified location?

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.


Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project

area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the [Rapid Avian Information Locator \(RAIL\) Tool](#).

### What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to obtain a permit to avoid violating the [Eagle Act](#) should such impacts occur. Please contact your local Fish and Wildlife Service Field Office if you have questions.

## Migratory birds



**Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.**

[Nationwide Conservation Measures](#) describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. [Additional measures](#) or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

## What does IPaC use to generate the list of migratory birds that potentially occur in my specified location?

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project

## What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Eagle Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or

longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

### Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files




survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

## Facilities

# National Wildlife Refuge lands

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

There are no refuge lands at this location



This location did not intersect any wetlands mapped by NWRI.

**NOTE:** This initial screening does **not** replace an on-site delineation to determine whether wetlands occur. Additional information on the NWI data is provided below.

## Data limitations

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through

image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

## Data exclusions


Certain wetlands/habitats are excluded from the National Mapping program because of the limitations of aerial imagery as the primary data source within direct wetlands. These habitats include mangroves, submergent/aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities found on subtidal reefs are also excluded from the inventory. These habitats, because of their depth, are unsuitable for aerial imagery.

## Data provisions

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this mapping. There is no attempt to either alter design or products of the inventory to follow the State of regulatory jurisdiction of any federal, state, or local government or to establish the policy, jurisdiction of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should consult the actions of applicable federal, state, or local agencies concerning specified agency/regulatory programs and regulatory jurisdictions that may affect such activities.

# **APPENDIX I**


## **EXPLOSIVE & FLAMMABLE HAZARDS**






# APPENDIX J


## FARMLANDS PROTECTION

# Urbanized Areas



August 8, 2023

-  2155 West Plum
-  Search Result (point)
-  Urbanized Areas




Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, Maxar, EPA OEI

# **APPENDIX K**

## **FLOODPLAIN MANAGEMENT**

# National Flood Hazard Layer FIRMette

105°7'18"W 40°34'47"N



0 250 500 1,000 1,500 2,000 Feet 1:6,000 105°6'41"W 40°34'20"N  
Basemap Imagery Source: USGS National Map 2023

## Legend


SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
OTHER FEATURES		Levee, Dike, or Floodwall
		Cross Sections with 1% Annual Chance
MAP PANELS		Water Surface Elevation
		Coastal Transect
MAP PANELS		Base Flood Elevation Line (BFE)
		Limit of Study
MAP PANELS		Jurisdiction Boundary
		Coastal Transect Baseline
MAP PANELS		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
MAP PANELS		Unmapped
		The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 8/8/2023 at 3:58 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



# Community Status Book Report

## Communities Participating in the National Flood Program



COLORADO

CID	Community Name	County	Init FHBM Identified	Init FIRM Identified	Curr Eff Map Date	Reg-Emer Date	Tribal	CRS Entry Date	Curr Eff Date	Curr Class	% Disc SFHA	% Disc Non SFHA
080163	CRESTONE, TOWN OF	SAGUACHE COUNTY				01/04/22(E)	No					
080174#	CRIPPLE CREEK, CITY OF	TELLER COUNTY	09/13/74	12/18/85	09/25/09(M)	12/18/85	No					
080211	CROWLEY, CITY OF	CROWLEY COUNTY	08/15/75		(NSFHA)	12/11/85	No					
080236A	DACONO, CITY OF	WELD COUNTY	09/05/75	07/16/79	01/20/16	07/16/79	No					
080307#	DE BEQUE, TOWN OF	MESA COUNTY		04/17/89	10/16/12	04/17/89	No					
080015#	DEER TRAIL, CITY OF	ARAPAHOE COUNTY	11/29/74	08/16/95	(NSFHA)	11/05/85	No					
080154#	DEL NORTE, TOWN OF	RIO GRANDE COUNTY	05/17/74	09/30/82	09/02/11	09/30/82	No					
080041#	DELTA COUNTY *	DELTA COUNTY	05/10/77	03/15/84	08/19/10	03/15/84	No					
080043#	DELTA, CITY OF	DELTA COUNTY	05/24/74	06/01/84	08/19/10	06/01/84	No	10/01/96	05/01/15	8	10%	05%
080046E	DENVER, CITY AND COUNTY OF	DENVER COUNTY	12/28/75	04/15/86	09/04/20	04/15/86	No	10/01/96	04/01/23	6	20%	10%
080279#	DOLORES COUNTY *	DOLORES COUNTY	01/24/78	03/01/86	03/01/86(L)	03/01/86	No					
080122#	DOLORES, TOWN OF	MONTEZUMA COUNTY	02/07/75	09/29/89	09/26/08	09/29/89	No					
080049E	DOUGLAS COUNTY*	DOUGLAS COUNTY	02/07/75	09/03/80	12/02/21	09/03/80	No	10/01/96	05/01/20	5	25%	10%
080047	DOVE CREEK, CITY OF	DOLORES COUNTY	05/24/74	01/01/86	01/01/86(L)	01/01/86	No					
080099#	DURANGO, CITY OF	LA PLATA COUNTY	11/30/73	01/17/79	08/19/10	01/17/79	No	10/01/92	10/01/92	9	05%	05%
080051#	EAGLE COUNTY *	EAGLE COUNTY	11/01/77	11/19/80	12/04/07	11/19/80	No	10/01/08	10/01/18	7	15%	05%
080238#	EAGLE, TOWN OF	EAGLE COUNTY	08/15/75	03/18/80	12/04/07	03/18/80	No					
080180A	EATON, TOWN OF	WELD COUNTY	05/10/74	06/04/80	01/20/16	06/04/80	No					
080089F	EDGEWATER, CITY OF	JEFFERSON COUNTY	06/14/74	08/15/89	08/02/22	08/15/89	No					
080059A	EL PASO COUNTY*	EL PASO COUNTY	12/27/74	12/18/86	12/07/18	12/18/86	No	10/01/92	10/01/10	7	15%	05%
080055#	ELBERT COUNTY*	ELBERT COUNTY		03/17/11	03/17/11	08/13/07	No					
080056#	ELIZABETH, TOWN OF	ELBERT COUNTY	09/06/74	03/17/11	03/17/11(M)	05/22/15	No					
085074E	ENGLEWOOD, CITY OF	ARAPAHOE COUNTY	02/26/71	02/09/72	09/04/20	02/11/72	No	10/01/95	10/01/22	6	20%	10%
080181D	ERIE, TOWN OF	BOULDER COUNTY/WELD COUNTY	06/28/74	10/17/78	08/15/19	10/17/78	No					
080193E	ESTES PARK, TOWN OF	LARIMER COUNTY	09/19/75	01/17/79	01/15/21	01/17/79	No					
080182A	EVANS, CITY OF	WELD COUNTY	04/05/74	04/02/79	01/20/16	04/02/79	No					
080239#	FAIRPLAY, TOWN OF	PARK COUNTY	07/18/75	08/05/86	12/18/09(M)	08/05/86	No					
080240E	FEDERAL HEIGHTS, CITY OF	ADAMS COUNTY	07/11/75	04/15/86	12/02/21	04/15/86	No					
080241A	FIRESTONE, TOWN OF	WELD COUNTY	09/19/75	12/18/79	01/20/16	12/18/79	No					
080112B	FLEMING, TOWN OF	LOGAN COUNTY	11/08/74	05/16/16	05/16/16	07/15/85	No					
080070#	FLORENCE, CITY OF	FREMONT COUNTY	05/17/74	12/04/84	01/06/12	12/04/84	No					
080102#	FORT COLLINS, CITY OF	LARIMER COUNTY	06/28/74	07/16/79	05/02/12	07/16/79	No	10/01/91	05/01/16	2	40%	10%
080183A	FORT LUPTON, CITY OF	WELD COUNTY	05/31/74	04/02/79	01/20/16	04/02/79	No					
080131B	FORT MORGAN, CITY OF	MORGAN COUNTY	10/29/76	02/05/86	05/18/21	02/05/86	No					
080061A	FOUNTAIN, CITY OF	EL PASO COUNTY	06/28/74	06/05/85	12/07/18	06/05/85	No	10/01/92	04/01/22	10		0%
080073#	FRASER, TOWN OF	GRAND COUNTY	09/06/74	01/02/08	01/02/08	01/02/08	No					
080244A	FREDERICK, TOWN OF	WELD COUNTY	09/26/75	07/16/79	01/20/16	07/16/79	No					
080067#	FREMONT COUNTY *	FREMONT COUNTY	08/16/74	09/29/89	07/03/12	09/29/89	No	10/01/93	05/01/08	9	05%	05%
080245B	FRISCO, TOWN OF	SUMMIT COUNTY	10/15/76	05/15/80	11/16/18	05/15/80	No	10/01/93	10/01/98	8	10%	05%
080194#	FRUITA, CITY OF	MESA COUNTY	01/24/75	12/01/81	10/16/12	12/01/81	No					
080205#	GARFIELD COUNTY*	GARFIELD COUNTY		12/15/77	08/02/06	12/15/77	No					
080035C	GEORGETOWN, TOWN OF	CLEAR CREEK COUNTY	06/14/74	06/05/89	12/20/19	06/05/89	No					
080213A	GILCREST, TOWN OF	WELD COUNTY	08/22/75	01/20/16	01/20/16(M)	06/10/80	No					
080075A	GILPIN COUNTY *	GILPIN COUNTY	06/10/77	03/01/86	04/06/22(M)	03/01/86	No					
080247E	GLENDALE, CITY OF	ARAPAHOE COUNTY		04/17/89	09/04/20	12/05/05	No					
080071#	GLENWOOD SPRINGS, CITY OF	GARFIELD COUNTY	11/14/75	10/15/85	10/15/85	07/16/79	No					
080090F	GOLDEN, CITY OF	JEFFERSON COUNTY	11/05/76	05/18/85	12/20/19	05/15/85	No	10/01/96	05/01/11	7	15%	05%
080144A	GRANADA, TOWN OF	PROWERS COUNTY	07/18/75	09/24/84	04/19/16	09/24/84	No					
080248#	GRANBY, TOWN OF	GRAND COUNTY	08/15/75	01/02/08	01/02/08(M)	05/15/08	No					
080280#	GRAND COUNTY *	GRAND COUNTY		01/02/08	01/02/08	04/29/21	No					
080117#	GRAND JUNCTION, CITY OF	MESA COUNTY	02/01/74	01/06/83	10/16/12	01/06/83	No					
080214#	GRAND LAKE, TOWN OF	GRAND COUNTY	08/15/75	01/01/86	01/02/08(M)	01/01/86	No					
080184A	GREELEY, CITY OF	WELD COUNTY	05/03/74	07/16/79	01/20/16	07/16/79	No					
080062A	GREEN MOUNTAIN FALLS, TOWN OF	EL PASO COUNTY	08/30/74	06/05/85	12/07/18	06/05/85	No	10/01/03	10/01/10	7	15%	05%
080195E	GREENWOOD VILLAGE, CITY OF	ARAPAHOE COUNTY	12/27/74	01/05/78	09/04/20	01/05/78	No					

# APPENDIX L

## HISTORIC PRESERVATION

Subject property





September 19, 2023

Dawn DiPrince, SHPO  
Executive Director  
History Colorado  
1200 Broadway  
Denver, CO 80203  
*Via email: oahp@state.co.us*

**RE: 2155 West Plum Street, Fort Collins, Larimer County, CO 80521 (AEI #481375)**

Dear Dawn DiPrince:

In accordance with the Section 106 of the National Historic Preservation Act and its implementing regulations, 36 Code of Federal Regulations (CFR) Part 800, we are providing information as the Responsible Entity (RE) for your review and concurrence regarding the above-referenced project.

Housing Catalyst is proposing to conduct minor rehabilitation activities at an existing 15-unit multifamily residential development located at 2155 West Plum Street in Fort Collins, Colorado. The affordable apartment complex, constructed in 1982, consists of a single two-story building on an approximately 0.54-acre parcel (Parcel Number 9716131901). Onsite improvements include asphalt-paved parking, concrete sidewalks, and associated landscaping. Ingress and egress for the subject property are from West Plum Street.

The building is currently owned by Housing Catalyst and is restricted as affordable housing with a deed of trust by the U.S. Department of Housing and Urban Development (HUD) within the public housing program. Housing Catalyst has received HUD approval to remove the building from the public housing program and transition ownership to Villages Ltd., a Housing Catalyst affiliate. Once sold to Villages Ltd., the project would remain affordable housing to be rented by households earning 80% of area median income or less.

The proposed rehabilitation activities would consist of updates such as new paint, flooring, lighting, updating bathrooms, adding new energy-efficient appliances and energy systems, and updating the community areas to make them more accessible for the population living there. The project would also include replacing the existing elevator, replacing the roof, and adding solar to the building, as well as minor landscaping updates. No changes to the building footprint or unit density are proposed.

This HUD-assisted project would receive Section 18, HOME, and Community Development Block Grant funding.

The subject property is located in an area characterized by a mix of residential and commercial uses. The subject property is bound by West Plum Street and multifamily residential uses to the north, and multifamily residential uses to the east, south, and west.

Based on our research of the property (e.g., SHPO records, interviews, local government tax records, Planning & Zoning), we have defined the Area of Potential Effect as the boundary of the subject property.



Review of the NEPAAssist National Register of Historic Places (NRHP) map indicates that the subject property is not listed on the NRHP or located in a historic district. The subject property building is less than 45 years old and not considered eligible for listing on the NRHP.

Attached for your review are copies of relevant documents supporting our finding, along with photographs, a U.S. Geological Survey topographic quadrangle, and maps detailing the site and location of the property. This documentation satisfies requirements set forth at §800.11(d).

Based on the above information, we have made a finding of no historic properties affected pursuant to 36 CFR 800.4(d)(1) assuming all work is completed in compliance with applicable historic regulations.

In accordance with §800.4(d)(1)(i), your office has 30 days to object to this finding. Please respond by email to [brosen@fcgov.com](mailto:brosen@fcgov.com).

If you have questions regarding this finding, please direct them to me at [brosen@fcgov.com](mailto:brosen@fcgov.com) or 970-221-6812. Thank you for your attention to this matter.

Sincerely,



Beth Rosen  
Grants Compliance Manager



Ms. Beth Rosen  
Grants Compliance Manager  
City of Fort Collins  
222 Laporte Ave.  
Fort Collins, Colorado 80522

RE: 2155 West Plum Street, Fort Collins, Larimer County, Colorado  
AEI Consultants Project No. 481375  
History Colorado No. 83423

Dear Ms. Rosen:

Thank you for your correspondence dated September 19, 2023, which our office received on September 20, 2023, initiating consultation for the aforementioned project under Section 106 of the National Historic Preservation Act of 1966, as amended (54 USC § 306108), and its implementing regulations, 36 CFR Part 800.

We have reviewed all documentation submitted for this project. We concur the undertaking as described will result in *no historic properties affected*.

We request being involved in the consultation process with the local government, which as stipulated in 36 CFR §800.3 is required to be notified of the undertaking, and with other consulting parties. Additional information provided by the local government or consulting parties might cause our office to re-evaluate our eligibility and potential effect findings. Please note that our compliance letter does not end the 30-day review period provided to other consulting parties.

Thank you for the opportunity to comment. If we may be of further assistance, please contact Mitchell K. Schaefer, Section 106 Compliance Manager, at (303) 866-2673 or [mitchell.schaefer@state.co.us](mailto:mitchell.schaefer@state.co.us).

Sincerely,

**Patrick A. Eidman**

Dawn DiPrince  
State Historic Preservation Officer


Digitally signed by Patrick A. Eidman  
Date: 2023.09.22 14:14:01 -06'00'

# **APPENDIX M**

## **NOISE ABATEMENT & CONTROL**


This map shows the Fort Collins, Colorado area. A large yellow circle is centered on Fort Collins, with a red crosshair marking the center. The circle covers parts of Weld County and Larimer County. Major roads shown include I-25, I-76, and various state routes like 14, 27, 34, 38E, 52E, 74E, 80C, 85, 126, 15, 162, 43, 46, 60, 66, 7, 36, 39, and 392. Surrounding towns include Wellington, Windsor, Greeley, Loveland, Johnstown, Platteville, and Estes Park. The map also shows the Colorado River and several smaller water bodies.

1:577,791





City of Fort Collins, Esri, HERE, Garmin, SafeGraph, FAO, METI/NASA, USGS, EPA, NPS, EPA OEI

## Railways within 3,000 Feet



August 8, 2023

1:18,056




 Search Result (point)

 Railroads




Esri Community Maps Contributors, City of Fort Collins, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, EPA OEI


# Major Roads within 1,000 Feet



August 8, 2023

1:9,028

-  Project Buffer
-  2155 West Plum
-  Search Result (point)



Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA

# **APPENDIX N**




## **SOLE SOURCE AQUIFERS**


# Sole Source Aquifers



August 8, 2023

1:2,311,162

-  2155 West Plum
-  Search Result (point)
-  Sole Source Aquifers



# APPENDIX O

## WETLANDS PROTECTION



2155 West Plum



August 8, 2023

**Wetlands**

- |   |   |  |
|---|---|--|
|  Estuarine and Marine Deepwater |  Freshwater Emergent Wetland       |  Lake     |
|  Estuarine and Marine Wetland   |  Freshwater Forested/Shrub Wetland |  Other    |
|   |  Freshwater Pond                   |  Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Wetlands Inventory (NWI)  
This page was produced by the NWI mapper

# **APPENDIX P**

## **WILD & SCENIC RIVERS ACT**

# Wild and Scenic Rivers



August 8, 2023

1:288,895




2155 West Plum




Search Result (point)



Wild and Scenic Rivers




City of Fort Collins, Esri, HERE, Garmin, SafeGraph, METI/NASA, USGS, EPA, NPS, USDA, Earthstar Geographics





\_\_\_\_\_



1. The first part of the document is a letter from the President of the United States to the Congress, dated September 17, 1787. It is a copy of the original letter, and is signed by George Washington.

2. The second part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.

3. The third part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.

4. The fourth part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.

5. The fifth part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.

6. The sixth part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.

7. The seventh part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.


8. The eighth part of the document is a copy of the original letter, and is signed by George Washington. It is a copy of the original letter, and is signed by George Washington.



# APPENDIX Q

## ENVIRONMENTAL JUSTICE

# Percent Population below Poverty Level




August 8, 2023

Source: 2016-2020 ACS (tr)

> 21.8 – 100

2155 West Plum

Search Result (point)



EPA, Esri Community Maps Contributors, City of Fort Collins, County of Larimer, © OpenStreetMap, Microsoft, Esri, HERE, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, Maxar



# EJScreen Community Report

This report provides environmental and socioeconomic information for user-defined areas, and combines that data into environmental justice and supplemental indexes.

## Fort Collins, CO

Tract: 08069000505

Population: 3,472

Area in square miles: 0.49

### COMMUNITY INFORMATION



Low income:  
58 percent



People of color:  
31 percent



Less than high  
school education:  
5 percent



Limited English  
households:  
0 percent



Unemployment:  
2 percent



Persons with  
disabilities:  
11 percent



Male:  
46 percent



Female:  
54 percent

0 years

\$23,554

Average life  
expectancy

Per capita  
income



Number of  
households:  
1,589



Owner  
occupied:  
39 percent

### BREAKDOWN BY RACE



White: 80%



Black: 1%



Asian: 3%



Hispanic: 18%



American Indian: 2%



Hawaiian/Pacific  
Islander: 0%



Other race: 4%



Two or more  
races: 10%

### BREAKDOWN BY AGE



### LIMITED ENGLISH SPEAKING BREAKDOWN



### LANGUAGES SPOKEN AT HOME

LANGUAGE	PERCENT
English	90%
Spanish	7%
German or other West Germanic	1%
Arabic	2%
Total Non-English	10%

Notes: Numbers may not sum to totals due to rounding. Hispanic population can be of any race. Source: U.S. Census Bureau, American Community Survey (ACS) 2017-2021. Life expectancy data comes from the Centers for Disease Control.


# Environmental Justice & Supplemental Indexes

The environmental justice and supplemental indexes are a combination of environmental and socioeconomic information. There are thirteen EJ indexes and supplemental indexes in EJScreen reflecting the 13 environmental indicators. The indexes for a selected area are compared to those for all other locations in the state or nation. For more information and calculation details on the EJ and supplemental indexes, please visit the [EJScreen website](#).

## EJ INDEXES

The EJ indexes help users screen for potential EJ concerns. To do this, the EJ index combines data on low income and people of color populations with a single environmental indicator.


### EJ INDEXES FOR THE SELECTED LOCATION



## SUPPLEMENTAL INDEXES

The supplemental indexes offer a different perspective on community-level vulnerability. They combine data on percent low-income, percent linguistically isolated, percent less than high school education, percent unemployed, and low life expectancy with a single environmental indicator.

### SUPPLEMENTAL INDEXES FOR THE SELECTED LOCATION



These percentiles provide perspective on how the selected block group or buffer area compares to the entire state or nation.

Report for Tract: 08069000505

# EJScreen Environmental and Socioeconomic Indicators Data

SELECTED VARIABLES	VALUE	STATE AVERAGE	PERCENTILE IN STATE	USA AVERAGE	PERCENTILE IN USA
Particulate Matter ( $\mu\text{g}/\text{m}^3$ )	5.58	6.45	37	8.08	5
Ozone (ppb)	65.4	64.9	50	61.6	77
Diesel Particulate Matter ( $\mu\text{g}/\text{m}^3$ )	0.186	0.268	37	0.261	41
Air Toxics Cancer Risk* (lifetime risk per million)	20	25	23	28	3
Air Toxics Respiratory HI*	0.2	0.25	24	0.31	4
Toxic Releases to Air	8.5	3,400	14	4,600	8
Traffic Proximity (daily traffic count/distance to road)	110	180	54	210	60
Lead Paint (% Pre-1960 Housing)	0.025	0.2	39	0.3	20
Superfund Proximity (site count/km distance)	0.015	0.1	15	0.13	11
RMP Facility Proximity (facility count/km distance)	0.61	0.35	86	0.43	80
Hazardous Waste Proximity (facility count/km distance)	0.54	0.58	68	1.9	51
Underground Storage Tanks (count/km <sup>2</sup> )	2.8	2.7	67	3.9	66
Wastewater Discharge (toxicity-weighted concentration/m distance)	0.00016	710	20	22	33
Demographic Index	45%	28%	81	35%	69
Supplemental Demographic Index	16%	11%	80	14%	66
People of Color	31%	32%	57	39%	51
Low Income	58%	25%	93	31%	87
Unemployment Rate	2%	5%	36	6%	35
Limited English Speaking Households	0%	2%	0	5%	0
Less Than High School Education	5%	8%	53	12%	35
Under Age 5	3%	5%	31	6%	29
Over Age 64	11%	16%	38	17%	30
Low Life Expectancy	N/A	18%	N/A	20%	N/A

\*Diesel particulate matter, air toxics cancer risk, and air toxics respiratory hazard index are from the EPA's Air Toxics Data Update, which is the Agency's ongoing, comprehensive evaluation of air toxics in the United States. This effort aims to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that the air toxics data presented here provide broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. Cancer risks and hazard indices from the Air Toxics Data Update are reported to one significant figure and any additional significant figures here are due to rounding. More information on the Air Toxics Data Update can be found at: <https://www.epa.gov/haps/air-toxics-data-update>.

## Sites reporting to EPA within defined area:

Superfund .....	0
Hazardous Waste, Treatment, Storage, and Disposal Facilities .....	0
Water Dischargers .....	0
Air Pollution .....	2
Brownfields .....	0
Toxic Release Inventory .....	0

## Other community features within defined area:

Schools .....	0
Hospitals .....	0
Places of Worship .....	0

## Other environmental data:

Air Non-attainment .....	Yes
Impaired Waters .....	No

Selected location contains American Indian Reservation Lands* .....	No
Selected location contains a "Justice40 (CEJST)" disadvantaged community .....	No
Selected location contains an EPA IRA disadvantaged community .....	Yes

Report for Tract: 08069000505

# EJScreen Environmental and Socioeconomic Indicators Data

## HEALTH INDICATORS

Low Life Expectancy	N/A	18%	N/A	20%	N/A
Heart Disease	3.8	4.8	26	6.1	9
Asthma	12.5	9.9	99	10	94
Cancer	3.2	5.9	3	6.1	3
Persons with Disabilities	10.5%	11.4%	49	13.4%	36

## CLIMATE INDICATORS

Flood Risk	2%	5%	49	12%	26
Wildfire Risk	100%	33%	91	14%	96

## CRITICAL SERVICE GAPS


Broadband Internet	18%	10%	83	14%	70
Lack of Health Insurance	6%	8%	43	9%	44
Housing Burden	Yes	N/A	N/A	N/A	N/A
Transportation Access	No	N/A	N/A	N/A	N/A
Food Desert	No	N/A	N/A	N/A	N/A

Footnotes

Report for Tract: 08069000505

# **APPENDIX R**

## **OTHER SUPPORTING DOCUMENTATION**



The purpose of this map is to assist National, State and local organizations to target their resources and to implement radon-resistant building codes.

This map is not intended to determine if a home in a given zone should be tested for radon. Homes with elevated levels of radon have been found in all three zones.

**IMPORTANT:** Consult the publication entitled "Preliminary Geologic Radon Potential Assessment of Colorado" (USGS Open-file Report 93-292-H) before using this map. <http://energy.cr.usgs.gov/radon/grpinfo.html> This document contains information on radon potential variations within counties. EPA also recommends that this map be supplemented with any available local data in order to further understand and predict the radon potential of a specific area.



# APPENDIX S

## QUALIFICATIONS



# Sharon L. Wright

## NEPA Compliance Manager

---

### EDUCATION

- MA, English - University of Arizona
- MPP (in progress), Environmental Policy - Oregon State University

### CERTIFICATIONS AND TRAINING

- HUD Environmental Review Training (WISER)
- HUD 24 CFR Part 58 Environmental Review Procedures for Entities Assuming HUD Environmental Responsibilities
- NEPA Training, DOI Learn
- Environmental Reviews: The Nuts and Bolts of the Process—Renewable Energy Development on Federal Lands
- Certificate in Public Participation, International Association for Public Participation

### SUMMARY OF PROFESSIONAL EXPERIENCE

Ms. Wright has over 13 years' experience conducting environmental reviews for various federal, state, and local agencies under the National Environmental Policy Act (NEPA) and the California Environmental Quality Act (CEQA). Her primary responsibilities include conducting HUD Environmental Reviews and noise assessments for multifamily and healthcare properties under HUD's MAP and LEAN programs and entering them in the HUD Environmental Review Online System (HEROS) and submitting state and federal agency correspondence to various government entities for NEPA compliance.

### PROJECT EXPERIENCE

Project experience for Ms. Wright includes:

- HUD Part 50 Environmental Reviews/HEROS
- HUD Part 58 Environmental Reviews
- HUD-compliant noise assessments
- NEPA reviews
- CEQA reviews



# Lindsay E. Garrard

HUD NEPA Compliance Specialist, New England Regional Director

---

## EDUCATION

- B.A. - Environmental Studies - Policy, cum laude, Colby College

## CERTIFICATIONS

- HUD Environmental Review Training (WISER)
- HUD 24 CFR Part 58 Environmental Review Procedures for Entities Assuming HUD Environmental Responsibilities
- ACHP Section 106 Essentials Course in Washington D.C.
- ASTM 1527-13 Phase I ESA Training

## SUMMARY OF PROFESSIONAL EXPERIENCE

With a background in environmental policy, Ms. Garrard has over 7 years of professional experience within the environmental due-diligence field. Ms. Garrard has experience with both FCC and HUD environmental compliance and due diligence standards and associated regulations. Her expertise has been focused on National Environmental Policy Act (NEPA) compliance, with additional knowledge in ASTM environmental due diligence. Her primary responsibilities include reviewing HUD Part 50 and Part 58 Environmental Reviews and noise assessments for HUD MAP, HUD LEAN, and Public Housing Authority clients; overseeing state and federal agency correspondence to various government entities for compliance with NEPA; providing training and technical assistance for HUD Project Managers (PMs); and project and client management.

## PROJECT EXPERIENCE

Project experience for Ms. Garrard includes:

- HUD Part 50 Environmental Reviews (HEROS)
- HUD Part 58 Environmental Reviews
- HUD-Compliant Noise Assessments
- HUD Sound Transmission Classification (STC) Calculations
- HUD Barrier Performance Module (BPM) Calculations
- New York SEQR, CEQR, and HCR Compliance Forms and Reports



# Staige Miller

## Senior Vice President, HUD Environmental Services

---

### EDUCATION

- MPA - Master of Public Administration, Virginia Commonwealth University
- B.S. - Environmental Policy & Planning and Political Science, Virginia Tech

### CERTIFICATIONS AND TRAINING

- HUD Environmental Review Training
- HUD Multifamily Accelerated Processing (MAP)/LEAN Section 232 Underwriter Training
- ITRC Vapor Intrusion Pathway: A Practical Guideline (2-day Training)
- ASTM E 2600 Vapor Encroachment Online Course - Commonground University
- Building Performance Institute - Training Services

### SUMMARY OF PROFESSIONAL EXPERIENCE

Ms. Miller has worked exclusively in the niche HUD real estate due diligence consulting industry since 2000 coinciding with the original publication of the HUD MAP Guide. She specializes in providing HUD environmental deliverables and has performed and directed thousands of Phase I and II Environmental Site Assessments, Asbestos, Lead-Based Paint and Radon assessments, noise assessments, 8-Step Decision-Making Processes, and Environmental Review Records for the Related Federal Laws and Authorities for HUD MAP, HUD LEAN, and Public Housing Authority clients. Ms. Miller has expert knowledge of HUD's MAP and LEAN Guidelines and reporting platforms. In addition, she has extensive experience documenting National Environmental Policy Act (NEPA) compliance for various federal, state and local agencies.

As a Senior Vice President, Ms. Miller is responsible for providing direction for the development of HUD Environmental Services throughout AEI. Day to day responsibilities include, creating organizational process assets, training internal and external stakeholders, identifying and understanding industry guidelines for HUD Environmental Services, senior reviewing, project oversight, business development and client management.

### PROJECT EXPERIENCE

Project experience for Ms. Miller includes:

- Client/Agency liaison to provide technical guidance on regulations and to ensure the successful completion of the Environmental Review process.
- Client training and speaking engagements to inform and educate clients regarding HUD environmental due diligence and emerging topics. Ms. Miller's speaking engagements have included presentations to the various HUD lender associations and client-specific training sessions. Ms. Miller is also the Environmental Instructor for the Mortgage Bankers Association (MBA) FHA Multifamily Underwriter Training Program. Ms. Miller is also a member of the HUD Environmental Working Group.

# **APPENDIX T**

## **LIST OF COMMONLY USED ABBREVIATIONS**

## UNITS

µg/L	Micrograms per Liter	pCi/L	PicoCuries per Liter
mg/kg	Milligrams per Kilogram	ppb	Parts per Billion
mg/L	Milligrams per Liter	ppm	Parts per Million

## ABBREVIATIONS AND ACRONYMS

ACM	Asbestos-Containing Material	NFA	No Further Action
ADJ	Adjoining site	NFRAP	No Further Remedial Action Planned
AEI	AEI Consultants	NLR	No Longer Reporting
AHERA	Asbestos Hazard Emergency Response Act	NOV	Notice of Violation
APN	Assessor's Parcel Number	NPL	National Priorities List
AST	Aboveground Storage Tank	O&M	Operations and Maintenance
AUL	Activity and Use Limitation	OEC	Other Environmental Considerations
bgs	Below Ground Surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, Toluene, Ethylbenzene, and Xylenes	PCB	Polychlorinated Biphenyl
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	PCE, PERC	Perchloroethylene, Tetrachloroethylene, Tetrachloroethene
CERCLIS	Comprehensive Environmental Response Compensation and Liability Information System	PFAS	Per- and Polyfluoroalkyl Substances
CESQGs	Conditionally Exempt Small Quantity Generators	RCRA	Resource Conservation and Recovery Act
COC	Contaminant of Concern	REC	Recognized Environmental Condition
CREC	Controlled Recognized Environmental Condition	RP	Responsible Party
EC	Engineering Controls	SDS	Safety Data Sheet
EDR	Environmental Data Resources, Inc.	SEMS	Superfund Enterprise Management System
EPA	Environmental Protection Agency	SF	Square Footage/Square Feet
ERIS	Environmental Risk Information Services	SP	Subject Property
ERNS	Emergency Response Notification System	SQG	Small Quantity Generator
ESA	Environmental Site Assessment	SWLF	Solid Waste Landfill
GPR	Ground-Penetrating Radar	SVOC	Semi-Volatile Organic Compound
HREC	Historical Recognized Environmental Condition	TCE	Trichloroethylene, Trichloroethene
HVAC	Heating, Ventilation and Air Conditioning	TPH	Total Petroleum Hydrocarbons
HWS	Hazardous Waste Site	TPHd	Total Petroleum Hydrocarbons (diesel range)
IC	Institutional Controls	TPHg	Total Petroleum Hydrocarbons (gasoline range)
LBP	Lead-Based Paint	TPHo	Total Petroleum Hydrocarbons (oil range)
LCP	Lead-Containing Paint	TRPH	Total Recoverable Petroleum Hydrocarbons
LLP	Landowner Liability Protection	TSDF	Treatment, Storage, and Disposal Facility
LOG	Large Quantity Generator	USDA	United States Department of Agriculture
LUST	Leaking Underground Storage Tank	USGS	United States Geological Survey
MCL	Maximum Contaminant Level	UST	Underground Storage Tank
MTBE	Methyl Tertiary Butyl Ether	VCP	Voluntary Cleanup Program
ND	None Detected	VOC	Volatile Organic Compound
NESHAP	National Emission Standards for Hazardous Air Pollutants	VSQG	Very Small Quantity Generator